

INSPIRED SCIENCES, LLC

MATERIAL SAFETY DATA SHEET

SECTION 1 -- PRODUCT AND COMPANY IDENTIFICATION

Material LAVA SHELL ACTIVATOR		Revision date May 23, 2012
Previous revision date April 5, 2011	File designation N/A	Material use Various
Manufacture's Name and issuing location Forever Young International, Inc. 84 Corporate Park Drive Henderson, NV 89074		EMERGENCY PHONE NUMBER 888-827-4683 Issuer's phone number 760-480-7586

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	Chemical family	CAS No.
Water	N/A	7732-18-5
Salt	Mineral	7647-14-5
Lavender Fragrance *	N/A	N/A
Surfactant **	N/A	N/A

* Trade secret, are with held in accordance with provisions of S1910.1200 of Title 29 of the Code of Federal Regulations. Contains no hazardous chemicals per Federal Law.

** This product is not subject to reporting requirements of Section 313 of Title III of Superfund and Reauthorization Act of 1986 and 40 CFT part 372.

SECTION 3 -- HAZARDS IDENTIFICATION

Emergency Overview

N/A	

Potential Health Effects (HMIS Rating)

Fire Hazard: 1 Health Hazard: 0 Reactivity: 0 Personal Protection: See Section 8

0 = MINIMAL 1 = SLIGHT HAZARD 2 = MODERATE HAZARD 3 = SERIOUS HAZARD 4 = SEVERE HAZARD



INSPIRED SCIENCES, LLC
MATERIAL SAFETY DATA SHEET

SECTION 3 -- HAZARDS IDENTIFICATION (CONTINUED)

EYE CONTACT	Flush eyes with plenty of water for at least 15 min lifting lower and upper eyelids. Get medical attention.
INHALATION	None currently known.
INGESTION	Ingestion is unlikely, however ingestion of large amounts could cause injury.
SKIN ABSORPTION	N/A

SECTION 4 -- FIRST AID MEASURES

EYES	Flush eyes thoroughly with water for at least 15 min lifting lower and upper eyelids. Consult a physician immediately.
SKIN	N/A
INHALATION	N/A
INGESTION	Give large amounts of water. Never give anything by mouth to an unconscious person. Get medical attention.

SECTION 5 -- FIRE FIGHTING MEASURES

Flammability YES [] NO [X]	If yes, under which conditions?	
Means of extinction N/A		
Special procedures N/A		
	FIRE and EXPLOSION DATA	
Flash point (ASTM D92) Not applicable	Upper explosion limit (% by volume) Not applicable	Lower explosion limit (% by volume) Not applicable
Auto ignition temperature N/A	TDG flammability classification Not Dangerous	Hazardous combustion products N/A

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

SPILLS OR LEAKS	None required.
-----------------	----------------

SECTION 7 -- HANDLING AND STORAGE

Handling: Protect against physical damage.
 Storage: Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION



INSPIRED SCIENCES, LLC.

MATERIAL SAFETY DATA SHEET

Version:2

As with all chemicals, read the MSDS before handling. Always use the proper safety gear and eye protection.

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear liquid	Odor Lavender fragrance	Physical state Liquid packaged in metallic foil	pH Not Applicable
Vapor pressure (mm Hg) Not Applicable	Vapor density (air = 1) Not Applicable	Boiling point (IBP) 212° F	Solubility in water (20°C) None
Evaporation rate (Butyl acetate =1) Not Applicable	Freezing point Not Applicable	Volatiles (By volume) Not Applicable	Specific gravity (25°C) Not Applicable
Coeff. water / oil distribution Not Applicable	Melt point N/A	Molecular weight Not Defined	Odor threshold (PPM) Not Applicable

SECTION 10 -- STABILITY AND REACTIVITY

Chemical stability YES [X] NO []	If no, which conditions?
Compatibility with other substances YES [X] NO []	If NO, which ones?
Reactivity, and under what conditions	
Hazardous decomposition products None currently known	

SECTION 11 -- TOXICOLOGICAL INFORMATION

Carcinogenicity Classification		Route of Entry	
IARC : Not listed	ACGIH: Not listed	Skin contact []	Inhalation acute []
OSHA: Not listed		Skin absorption []	Inhalation chronic []
NTP : Not listed		Eye contact []	Ingestion []

SECTION 12 -- ECOLOGICAL INFORMATION


Material is not considered harmful to the environment. Nevertheless, material from spills and other generated waste must be disposed of properly in conformance with all local, state and federal laws.

SECTION 13 -- DISPOSAL CONSIDERATIONS

May be disposed of as ordinary waste.

SECTION 14 -- TRANSPORT INFORMATION

DOT proper shipping name	Not regulated
DOT hazardous classification	Not Applicable
DOT Haz. Mat table 172.101	Not listed




INSPIRED SCIENCES, LLC.
MATERIAL SAFETY DATA SHEET

Version:2

DOT appendix to sec. 172.101	Not listed
DOT labels required	None
DOT placards required	None
TDG classification	Not regulated

Disclaimer

This material safety data sheet is offered for your information only. We believe the statements, technical information and recommendations contained here in are reliable, but are given without warranty or guarantee of any kind, expressed or implied. INSPIRED SCIENCES, LLC. assumes no responsibility for any loss, damage or expense, direct or consequential, arising from the use of our material. It is the responsibility of the user to determine the suitability and completeness of such information for the required use or application. We do not assume any legal responsibility for nor do we give permission, inducement or recommendation to practice any patented invention without a license. Further, it is the user's obligation to utilize this material in full compliance with all health, safety and environmental regulations.



INSPIRED SCIENCES, LLC

MATERIAL SAFETY DATA SHEET

SECTION 1 -- PRODUCT AND COMPANY IDENTIFICATION

Material LAVA SHELL LAVA GEL SACHET		Revision date May 23, 2012
Previous revision date April 5, 2011	File designation N/A	Material use Various
Manufacture's Name and issuing location Forever Young International, Inc. 84 Corporate Park Drive Henderson, NV 89074		EMERGENCY PHONE NUMBER 888-827-4683 Issuer's phone number 760-480-7586

SECTION 2 -- COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	Chemical family	CAS No.
Magnesium	Mineral	7439-95-4
Iron	Mineral	7439-89-6
Polymer	N/A	9033-79-8


SECTION 3 -- HAZARDS IDENTIFICATION

Emergency Overview

N/A	

Potential Health Effects (HMIS Rating)

Fire Hazard: 1	Health Hazard: 0	Reactivity: 0	Personal Protection: See Section 8
0 = MINIMAL 1 = SLIGHT HAZARD 2 = MODERATE HAZARD 3 = SERIOUS HAZARD 4 = SEVERE HAZARD			



INSPIRED SCIENCES, LLC

MATERIAL SAFETY DATA SHEET

SECTION 3 -- HAZARDS IDENTIFICATION (CONTINUED)

EYE CONTACT	Mechanical injury or particle may embed in eye.
INHALATION	Should be treated as nuisance dust, may irritate mucous membranes or upper respiratory tract. Use proper respirator and means of ventilation.
INGESTION	Ingestion is unlikely, however ingestion of large amounts could cause injury.
SKIN ABSORPTION	Unlikely due to physical form and properties. Low toxicity and not considered a hazard.

SECTION 4 -- FIRST AID MEASURES

EYES	Flush eyes thoroughly with water. Consult a physician immediately.
SKIN	Wash with soap and water to thoroughly remove particles from skin.
INHALATION	Remove individual to a well ventilated area for fresh.
INGESTION	Material is not acutely toxic by ingestion, unless it is in large amounts.

SECTION 5 -- FIRE FIGHTING MEASURES

Flammability	If yes, under which conditions?
YES [X] NO []	If exposed to heat and sparks while dispersed as fine powder in air

Means of extinction
 Smother burning powder by covering with DRY agents approved for use on Class D fires. Use agents such as dry melting flux, dry sand, MET-L-X powder, dry talc, Purple-K powder. **DO NOT USE WATER! Do not use foam, halogenated extinguishers or carbon dioxide.**

Special procedures
 Wear fire fighting glasses when fighting fires – burning Magnesium-Iron Alloy powder produces a very bright white flame! Only trained fire fighters should apply extinguishing agents gently to avoid disturbing or spreading the burning Alloy powder. Monitor carefully for flare-ups and smother these as necessary. Use self-contained breathing apparatus or approach from upwind due to intense white smoke (magnesium oxide) produced. Sometimes it is best to evacuate employees and allow Alloy powder to burn itself out rather than attempt to extinguish. Do NOT attempt to approach or fight if burning Alloy powder is or may be exposed to water!

Individual pads are self-extinguishing. If cases are ignited, plastic will burn initially as a class A fire. Bulk packs will transition from initial class A fire to flammable solid fire (class D) if fire is not brought under control in initial stages.

FIRE and EXPLOSION DATA



INSPIRED SCIENCES, LLC.

MATERIAL SAFETY DATA SHEET

Version:2

Flash point (ASTM D92) Not applicable	Upper explosion limit (% by volume) Not available	Lower explosion limit (% by volume) Not available
Auto ignition temperature Loose powder may auto ignite if exposed to heat and sparks while dispersed as a fine powder in the air.	TDG flammability classification Not Dangerous	Hazardous combustion products See Section 10

SECTION 6 -- ACCIDENTAL RELEASE MEASURES

SPILLS OR LEAKS	Collect spilled pads and inspect non woven fabric; if fabric is punctured, torn, or interior materials are wetted, discard as waste as described below: if fabric is undamaged, repackage. Do NOT use water for cleanup.
------------------------	--

SECTION 7 -- HANDLING AND STORAGE

Handling: Protect against physical damage.
 Storage: Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

SECTION 8 -- EXPOSURE CONTROLS / PERSONAL PROTECTION

As with all chemicals, read the MSDS before handling. Always use the proper safety gear and eye protection.

SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES

Appearance Flat grayish, metallic powder consisting of above ingredients, packaged in non woven fabric	Odor None	Physical state Powder packaged in non woven fabric	pH Not Applicable
Vapor pressure (mm Hg) Not Applicable	Vapor density (air = 1) Not Applicable	Boiling point (IBP) 2025° F	Solubility in water (20°C) None
Evaporation rate (Butyl acetate =1) Not Applicable	Freezing point Not Applicable	Volatiles (By volume) Not Applicable	Specific gravity (25°C) 1.74
Coeff. water / oil distribution Not Applicable	Melt point 1202° F	Molecular weight Not Defined	Odor threshold (PPM) Not Applicable

SECTION 10 -- STABILITY AND REACTIVITY

Chemical stability YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	If no, which conditions? Unless exposed to water, reacts with salt water. Hydrogen gas released.
Compatibility with other substances YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	If NO, which ones? See below
Reactivity, and under what conditions Reacts violently with halogens, chlorinated solvents, ammonium nitrate, carbonates, arsenic, cupric oxide, cupric sulfate, mercuric oxide, inorganic phosphates	



INSPIRED SCIENCES, LLC.

MATERIAL SAFETY DATA SHEET

Version:2

Hazardous decomposition products
None under normal usage.
Polymerization will not occur.

SECTION 11 -- TOXICOLOGICAL INFORMATION

Carcinogenicity Classification		Route of Entry	
IARC : Not listed	ACGIH: Not listed	Skin contact [<input type="checkbox"/>]	Inhalation acute [<input type="checkbox"/>]
OSHA: Not listed		Skin absorption [<input type="checkbox"/>]	Inhalation chronic [<input type="checkbox"/>]
NTP : Not listed		Eye contact [<input type="checkbox"/>]	Ingestion [<input type="checkbox"/>]

SECTION 12 -- ECOLOGICAL INFORMATION

Material is not considered harmful to the environment. Nevertheless, material from spills and other generated waste must be disposed of properly in conformance with all local, state and federal laws.

SECTION 13 -- DISPOSAL CONSIDERATIONS

Used pads (i.e. pads reacted with salt water) may be disposed of as ordinary waste.
Unused and undamaged pads may:

- (1) Be reacted with salt water in accordance with instructions, then disposed of as ordinary waste.
- (2) Be incinerated in a waste facility, ensuring that all material is burned thoroughly.

SECTION 14 -- TRANSPORT INFORMATION

DOT proper shipping name	Not regulated
DOT hazardous classification	Not Applicable
DOT Haz. Mat table 172.101	Not listed
DOT appendix to sec. 172.101	Not listed
DOT labels required	None
DOT placards required	None
TDG classification	Not regulated



INSPIRED SCIENCES, LLC.

MATERIAL SAFETY DATA SHEET

Version:2



--	--

Disclaimer

This material safety data sheet is offered for your information only. We believe the statements, technical information and recommendations contained here in are reliable, but are given without warranty or guarantee of any kind, expressed or implied. INSPIRED SCIENCES, LLC. assumes no responsibility for any loss, damage or expense, direct or consequential, arising from the use of our material. It is the responsibility of the user to determine the suitability and completeness of such information for the required use or application. We do not assume any legal responsibility for nor do we give permission, inducement or recommendation to practice any patented invention without a license. Further, it is the user's obligation to utilize this material in full compliance with all health, safety and environmental regulations.