

Page 1 of 7

CND-N-130

Prep	ared to OSHA,	ACC, ANSI, NOHSC, WHMIS	5 & 2001/58 EC Stand	ards M	SDS Revision: 1.0	MSD	S Revision Date: 10/	/01/2008
				IDENITI				
1.1								
1.1		CURE - ALMOND I				NDS		
1.2	Chemical Name:							
	Botanical oil r	nixture						
1.3	Synonyms:							
1.4	Spa Manicure Trade Names:	Almond Illuminating Masq	ue for the Hands					
1.4		cure Almond Illum	inating Masau	ue for ti	ne Hands			
1.5	Product Use:		i					
	COSMETIC US							
1.6		e: L DESIGN, INC.						
1.7	Distributorr's Addre							
	1125 JOSHUA	WAY, VISTA, CA USA 92081						
1.8	Emergency Phone							
1.0		: +1 (800) 424-9300 / +	1 (703) 527-3887					
1.9	Business Phone: (800) 833-NAI	L (6245), (760) 599-2900						
	(,							
			2. HAZARD					
2.1	Hazard Identificati	on:						
	•	is NOT classified as a HAZ (2004) and ADG Code (Aus		e or as DA	NGEROUS GOODS	according	to the classification	on criteria of
2.2	Routes of Entry:		Inhalation:	NO	Absorption:	NO	Ingestion:	YES
2.3	Effects of Exposure							
	INGESTION:	If product is swallowed, m		omiting an	d/or diarrhea.			
	EYES: SKIN:	Mildly to moderately irritat May be irritating to skin in	•	iduals esr	ecially after prolona	ed contac	ŧ.	
		Inhalation is unlikely.		uuuu, uu	eelally aller protong	,00 0000		
							_	
2.4	Symptoms of Over				initation and water	ing (if in a)	(aa)	
	EYES:Symptoms of overexposure may include redness, itching, irritation and watering (if in eyes).SKIN:Symptoms of overexposure may include redness, itching and irritation.							
2.5	Acute Health Effect		<u> </u>					
	INGESTION:	May cause excessive bov			tion.			
	EYES:	Redness, itching, irritation						
2.6	SKIN: Chronic Health Effe	Redness, itching and irritat	tion of the skin of the	sife of co	ntact for some sensit	ive individu	lais.	
2.0		ealth effects are known.						
2.7	Target Organs:							
	Eyes, skin.							
NLA	Not Available		Not Fatablished N			it. Coc Cr -	tion 16 for Addition	
		; ND = Not Determined; NE e: All WHMIS required inform						
					11. 1			



Page 2 of 7

CND-N-130

пер	ared to OSHA,	ACC, ANSI, NO	HSC, WHMIS 8	2001/58 EC S	Standards	MSDS Re	evision:	1.0	Ν	NSDS F	Revisio	n Date	e: 10/0	1/2008	3
			2 2 2 4												
			3. COM	POSITION	& INGRE	DIENI	INFC		-						
									EXPOS			AIR (r		<u> </u>	
							AC			NOHS	-		OSHA		OTHE
							рр		ES-	ppm ES-	ES-		ppm		
	CHEMICAL N	AME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
MINE	RAL OIL		8042-47-5	PY8047000	232-455-8	≤ 45.0	NA	NA	NF	NF	NF	NA	NA	NA	
HELIA SEED (NTHUS ANNUS (OIL	SUNFLOWER)	164250-88-8	NA	NA	≤ 20.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISON	ONYL ISONONA	NOATE	42131-25-9	NA	261-6965-2	≤ 15.0	NA	NA	NF	NF	NF	NA	NA	NA	
	ENE/PROPYLEN DLYMER	E/STYRENE	66070-58-4	NA	NA	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
	US AMYGDALUS ET ALMOND) OII		8007-69-0	NA	273-313-5	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL		NSIS (JOJOBA)	61789-91-1	NY9262700	289-964-3	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
OLETH	1-5		9004-98-2	NA	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYS	SORBATE 60		9005-67-8	WG2934000	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMET	THICONE		9006-65-9	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAG	RANCE (PARFU/	M)	NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
	.ENE/ETHYLENE/ DLYMER	STYRENE	NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
тосс	OPHERYL ACETA	ſE	58-97-7	GP8280000	200-405-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TITAN	IUM DIOXIDE		13463-67-7	XR2275000	236-675-5	< 1.0	(10)	NA	(10)	NF	NF	(10)	NA	NA	
OTHE	R COMPONENTS	S PRESENT IN LES	SS THAN 1% CO	ONCENTRATIO	N	BAL	THE RE/ SIGNIF						T CON	TRIBUT	E ANY
				4. FIR	ST AID M	EASU	RES								
4.1	First Ald: INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.														
	EYES:		n the eyes, flus ough irrigatior	•				r for at	least 1	5 min	utes. C	Open	and cl	ose ey	/elid(s)
	SKIN: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. Do not wear contaminated clothing until after it has been properly cleaned. If irritation persists, consult a physician.														
		Remove victir		t once.											
4.2	Medical Condition	s Aggravated by Ex	xposure:												



Page 3 of 7 CND-N-130

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.	D MSDS Revi	sion Date: 10/01/20	008		
	5. FIREFIGHTING MEASURES					
5.1	Flashpoint & Method: Non-flammable					
5.2	Autoignition Temperature:					
	NA					
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA	Upper Explosive Li	mit (UEL):	NA		
5.4	Fire & Explosion Hazards:					
5.5	This product is not flammable. 5 Extinguishing Methods:					
5.5	Water, Foam, CO2 or Dry Chemical as authorized.					
5.6	Firefighting Procedures: Normal firefighting procedures require self-contained breathing apparatus with prote hostile fire.	ctive gear for any				
	6. ACCIDENTAL RELEASE MEASU	RES				
6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate For small spills (e.g., <1 gallon (3.785 liters)) wear appropriate personal protective ventilation (open doors and windows). Remove spilled material with absorbent container(s) for disposal. Dispose of properly in accordance with local, state and fer outside of container with plenty of warm water and soap. Remove any contaminated of For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Transfer Remove contaminated clothing promptly and wash affected skin areas with soap an municipal sewers and open bodies of water.	equipment (e.g., ga material and plac deral regulations. W clothing and wash tha material to containe	oggles, gloves). e into appropriat /ash all affected a proughly before reases ars for recovery or	e closed reas and use. disposal.		
	7. HANDLING & STORAGE INFORMA	ATION				
7.1	Work & Hyglene Practices: Follow normal hygiene practices. Do not eat, drink or smoke while handling product.					
7.2	Storage & Handling: Use and store in a cool, dry location. Keep away from excessive and direct sunlight. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers closed when not in use.					
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promp	otly.				
	8. EXPOSURE CONTROLS & PERSONAL PR	OTECTION				
8.1	Ventilation & Engineering Controls: General mechanical (e.g., local exhaust ventilation, fans) or natural ventilation is sufficient when this product is in use.					
8.2	Respiratory Protection: None required.					
8.3	Eye Protection:					
	None required. Avoid eye contact. When handling large quantities (e.g., \geq 1 galls should be used.	on (3.785 liters)), safe	ty glasses with sid	le shields		
8.4	Hand Protection: None required under normal conditions of use. When handling large quantities (impervious plastic gloves.	e.g., ≥ 1 gallon (3.7	785 liters)), wear ı	ubber or		
8.5	Body Protection:	HEALTH		0		
	No apron required when handling small quantities. When handling large quantities ($a = \frac{1}{2}$) agilien (2.785 liters)), even wash stations and	FLAMMABILI	ту	0		
	When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving			-		
	large quantities of this product, wash any exposed areas thoroughly with soap and			0		
	water.	PROTECTIVE	PROTECTIVE EQUIPMENT			
-						



Page 4 of 7

CND-N-130

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 10/01/2008 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: 0.86-0.90 9.2 Boiling Point: NA 9.3 Melting Point: NA 9.4 Evaporation Rate: NA Vapor Pressure: 9.5 NA 9.6 Molecular Weight NA 9.7 Gold pearlescent, semi-viscous oil with almond fragrance Appearance & Color: 9.8 Odor Threshold: NA 9.9 Solubility: Partially soluble in water 9.10 Ηα NA 9.11 Viscosity: 2,000,000 -30,000 cPs 9.12 Other Information: NA **10. STABILITY & REACTIVITY** 10.1 Stability: Stable under ambient conditions. 10.2 Hazardous Decomposition Products: NA 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Exposure or contact with extreme temperatures, direct sunlight or incompatible materials. 10.5 Incompatible Substances: Strong oxidizers. 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. Titanium Dioxide (CAS No. 13463-67-7); IARC classification: Group 2B -Possibly carcinogenic to humans. [NOTE – Applies to inhalation of raw titanium dioxide particles.] 11.2 Acute Toxicity See section 2.5 11.3 Chronic Toxicity: See section 2.6 114 Suspected Carcinogen: No 11.5 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. Embryotoxicity: This product is not reported to produce teratogenic effects in humans. Teratogenicity: This product is not reported to produce reproductive effects in humans. Reproductive Toxicity: 11.6 Irritancy of Product: See section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically.

Hand	Is. Feet. Beauty.	MATERIAL SAFE	TY DATA SH	EET	Page 5 of 7 CND-N-130
Prep	pared to OSHA, AC	C, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Da	te: 10/01/2008
		12. ECOLOGICAL	INFORMATION		
12.1	Environmental Stability: This product will s	slowly volatilize from soil. Components of this prod	uct will slowly decompose i	nto organic compou	nds.
12.2					
12.3	Effects on Aquatic Life:	:			
	•	e volumes may be harmful or fatal to overexposed It are not presented in this MSDS.	l aquatic life. Aquatic toxic	ity data for compon	ents of this product
		13. DISPOSAL CO	NSIDERATIONS		
13.1	Waste Disposal:				

13.2

NA

Special Considerations:

Dispose in accordance with Federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

	basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for ea itional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.	ach mode of transportation.
14.1	49 CFR (GND):	
	NOT REGULATED	
14.2	IATA (AIR):	
	NOT REGULATED	
14.3	IMDG (OCN):	
	NOT REGULATED	
14.4	TDGR (Canadian GND):	
	NOT REGULATED	
14.5	ADR/RID (EU):	
	NOT REGULATED	
14.6	SCT (MEXICO):	
	NOT REGULATED	
14.7	ADGR (AUS):	
	NOT REGULATED	
	15. REGULATORY INFORMATION	

	IS: REGULATORI INFORMATION
15.1	U.S. EPA SARA Title III Reporting Requirements:
	NA
15.2	U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):
	NA
15.3	U.S. TSCA Inventory Status:
	All components of this product are listed in the TSCA Inventory.
15.4	U.S. CERCLA Reportable Quantity (RQ):
	There are no Reportable Quantities for any of the components of this product.
15.5	Other U.S. Federal Requirements:
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).
15.6	Other Canadian Regulations:
	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	U.S. State Regulatory Information:
	Titanium dioxide (CAS No. 13463-67-7); can be found on the following state right to know lists: New Jersey, Pennsylvania, Minnesota, and Massachusetts.
	No component of this mixture is listed in the California Proposition 65 Lists.



Page 6 of 7

CND-N-130

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS	& 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 10/01/2008			
	15. RE	GULATORY INFOR	MATION - continue	d			
15.8	European Union 67/548/EEC and Australia NOHSC:2017 The primary component of this product is (Xn) Harmful. R: 43 - Limited evidence children. Keep container tightly closed of	not listed in Annex I of EU I e of carcinogenic effect.	* S: 2-7/8-20/21 - Keep av	vay from			
	*Applies to inhalation of raw titanium dioxide particles.						
	The primary components of this product are not listed as Hazardous Components with the Australian Government, Australian Safety and Compensation Council, (HSIS).						
	overnment, Australian Salety and Com						
		16. OTHER INFO	ORMATION				
16.1	Other Information:						
16.2	WARNING: Use only as directed. Discont Terms & Definitions:	inue use immediately il imit	ation develops.				
10.2	Please see last page of this MSDS.						
16.3	Disclaimer:						
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Creative Nail Design's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.						
16.4	Prepared for: Creative Nail Design, Inc. A Division of Colomer U.S.A., Inc. 1125 Joshua Way Vista, CA 92081 USA (800) 833-NAIL (6245) phone (760) 599-2900 (760) 599-4005 fax http://www.cnd.com/	Hands. Feet. Beauty.					
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: <u>shipmate@shipmate.com</u>	ShipMa Dangerous Ge Training & Co					



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0

MSDS Revision Date: 10/01/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value	
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
IDLH Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR

3

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

0 Minimal Hazard 1 Slight Hazard

2 Moderate Hazard

Severe Hazard 4 Extreme Hazard


HEALTH, FLAMMABILITY & REACTIVITY RATI

INGS:	HEALTH		
	FLAMMABIL	ITY	
	REACTIVITY		
	PERSONAL PROTECT	ION	
	NCOLART GNPCA Printed by Labelmatter, A American Labelmark Gr	, Chicago, IL 6064	6 (800) 621

5

.

PERSONAL PROTECTION RATINGS:



FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source


or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATIONAMIPABILITY HAZARD RATINGS:

Minimal Hazard
Slight Hazard
Moderate Hazard
Severe Hazard
Extreme Hazard
Acidic
Alkaline
Corrosive
Use No Water
Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s						
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal						
ppm	Concentration expressed in parts of material per million parts						
TD _{lo}	Lowest dose to cause a symptom						
TCLo	Lowest concentration to cause a symptom						
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic						
TC, TC _o , LC _{io} , & LC _o	effects						
IARC	International Agency for Research on Cancer						
NTP	National Toxicology Program						
RTECS	Registry of Toxic Effects of Chemical Substances						
BCF	Bioconcentration Factor						
TLm	Median threshold limit						
log Kow or log Koc	Coefficient of Oil/Water Distribution						

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	Canada's Controlled Product Regulations					

EC INFORMATION:

		N	*	8	X	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash	۲	۲		1	۲		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive