

PRODUCT NAME: Fake Bake 60 Minutes Self-Tan Liquid
Preparation Date: February 22, 2012
Revised: NA

B-053

1. Identification of the Substance / Preparation and Company / Undertaking

Product Name: Fake Bake 60 Minutes Self-Tan Liquid
Application: Self-Tanning spray; product for tanning without the sun.

Supplier:

United 1 International Laboratories
1541 Champion Drive
Carrollton, TX 75006
Phone: 972-490-3300

Emergency Phone: 1-800-764-7661

Chemtrec I.D. 214353

2. Composition / Information on Ingredients

Mixture Of: Solvents, tanning agents, coloring agents, humectants and other perfume and aromatic materials.

The following substances shall be indicated according to legislation:

Ingredients	CAS #	EINECS NO.	Concentration	Hazard Classification
Ethyl Alcohol	64-17-5	200-578-6	5 -15%	F: R11
Glycerol	56-81-5	200-289-5	< 2%	None Assigned
Propylene Glycol	57-66-6	200-388-0	< 2%	Not Determined

3. Hazard Identification

Dark brown liquid, chemical characteristic odor.

This material is subject to the "Cosmetics' Directive 76/768/EEC.

This material would have the following classification, according to Directive 1999/45/EC on dangerous preparations: **Flammable.**

4. First - Aid Measures

Inhalation: Due to nature of product, inhalation is not an expected route of exposure.
Ingestion: Ingestion is not an expected route of exposure. If swallowed, seek medical advice. Never give anything by mouth to an unconscious or convulsing person. Do not induce vomiting.
Skin Contact: If irritation occurs, discontinue use. Wash with mild soap and plenty of water. Seek medical advice. Launder clothing before re-use.
Eye Contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Check the victim for contact lenses and remove if present.

5. Fire - Extinguishing Measures

Suitable extinguishing media: To fight fires use carbon dioxide, chemical foam, dry powder, or water spray.

Unsuitable extinguishing media: Do not use a solid stream of water, as this may cause frothing or spreading of burning material.

Unusual fire and explosion hazards:

None determined. Vapors may be heavier than air, and may collect in confined and low-lying areas. Fire may result in toxic and irritating fumes. The following may develop in the event of a fire: carbon dioxides.

Protective equipment:

Fight fire from a safe distance. Wear proper chemically resistant protective equipment and self-contained breathing apparatus operated in positive pressure mode.

Special Fire fighting procedures:

Keep run-off water out of sewers and water sources. Dike for water control.

PRODUCT NAME: Fake Bake 60 Minutes Self-Tan Liquid

B-053

Preparation Date: February 22, 2012

Revised: NA

6. Accidental Release Measures

Personal Precautions: All persons dealing with clean-up should wear the appropriate chemically protective equipment. Keep unprotected personnel upwind and away from the spill / release. Refer to point 8 on this Safety Data Sheet, EXPOSURE CONTROLS / PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental

precautions: Ensure spilled product does not enter sewers, basements and confined areas.

Methods for Cleanup: Wear necessary chemically protective equipment, such as goggles and suitable protective clothing. Ventilate area of release. Stop leak if possible without risk. Absorb any spilled liquid with inert, non-combustible material such as sand, then place into suitable, labeled containers. Do not use combustible materials such as saw dust. Wash thoroughly after dealing with spillage. Notify appropriate local authorities, if required.

7. Handling and storage

Safe handling procedures: Keep out of reach of children. Always wear suitable protective equipment during handling. Use in a well ventilated area. Avoid inhaling spray mists.

Avoid contact with eyes and clothing. Wash thoroughly after handling material.

Storage requirements: Store in a cool dry, well-ventilated area. Store away from incompatibles. Do not store in direct sunlight. Protect from damage. Inspect periodically for damage or leaks. Keep out of reach of children.

8. Exposure Controls / Personal Protection

Engineering Measures: Use in a well ventilated area. Observe Occupational Exposure Limits (OEL's) and minimize the risk of inhalation of mists.

Respiratory Protection: Exposure should be avoided/controlled by ventilation. Where exposure is likely to be prolonged or is unknown wear approved respiratory protection. Confirmation of which type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers.

Hand Protection: None normally required. For prolonged use, or during bulk handling, wear protective gloves.

Eye Protection: Wear chemical splash goggles to prevent mists from entering the eyes.

Other protection: For prolonged use, or during bulk handling, wear protective clothing to prevent skin contact. An eyewash station should be made available in the immediate working area.

Hygiene measures: Avoid inhaling mists. Avoid contact with eyes and clothing. Do not eat, drink, or smoke while working with this product. Thoroughly wash at the end of each work shift. Immediately remove any clothing that becomes contaminated and launder before re-use.

9. Physical and Chemical Properties

Appearance: Dark brown liquid

Odor: Chemical Characteristic

pH: 3.8

Boiling Point: Not Determined

Flashpoint (Method): 35.1°C (95.1°F)

Flammability: Flammable

Explosive Properties: No Information available

Vapor Pressure: No information available

Specific Gravity / Relative Density (water = 1): 0.98

Solubility (In water): Soluble

Coefficient of Water/Oil Distribution: No Information available

Viscosity: No Information available

Vapor Density (Air = 1): Not Determined

Evaporation rate (BuAe = 1): No information available

Volatiles (% by weight): 15

Freezing Point: No Information available

PRODUCT NAME: Fake Bake 60 Minutes Self-Tan Liquid

B-053

Preparation Date: February 22, 2012

Revised: NA

10. Stability and Reactivity

Stability: Stable under the recommended storage and handling conditions. Hazardous polymerization will not occur.

Conditions to Avoid: Avoid heat, sparks and open flames.

Materials to Avoid (Incompatibles): Strong oxidizers (e.g. chlorine, peroxides, etc.)

Hazardous Decomposition Products: If heated or involved in a fire, toxic and irritating fumes of carbon oxides may be formed.

11. Toxicological Information

Routes of Exposure: Skin contact, eye contact, inhalation.

Signs and Symptoms of Short-Term (Acute) Exposure:

Inhalation: May be harmful if inhaled. Inhalation of high concentration of vapors or mists may cause headache, nausea, dizziness, vomiting, drowsiness and other central nervous system effects. In extremely high concentrations or poorly ventilated areas where the vapor concentration is very high, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue, nausea and vomiting.

Skin: Not expected to be irritating to the skin.

Eyes: Not expected to be irritating to the eyes. Frequent contact may cause irritation and tearing.

Ingestion: Ingestion is not an expected route of exposure. If sprayed directly into the mouth, symptoms may include headache, nausea, dizziness and other central nervous system effects.

Chronic Effects: None known.

Other Important Hazards: None known

Carcinogenic Status: Not determined.

Reproductive Effects: Does not contain any substances classified as reproductively toxic.

Mutagenic Effects: Not determined.

12. Ecological Information

Ecotoxicity: The ecotoxic effects of the product itself have not been fully investigated. The product does not contain any substances known to be Dangerous for the Environment.

Mobility: The mobility of this product in soil has not been fully investigated.

Degradability: The degradability of the product itself has not been fully investigated.

Bioaccumulation Potential: The bioaccumulation potential of this product has not been fully investigated.

Other Adverse Environmental Effects: None known

13. Disposal Considerations

Handling for Disposal: Handle according to recommendations listed in Section 7.

Methods of Disposal: This product, an aerosol, and its containers may be required to be disposed of as a hazardous waste. The product may be classified as a special waste, however the waste classification must be determined based on the source that is generating the waste. Dispose of all hazardous waste in accordance with Local Authority requirements.

14. Transport Information

Land (RID / ADR):

UN number: 1993

Proper Shipping Name: Flammable Liquid, n.o.s., cosmetic consumer product

Class: 3

Packing Group: III

Classification Code: 3

Hazard Identification: Flammable

Other Shipping Information: This product may be shipped as a 'Limited Quantity' when inner packaging do not exceed 1 Liter. Combination packaging must be used and the maximum gross weight of the package must not exceed 30 kg. Refer to the ADR Chapter 3.4 for additional requirements.

PRODUCT NAME: Fake Bake 60 Minutes Self-Tan Liquid

B-053

Preparation Date: February 22, 2012

Revised: NA

14. Transport Information (continued)

Sea (IMDG):

UN number: UN1993

Proper Shipping Name: Flammable Liquid, n.o.s., cosmetic consumer product

Class: 3

Packing Group: III

EmS: E

Marine Pollutant (Yes/No): No

Other Shipping Information: This product may be shipped as a 'Limited Quantity' when inner packaging do not exceed 1 Liter. Combination packagings must be used and the maximum gross weight of the package must not exceed 30 kg. Refer to the ADR Chapter 3.4 for additional shipping requirements.

Air (ICAO/IATA):

UN number: UN1993

Proper Shipping Name: Flammable Liquid, n.o.s., cosmetic consumer product

Class: 3

Packing Group: III

Other Shipping Information: Review all applicable state and operator variations prior to shipping this materials.

15. Regulatory Information

Labeling (according to Directive 1999/45/EC on dangerous preparations): Not determined

Keep out of reach of children.

S23 Do not breathe spray

S25 Avoid contact with eyes

S51 Use only in well-ventilated areas

S35 This material must be disposed of in a safe way.

National Regulations:

1. This material is subject to EC Directive 76/768/EEC on Cosmetics. The above Labeling information does not include the requirements of the Cosmetic Directive.
2. EC Directives 67/548/EEC on dangerous substances, as amended; and 1999/45/EC on dangerous preparations, as amended.

16. Other Information

INFORMATION SOURCES:

1. Material Safety Data Sheet from manufacturer
2. Canadian Centre for Occupational Health and Safety, CC Info Web databases 2006 (Chempendium, RTEC's, HSDB (INCHEM).
3. European Chemicals Bureau, Existing Chemicals Work Area, EINECS Information System, 2006.
4. European Chemicals Bureau, IUCLID Dataset, 18-FEB-2000 for 'Ethanol'
5. European Chemicals Bureau, IUCLID Dataset, 18-FEB-2000 for 'Propane-1,2-diol'.

PREPARATION DATE: February 22, 2012**Revised NA**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the data of the publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.