### MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 2.1 MSDS Revision Date: 05/01/2012 1. PRODUCT IDENTIFICATION **GELCOLOR BY OPI – TOP SEALER** 1.2 Chemical Name: NA 1.3 Synonyms: NA 1 4 Trade Names GC 030 1.5 Product Use: PROFESSIONAL USE ONLY Manufacturer's Name OPI PRODUCTS, INC. 1.7 Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 19 Business Phone: +1 (818) 759-2400 / +1 (800)-341-9999 2. HAZARD IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia). WARNING. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. Hazard Statements (H): H317 - may cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 2.2 Routes of Entry: Inhalation: YES Absorption: YES YES Ingestion: 2.3 Effects of Exposure INGESTION: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating SKIN & EYES: to skin in some sensitive individuals, especially after prolonged and/or repeated contact. INHALATION: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. Chronic Health Effects 2.6 None known. 2.7 Target Organs: Eyes, skin, and respiratory system. NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.

## **MATERIAL SAFETY DATA SHEET**

Page 2 of 7

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

extinguishing a fire involving this product.

MSDS Revision: 2.1 MSDS Revision Date: 05/01/2012

		3. COM						F1/	DOCUL	F 11447	C 181 A	. n		
						A C /	CIU			E LIMIT	ગાN A			
						ppm (n			MOHSC m (mg/r		nn	OSHA m (mg/r	n³)	ОТ
						P P 111 (11	,,	ES-	ES-	ES-	77	(9/1	, 	- 51
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
	MA TRIMETHYLHEXYL RBAMATE	72869-86-4	NA	276-957-5	≤ 65.0	NA	NA	NF	NF	NF	NA	NA	NA	
YDR0	OXYETHYL METHACRYLATE A)	868-77-9	OZ4725000	212-782-2	≤ 20.0	NA	NA	NF	NF	NF	NA	NA	NA	
YDR	OXYPROPYL METHACRYLATE	27813-02-1	UD3442500	248-666-3	≤ 15.0	NA	NA	NF	NF	NF	NA	NA	NA	
	THYLBENZOYL NYLPHOSPHINE OXIDE	75980-60-8	NA	278-355-8	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
YDRO	OXYCYCLOHEXYL PHENYL IE	947-19-3	NA	213-426-9	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
OLYS	ILICONE-13	158451-77-5	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
:1 607	'25 (VIOLET 2)	81-48-1	CB770000	201-353-5	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
. 557	\··· <b></b> ·		1	1	1	1		1	1	1		ı •		l
			∕ EID	ST AID ME	ACIID	EC								
1	First Aid:													
	EYES: Splashes are	d the amount o e not likely; hov If irritation occu	vever, if produ	uct gets in the			n copio	ous am	ounts	of luke	warm	water	for at	lec
	EYES: Splashes are 15 minutes.  SKIN: If irritation o the effected	e not likely; hov If irritation occu ccurs and prod area with soap	vever, if produ urs, contact a luct is on the s	uct gets in the physician. skin, rinse thor	eyes, floo	ush with with luk	ewarm	water	, follov	wed by	a tho	rough	washi	
.2	EYES: Splashes are 15 minutes.  SKIN: If irritation o the effected INHALATION: Remove vic Medical Conditions Aggravated by	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air.	vever, if produ urs, contact a luct is on the s	uct gets in the physician. skin, rinse thor	eyes, floo	ush with with luk	ewarm persist	water	r, follov tact a	wed by	a tho	rough	washi	ng
1.2	EYES: Splashes are 15 minutes.  SKIN: If irritation o the effected INHALATION: Remove vic Medical Conditions Aggravated by None known.	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:	wever, if produ urs, contact a luct is on the s and water. I	uct gets in the physician. skin, rinse thor f irritation, red	eyes, floo eoughly v	ush with with luk welling	ewarm persisi	water s, cont	r, follov act a	wed by physici	a tho	rough	washi tely.	ng
1.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove victor Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove.	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  S: Follow GelC ral time - soak	wever, if products, contact a luct is on the so and water. It is only the color nail preparalls longer.	uct gets in the physician. skin, rinse thor f irritation, red & removal ins Do not force	eyes, flooughly was or some	with luke welling  Longe	ewarm persist	water s, cont EALT	r, follov lact a H MAB	wed by physici	a tho	rough	washi tely.	ng
1.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove victor Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  ss: Follow GelC al time - soak implements/ele	vever, if products, contact a luct is on the so and water. It is only the contact and water and water are not a longer and its longer.	ect gets in the physician. skin, rinse thor firritation, red  & removal ins Do not force remove pro	eyes, flooring to the service of the	ush with with luk welling  Longe gel awa If cliei	ewarm persist	EALT  EACT	H MAB	wed by physici	a tho	rough media	washi tely.	ng (
1.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vice Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently for the minutes.	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure: as: Follow GelC tal time - soak implements/ele on during reme ile surface of g	vever, if products, contact a luct is on the so and water. It is on the so and water. It is old the sold in the so	& removal ins Do not force remove processure, squees side walls with	tructions or pull goduct.	with luk welling Longe gel awa If clier inching 240 File	ewarm persist	EALT  EACT	H MAB	wed by physici	a tho	rough media	washi tely.	ng ·
1.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation.	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele tal during remeile surface of gelColor as	vever, if products, contact a luct is on the so and water. It contacts and water and water are least to contact and contact an	& removal ins Do not force remove prossure, squees side walls with	tructions or pull goduct.	with luk welling Longe gel awa If clier inching 240 File	ewarm persist	EALT  EACT	H MAB	ILITY Y /E EG	a tho	rough media	washi tely.	ng
4.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vice Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently form Gently push off as much	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele tal during remeile surface of gelColor as	vever, if products, contact a luct is on the so and water. It could be considered as a constant of the country	& removal ins Do not force remove prossure, squees side walls with	eyes, flooring tructions or pull goduct. ezing, phe EDGE le Cutic	with luk welling Longe gel awa If clier inching 240 Fike le Sticl	ewarm persist	EALT AM EACT	H MAB	ILITY Y /E EG	a tho	rough media	washi tely.	ng ·
	EYES: Splashes are 15 minutes.  SKIN: If irritation on the effected INHALATION: Remove vic Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensatic remove wrap and gently for Gently push off as much Resaturate foil wrap, rewra	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele tal during remeile surface of gelColor as	vever, if products, contact a luct is on the so and water. It could be considered as a constant of the country	& removal ins Do not force remove pro- ressure, squee side walls with	eyes, flooring tructions or pull goduct. ezing, phe EDGE le Cutic	with luk welling Longe gel awa If clier inching 240 Fike le Sticl	ewarm persist	EALT AM EACT	H MAB	ILITY Y /E EG	a tho	rough media	washi tely.	ng ·
5.1	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensatic remove wrap and gently form Gently push off as much Resaturate foil wrap, rewrater in the special remove wrap and gently form the special removal remove wrap and gently form the special removal remove wrap and gently form the special removal remo	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele tal during remeile surface of gelColor as	vever, if products, contact a luct is on the so and water. It could be considered as a constant of the country	& removal ins Do not force remove pro- ressure, squee side walls with	eyes, flooring tructions or pull goduct. ezing, phe EDGE le Cutic	with luk welling Longe gel awa If clier inching 240 Fike le Sticl	ewarm persist	EALT AM EACT	H MAB	ILITY Y /E EG	a tho	rough media	washi tely.	ng
5.1	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently form Gently push off as much Resaturate foil wrap, rewrated in the sentence of the sen	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele tal during remeile surface of gelColor as	vever, if products, contact a luct is on the so and water. It could be considered as a constant of the country	& removal ins Do not force remove pro- ressure, squee side walls with	eyes, flooring tructions or pull goduct. ezing, phe EDGE le Cutic	with luk welling Longe gel awa If clier inching 240 Fike le Sticl	ewarm persist	EALT AM EACT	H MAB	ILITY Y /E EG	a tho	rough media	washi tely.	ng
5.1	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensatic remove wrap and gently form Gently push off as much Resaturate foil wrap, rewrater in the special remove wrap and gently form the special removal remove wrap and gently form the special removal remove wrap and gently form the special removal remo	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele in during reme ile surface of g in GelColor as to nail, and cont	vever, if products, contact a luct is on the so and water. It contacts and water. It contacts are also and water. It contacts are also and water. It contacts are also also also also also also also also	& removal ins Do not force remove prossure, squees side walls with the Reusab	tructions or pull goduct. ezing, phe EDGE	with luk welling Longe gel awa If clier inching 240 File Le Sticl	ewarm persist H F R R P P R R R R R R R R R R R R R R R	EALT AM/ EACT ROTE (ES	H MAB TIVIT	ILITY Y /E EG	QUIP	rough media	washi tely.	ng ·
5.2	EYES: Splashes are 15 minutes.  SKIN: If irritation of the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently form Gently push off as much Resaturate foil wrap, rewrate Flashpoint & Method:  N/D  Autoignition Temperature:  NA	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  as: Follow GelC tal time - soak implements/ele in during reme ile surface of g in GelColor as to nail, and cont	vever, if products, contact a luct is on the so and water. It could be considered as a constant of the country	& removal ins Do not force remove prossure, squees side walls with the Reusab	tructions or pull goduct. ezing, phe EDGE	with luk welling Longe gel awa If clier inching 240 Fike le Sticl	ewarm persist H F R R P P R R R R R R R R R R R R R R R	EALT AM/ EACT ROTE (ES	H MAB TIVIT	ILITY Y /E EG	QUIP	rough media	washi tely.	ng
5.1 5.2 5.3 5.4	EYES: Splashes are 15 minutes.  SKIN: If irritation on the effected INHALATION: Remove vice Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently form Gently push off as much Resaturate foil wrap, rewrates in the sentence of the sent	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air. Exposure:  SS: Follow GelC ral time - soak implements/ele on during reme ile surface of g a GelColor as o nail, and cont	vever, if products, contact a luct is on the so and water. It could be considered as a contact and water. It could be compared to the could be coul	& removal ins Do not force remove progressure, squee side walls with the Reusab	tructions or pull goduct. ezing, phe EDGE	with luk welling  Longer  Longer  JE clier  Longer  Lo	ewarm persist Filly R R P e. E)	EALT AM/ EACT ROTE (ES	H MAB TIVIT SK	ILITY Y /E EG	QUIP	rough media	washi tely.	ng
5.1 5.2 5.3 5.4	EYES: Splashes are 15 minutes.  SKIN: If irritation on the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently for Gently push off as much Resaturate foil wrap, rewrates in the same of the sense of the s	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air.  Exposure:  SS: Follow GelC ral time - soak implements/ele on during reme ile surface of g a GelColor as o nail, and cont and may cause	vever, if products, contact a luct is on the so and water. It could be considered as a contact and water. It could be compared to the could be coul	& removal ins Do not force remove progressure, squee side walls with the Reusab	tructions or pull goduct. ezing, ph EDGE le Cutic	with luk welling  Longer  Longer  JE clier  Longer  Lo	ewarm persist Filly R R P e. E)	EALT AM/ EACT ROTE (ES	H MAB TIVIT SK	ILITY Y /E EG	QUIP	rough media	washi tely.	ng
5.1 5.2 5.3 5.4	EYES: Splashes are 15 minutes.  SKIN: If irritation on the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently for Gently push off as much Resaturate foil wrap, rewrates in the same of the sense of the s	e not likely; how If irritation occu ccurs and prod area with soap tim to fresh air.  Exposure:  SS: Follow GelC ral time - soak implements/ele on during reme ile surface of g a GelColor as o nail, and cont and may cause	vever, if products, contact a luct is on the so and water. It could be considered as a contact and water. It could be compared to the could be coul	& removal ins Do not force remove progressure, squee side walls with the Reusab	tructions or pull goduct. ezing, ph EDGE le Cutic	with luk welling  Longer  Longer  JE clier  Longer  Lo	ewarm persist Filly R R P e. E)	EALT AM/ EACT ROTE (ES	H MAB TIVIT SK	ILITY Y /E EG	QUIP	rough media	washi tely.	ng
5.1 5.2 5.3 5.4	EYES: Splashes are 15 minutes.  SKIN: If irritation on the effected INHALATION: Remove vic.  Medical Conditions Aggravated by None known.  Special removal Instruction wear may increase remove from nail or use metal experiences any sensation remove wrap and gently for Gently push off as much Resaturate foil wrap, rewrates in the same of the sense of the s	e not likely; hove if irritation occurs and produce area with soap time to fresh air.  Exposure:  SE: Follow GelC and time - soak implements/ele for during remaile surface of gelColor as to nail, and continue area on a may cause	vever, if products, contact a luct is on the so and water. It could be contacted and water. It could be contacted as a luct is on the so and water. It could be contacted as a luct is on the so and water. It could be contacted as a luct in the solution of the could be contacted as a luct in the solution of the could be contacted as a luct in the solution of the could be contacted as a luct in the solution of the could be contacted as a luct in the solution of the could be contacted as a luct in the solution of the solutio	& removal instance of the remo	tructions or pull goduct. ezing, ph EDGE le Cutic	with luke welling  Longer away if clien inching 240 File Stice  JRES  ND	ewarm persist Properties Properti	EALT AM/ EACT ROTE (ES	H MAB FIVIT SCTIV	ILITY Y /E EG IN	QUIP/	rough media	washi tely.	ng

## MATERIAL SAFETY DATA SHEET

Page 3 of 7

**MSDS-249** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 2.1

MSDS Revision Date: 05/01/2012

#### 6. ACCIDENTAL RELEASE MEASURES

5.1 Spills

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

#### 7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

7.2 Storage & Handling

Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care

Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.

7.3 Special Precautions:

Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

#### 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

8.2 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.

8.3 Eye Protection:

Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166.

3.4 Hand Protection:

AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states.

8.5 Body Protection

AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.

#### 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	1.4730 - 1.4790
9.2	Boiling Point:	> 212 °F
9.3	Melting Point:	NE NE
9.4	Evaporation Rate:	NE NE
9.5	Vapor Pressure:	NE NE
9.6	Molecular Weight:	NE NE
9.7	Appearance & Color:	Clear viscous gel
9.8	Odor Threshold:	Characteristic acrylates odor
9.9	Solubility:	Immiscible
9.10	рН	ND
9.11	Viscosity:	1,000 – 2,000 cPs
9.12	Other Information:	ND

## MATERIAL SAFETY DATA SHEET

Page 4 of 7 MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 2.1 MSDS Revision Date: 05/01/2012 10. STABILITY & REACTIVITY 10.1 Stable under ambient conditions when stored properly (see Section 7, Storage and Handling). 10.2 Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO<sub>2</sub>). 10.3 Hazardous Polymerization May occur, if exposed to extremely high temperatures. 10.4 Conditions to Avoid: None known. Incompatible Substances: 10.5 This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide). 11. TOXICOLOGICAL INFORMATION Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. These data have not been presented in this document. Acute Toxicity: See Section 2.5 11.3 Chronic Toxicity: See Section 2.6 11.4 Suspected Carcinogen: No 11.5 Reproductive Toxicity This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 Biological Exposure Indices: 11.7 NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION There are no specific data available for this product. The components of this product will slowly degrade over time into a variety of organic compounds. Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste disposal must be in accordance with appropriate federal, state, and local regulations. 13.2 Special Considerations NA

### MATERIAL SAFETY DATA SHEET

Page 5 of 7

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision Date: 05/01/2012 MSDS Revision: 2.1 14. TRANSPORTATION INFORMATION The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR) NOT REGULATED 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): NOT REGULATED 14.6 MEXICO (SCT): **NOT REGULATED** 14 7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory as appropriate. NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 No components of this mixture are listed in the California Proposition 65 Lists. 67/548/EEC (European Union) Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC: HEMA: (Xi) Irritant. Risk Phrases (R): 36/38-43 - Irritating to eyes and skin. May cause sensitization by skin contact. Safety Phrases (S): 2-26-28 Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water. WARNING. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. Hazard Statements (H): H317 – may cause an allergic skin reaction. H320 – Causes eye irritation. Precautionary Statements (P): P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P501 – Dispose of

contents/container to a licensed treatment, storage or disposal facility (TSDF).

HazChem Code: NA

# $\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

## **MATERIAL SAFETY DATA SHEET**

Page 6 of 7

MSDS-249

Prepa	ared to OSHA, ACC, ANSI, NOHSC, WHMIS, 200	1/58 & 1272/2008/EC Standards	MSDS Revision: 2.1	MSDS Revision Date: 05/01/2012
		16. OTHER INFORM	MATION	
16.1	Other Information:			
	Keep out of reach of children. Do not	take internally. Keep away from t	neat and open flame.	
16.2	Terms & Definitions:			
	Please see last page of this MSDS.			
16.3	Disclaimer:			
	regulations must be reviewed for app contained herein is reliable and accu warranties of any type, either expres product(s). If this product(s) is combin from time to time. Be sure to consult the	rate as of this date; however, acc sed or implied, are provided. I ned with other materials, all comp	curacy, suitability or comp The information contained	eleteness are not guaranteed and no d herein relates only to the specific
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5770 http://www.opi.com/	$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$		
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com	ShipMate  Dangerous Goods  Training & Consultin	<b>9°</b>	

## **MATERIAL SAFETY DATA SHEET**

Page 7 of 7

MSDS-249

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 2.1

MSDS Revision Date: 05/01/2012

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDs. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	GIH American Conference on Governmental Industrial Hygienists		
TLV	TLV Threshold Limit Value		
OSHA	OSHA U.S. Occupational Safety and Health Administration		
PEL	Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide ovvigen to the body


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:







#### OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no			
Temperature	other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that			
	will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume,			
	that will explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic
TC, TCo, LCio, & LCo	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0				<b>(T)</b>	<b>®</b>		R
Α	В	С	D1	D2	D3	E	F
Compresse	d Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

		No.	*		<b>9</b>	X	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\Leftrightarrow$		<u>*</u>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment