MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-100

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010
	1. PRODUCT IDENTIFICATION
1.1	Product Name:
	MANICURE BY OPI FINISHING BUTTER
1.2	Chemical Name:
	AQUEOUS LOTION
1.3	Synonyms:
	NA
1.4	Trade Names: MC132, MC137, MC138
1.5	Product Use:
	PROFESSIONAL OR SUNDRY USE ONLY
1.6	Manufacturer's Name:
	OPI PRODUCTS, INC.
1.7	Manufacturer's Address:
1.8	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA Emergency Phone:
1.0	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300
1.9	Business Phone:
1.7	+1 (818) 759-2400 / +1 (800) 341-9999
	(0.0), (0.7), (0.0), (0.0)
	2. HAZARD IDENTIFICATION
2.1	Hazard Identification:
	This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).
2.2	Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES
2.3	Effects of Exposure:
	INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.
	SKIN & EYES: Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact.
	INHALATION: Inhalation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals.
2.4	Symptoms of Overexposure:
	Symptoms of overexposure may include redness, itching, and irritation.
2.5	Acute Health Effects:
	Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
2.6	Chronic Health Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Benzyl alcohol, isopropylparaben, isobutylparaben, benzophenone, benzoic acid, methylbutylparaben and butylparaben,
2.7	contained in very small quantities in this product, may be mild allergens to some sensitive individuals. Target Organs:
2.1	Eyes.
	L) Co.
NIA -	Not Available, ND - Not Determined, NE - Not Established, NE - Not Equal C - Calling Limit, See Section 1/ for Additional Definitions of Terms

Used. NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 2 of 7 MSDS-100

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 02/08/2010

3. COMPOSITION & INGREDIENTS

							EXP	OSURE	LIMITS	IN AIR	(mg/n	n³)	
					AC	GIH	NOHSC			OSHA			
					ppm		FC	ppm		ppm		OTHER	
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	≤ 60.0	NA	NA	NF	NF	NF	NA	NA	NA	
CYCLOPENTASILOXANE	541-02-6	GY59452000	208-764-9	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLHEXYL METHOXYCINNAMATE	5466-77-3	NA	226-775-7	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAPRYLYL METHICONE	17955-88-3	NA	241-881-3	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
SUCROSE STEARATE	25168-73-4	NA	246-705-9	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE COPOLYMER	NA	NA	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZOPHENONE-3	131-57-7	DJ1575000	205-031-5	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERYL STEARATE	123-94-4	NA	204-664-4	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-100 STEARATE	9004-99-3	TQ5800000	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYDIMETHYL TAURATE COPOLYMER	11286-86-3	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
SQUALANE	111-01-3	XB6070000	203-825-6	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYSORBATE 60	9005-67-8	WG2934000	267-008-6	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPROPYLPARABEN	4191-73-5	NA	224-069-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOBUTYLPARABEN	4247-02-3	NA	224-208-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DEHYDROACETIC ACID	520-45-6	UP8050000	208-293-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SALICYCLIC ACID	69-72-7	VO0525000	200-712-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZOIC ACID	65-85-0	DG0875000	200-618-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZETHONIUM CHLORIDE	121-54-0	BO7175000	204-479-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BENZYL ALCOHOL	100-51-6	DN3150000	202-859-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
POLYSILICONE-11	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLHEXYL HYDROSTEARATE	29383-26-4	NA	249-793-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
XANTHAN GUM	11138-66-2	NA	234-394-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 15510 (ORANGE 4)	633-96-5	DB7084000	211-199-0	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LINALOOL	78-70-6	RG5775000	201-134-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
LIMONENE	5989-27-5	GW6360000	227-813-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
GERANIOL	106-24-1	RG5830000	203-377-1	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-100

Prep	pared to OSHA,	ACC, ANSI, NOHSC, WHM	IIS & 2001/58 EC Standards	MSDS R	Revision: 2.1	N	1SDS Revision	Date: 02/08/	2010	
			4. FIRST AID I	MEASU	RES					
4.1	First Aid: INGESTION: EYES: SKIN:	offer plenty of water or center or local emerg swallowed. If product is in the eye eyelid(s) to ensure thorouf redness, dryness or of and soap. If irritation pe	ce vomiting. Drink plenty o milk. Never give water or n ency number. Provide at s, flush with copious amoungh irrigation. If problem potentials, consult a physician.	nilk to an n estimate ints of luk ersists, cor	unconsciou e of the tir ewarm wat nsult a physi	es person. me and ar der for at le ician.	Contact the mount of the	nearest Poiso e substance tes. Open a	n Control that was and close	
4.2		Remove victim to fresh of saggravated by Exposure:	air at once.			LIEALT			0	
	None known.	, , , , , , , , , , , , , , , , , , ,				HEALTI			0	
							AABILITY		0	
						REACT			0	
					,		CTIVE EG	UIPMENT		
						EYES				
			5. FIREFIGHTING	2 MEAS	HIDES					
5.1	Flashpoint & Metho	od:	5. FIREFIGHTING	J MEAS	OUKES					
	> 200 °F									
5.2	Autoignition Tempe	erature:								
5.3	Flammability Limits		Lower Explosive Limit (LEI	_):	NA	Upper Exp	olosive Limit (UEL):	NA	
5.4	Fire & Explosion Ha This product is	zards: non-flammable.								
5.5	Extinguishing Meth									
5.6	NA Firefighting Proced	lires:)	
0.0	Firefighting Procedures: NA									
		6	. ACCIDENTAL REL	EASE N	MEASURE	ES .				
6.1										
		-	IANDUNO 6 CTOD	A C F 1511						
7.1	Work & Hygiene Pr		HANDLING & STORA	AGE IN	FUKMAI	ION				
7.1	Avoid eye co									
7.2		in a cool, dry, well-vent	ilated location (e.g., local ontainers securely closed w			ans). Do n	ot store in d	amaged or u	nmarked	
7.3	Special Precaution	ns:	hazard if left unattended. (ly.				

MATERIAL SAFETY DATA SHEET

Page 4 of 7 MSDS-100

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010

	, , , , , , , , , , , , , , , , , , , ,							
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION						
8.1	Ventilation & Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.							
8.2	Respiratory Protection: None required if used in a well-ventilated area.							
8.3	Eye Protection:							
8.4	Hand Protection:	ne required under normal conditions of use.						
0.4	None required under no	ormal conditions of use						
8.5	Body Protection:	The containers of odd.						
	None required under no	ormal conditions of use.						
		9. PHYSICAL & CHEMICAL PROPERTIES						
9.1	Density:	0.95 – 1.00						
9.2	Boiling Point:	ND						
9.3	Melting Point:	ND ND						
9.4	Evaporation Rate:	ND ND						
9.5	Vapor Pressure:	ND ND						
9.6	Molecular Weight:	ND ND						
9.7	Appearance & Color:							
9.8	Odor Threshold:	Beige emulsion with mint-like odor. ND						
9.9	Solubility:	Soluble in water.						
9.10	рН							
9.11	Viscosity:	6.0 - 6.7						
9.11	Other Information:	~ 200,000 cPs						
9.12	Other information:	NA						
		10. STABILITY & REACTIVITY						
10.1	Stability: This product is stable.							
10.2	Hazardous Decomposition Produ Oxides of carbon and n							
10.3	Hazardous Polymerization: Will not occur.							
10.4	Conditions to Avoid: Open flames, sparks, hig	gh heat and direct sunlight.						
10.5	Incompatible Substances: None known.							
		11 TOVICOLOGICAL INFORMATION						
	T	11. TOXICOLOGICAL INFORMATION						
11.1		en tested for specific toxicity data.						
11.2	Acute Toxicity: See section 2.5							
11.3	Chronic Toxicity: See section 2.6							
11.4	Suspected Carcinogen: No.							
11.5	Reproductive Toxicity: This product is not report	ted to produce reproductive toxicity in humans.						
		ted to produce mutagenic effects in humans.						
	Embryotoxicity:	tod to produce embruatoric effects in humans						
	Teratogenicity:	ted to produce embryotoxic effects in humans.						
	Reproductive Toxicity:	ted to produce teratogenic effects in humans.						
L	This product is not reported to produce reproductive effects in humans.							

MATERIAL SAFETY DATA SHEET

Page 5 of 7

MSDS-100

riep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Re	vision Date: 02/08/2010
	11. TOXICOLOGICAL INFORMATION - continued	
11.6	Irritancy of Product: See Section 2.3	
11.7	Biological Exposure Indices: NE	
11.8	Physician Recommendations: Treat symptomatically.	
	12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability: There is no specific data available for this product.	
12.2	Effects on Plants & Animals: There is no specific data available for this product.	
12.3	Effects on Aquatic Life: There is no specific data available for this product.	
	13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal: Dispose of in accordance with Federal, state and local regulations.	
13.2	Special Considerations: NA	
	14. TRANSPORTATION INFORMATION	
	pasic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for eatitional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	ach mode of transportation.
14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN): NOT REGULATED	
14.4	TDGR (Canadian GND): NOT REGULATED	
14.5	ADR/RID (EU): NOT REGULATED	
14.6	MEXICO (SCT): NOT REGULATED	
14.7	ADGR (AUS): NOT REGULATED	
	A. BEAU LEARY WEARY	
1	15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements: NA	
15.2	SARA Threshold Planning Quantity: NA	
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from in	nventory status.
15.4	CERCLA Reportable Quantity (RQ): NA	
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchap	ter G (Cosmetics).
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.	
15.7	State Regulatory Information: None of the ingredients in this mixture are on any of the state criteria lists.	
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.	

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-100

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 16. OTHER INFORMATION Other Information: Use only as directed. Discontinue use immediately if irritation develops. 16.2 Please see last page of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street $O \cdot P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ Prepared by: 16.5 ShipMate, Inc. P.O. Box 787 Sisters, OR, 97759-0787 +1 (310) 370-3600 phone Dangerous Goods +1 (310) 370-5700 fax Training & Consulting http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-100

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.1

MSDS Revision Date: 02/08/2010

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists						
TLV Threshold Limit Value							
OSHA U.S. Occupational Safety and Health Administration							
PEL Permissible Exposure Limit							
IDLH Immediately Dangerous to Life and Health							

FIRST AID MEASURES:

CPR	Cardiop	ulmona	ry resu	uscitation -	method in	which a	person
	whose	heart	has	stopped	receives	manual	chest
	compre	ssions a	nd bre	eathing to d	circulate bl	ood and p	rovide
	oxygen	to the h	odv				


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	1 Slight Hazard			
2	2 Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:













Synthetic Apron

Dust & Vapor

Respirator





or SCBA

Vapor Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	No Results	
NE Not Established		
NF	Not Found	
ND	Not Determined	
ML	Maximum Limit	
SCBA	Self-Contained Breathing Apparatus	


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition Minimum temperature required to initiate combustic			
Temperature	in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by		
	volume, that will explode or ignite in the presence of		
	an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air,		
	by volume, that will explode or ignite in the presence of		
	an ignition source		

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-W-	Use No Water
ОХ	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{lo}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{io} , LD _{io} , & LD _o or TC, TC _o , LC _{io} , & LC _o	,					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					

EC INFORMATION:

		M	*		9	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful