



SAFETY DATA SHEET

Page 1 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards



SDS Revision: 1.0

SDS Revision Date: 6/29/2015

1. PRODUCT & COMPANY IDENTIFICATION

| | | |
|-----|------------------------------|---|
| 1.1 | Product Name: | CINNATIZE™ |
| 1.2 | Chemical Name: | Acetone Solution |
| 1.3 | Synonyms: | 4075, 4077 |
| 1.4 | Trade Names: | Cinnatize™ |
| 1.5 | Product Uses & Restrictions: | Professional or Cosmetic Use Only |
| 1.6 | Distributor's Name: | Famous Names, LLC |
| 1.7 | Distributor's Address: | 11897 Oakland Hills Dr, Las Vegas, NV 89141 USA |
| 1.8 | Emergency Phone: | CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 706492) |
| 1.9 | Business Phone / Fax: | +1 (858) 759-7041 |

2. HAZARDS IDENTIFICATION

| | | | |
|-----|------------------------|--|--|
| 2.1 | Hazard Identification: | <p>This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia).</p> <p>DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS.</p> <p>Classification: Flam Liq. 2; Eye Irrit. 2; STOT SE 3</p> <p>Hazard Statements (H): H226 – Highly flammable liquid and vapor. H319 – Causes serious eye irritation. H336 May cause drowsiness or dizziness.</p> <p>Precautionary Statements (P): P210 – Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No smoking. P233 – Keep container tightly closed. P280 – Wear eye protection. P261 – Avoid breathing fume/mist/vapors. P264 – Wash thoroughly after handling. P271 – Use only outdoors or in a well-ventilated area. P304 + P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 – Call a poison center/doctor if you feel unwell. P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 – If eye irritation persists: Get medical advice/attention. P370 + P378 – In case of fire: Use CO₂, Halon (if permitted), Dry Chemical, Foam, to extinguish. P403 + P235 – Store in a well-ventilated place. Keep cool. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).</p> |   |
|-----|------------------------|--|--|

3. COMPOSITION & INGREDIENT INFORMATION

| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | EXPOSURE LIMITS IN AIR (mg/m ³) | | | | | | | | | OTHER |
|--|--|------------|------------|-------|---|------|--------|---------|---------|------|------|------|----------|-------|
| | | | | | ACGIH | | NOHSC | | | OSHA | | | | |
| | | | | | ppm | | ppm | | | ppm | | | | |
| | | | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | | |
| ACETONE | 67-64-1 | AL3150000 | 200-662-2 | 40-70 | 500 | 750 | 500 | 1185 | NF | NA | 2500 | 590 | | |
| | Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 | | | | | | | | | | | | | |
| BUTYL ACETATE | 123-86-4 | AF73500000 | 204-658-1 | 10-30 | 150 | 200 | 150 | 200 | NF | 200 | 200 | 1700 | 150 TWA | |
| | Flam. Liq. 3; Acute Tox. 5; Skin Irrit. 2; Eye Irrit. 2A, STOT-SE 3; Acute Aq. 3; Chron. Aq. 3; H226, H315, H319, H333, H336, H412 | | | | | | | | | | | | | |
| ISOPROPYL ALCOHOL | 67-63-0 | NT8050000 | 200-661-7 | 10-30 | 400 | 500 | 400 | 500 | NF | 400 | 500 | 2000 | 400 TWA | |
| | Flam. Liq. 2; Skin Irrit. 3; Eye Irrit. 2A; STOT SE 3; H225, H316, H319 | | | | | | | | | | | | | |
| PHENETHYL ALCOHOL | 60-12-8 | SG7175000 | 204-589-7 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| | Eye Irrit. 2; H319 | | | | | | | | | | | | | |
| GLYCERIN | 56-81-5 | MA8050000 | 200-289-5 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CITRUS RETICULATA FRUIT EXTRACT | 93866-22-7 | NA | 284-521-0 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CITRUS AURANTIUM AMARA FRUIT EXTRACT | 97766-30-8 | NA | 307-891-8 | NA | NA | NA | NF | NF | NF | NA | NA | NA | ALLERGEN | |
| CITRUS SINENSIS PEEL EXTRACT | 95327-98-3 | NA | 307-891-8 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| ASCORBIC ACID | 50-81-7 | NA | 200-066-2 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CITRIC ACID | 5949-29-1 | GE7350000 | 201-069-1 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| LACTIC ACID | 50-21-5 | NA | 200-018-0 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| WATER (AQUA/EAU) | 7732-18-5 | ZC0110000 | 231-791-2 | NA | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CINNAMOMUM ZEYLANICUM (CINNAMON) LEAF OIL | 84649-98-9 | NA | 283-479-0 | 0.1-1 | NA | NA | NF | NF | NF | NA | NA | NA | ALLERGEN | |
| | Acute Tox. 4; Skin Sens. 1; H312, H317 | | | | | | | | | | | | | |
| CI 42090 (BLUE1) | 3844-45-9 | BQ4725000 | 223-339-8 | 0-0.1 | NA | NA | NF | NF | NF | NA | NA | NA | | |
| CI 17200 (RED 33) | 3567-66-6 | NA | 222-656-9 | 0-0.1 | NA | NA | NF | NF | NF | NA | NA | NA | | |



SAFETY DATA SHEET

Page 2 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/29/2015

4. FIRST AID MEASURES

| | | | | | | | | | | | | | | | | | |
|-----------------------------|--|---|---------------|--|----------|---------------------|--|----------|-------------------------|--|----------|-----------------------------|--|----------|-------------|-------------|--|
| 4.1 | First Aid: | <p>Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.</p> <p>Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.</p> <p>Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.</p> <p>Inhalation: Remove victim to fresh air.</p> | | | | | | | | | | | | | | | |
| 4.2 | Effects of Exposure: | <p>Ingestion: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression.</p> <p>Eyes: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.</p> <p>Skin: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact.</p> <p>Inhalation: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).</p> | | | | | | | | | | | | | | | |
| 4.3 | Symptoms of Overexposure: | Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. | | | | | | | | | | | | | | | |
| 4.4 | Acute Health Effects: | Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. | | | | | | | | | | | | | | | |
| 4.5 | Chronic Health Effects: | Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. | | | | | | | | | | | | | | | |
| 4.6 | Target Organs: | Eyes, Skin, Respiratory System. | | | | | | | | | | | | | | | |
| 4.7 | Medical Conditions Aggravated by Exposure: | <p>Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system).</p> <table><tr><td colspan="2">HEALTH</td><td>1</td></tr><tr><td colspan="2">FLAMMABILITY</td><td>3</td></tr><tr><td colspan="2">PHYSICAL HAZARDS</td><td>0</td></tr><tr><td colspan="2">PROTECTIVE EQUIPMENT</td><td>B</td></tr><tr><td>EYES</td><td>SKIN</td><td></td></tr></table> | HEALTH | | 1 | FLAMMABILITY | | 3 | PHYSICAL HAZARDS | | 0 | PROTECTIVE EQUIPMENT | | B | EYES | SKIN | |
| HEALTH | | 1 | | | | | | | | | | | | | | | |
| FLAMMABILITY | | 3 | | | | | | | | | | | | | | | |
| PHYSICAL HAZARDS | | 0 | | | | | | | | | | | | | | | |
| PROTECTIVE EQUIPMENT | | B | | | | | | | | | | | | | | | |
| EYES | SKIN | | | | | | | | | | | | | | | | |

5. FIREFIGHTING MEASURES

| | | | |
|-----|---------------------------|--|--|
| 5.1 | Fire & Explosion Hazards: | High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may cause spontaneous polymerizing reaction generating heat/pressure. Closed containers may rupture or explode during a runaway polymerization. This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. | |
| 5.2 | Extinguishing Methods: | CO ₂ , Halon (if permitted), Dry Chemical, Foam | |
| 5.3 | Firefighting Procedures: | Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. When involved in a fire, this product may ignite and decompose to produce carbon oxides. Do not enter fire area without proper protection. Fight fire from a safe location. Heat/impurities may cause pressure to build and/or rupture closed containers, spreading fire, increasing risk of burns/injuries. Structural firefighters must wear SCBAs and full protective equipment. | |

6. ACCIDENTAL RELEASE MEASURES

| | | |
|-----|---------|---|
| 6.1 | Spills: | <p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</p> <p>For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</p> <p>For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the U.S. Coast Guard National Response Center is +1 (800) 424-8802.</p> |
|-----|---------|---|



SAFETY DATA SHEET

Page 3 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/29/2015

7. HANDLING & STORAGE INFORMATION

| | | |
|-----|---------------------------|--|
| 7.1 | Work & Hygiene Practices: | Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, smoking, touching the face or eye area. |
| 7.2 | Storage & Handling: | Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate. |
| 7.3 | Special Precautions: | Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. |

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

| 8.1 | Exposure Limits: ppm (mg/m ³) | CHEMICAL NAME(S) | ACGIH | | NOHSC | | | OSHA | | | OTHER |
|-----|--|--|-------|------|--------|---------|---------|------|------|------|----------|
| | | | TLV | STEL | ES-TWA | ES-STEL | ES-PEAK | PEL | STEL | IDLH | |
| | | ACETONE | 500 | 750 | 500 | 1185 | NF | NA | 2500 | 590 | |
| | | BUTYL ACETATE | 150 | 200 | 150 | 200 | NF | 200 | 200 | 1700 | 150 TWA |
| | | ISOPROPYL ALCOHOL | 400 | 500 | 400 | 500 | NF | 400 | 500 | 2000 | 400 TWA |
| | | CITRUS AURANTIUM AMARA FRUIT EXTRACT | NA | NA | NF | NF | NF | NA | NA | NA | ALLERGEN |
| | | CINNAMOMUM ZEYLANICUM (CINNAMON) LEAF OIL | NA | NA | NF | NF | NF | NA | NA | NA | ALLERGEN |
| 8.2 | Ventilation & Engineering Controls: | General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). | | | | | | | | | |
| 8.3 | Respiratory Protection: | No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. | | | | | | | | | |
| 8.4 | Eye Protection: | Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product. | | | | | | | | | |
| 8.5 | Hand Protection: | None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. | | | | | | | | | |
| 8.6 | Body Protection: | No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. | | | | | | | | | |

9. PHYSICAL & CHEMICAL PROPERTIES

| | | |
|------|---|------------------------------------|
| 9.1 | Appearance: | Light pink, thin water like liquid |
| 9.2 | Odor: | Mild |
| 9.3 | Odor Threshold: | NA |
| 9.4 | pH: | 7.0 |
| 9.5 | Melting Point/Freezing Point: | NA |
| 9.6 | Initial Boiling Point/Boiling Range: | NA |
| 9.7 | Flashpoint: | < 0 °C (< 32 °F) TCC |
| 9.8 | Upper/Lower Flammability Limits: | NA |
| 9.9 | Vapor Pressure: | NA |
| 9.10 | Vapor Density: | NA |
| 9.11 | Relative Density: | 0.850 ± 0.020 |
| 9.12 | Solubility: | Slightly soluble |
| 9.13 | Partition Coefficient (log P _{ow}): | NA |
| 9.14 | Autoignition Temperature: | NA |
| 9.15 | Decomposition Temperature: | NA |
| 9.16 | Viscosity: | NA |
| 9.17 | Other Information: | NA |



SAFETY DATA SHEET

Page 4 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/29/2015

10. STABILITY & REACTIVITY

| | | |
|------|-----------------------------------|--|
| 10.1 | Stability: | Stable under ambient conditions when stored properly (see section 7, Storage and Handling) |
| 10.2 | Hazardous Decomposition Products: | If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors and carbon oxide gases (e.g. CO, CO ₂). |
| 10.3 | Hazardous Polymerization: | May occur if exposed to extremely high temperatures. |
| 10.4 | Conditions to Avoid: | High temperatures and incompatible substances. |
| 10.5 | Incompatible Substances: | Strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide). |

11. TOXICOLOGICAL INFORMATION

| | | | | |
|------|------------------------------|--|-----------------|----------------|
| 11.1 | Routes of Entry: | Inhalation: NO | Absorption: YES | Ingestion: YES |
| 11.2 | Toxicity Data: | This product was not tested on animals. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented below: Acetone: LD ₅₀ (oral, rat): 5800 mg/kg; Butyl Acetate: LD ₅₀ (oral, rat) = 11,400 mg/kg; Isopropyl Alcohol: LD ₅₀ (oral, rat) = 5,840 mg/kg | | |
| 11.3 | Acute Toxicity: | Moderate irritation to eyes and skin near affected areas. | | |
| 11.4 | Chronic Toxicity: | The material may aggravate any pre-existing skin disorders (e.g., dermatitis). | | |
| 11.5 | Suspected Carcinogen: | Isopropanol is listed as IARC Group 3 (Not classifiable as to its carcinogenicity to humans). | | |
| 11.6 | Reproductive Toxicity: | This product is not reported to produce reproductive toxicity in humans. | | |
| | Mutagenicity: | This product is not reported to produce mutagenic effects in humans. | | |
| | Embryotoxicity: | This product is not reported to produce embryotoxic effects in humans. | | |
| | Teratogenicity: | This product is not reported to cause teratogenic effects in humans. | | |
| | Reproductive Toxicity: | This product is not reported to cause reproductive effects in humans. | | |
| 11.7 | Irritancy of Product: | The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. | | |
| 11.8 | Biological Exposure Indices: | NE | | |
| 11.9 | Physician Recommendations: | Treat symptomatically. | | |

12. ECOLOGICAL INFORMATION

| | | |
|------|------------------------------|---|
| 12.1 | Environmental Stability: | The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are as follows: Isopropyl Alcohol: Log K _{OW} = 0.05-0.14. Isopropyl alcohol occurs naturally; it is generated during microbial degradation of plant and animal wastes. When released on land or water, it is apt to volatilize and biodegrade. The estimated half-life in water is 5.4 days. Isopropyl alcohol is not expected to bioconcentrate. Butyl Acetate: K _{OC} = 1.82. Water solubility: 120 parts H ₂ O at 25 °C (77 °F). Bioconcentration Factor = 4-14. Bioconcentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours. |
| 12.2 | Effects on Plants & Animals: | There are no specific data for this product. |
| 12.3 | Effects on Aquatic Life: | There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. |

13. DISPOSAL CONSIDERATIONS

| | | |
|------|-------------------------|--|
| 13.1 | Waste Disposal: | Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. |
| 13.2 | Special Considerations: | U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001) |

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

| | | | |
|------|----------------------|--|--|
| 14.1 | 49 CFR (GND): | UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 1.0 L) or CONSUMER COMMODITY, ORM-D – until 01/01/2021 | |
| 14.2 | IATA (AIR): | ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 0.5 L) UN1263, PAINT, 3, II (IP VOL ≤ 1.0 L) | |
| 14.3 | IMDG (OCN): | UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 1.0 L) | |
| 14.4 | TDGR (Canadian GND): | UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 1.0 L); or "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L) | |
| 14.5 | ADR/RID (EU): | UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 1.0 L) | |



SAFETY DATA SHEET

Page 5 of 7
SDS-007




Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0





SDS Revision Date: 6/29/2015

14. TRANSPORTATION INFORMATION – cont'd

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

| | | | |
|------|---------------|--|---|
| 14.6 | SCT (MEXICO): | UN1263, PINTURA, 3, II, CANTIDAD LIMITADA (IP VOL ≤ 1.0 L) |  |
| 14.7 | ADGR (AUS): | UN1263, PAINT, 3, II, LTD QTY (IP VOL ≤ 1.0 L) |  |
| 14.8 | OTHER: | * This product may also be shipped as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package) |  |

15. REGULATORY INFORMATION

| | | |
|------|-----------------------------------|--|
| 15.1 | SARA Reporting Requirements: | SARA 304 (40 CFR Table 302.4) – <u>Butyl Acetate</u> . This product contains <u>Isopropyl Alcohol</u> , a substance subject to SARA Title III (313) reporting and 40 CFR part 373. |
| 15.2 | SARA Threshold Planning Quantity: | There are no specific Threshold Planning Quantities for the components of this product. |
| 15.3 | TSCA Inventory Status: | The components of this product are listed on the TSCA Inventory. |
| 15.4 | CERCLA Reportable Quantity (RQ): | <u>Acetone</u> : 2,270 kg (5,000 lbs); <u>Butyl Acetate</u> : 2,270 kg (5,000 lbs); |
| 15.5 | Other Federal Requirements: | This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. |
| 15.6 | Other Canadian Regulations: | This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. WHMIS B2, D2B (Flammable, Other Toxic Effects).   |
| 15.7 | State Regulatory Information: | <u>Acetone</u> is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), and Wisconsin Hazardous Substances List (WI). <u>Butyl Acetate</u> is found on the following state criteria lists: CA, DE, MA, MN, NJ, NY, PA, and WA. <u>Isopropyl Alcohol</u> is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA. <u>Phenyl Alcohol</u> is found on the following state criteria list: NJ and PA. No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). |
| 15.8 | Other Requirements: | The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Acetone</u> : Highly Flammable (F+); Irritant (Xi). Risk Phrases (R): 11-36-66-67 – Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness or dizziness. Safety Phrases (S): (2-)9-16-26-46 – Keep out of reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition – No smoking. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. If swallowed, seek medical advice immediately (show the label where possible). <u>Butyl Acetate</u> : Flammable (F). Risk Phrases (R): Flammable. Safety Phrases (S): 9-16-33 - Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. <u>Isopropanol</u> : Flammable (F). Risk Phrases (R): 11-36/37 – Highly flammable. Irritating to eyes and respiratory system. Safety Phrases (S): 2-7-16-24/25/26 – Keep out of the reach of children. Keep container tightly closed. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.   |



SAFETY DATA SHEET

Page 6 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/29/2015

16. OTHER INFORMATION

| | | | |
|------|----------------------|---|---|
| 16.1 | Other Information: | DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS. Keep away from heat, hot surfaces, sparks open flames and other ignition sources. No smoking. Keep container tightly closed. Wear eye protection. Avoid breathing fume/mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Seek medical advice immediately (show the label where possible). In case of fire: Use CO ₂ , Dry Chemical, or Foam, to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Avoid exposure to heat or sunlight. Use only as directed. KEEP OUT OF REACH OF CHILDREN. | |
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. | |
| 16.3 | Disclaimer: | This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Famous Names, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. | |
| 16.4 | Prepared for: | Famous Names, LLC 11897 Oakland Hills Dr Las Vegas, NV 89141 USA Tel: +1 (858) 779-1513 Toll Free: +1 (877) 235-1141 www.famousnamesproducts.com |  FAMOUS NAMES LLC |
| 16.5 | Prepared by: | ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com |  ShipMate® Dangerous Goods Training & Consulting |



SAFETY DATA SHEET

Page 7 of 7
SDS-007

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/29/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| | |
|--------------------------------|---|
| CAS No. | Chemical Abstract Service Number |
| EXPOSURE LIMITS IN AIR: | |
| ACGIH | American Conference on Governmental Industrial Hygienists |
| C | Ceiling Limit |
| ES | Exposure Standard (Australia) |
| IDLH | Immediately Dangerous to Life and Health |
| OSHA | U.S. Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| STEL | Short-Term Exposure Limit |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |

FIRST AID MEASURES:

| | |
|------------|--|
| CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body. |
|------------|--|

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| | | |
|----------|-----------------|----------------------------|
| 0 | Minimal Hazard | HEALTH |
| 1 | Slight Hazard | FLAMMABILITY |
| 2 | Moderate Hazard | PHYSICAL HAZARDS |
| 3 | Severe Hazard | PERSONAL PROTECTION |
| 4 | Extreme Hazard | |

PERSONAL PROTECTION RATINGS:

| | | | |
|-----------------------------------|--|----------|--|
| A | | G | |
| B | | H | |
| C | | I | |
| D | | J | |
| E | | K | |
| F | | X | Consult your supervisor or SOPs for special handling directions. |
| Safety Glasses | | | |
| Splash Goggles | | | |
| Face Shield & Protective Eyewear | | | |
| Gloves | | | |
| Boots | | | |
| Synthetic Apron | | | |
| Protective Clothing & Full Suit | | | |
| Dust Respirator | | | |
| Full Face Respirator | | | |
| Dust & Vapor Half-Mask Respirator | | | |
| Full Face Respirator | | | |
| Airline Hood/Mask or SCBA | | | |

OTHER STANDARD ABBREVIATIONS:

| | |
|--------------|------------------------------------|
| ML | Maximum Limit |
| mg/m3 | milligrams per cubic meter |
| NA | Not Available |
| ND | Not Determined |
| NE | Not Established |
| NF | Not Found |
| NR | No Results |
| ppm | parts per million |
| SCBA | Self-Contained Breathing Apparatus |


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

| | |
|---------------------------------|---|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source |

HAZARD RATINGS:

| | |
|----------------|-----------------|
| 0 | Minimal Hazard |
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |
| ACD | Acidic |
| ALK | Alkaline |
| COR | Corrosive |
| W | Use No Water |
| OX | Oxidizer |
| TREFOIL | Radioactive |



TOXICOLOGICAL INFORMATION:

| | |
|---|---|
| LD₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals |
| LC₅₀ | Lethal concentration (gases) which kills 50% of the exposed animal |
| ppm | Concentration expressed in parts of material per million parts |
| TD₀₁ | Lowest dose to cause a symptom |
| TCLo | Lowest concentration to cause a symptom |
| TD₀₁, LD₀₁, & LD₅₀ or TC, TC₀₁, LC₀₁, & LC₅₀ | Lowest dose (or concentration) to cause lethal or toxic effects |
| IARC | International Agency for Research on Cancer |
| NTP | National Toxicology Program |
| RTECS | Registry of Toxic Effects of Chemical Substances |
| BCF | Bioconcentration Factor |
| TL_m | Median threshold limit |
| log K_{OW} or log K_{OC} | Coefficient of Oil/Water Distribution |

REGULATORY INFORMATION:

| | |
|-----------------|---|
| WHMIS | Canadian Workplace Hazardous Material Information System |
| DOT | U.S. Department of Transportation |
| TC | Transport Canada |
| EPA | U.S. Environmental Protection Agency |
| DSL | Canadian Domestic Substance List |
| NOHSC | National Occupational Health and Safety Commission (Australia) |
| NDSL | Canadian Non-Domestic Substance List |
| PSL | Canadian Priority Substances List |
| TSCA | U.S. Toxic Substance Control Act |
| EU | European Union (European Union Directive 67/548/EEC) |
| WGK | Wassergefährdungsklassen (German Water Hazard Class) |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| | | | | | | | |
|------------|-----------|-----------|----------|------------|------------|-----------|----------|
| | | | | | | | |
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| | | | | | | | |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
| | | | | | | | |
| C | E | F | N | O | T | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | | | | | | |
|-----------|-----------|----------|-------------|-----------|-------|--------------------|---------------|-------------|
| | | | | | | | | |
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |