

# MATERIAL SAFETY DATA SHEET

JB Lashes Mega Pro-Bonding Glue

## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SYNTHETIC HAIR ADHESIVE		[WHMIS Classification] CYANOACRYLATE ESTER
Product Use ADHERE SYNTHETIC HAIR		
Supplier's Name JB LINE		
Street Address		
1709 RIMPAU AVE., SUITE #104		
City	Province	
CÓRONA CA		
Postal Code Emergency Telephone		
92881 +1.951.817.9300		
Date MSDS Prepared MSDS Prepared By		Phone Number
03/27/2008 FJK		+1.800.748.5168

## SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

<u>INCI Name</u>	Cas No.	<u>Reference</u>
Ethyl Cyanoacrylate	7085-85-0	ICID
Ethoxyethyl Cyanoacrylate	21982-43-4	ICID
Poly(Methyl Methacrylate)	80-62-6	ICID
Hydroquinone	123-31-9	ICID
Carbon Black	1333-86-4	ICID

## SECTION 3 — HAZARDS IDENTIFICATION

**Emergency Overview** 

This product is colored, Solvent borne Cyano Methacrylate.

Primary Route of Entry

No specific information available.

Eye

No specific information available. Contains materials that are essentially nonirritating, but contact with vapor or liquid may irritate the eyes.

Ingestion

No specific information available. Contains materials that may cause pain, nausea, and vomiting

Inhalation

No specific information available. Contains vapor that may cause headaches, nausea, and irritation of the nose, throat, and lungs

Chronic

No information found.

#### SECTION 4 — FIRST AID MEASURES

Eye Contact

Immediately flush eyes with running water for at least 15 minutes. If redness, itching, or burning sensation develops, seek medical attention.

Skin Contact

Remove contaminated clothing/shoes and wipe off excess from skin. Wash exposed area with soap and water. If redness, itching or a burning sensation develops, seek medical attention.

Ingestion

Seek medical attention immediately.

Inhalation

In case of exposure to a high concentration of vapor or mist, remove person to fresh air and provide oxygen if breathing is difficult. Give artificial respiration. If breathing has stopped, seek medical attention immediately.

## SECTION 5 — FIRE FIGHTING MEASURES

Flammable ☑ Yes ☐ No	If yes, under which conditions? 150-200F			
Method Extinguishing Media: Use dry chemical, carbon dioxide, foam or spray as appropriate for surrounding fire. Fire-Fighting Instructions: Do not enter any enclosed or confined fire space without full protective equipment, including self contained breathing apparatus to protect against the hazardous effects of combustion products and oxygen deficiency.				
Flashpoint (° C) and Method No Data	Upper Flammable Limit (% by volume) No Data	Lower Flammable Limit (% by volume)  No Data		
Autoignition Temperature (°C) No Data	Explosion Data — Sensitivity to Impact No Data	Explosion Data — Sensitivity to Static Discharge No Data		
Hazardous Combustion Products				
[NFPA]				

## SECTION 6 — ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures

Small Spills:

Dike and absorb with inert material such as sand and remove all liquid with the use of a vacuum system. If unable to remove liquid, then begin to absorb with sand, saw dust or commercial absorbent, and scoop up and place in containers for proper disposal. Keep spills and cleaning rub off out of the municipal sewers and open bodies of water. Decontaminate all clothing and the spell area with a detergent and large amounts of water.

Large Spills:

Use same procedure as small spills.

## SECTION 7 — HANDLING AND STORAGE

Handling Procedures and Equipment

Avoid skin or eye contact. Avoid prolonged or repeated breathing of vapors and mists. If spilled on clothing, launder before reuse. Do not take internally. Use only in a well ventilated area and keep out of the reach of children.

Storage Requirements

Keep from freezing. Product will coagulate. Keep container tightly closed when not in use. Do not get in eyes, on sin, or on clothing. Monomer vapors can be evolved with material when heated. Containers, even those that have been emptied, will retain product residue and are subject to proper waste disposal, as above.

## SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Ventilation	Mechanical ventilation suggested with special explosion proof electrical systems.	
Respiratory Protection	Not required under normal working/use conditions.	
Eye Protection	Safety goggles used to minimize splashes that might get into eyes.	
Skin Protection	Suggest chemical resistant gloves.	
Personal Hygiene	Avoid inhalation of vapors and skin contact. Dry with dry toweling.	

# SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Colored liquid	Odour Threshold (ppm) Pungent odor
Specific Gravity 1.021	Vapour Density (air = 1) N/A	Vapour Pressure (mmHg) 2 torr
Evaporation Rate N/A	Boiling Point (° C) 100° C	Freezing Point (° C) -40° F
pH 6 - 7	Coefficient of Water/Oil Distribution N/A	[Solubility in Water] Insoluble in water, polymerizes

## SECTION 10 — STABILITY AND REACTIVITY

Chemical Stability Yes	s 🗇 No
Hazardous Polymerization	Polymerizes in water
Conditions to Avoid	Avoid extreme cold and extreme heat
Incompatible Materials	Strong reducing agents, amines, alcohol, alkali metals
Hazardous Decomposition Products	Thermal decomposition may yield acrylic monomer, carbon monoxide and carbon dioxide. Unidentified organic compounds in fumes and smoke may be formed during combustion.

# SECTION 11 — TOXICOLOGICAL INFORMATION

al Toxicity
A
n Toxicity
A
n
A
A
rcinogenicity
A

# SECTION 12 — ECOLOGICAL INFORMATION

## Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

#### Chemical Fate Information

Bio degradability	Chemical Oxygen Demand		
N/DA	N/DA		

## SECTION 13 — DISPOSAL CONSIDERATIONS

Precautionary Measures	Avoid contact with eyes and prolonged contact with skin. Avoid breathing misted vapors.
Spills Clean-Up Procedures	Put into paper bag.
Disposal Method	Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.
Storage	No smoking when working with product. Protect container against physical damage, keep out of sunlight and partially empty containers are more dangerous than full containers, keep lids tight after use and store in a cool, well ventilated area.

## SECTION 14 — TRANSPORT INFORMATION

Dot (#CFR 172)	
Proper Shipping Name	Unrestricted
Identification Number	None
Marine Pollutant	No
HazardClass or Division	Unrestricted
Special Information	Unrestricted
Emergency Response Guidance	N/A

## SECTION 15 — REGULATORY INFORMATION

US Federal Regulations

Health & Safety at Work etc. Act 1974

Control of Substances Hazardous to Health Regulations 1994

Environmental Protection Act 1990

Special Waste Regulations 1996

European Inventory

Black Lash Bond Adhesive

- HAZARD SYMBOLS: Xi: Irritant
- Danger Cyanoacrylate. Bonds skin and eyes in seconds. Keep out of the reach of children.
- RISK PHRASES: R36/37/38: Irritating to eyes, respiratory system and skin,
- SAFETY PHRASES: S24/25: Avoid direct contact with skin and eyes, S26: In case of direct contact with eyes, rinse immediately with plenty of water and seek medical advise, S37: Wear suitable gloves.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

## SECTION 16 — OTHER INFORMATION

Hazard	HFPA Hazard Code ®	HMIS Hazard Code ®
Health	2	2
Fire	2	2
Reactivity	1	1
DISCI AIMER	<b>I</b>	

This MSDS Is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by JB COSMETICS to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. JB COSMETICS assumed no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.