In compliance with U.S. Dept. of Labor/OSHA

# FOR INFORMATION OR EMERGENCIES CONTACT: AMBER PRODUCTS TEN CHIRI LANE IMPERIAL PA 15126 800-821-9188

# **IDENTITY:** AMBER PRODUCTS – MARINE ALGAE BODY MASQUE DATE ISSUED: 03-29-04

**PRODUCT INGREDIENTS:** Purified Water, Kaolin, Propylene Glycol, Soybean Oil, Glyceryl Stearate (and) PEG-100 Stearate, Cetyl Alcohol, Bentonite, Cetearyl Alcohol (and ) Ceteareth 20, Magnesium Aluminum Silicate, Phenoxyethanol, Dimethicone, Extract blend of (Marigold & Chamomile & Lime & Cornflower, & Wild Chamomile & St-John's Wort), Algae Extract and Sorbitol, Sea Kelp Extract, Glycerin, Methylparaben, Propylparaben, (Fragrance) and (Color).

Flammable Limits: N/A

#### **HAZARDOUS INGREDIENTS:**

NONE KNOWN

#### **PHYSICAL/CHEMICAL CHARACTERISTICS:**

 Boiling Point: No Data
 Specific Gravity: No Data

 Solubility in Water: 100%
 Melting Point: No Data

 Appearance and Odor: A clay base masque made with fragrance and color.

#### FIRE AND EXPLOSION HAZARD DATA:

<u>Flash Point:</u> N/A <u>Extinguishing Media:</u> N/A <u>Special Fire Fighting Procedures:</u> N/A. <u>Fire and Explosion Hazards:</u> N/A

#### **REACTIVITY DATA:**

<u>Stability:</u> Stable <u>Incompatibility (Materials to Avoid):</u> None Known <u>Hazardous Decomposition or Byproducts;</u> None Conditions to Avoid: Extreme heat/cold, direct sunlight

# HEALTH HAZARD DATA:

 Eye Contact: Rinse immediately with water. Remove contact lenses, and then flush eyes immediately with large quantities of water for at least 15 minutes, including under eyelids. If irritation persists, seek medical attention.

 Skin Contact: N/A

 Inhalation: N/A

 Health Hazards: Do not take internally. If irritation or redness appears, discontinue use.

 Carcinogenicity: N/A

 Medical Conditions Generally Aggravated by Exposure: Open cuts or wounds, use on mucus membranes, and highly sensitive skin.

 Emergency and First Aid Procedures: Wash irritated area with water and discontinue use.

#### Page 2 MARINE ALGAE BODY MASQUE

#### PRECAUTIONS FOR SAFE HANDLING AND USE:

Steps to be taken in Case Product is Released or Spilled:

Small Spills: Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spills: Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and all to evacuate through the sanitary system.

#### Waste Disposal Method:

Treat as general household waste.

<u>Precautions to Be Taken in Handling and Storage:</u> N/A

**CONTROL MEASURES:** 

Respiratory Protection: N/A

Ventilation: N/A

Protective Gloves: N/A

Eye Protection: N/A

Protective Clothing or Equipment: N/A

Work/Hygienic Practices: N/A

#### END OF MATERIAL SAFETY DATA SHEET

					Page 1 of 5
SECTION I	Chemi	cal Product and	Company Ide	ntification	
Trade Name Appearing on	Label:	Top to E	Bottom	Chemical Family	: Nitrocellulose Lacquer
Manufacturer/Distributor/In	nporters:	Orly Internationa 7710 Haskell Av Van Nuys, CA 9	e		
Emergency Phone: Business Phone: Poison Control Center - Ch	· · ·	424-9300		Prepared By: Da Date prepared: 4 Updated: 6-22-12	-10-09
Poison Control Center - Ch	HEMTREC Intern	ational: (703)527.	·3887		
SECTION II	F	Potentially Hazar	dous Ingredie	ents	
		,		Exposure Limits	in Air
Chemical Identity	%	CAS Number	OSHA (PEL)	ACGIH (TLV)	Other
Butyl Acetate Ethyl Acetate Nitrocellulose Isopropyl Alcohol	45 - 54 21 - 26 9 - 11 4 - 5	123-86-4 141-78-6 9004-70-0 67-63-0	150 ppm 400 ppm NE 400 ppm	150 ppm 400 ppm NE 400 ppm	n/a n/a n/a
SECTION III		Hazard Ide	entification		
HMIS Rating Scale:	0 = Minimal	1 = Slight	2 = Moderate	4 = Severe	
This Products Rating:	Health: 1	Flammability: 3	Reactivity: 0		
Material Appearance:	slightly viscous	liquid, various col	ors.		
Primary Route of Entry:	Inhalation X	Skin X	Ingestion X		
Ingredient(s) Listed as C	ancer Causing A	Agents?:			
	NTP - no	LARC Monc	graphs - no	OSHA - no	
Target Organs Affected:	n/a when used a	s directed			
Short Term Effect: Inhala Ingestion of liquid will caus		•	- ·	f time may be nar	cotic.
<b>Eyes:</b> Exposure of liquid tearing and/or redness.	or vapor may cau	ise mild eye irritat	ion. Symptom	is may include stir	iging,
<b>Skin:</b> Exposure may cause may include burning, dryin		• ·		e may dry the skin	. Symptoms

Top to Bottom

Page 2 of 5

**Signs and Symptoms of Over-Exposure:** Burning, tearing, and redness of the eyes, irritation of the nose and throat, skin irritation, signs of nervous system depression (e.g., drowsiness, dizziness, loss of coordination and/or fatigue).

**Medical Conditions Generally Aggravated by Exposure:** Respiratory symptoms associated with pre-existing lung disorders (e.g., asthma-like conditions) may be aggravated by exposure to the vapors of this material. Persons with pre-existing skin disorders may be more susceptible to the irritation by of this material.

SECTION IV	First Aid Measures

**Eye Contact:** Flush eyes with large amounts of water for at least fifteen minutes. If irritation persists, contact a physician.

Skin Contact: Wash exposed area with soap and water.

**Inhalation:** If dizziness occurs, move person away from source of exposure and into fresh air. Give oxygen if breathing is labored. Contact a physician immediately.

**Ingestion:** Seek medical attention. If person is drowsy, remove to fresh air. Only induce vomiting if directed by physician. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs.

SECTION V		Fire Fighting Measures	
Flash Point: -4 C (24 F),	Method TCC		
Flammable Limits in Air	% - LEL: 1, UEL: 13		
Extinguishing Media:	Water Spray X	Dry Chemical X	
	Carbon Dioxide X	Foam X	
Fire Fighting Procedure: A	Approach fire from upv	wind side. Avoid breathing smoke, fumes, mist or vapors.	

Fire Fighters wear protective clothing and self-contained breathing apparatus. Water is the most effective for extinguishing Nitrocellulose, but the other media can be used for smaller fires.

Unusual Fire and/or Explosion Hazards: If stored in drums: Containers may rupture from internal pressure if confined to a fire area. Keep drums cool with running cold water.

SECTION VI	Accidental Release Measures
Spill and Leak Procedures:	Stop leak if it can be done without risk.
	Confine Spillage. Use absorbent material. Place into disposal drums.
	Dispose according to local, state and federal regulations.

Top to	Bottom
--------	--------

SECTION IX

SECTION VII	Handling and Storage
Handling:	Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing mist or vapors. Use only in well ventilated area. Unvented containers may develop pressure. Open container with caution.
Storage:	Keep containers cool and away from sources of ignition. Keep containers tightly closed when not in use Do not store at temperatures above 35 C. Do not store near heat, flame, sparks or any other sources of ignition.
SECTION VIII	Exposure Controls and Personal Protection

When using this product in small quantities in beauty salons, the use of a fan is recommended.

 When working with large quantities:

 Personal Protective

 Equipment (PPE)
 Eyes and Face: Face shield with safety glasses or safety goggles<br/>Skin: Rubber or neoprene gloves. Wear additional clothing to protect the skin.

 Engineering Controls:
 Closed system Filling Equipment. Use ventilation or exhaust during operations.

**Physical and Chemical Properties** 

Water Solubility: Nil Appearance: Clear liquid (blue) Physical Form: semi-viscous Liquid %/Wt. Volatiles: 80 - 90 % Boiling Range: 77 - 130°C Melting Point: n/a pH: n/a

#### Specific Gravity: (H2O = 1): 0.98 - 1.10 Vapor Density (air = 1): Heavier than air Evaporation Rate (IPA = 1)>1 Flashpoint: -4°C

SECTION X	Stability and Reactivity	
Chemical Stability:	This product is stable under the recommended storage conditions.	
Conditions to avoid:	Storage in temperatures above 30 C. Keep away from any ignition sources.	
Contact with Materials to a	void: Acids, Alkali, Metals, amines, Oxidizers Keep containers tightly closed.	
Hazardous Decomposition Products:	Oxides of nitrogen, oxides of carbon, carbon aldehydes, methane.	
Hazardous Polymerization: will not occur.		

# SECTION XI Toxicological Information

LD50(Oral Rat) Undefined

LC50 (Inhal. Rat) Undefined

The product contains organic solvents that may cause non-allergic dermatitis from repeated prolonged contact with the skin. Vapors from the solvent may negatively affect the renal system, cause problems to the central nervous system and irritate the respiratory tracts.

Ingestion:	Causes nausea, gastro-intestinal irritation, vomiting, diarrhea, and kidney damage.
Eyes	This product may cause eye irritation.
Dermal	Prolonged contact can cause dry skin and non-allergic dermatitis.
Inhalation	May cause drowsiness, vomiting, headaches, nausea and narcosis. May cause lung irritation and prolonged inhalation may be harmful.
Overexposure:	Nervous system depression (drowsiness, fatigue, dizziness) and exposure to > 1000 ppm of the vapors may cause burning, and swelling of the eye. Repeated exposure to the skin may cause burning, drying and cracking of the dermatitis.
Chronic Effects	none known
Carcinoginity	Not listed as a carcinogen by IARC, NTP, OSHA, or ACGIH
Target Organs	Nervous System
Waste Disposal:	Dispose of absorbed material in accordance with local, state and federal regulations.
	Pure used liquid can be recycled.

SECTION XIV		Transport Information		
Road Transport:		Maritime Transport:		
Class:	3	Class:	3	
Packaging Group:	II	Packaging Group:	II	
Label:	Paint	Label:	Paint	
UN Number:	1263	UN Number:	1263	
		Marine Pollutant: Yes		

#### Air Transport:

Class:	9
Packaging Group:	II
Packaging instr.:	910 (Passenger)
Label:	Paint
UN Number:	ID8000

#### Top to Bottom

page 5 of 5

SECTION XV	Regulatory Information
Labeling according to EE	C-Directives.
Symbol:	F
Indication of Danger:	Highly flammable
EU Risk Phrases:	R10 Flammable, R11 Highly Flammable, R20 Harmful by inhalation, R36 Irritating to the eyes, R50 Very Toxic to aquatic organisms, R53 Long-term adverse effects in aquatic environments, R67 Vapours may cause drowsiness and dizziness.
Safety Phrases:	S16 Keep away from sources of ignition, No smoking, S23 Do not breathe vapours, S25 Avoid contact with eyes, S29 Do not empty into drains, S33 Take precautionary measures against static discharge.
Hazard Symbols:	Xn - Harmful, Xi - Irritant, N - Dangerous to environment, F - Highly Flammable

#### **SECTION XVI:** Other Information

**IMPORTANT NOTICE:** The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interoperation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

These Products Are Designed and Formulated for Professional Salon Use.

They Must be Used with Adequate Ventilation and in Accordance with Manufacturers Instructions.

Abbreviations Used:	
NE = Not Established NKn = Not Known	IPA = Isopropyl Alcohol (Rubbing Alcohol) mm Hg = Millimeters of Mercury
n/a = Not Applicable	PEL = Permissible Exposure Limit
C = Ceiling Limit TS = Trade Secret EST = Estimated N/DA = No Data Available NTP = National Toxicology Program IRAC = International Agency for Research on Cancer CHEMTREC = Chemical Transportation Emergency Center OSHA = Occupational Safety and Health Administration	TLV = Threshold Limit Value STEL = Short Term Exposure Limit NEGL = Negligible NF = None Found CAS = Chemical Abstract Service Number NR = Not Required



Product Name:	SuperNail Cuticle Oil	DATE:	5/22/2007
Formula:	30-2322	REV.	00
Item#:	31635, 31640, 31645		
Manufacturer:	American International Industries		
	2220 Gaspar Ave		
	Los Angeles, CA 90040		
Chem-Tel:	(800) 255-3924		
Section 2 Com	nosition / Information on Ingredients		
Section 2. Com	position / Information on Ingredients		

CAS #

%

TOXICOLOGICAL DATA

Component No Hazardous Ingredients

## Section 3. Hazardous Identification

#### Potential Health Effects, Signs and Symptoms of Exposure:

#### Primary Route of Entry: Skin Eye: This product is minimally irritating to the eyes upon direct contact. Based on testing of similar products and/or components. Skin: This product is not expected to cause any skin irritation upon direct single or repeated and prolonged contact; however; similar chemical composition products applied to the skin of laboratory animals resulted in minimal to slight dermal irritation. This product is relatively non-toxic by ingestion unless aspiration occurs. Aspiration may lead to Ingestion: chemical pneumonitis which is characterized by pulmonary edema and hemorrhage and may be fatal. Signs of lung involvement include increased respiratory rate, increased heart rate and a bluish discoloration of the skin. Coughing, choking, and gagging are often noted at the time of aspiration. Gastrointestinal discomfort may develop, followed by vomiting with a further risk of aspiration. This product has laxative properties and may result in abdominal cramps and diarrhea. This product has a low vapor pressure and is not expected to present an inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this Inhalation: product.

## Section 4. First Aid Measures





First Aid for Eye:	Immediately flush eyes with large amounts of water and continue flushing until irritation subsides. If material is hot, treat for thermal burns and seek immediate medical attention.
First Aid for Skin:	Remove contaminated clothing. If material is hot, submerge injured area in cold water. If victim is severely burned, remove to a hospital immediately.
First Aid for Inhalation:	This material has a low vapor pressure and is not expected to present an inhalation exposure at ambient conditions.
First Aid for Ingestion:	May act as a laxative. Do not induce vomiting due to aspiration hazard. If vomiting should occur, lower head below knees to avoid aspiration. Seek immediate medical attention.

# Section 5. Fire Fighting Measures

Flash Point (°F/°C):	320°F (160°C) (ASTM D-92 (COC)
Flammable Limit (vol%):	No data available
Auto-ignition Temp. (vol%)	No data available
Extinguisher Media:	Use dry chemical, foam, or carbon dioxide.
Fire Fighting Instructions:	Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid.
Unusual Fire and Explosion Conditions:	Dense smoke may be generated while burning. Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

#### Section 6. Accidental Release Measures

Spill or Release<br/>Procedures:Notify appropriate authorities of spill. Contain spill immediately. Do not allow spill to enter sewers or<br/>watercourses. Absorb with appropriate inert material such as sand, clay, etc. Large spills may be<br/>picked up using vacuum pumps, shovels, buckets, or other means and placed in drums or other<br/>suitable containers.

# Section 7. Handling and Storage

- Handling: Avoid breathing vapors or mist. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Wash clothing prior to reuse. May be slippery when spilled.
- Storage: Do not transfer to unmarked containers. Store in closed containers away from heat, sparks, open flame, or oxidizing materials.



## Section 8. Exposure Controls / Personal Protective Equipment

This product does not contain any components with OSHA or ACGIH exposure limits. If oil mist is generated, exposure limits apply.

OSHA PEL: TWA 5mg/M<sup>3</sup>

ACGIH TLV: TWA 5mg/m<sup>3</sup>; STEL 10/mg/m<sup>3</sup>

Personal Protective Equipment

- Eye/Face Protection: Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash-proof safety goggles.
- Skin Protection: No skin protection is required for single, short duration exposures. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. If handling hot material, use insulated protective clothing (boots, gloves, aprons, etc.).

Respiratory Protection: Respiratory protection is not required under conditions of normal use. If vapor or mist is generated when the material is heated or handled, use an organic vapor respirator with a dust and mist filter. All respirators must be NIOSH certified.

Personal Hygiene: Consumption of food and beverages should be avoided in work areas where hydrocarbons are present. Always wash hands and face with soap and water before eating, drinking or smoking.

EngineeringIf vapor or mist is generated when the material is heated or handled, adequate ventilation in<br/>accordance with good engineering practice must be provided to maintain concentrations below<br/>the specified exposure or flammable limits.

# Section 9. Physical and Chemical Properties

Appearance @ 25°C:	Transparent light orange liquid	Decomposition Temperature:	Not applicable
Odor @ 25°C:	Odorless	Vapor Pressure:	<0.1 mm Hg @ 68°F
рН	No data available	Vapor Density:	> 1 (air=1)
Specific Gravity:	0.83 @ 60/60°F	<b>Evaporation Rate:</b>	<1 (EE=1)
Ignition:	Not applicable		
% Volatile	40.00-42.00		
Boiling Point	500 - 800°F (260-427.7°C)		
Solubility	Negligible in water. Soluble in hy	/drocarbons.	

#### Section 10. Stability and Reactivity

Stability:

Stable



#### Hazardous Decomposition Products:

Carbon monoxide, carbon dioxide and other oxides may be generated as products of combustion.

#### Incompatibility (Materials to Avoid):

May react with strong oxidizing agents.

#### Hazardous Polymerization:

Will not occur

Conditions to Avoid: High heat and open flames

# Section 11. Toxicological Information

#### CARCINOGENICITY:

The International Agency for Research on Cancer (IARC) has concluded that highly refined mineral oils are Group 3 substances, "Not Classifiable as to their carcinogenicity to humans, " based on inadequate human and inadequate animal evidence. IARC has also concluded that there is no evidence for the carcinogenicity to experimental animals of white oils when administered by routes other than by interaperitoneal injection.

This product is not carcinogenic according to the OSHA Hazard Communication Standard.

# Section 12. Ecological Information

Ecotoxicological Info Acute Toxicity to Fish:	rmation
,	No data available
Acute Toxicity to Invert	ebrates: No data available
Acute Toxicity to Algae	
	No data available
Bioconcentration:	No data available
Toxicity to Sewage Bad	cteria:
	No data available
Chemical Fate Informa	
Biodegradability:	No data available
Chemical Oxygen Dem	nand: No data available

# AMERICAN INTERNATIONAL INDUSTRIES



# **MATERIAL SAFETY DATA SHEET**

#### Section 13. Disposable Considerations

Regulatory - All disposals must comply with federal, state, and local regulations. The material, if spilled or discarded, may be a regulated waste. Refer to state and local regulations. Caution! If regulated solvents are used to clean up spilled material, the resulting waste mixture may be regulated. Department of Transportation (DOT) regulations may apply for transporting this material when spilled.

Waste Disposal Methods - Waste material may be land filled or incinerated at an approved facility. Materials should be recycled if possible.

#### Section 14. Transportation Information

#### U.S. Department of Transportation (DOT)

Highway / Rail (Bulk): Not Regulated Highway / Rail (Non-Bulk): Not Regulated

#### International Information

Vessel (IMDG): Not Regulated Air (ICAO): Not Regulated

#### Section 15. Regulatory Information

Regulatory information available upon request. Inventories: Australian (AICS): Listed Canadian (DSL): Listed Chinese: Listed EC/EINECS: Listed Japanese ENCS: Listed Korean (KCL): Listed Philippine (PICCS): Listed U.S. (TSCA): Listed

#### Section 16. Other Information

No additional information available.

(Page 1 of 6) This form is regarded to be in compliance with 29 CFR Part 1910.1200 \_\_\_\_\_ SECTION 1 : IDENTIFICATION \_\_\_\_\_ Manufacturer's Name: Star Nail International Chemical Family: Sucrose & Address:29120 Avenue PaineSalt Granules & Vegetable OilCity, State, Zip:Valencia, Ca. 91355CAS# 7647-14-5 (20%-50%)CAS# 8007-69-0 or 8001-23-8 Emergency Telephone: (800)255-3924 Preparation Date: 03/1/2012 \_\_\_\_\_ SECTION 2: PHYSICAL DATA \_\_\_\_\_ Specific Gravity 25/25: 1.05 -1.11 Boiling Point: N/A Vapor Pressure: N/A Physical State: Syrupy Odor: Fatty Vapor Density [Air =1]: > 1 Solubility in Water: Insoluble \_\_\_\_\_ SECTION 3 : FIRE AND EXPLOSION HAZARD DATA \_\_\_\_\_ Flash Point (Closed Cup F): 502 Deg F Special Fire Fighting Procedures: None NFPA FLAMMABILITY CODE: 1 \_\_\_\_\_ SECTION 4 : REACTIVITY DATA \_\_\_\_\_ Stability: Presents no significant reactivity hazard, not pyrophoric nor reactive with water. Incompatibility (Materials to avoid): Avoid strong oxidizers. Hazardous Combustion or Decomposition Products: Burning liberates CO, CO  $_{\rm 2}$  and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock stable. It is not an oxygen donor Hazardous Polymerization: Will not undergo spontaneous exothermic polymerization. NFPA REACTIVITY CODE : 0

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

(Page 2 of 6)

SECTION 5 : SPILL OR LEAKAGE PROCEDURES					
Cleanup of spills or accidental release of material: Flush with water or soak up with suitable absorbent.					
Waste Disposal Methods : Incineration or sanitary landfill in accordance with local, sta and federal regulations and consistent with good ecological practices.	ıte				
SECTION 6 : SPECIAL PROTECTION INFORMATION					
Respiratory: Use NIOSH/MSHA Approved Respirator if TLV is exceeded Ventilation: General Mechanical Protective Gloves: Volatile Resistant if skin contact is anticipated Eye Protection: Splash proof goggles if handling methods warrant them. Other Protective Equipment: None Required					
SECTION 7 : EMERGENCY AND FIRST AID PROCEDURES					
Eye (contact): In the event of accidental contact with eyes, Product is IRRITATING to the eyes due to scrub particles. If necess irrigate with copious amounts of water; if any irritation exhibited obtain medical advice. Skin (contact): Remove contaminated clothing. If desired flush exposed ar with copious amounts of water. Product is IRRITATING to s due to scrub particles. Ingestion: In the event of accidental ingestion rinse the mouth with water. Give up to one tumbler (half pint) of milk or water Obtain medical advice immediately.	is ceas skin				
SECTION 8 : EXPOSURE DATA					
Primary route of exposure : Skin Contact & Possible Inhalation					
The approximated vapor pressure of the mixture is sufficiently high enough to be a significant route of exposure.					
OSHA PEL : Not Determined ACGIH TLV : Not Determined					
Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.					

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof. CUCCIO POMEGRANATE & FIG SKIN POLISHER.doc

(Page 3 of 6)

#### SECTION 9 : HEALTH HAZARDS

\_\_\_\_\_

The identity of the individual percentages of this mixture is proprietary information and is regarded to be a TRADE SECRET. In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater that 10% concentration.

Finally, it should be not be assumed that the safety information presented in this section has been obtained from any particular ingredient supplier. Even in those cases where only one supplier for the ingredient is used, the safety information may be from a different source.

REPEATED DAILY DOSES ORALLY & DERMALLY SHOWED NO DAMAGE TO NERVOUS SYSTEM.

NON-TOXIC, PROLONGED SKIN CONTACT WILL CAUSE SKIN RASH AND IRRITATION.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED MINIMAL LIVER DAMAGE.

SKIN CONTACT AT FULL STRENGTH WILL CAUSED NO EYE IRRITATION.

REPEATED DAILY APPLICATION TO SKIN OF CAUSED NO REPRODUCTIVE EFFECTS.

The following effects were concluded as a result of human testing and observation of one or more of the individual components.

LIQUID IS IRRITATING TO THE EYES.

LIQUID IS IRRITATING TO THE SKIN.

BOILING VAPOR IS MILDLY IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF BOILING VAPOR WILL CAUSE NO ANESTHETIC EFFECTS.

LONG TERM IMMERSION CAUSED NO ALLERGIC DERMATITIS.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof.

(Page 4 of 6)

SECTION 10: STABILITY AND REACTIVITY
Conditions to Avoid: No Applicable information has been found
SECTION 11: TOXICOLOGICAL INFORMATION
This is a personal care product that is safe for consumer and other users under intended and reasonable use.
Chronic Effects: Finished product is not expected to have chronic health effects
Target Organs: No adverse health effects on target organs expected for finished product
Carcinogenicity: Finished product is not expected to be carcinogenic NTP: No IARC: No OSHA: No
SECTION 12: ECOLOGICAL INFORMATION
The product ingredients are expected to be safe for the environment at concentration predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.
SECTION 13: DISPOSAL CONSIDERATIONS
Disposal should be in accordance with Federal, State/Provincial and Local regulations
For Household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution
For Non-Household Settings: Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to the Federal RCRA regulations (40 CFR 261). Disposal should

be in accordance with local, state and federal regulations.

California Waste Code: 331

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof. CUCCIO POMEGRANATE & FIG SKIN POLISHER.doc

#### MATERIAL SAFETY DATA SHEET STAR NAIL INTERNATIONAL CUSTOMER NAME: PRODUCT NAME: **CUCCIO POMEGRANATE & FIG SKIN POLISHER**

(Page 5 of 6) \_\_\_\_\_ SECTION 14: TRANSPORTATION INFORMATION \_\_\_\_\_ Finished packaged product transported by ground (DOT): Non hazardous Finished packaged product transported by vessel (IMDG): Non hazardous Finished packaged product transported by air (IATA): Non hazardous \_\_\_\_\_ SECTION 15: ADDITIONAL REGULATORY INFORMATION \_\_\_\_\_ EU DPD (Dangerous Products Derivative) Classification (DPD 88/379/EEC). Regulated as a Cosmetic and/or Drug under FDA (US), HPB (Canada), Cosmetic Directive, (EU), MHW (Japan) and MOH (China) US Federal The product described is this Material Safety Data Sheet is regulated under the Federal Food, Drug & Cosmetic Act and is safe to use per directions on container, box or accompanying literature (where applicable). US State CA Prop 65: This product is not subject to warning labeling under California Proposition Other Perfumes contained within the products covered by this MSDS comply with the appropriate IFRA guidance. \_\_\_\_\_ SECTION 16: ADDITIONAL REGULATORY INFORMATION \_\_\_\_\_ DISCLAIMER: This MSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. GAR Labs assumed not responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of

65

the product.

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof. CUCCIO POMEGRANATE & FIG SKIN POLISHER.doc

			(Page 6 of 6
SECT	ION 17: OTHER INFORMATION		
HAZA	RDOUS MATERIAL INDENTIFICATION S HEALTH: FLAMMABILITY: REACTIVITY: PERSONAL PROTECTION EQUIPMENT:	1 1 0	
NATI	ONAL FIRE PROTECTION ASSOCIATION HEALTH: FLAMMABILITY: REACTIVITY:	(NFPA) 1 1 0	HAZARD IDENTIFICATION RATING:
ABBR	EVIATIONS:		
NA NE	Not Applicable Not Established	ND	Not Determined
pm mg gm kg Pa	Part per million Milligram Gram Kilogram Pascals	G L mol u p	Liter Mole
LC TC BOD TLm DOC	Lethal Concentration Toxic Concentration Biological Oxygen Demand Threshold Limit Dissolved Organic Carbon	LD TD COD	
H D W	Hours Days Weeks	M Y	Months Years
ACGI CPR DSL NDSL IARC NOEL NOAE OSHA PEL TLV	Controlled Product's Regu Canadian Domestic Substand Canadian Non-Domestic Su International Agency for H No Observed Effect Level No Observed Adverse Effect	lation ces Lis ubstanc Researc c Level ealth A	et e List ch for Cancer

The above information may be based in part on information provided by component suppliers and is believed to be correct as of the date hereof. However, no warranty of merchantability, fitness for any use, or any other warranty is express or is to be implied regarding the accuracy of these data, the results to be obtained from the use of the material, or the hazards connected with such use. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar, and since data made available subsequent to the date hereof may suggest modification of the information, we assume no responsibility for the result of its use. This information and material furnished on the condition that the person receiving it shall make his/her own determination as to the suitability of the material for his/her particular purpose and on the condition that he/she assume the risk of his/her use thereof. CUCCIO POMEGRANATE & FIG SKIN POLISHER.doc



## PRODUITS CHIMIQUES A USAGE INDUSTRIEL – FICHE DE DONNEES DE SECURITE CHEMICAL PRODUCTS FOR INDUSTRIAL USE – SAFETY DATA SHEET

	Présentation e Presentation a	et règles de rédaction conformes à la directive 91/155/CEE nd rules of drafting complying with the directive 91/155/CEE
1.	IDENTIFICATION	CIREPIL BLUE
-	Produit / Product	Cire à épiler / Depilatory wax
-	Raison sociale / Trade name	PERRON RIGOT Head office & Training Center : 9 rue Saint Fiacre, 75002 Paris - FRANCE Administrative & Export Dpts : 87 rue Marceau, 93108 Montreuil Cédex - FRANCE Phone : +33.1.48.59.26.91 – Fax : +33.1.48.59.74.15
2.	COMPOSITION	
	Composants apportant un danger / Components contributing to hazards	Aucun None
3.	IDENTIFICATION DES DANGERS HAZARDS IDENTIFICATION	Absence de danger dans les conditions normales d'emploi Not dangerous in normal conditions
4.	MESURES DE PREMIERS SECOURS / FIRST AID PROCEDURES	En cas d'ingestion accidentelle, consulter un médecin. In case of ingestion, take medical advice.
- -	MESURES DE LUTTE CONTRE L'INCENDIE / MEASURES IN CASE OF FIRE Moyens d'extinction / Extinguishing media Mesures particulières de protection dans la lutte contre l'incendie / Special protective measures	<ul> <li>Mousse, poudre, CO<sub>2</sub> / Sprinkler, foam, powder extinguisher</li> <li>En cas d'incendie, si nécessaire en raison des fumées abondantes, porter un masque respiratoire autonome / In case of fire, put an oxygen mask on if necessary because of abundant smokes</li> </ul>
6.	MESURES A PRENDRE EN CAS DE DISPERSION ACCIDENTELLE / MEASURES IN CASE OF ACCIDENTAL SPILLAGE	Ramassage mécanique / Mechanical gathering
7.	MANIPULATION ET STOCKAGE STORAGE AND HANDLING	<ul> <li>Ne pas fumer pendant le travail / No smoking during work</li> <li>Prendre les précautions d'usage pour la manipulation d'un produit chimique / Take the usual precautions for handling a chemical product</li> <li>Conserver dans l'emballage d'origine entre 10 et 25°C / Storage in its original packaging between 10 and 25°C</li> </ul>
8.	PROTECTION INDIVIDUELLE PROTECTIVE MEASURES	Non considéré comme matière dangereuse / Not considered as a dangerous substance

9.	PROPRIETES PHYSIQUES ET CHIMIQUES / CHEMICAL AND PHYSICAL PROPERTIES	
-	Etat physique / Physical state	- Solide / Solid
-	Couleur / Colour	- Bleu / Blue
-	Températures caractéristiques/ Characteristic temperatures	<ul> <li>Point de fusion / melting point : 59-64°C</li> <li>Température d'auto-inflammation / Self ignition temperature &gt; 300°C</li> <li>Point éclair / Flash point ≈ 240°C</li> </ul>
-	Solubilité / Solubility	- Insoluble dans l'eau / Insoluble in water
10.	STABILITE ET REACTIVITE STABILITY AND REACTIVITY	<ul> <li>Stable</li> <li>Réactions dangereuses : aucune / Dangerous reactions : none</li> </ul>
11.	INFORMATIONS TOXICOLOGIQUES TOXICOLOGICAL INFORMATION	<ul> <li>Inoffensif dans les conditions normales d'utilisation / Not dangerous in the normal conditions of use</li> <li>Approuvé pour le contact alimentaire / Approved for food contact</li> </ul>
12.	INFORMATIONS ECOLOGIQUES ECOLOGICAL INFORMATION	-
13.	CONSIDERATIONS RELATIVES A L'ELIMINATION / DISPOSAL	<ul> <li>Ne pas jeter dans le milieu naturel et dans l'eau / No throwing in water and in natural environment</li> </ul>
		<ul> <li>Se conformer aux règlements et arrêtés préfectoraux en vigueur / Take into consideration the local authority regulations</li> </ul>
14.	TRANSPORT ONU N°/ UN N°	R.T.M.D. – RID/ADR I.M.D.G. Maritime - OACI
		NON REPRIS COMME MATIERE DANGEREUSE NOT SUBJECT TO THE A.M REGULATIONS
15.	INFORMATIONS REGLEMENTAIRES REGULATIONS INFORMATION	<ul> <li>Sur la base des données en notre possession, n'est pas classée selon les directives 67/548/CEE et 88/379/CEE</li> <li>Not classified according to 67/548/CEE and 88/379/CEE</li> </ul>
16.	AUTRES INFORMATIONS OTHER INFORMATION	Aucune / None
16.		Aucune / None

Cette fiche complète la notice technique d'utilisation mais ne la remplace pas. Les renseignements qu'elle contient sont basés sur l'état de nos connaissances relatives au produit concerné à la date du 12/10/05. Ils sont donnés de bonne foi. Il est de la responsabilité de l'utilisateur lors de la manutention, du stockage et de la mise en œuvre du produit, de se référer aux textes législatifs, réglementaires et administratifs en vigueur concernant la protection des travailleurs, de la population et de l'environnement.

This sheet completes the technical sheet of use but doesn't replace it. The information contained in this sheet is based on our knowledge of the product at the date 12/10/05. It is given quite sincerely. Moreover, the attention of the users is drawn on the risks possibly taken when a product is used for other utilisations than those for which it is intended.

ROM :AII					••••
ANTISEPTIC CLN	)SK:		·	·	15
Material Safety Data Sheet		U.S. Departm	ant of labo		
May be used to comply with		Occupational Safe	ty and Health A	n Iministration	
OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be		(Non-Mandatory F	Form)		N/
consulted for specific requirements.		Form Approved			•
DENTITY (As Used on Label and List) C & E Antiseptic Cle	anser 4360	OM8 No. 1218-00 Note: Blank spaces a information is at	re col bermister li	Any item is no must be marke	t applicable, or no to inorcate that
Section					
Manufacturer's Name		Emergency Telephone	Alumna		
Inverness Corpora	tion	201-794-	3400		
Address (Number, Street, City, State, and ZIP Cod	3e)	Telephone Number lo	r Information		
<u> </u>	et	1-800-631	-0860		
FairLawn, NJ 074	10	Date Prepared	1/93		
		Signature of Preparer			······
Constant II			. Kula		
Section II — Hazardous Ingredients/id	lentity Informati	on	1		
Hazardous Components (Specific Chemical Identic	y. Common Namerar	) CSHAPEL A	CGIH TLV	Ciner Umits	
SD_Alcohol - 40		, <u> </u>		Recommender	
Benzalkonium Chlorid					. 47.
	16	· · · · · · · · · · · · · · · · · · ·			
Isopropyl Palmitate	· · · · · · · · · · · · · · · · · · ·				
Isopropyl Myristate					
[sopremu]∵Stateres					
Isopropyl Stearate					
		· · · · · · · · · · · · · · · · · · ·			
		· · · · · · · · · · · · · · · · · · ·			
Section III — Physical/Chemical Charac	teristics	·			
		Specific Gravity (H2O =			1
Section III — Physical/Chemical Charac Boiling Point	teristics	25°/4°C	;)		.992±2.51
Section III — Physical/Chemical Charac Boiling Point Vapor Pressure (mm Hg.)	N/A	Specific Gravity (H <sub>2</sub> O = 25°/4°C Meiting Point	;)		.992±2.5
Section III — Physical/Chemical Charac Boiling Point	N/A N/A	All 25°/4°C	;)		. <u>992±2.5</u> ‡
Section III — Physical/Chemical Charac Boiling Point Vador Pressure (mm Hg.) Vador Density (AIR = 1)	N/A	25°/4°C	;)		N/A
Section III — Physical/Chemical Charac Boiling Point Vador Pressure (mm Hg.) Vador Density (AIR = 1) Solubility in Water	N/A N/A	25°/4°C Meiting Point Evaporation Rate	;)		1
Section III — Physical/Chemical Charac Boiling Point Vador Pressure (mm Hg.) Vador Density (AIR = 1) Solubility in Water <u>Complete</u>	N/A N/A N/A	25°/4°C       Meeting Point       Evaporation Raie       (Buryl Acetate = 1)	;)		N/A
Section III — Physical/Chemical Charac Boding Point Vador Pressure (mm Hg.) Vador Density (AIR = 1) Solubility in Water <u>Complete</u> Appearance and Odor Clear Liquid	N/A N/A N/A - Medicina	25°/4°C       Meeting Point       Evaporation Raie       (Buryl Acetate = 1)	;)		N/A
Section III — Physical/Chemical Charac Boding Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water <u>Complete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard	N/A N/A N/A - Medicina	25°/4°C       Meeting Point       Evaporation Raie       (Buryl Acetate = 1)	;)		N/A
Section III — Physical/Chemical Charac Boding Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solucility in Water <u>Complete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Tash Point (Meinod Used)	N/A N/A N/A - Medicina	25°/4°C       Meeting Point       Evaporation Raie       (Buryl Acetate = 1)			N/A N/A
Section III — Physical/Chemical Charac Boding Point Vador Pressure (mm Hg.) Vador Pressure (mm Hg.) Soluelity in Water <u>Complete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Section IV — Fire and Explosion Hazard Section IV — Fire and Explosion Hazard	N/A N/A N/A - Medicina	25°/4°C Meiting Point Evaboration Rate (Survi Acetate = 1)		EL N/A	N/A
Section III — Physical/Chemical Charac Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water <u>Complete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Tash Point (Meinod Used) <u>169° F</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boding Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water <u>COmplete</u> Nopearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Section IV — Fire and Explosion Hazard ISBN Point (Meinod Used) <u>169°F</u> Etinguishing Media	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solubility in Water <u>Complete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Tash Point (Meinod Used) <u>169° F</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solucility in Water <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boiling Point Vador Pressure (mm Hg.) Vador Pressure (mm Hg.) Vapor Density (AIR = 1) Soucelity in Water <u>COmplete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Tesh Point (Meinod Used) <u>169°F</u> Extinguishing Media pecial Fire Fignung Procedures <u>N/A</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boiling Point Vapor Pressure (mm Hg.) Vapor Density (AIR = 1) Solucility in Water <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u> <u>Complete</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			
Section III — Physical/Chemical Charac Boiling Point Vador Pressure (mm Hg.) Vador Pressure (mm Hg.) Vapor Density (AIR = 1) Soucelity in Water <u>COmplete</u> Appearance and Odor <u>Clear Liquid</u> Section IV — Fire and Explosion Hazard Tesh Point (Meinod Used) <u>169°F</u> Extinguishing Media pecial Fire Fignung Procedures <u>N/A</u>	N/A N/A N/A - Medicina	25°/4°C Metting Point Evaporation Rale (Survi Acetate = 1) Lodor			

-	D.T -		<b>.</b> .	
	Thlisept	Clase -	- Page 2	
Stability	V Reactivity I		<i>9</i>	
		Conditions to	Avaia	
	Stable	x		
Incompatib	illity (Materials to Av	Qia)		
Hazardous (	Decomposition or Byp			
Hazaroous	May Occur	N/A Conditions to		
Polymenzatio	Will Not Occur		AVDIO	
	·			
Section V	'l — Health Hazz	Ird Data		
Route(s) of E		nnalation?	Skin?	Ingesuon?
Health Hazar	ds (Acura and Chroni	c) 11 ( )	Topically Appli	ed
		N/A		
n. <u> </u>				
Carcinogenicu		TP?		
	<u>N/A</u>		ARC Monographs?	OSHA Regulared?
S'				
Signs and Syr	mptoms of Exposure	Safe As a tor		
		Sala A3 a COD	oical skin cleanser,	antiseptic
Medicar Condit	tions			
	revaled by Exposure	<u>N/A</u>		
Emergency and	d First Ald Procedure			
		May cause ev	e sting. Rinse tho	Touchland
		Warer for 15		roughly with cold
Section VII	- Precautions	for Sale Weedline	nd Use	
	医骨骨 化乙酸医乙酸医乙酸医乙酸医乙酸医乙酸		ities of water	
		- Idige guant	LCLES CE WELEY	
Waste Disposal	Meihod			
<u> </u>	Ordin	ary disposal		
Precautions to P	Be Taken in Handling			
		and Storing None		
Other Precaution				
Section VIII	- Control Meas			· ·
Respiratory Prote	cuon (Spectly Type)	ures		
Ventilation	Local Exhaust	N/A	· · ·	
		N/A	Special	
	Mechanical (General	N/A	Ciner	/A
notective Gloves	N/A		Eye Protection	/A
Ther Protective (	Ciouning or Equipmen		N,	/A
VonvHygienic Pra	•	<u>N/A</u>	1	······································
····· · · · · · · · · · · · · · · · ·	N/A			

• •



# AMERICAN INTERNATIONAL INDUSTRIES

2220 GASPAR AVENUE LOS ANGELES, CA 90040 CHEM-TEL: (800) 255-3924

# **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: FORMULA:	Clean + Easy Azulene Skin Calming Oil 30-4214				ATE: EV.	1/27/2004 NEW	
Section 1. Material Identification and Information							
Hazardous Ingredier	nts:						
	Compone	nt	CAS #	%	-	TOXICOI	_OGICAL DATA
	No Hazardous In	gredients					
Section 2. Physic	cal / Chemical Cha	aracteris	tics				
Boiling Point:	N/A		Specific Gravity:	N/A			
Vapor Pressure:	Not Determined		(@ 25°C)				
(mm Hg and Tempera	iture)		Melting Point:	N/A			
Vapor Density:	Not Determined		Evaporation Rate:	N/A			
(Air = 1)			Water Reactive:	N/A			
Solubility in Water:	Insoluble						
Appearance:	Clear Violet Liquid						
Odor:	Characteristic						
Section 3. Fire a	nd Explosion Haza	ard Data					
Flash Point and Met	hod Used:	N/A					
Auto-Ignition Temperature:		N/A					
Flammability Limits		LEL:	N/A				
-	-	UEL:	N/A				
Extinguisher Media:		All stand	dard fire fighting media				
Special Fire Fighting Procedures:		None					

# Section 4. Reactivity Hazard Data

Unusual Fire and Explosion Hazards:

Stability:	☑ Stable	Unstable	
Conditions to Avoid:	Keep away from heat,	sparks and flame. Avoid any	source of ignition.
Incompatibility (Mate	rials to Avoid):		
	None		
Hazardous Decompos	sition:		
	Carbon Monoxide, Car	rbon Dioxide	
Hazardous Polymeriz	ation:		
-	May Occur	Will Not Occur	

None

# AMERICAN INTERNATIONAL INDUSTRIES



2220 GASPAR AVENUE LOS ANGELES, CA 90040 CHEM-TEL: (800) 255-3924

# **MATERIAL SAFETY DATA SHEET**

PRODUCT NAME:	Clean + Easy Azulene Skin Calming Oil	DATE:	1/27/2004
FORMULA:	30-4214	REV.	NEW
Section 5. Health	Hazard Data		

Primary Routes of E	ntry:			
-	□ Inhalation	Skin Absorption	Ingestion	Not Hazardous
Carcinogen Listed In	ו:			
	□ NTP	IARC Monograph	OSHA	Not Listed
Health Hazards:	Acute:	None known.		
	Chronic:	None known.		
Signs and Symptom	s of Exposure:			
	May cause eye irritat	ion.		
Medical Conditions	Generally Aggravated	by Exposure:		
	No adverse effects a	re known.		
<b>Emergency First Aid</b>	Procedures:			
	Eye Contact:	Thoroughly flush eyes with w	ater. If irritation p	ersists see a physician.
	Skin Contact:	Discontinue if any irritation of	ccurs.	
	Inhalation:	Not applicable.		
	Ingestion:	In case of accidental ingestion	n, consult a physi	cian.

#### Section 6. Control and Protective Measures

#### **Respiratory Protections (Specific Type):**

	Not applicable under normal con	ditions	
Protective Gloves:	Not required.		
Eye Protection:	Safety goggles.		
Ventilation to be Use	ed:		
	🗹 Local Exhaust	Other (Specify)	
Other Protective Clothing and Equipment:			
	None		
Hygienic Work Pract	ices:		
	Good Manufacturing Practices.		

## Section 7. Precautions for Safe Handling and Use / Leak Procedures

Steps to be Taken	if Material is Spilled or Released:	
	For small spills, flush with water, wipe, and dry. Cover spills with sand/dirt and absorbent material and dispose.	contain in
Waste Disposal M	ethods:	
	Dispose of in accordance with your local, state, and federal regulations.	
Precautions to be	taken in Handling and Storing:	
	Store at room temperature.	
Other Precautions	and/or Special Hazards:	
	None	Dage 2 of 2



Product Name:	Clean + Easy Original Pot Wax	DATE:	6/1/2007
Formula:	30-1903	REV.	NEW
Item#:	41150		
Manufacturer:	American International Industries		
	2220 Gaspar Ave		
	Los Angeles, CA 90040		
Chem-Tel:	(800) 255-3924		
Section 2. Com	position / Information on Ingredients		

CAS #

%

Hazardous Ingredients:

Component No Hazardous Ingredients

## Section 3. Hazardous Identification

#### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Eyes or skin (No absorption). Solid product: Acute and chronic health effects are not expected as long as good hygiene and safety precautions are followed.

Extremely hot or molten product:

Eye:	Contact with extremely hot product will cause burns to the eyes.
Skin:	Contact with extremely hot product may result in severe burns.
Ingestion:	If swallowed in large quantities this material can obstruct the intestine.
Inhalation:	No significant adverse effects are anticipated.

# Section 4. First Aid Measures

First Aid for Eye:	Flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort persists.
First Aid for Skin:	For hot molten product cool skin with water or cold packs for at least 15 minutes. Do not put ice directly on the skin. Get medical help if discomfort persists.

First Aid for Inhalation: Remove to fresh air. Seek medical attention if discomfort persists.

TOXICOLOGICAL DATA

# AMERICAN INTERNATIONAL INDUSTRIES



# **MATERIAL SAFETY DATA SHEET**

First Aid for Ingestion: Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek prompt medical attention.

# Section 5. Fire Fighting Measures

Flash Point (°F/°C):	Not applicable
Flammable Limit (vol%):	Not applicable
Auto-ignition Temp. (vol%)	None Established
Extinguisher Media:	Carbon Dioxide, Foam, Water Fog and dry chemical
Fire Fighting Instructions:	Wear protective clothing to prevent contact with skin and eyes. Do not release runoff from fire control methods to sewers or waterways.
Fire Fighting Equipment:	Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

#### Section 6. Accidental Release Measures

Spill or ReleaseNo special precautions necessary. Sweep up to avoid slipping hazard. If molten, allow to cool and<br/>scrape up.

#### Section 7. Handling and Storage

Handling: Observe precautions found on the label. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Avoid contamination. Use only with adequate ventilation.
 Storage: Store in a cool, dry place away from heat, sparks, flame and direct sunlight. Store away from combustibles and incompatible materials.

#### Section 8. Exposure Controls / Personal Protective Equipment

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep airborne concentrations of mists and/or vapors below the recommended exposure limits. An eye wash station and safety shower should be located near the work-station.

#### Personal Protective Equipment

Hand Protection: When handling product at elevated temperatures, use heat-resistant gloves. With product at ambient temperatures, use disposable nitrile, neoprene or butyl rubber gloves with repeated or prolonged use.



Eye Protection:	Use a full-face shield and safety glasses if handling heated material. With product at ambient temperatures, use safety glasses equipped with side shields.
Body Protection:	Prevent skin contact when handling heated material. Use insulated, heat-resistant clothing such as apron or slicker suit.
Respiratory Protection	: The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, a NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be use.
General Hygienic Practices:	Avoid breathing dust, vapor or mist. Avoid contamination of food, beverages, or smoking materials. Wash thoroughly after handling, and before eating, drinking or smoking. Remover contaminated clothing promptly and clean thoroughly before reuse.

# Section 9. Physical and Chemical Properties

Appearance @ 100°C:	Clear Amber Liquid
Odor:	Characteristic
рН	Not applicable
Specific Gravity:	Not applicable
Ignition:	Not applicable
% Volatile	Not applicable
Boiling Point /	Not applicable
Freezing Point	
Solubility	Insoluble

Viscosity @230 - 270100°C:Not applicableVapor Pressure:Not applicableVapor Density:Not applicableEvaporation Rate:Not applicable

# Section 10. Stability and Reactivity

Stability:	Stable
Hazardous Decompo	sition Products: None.
Incompatibility (Mater	ials to Avoid): None.
Hazardous Polymeriz	ation: Will not occur
Conditions to Avoid:	Heat and open flames



# Section 11. Toxicological Information

Acute Oral Toxicity:	No data available
Acute Toxicity to Invert	ebrates: No data available
Acute Toxicity to Algae	: No data available
Irritation - Skin:	No data available
Irritation - Eye:	No data available

Sensitization:	No data available
Mutagenicity:	None
Sub-chronic Toxicity:	None

# Section 12. Ecological Information

Ecotoxicological Information				
Acute Toxicity to Fish:				
,	No. de la complete			
	No data available			
Aguta Taviaity to Invert	abrataa			
Acute Toxicity to Inverte	ediales.			
	No data available			
Acute Toxicity to Algae				
	No data available			
Bioconcentration:	No data available			
Diocontoentration				
Toxicity to Sewage Bac	cteria:			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	No data available			
	no dala avaliable			
Chemical Fate Information				
Biodegradability:	No data available			
Chemical Oxygen Demand:				
	No data available			

# Section 13. Disposable Considerations

May be disposed of in a landfill or incinerated. Follow Federal, State and Local regulations for disposal.



# Section 14. Transportation Information

<b>DOT (49CFR 172)</b> Proper Shipping Name:	Non-Regulated Material
Identification Number: Marine Pollutant: Special Provisions: Emergency Response Guidebook (ERG)#:	N/A No N/A N/A
IATA (DGR): Proper Shipping Name:	Non-Regulated Material
Class or Division: UN or ID Number: Packaging Instructions: Emergency Response Guidance (ICAO)#:	N/A N/A
IMO (IMDG): Proper Shipping Name:	Non-Regulated Material
Class or Division: UN or ID Number: Special Provisions & Stowage/Segregation: Emergency Schedule (EmS)#:	N/A N/A None

# Section 15. Regulatory Information

Regulatory Information Available Upon Request.

#### Section 16. Other Information

No additional information available.



# Section 1. Product and Company IdentificationProduct Name:Clean + Easy "Lavender" Moisture Absorbent PowderDATE:Formula:30-1921REV.Item#:47205REV.Manufacturer:American International Industries<br/>2220 Gaspar Ave<br/>Los Angeles, CA 90040Example 20040Chem-Tel:(800) 255-3924Example 20040

# Section 2. Composition / Information on Ingredients

#### Hazardous Ingredients:

115.	Component	CAS #	010	Exposure L	imits ppm	
				OSHA-PEL	ACGIH-TLV	
	Talc	14807-96-6	99.40%	20 mppcf, containing < 1% quartz	2 mg/m3, respirable fraction	

Talc (Non Asbestiform)

Talc contains crystalline silica at levels greater than 0.1%, but less than 1%. These levels are "typical" and may change slightly with different lots. IARC has determined silica to be a class 1 carcinogen, and NTP has classified crystalline silica as a substance resonably anticipated to be a carcinogen.

#### Section 3. Hazardous Identification

Primary Route of Exposure: Inhalation, Ingestion, Skin Contact, Eye Contact Emergency Overview: Dust may cause mechanical irritation to eyes and respiratory tract.

Target Organs: Eyes, Skin, and Respiratory Tract

Inhalation Acute Exposure Effects:

Inhalation of dust may cause sneezing, coughing, and nose irritation.

Inhalation Chronic Exposure Effects:

Long-term excessive exposure may cause talcosis, a pulmonary fibrosis which may lead skin to severe and permanent damage to the lung - possibly resulting in disability or death.

Skin Contact Acute Exposure Effects:

The abrasiveness of the talc may cause skin irritation.

Eye Contact Acute Exposure Effects:

Abrasion may cause eye irritation.

Ingestion Contact Acute Exposure Effects:

May cause mild irritation of gastrointestinal tract.

Medical Conditions Aggravated by Exposure:

7/16/2007

NEW



	Pre-existing chronic respiratory, skin, or eye diseases.
Symptoms:	Inhalation - excessive sneezing or coughing. Skin Contact - dryness and/or mild irritation. Eye
	Contact - mild irritation. Ingestion - mild irritation.
Carcinogenicity:	Not listed with NTP, IARC, or OSHA as a known or suspected carcinogen.

# Section 4. First Aid Measures

First Aid for Eye:	Immediately flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort persists.
First Aid for Skin:	Wash off areas with plenty of soap and water.
First Aid for Inhalation	: Remove to fresh air. If symptoms such as excessive sneezing or coughing develop, seek medical attention.
First Aid for Ingestion:	Ingestion should not cause significant health problems. If this material is ingested, and if the person is conscious, give large amounts of water. Seek medical attention.
Note to Physician:	All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to material other than talk may have occurred.

# **Section 5. Fire Fighting Measures**

Flash Point (°F/°C):	Not applicable
Flammable Limit (vol%):	Not applicable
Auto-ignition Temp. (vol%)	Not applicable
Extinguisher Media:	Material is not combustible. Follow fire fighting extinguishing procedures for surrounding combustibles.
Fire Fighting Procedures:	Material is not combustible. Follow fire fighting extinguishing procedures for surrounding materials.
Unusual Fire and Explosion Hazards:	Material is not combustible and is not an explosion hazard.
NFPA Codes:	Health: 1, Flammability: 0, Reactivity: 0

# Section 6. Accidental Release Measures

# AMERICAN INTERNATIONAL INDUSTRIES



# MATERIAL SAFETY DATA SHEET

Clean-up:

Provide adequate ventilation. Clean up personnel should use protective equipment to reduce eye contact, inhalation of dust and prolonged skin contact. Use vacuum suction with hepa filters to clean up spilled material. Use wet sweeping or a dust suppressant where sweeping is necessary. Personnel safety, handling and exposure recommendation described elsewhere in this data sheet apply to exposure during clean up of spilled material and must be followed.

# Section 7. Handling and Storage

- Storage: Store to minimize or avoid dust generation. Store in clean, dry locations.
- Handling: Avoid damaging container.

#### Section 8. Exposure Controls / Personal Protective Equipment

Ventilation:	Provide adequate exhaust ventilation to meet exposure limit requirements. An exhaust filter system may be required to avoid environmental contamination.
Protective Gloves:	Leather or other impervious gloves.
Eye Protection:	Safety glasses equipped with side shields or dust tight goggles.
Hand Protection:	Leather or other impervous gloves
Respiratory Protection	: When established airborne exposure limits are surpassed , wear NIOSH/MSHA approved respiratory equipment for dust. Determine the appropriate type equipment for specific applications by consulting the respirator manufacturer. Observe the respiratory use limitations specified by NIOSH/MSHA or the manufacturer. In addition, respiratory protection programs must comply with 29CFR1910.134. Engineering or administrative controls should be implemented to reduce exposure.

Other Protective Wear long sleeved clothing to avoid skin contact.

#### Section 9. Physical and Chemical Properties

Appearance @ 25°C:	White to off white crystalline powder	Viscosity (RVT):	Not applicable
Odor @ 25°C:	Lavender	Vapor Pressure:	Not applicable
рН	Not applicable	Vapor Density:	Not applicable
Specific Gravity:	~2.7	<b>Evaporation Rate:</b>	Not applicable
Ignition:	Not applicable		
Melting Point:	Not applicable		
Boiling Range:	Not applicable		
Solubility in Water	Insoluble		



## Section 10. Stability and Reactivity

Stability: Stable under normal conditions.

Hazardous Decomposition Products: None Known

Incompatibility (Materials to Avoid): None in designed use.

Hazardous Polymerization: Will not occur

Conditions to Avoid: Water and moister

#### Section 11. Toxicological Information

Inhalation Effects:Rat- TC(LO) = 11mg/cu.m administered intermittently over a year produces a toxic effect.Dermal Effects:Rat- Implant- TD(LO) = 200 mg/cu.m Human, skin 300 micrograms administered intermittently<br/>over a three day period produces mild irritation.Eye Effects:None KnownIngestion Effects:None Known

# Section 12. Ecological Information

No Information is currently available.

#### Section 13. Disposable Considerations

If this material becomes a waste, it does not meet the criteria of a hazardous waste as defined under the RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) 40 CFR 261, since it does not have the characteristics of subpart C, nor is it listed under subpart D. State and local hazardous waste may apply if they are different from the federal regulations. The user should be aware that combining this material with another may alter this classification.



## Section 14. Transportation Information

**DOT Class:** Not regulated by U.S. Department of Transporation or any other known transporation agencies

## <DOT Information>

Proper Shipping Name: Talc			
DOT Label:	Not Required		
Packing Group:	Not Required		
UN Register:	Not Applicable		
IMO Class:	Not Applicable		
IMO Label:	Not Required		

## Section 15. Regulatory Information

#### **OSHA Hazard Communication Status:**

This product is considered hazardous under the criteria of the federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

Asbestiform Mineral Content:

No asbestifrom minerals have been detected in this product.

**TSCA Status:** 

All ingredients in this product are either naturally occurring and exempt from reporting or are included EPA's Toxic Substance Control Act inventory of chemical substances.

#### SARA 311/312 Hazard Class:

This product contains substances regulated under 29 CFR 1910.1200 (OSHA Hazard Communication) as immediate (acute) health hazards.

Tariff Classification:

TALC 2526.20

#### "Coneg" Nodel Legislation:

There are no Cadmium, Hexavalent Chromium, Lead, or Mercury additives. These products incidentally contain only trace amounts of these metals, far below the 100 ppm threshold level.

#### International Chemical List:

ACOIN (Australia) MITI (Japan) LEC (Korea) EINECS (Europe) DSI (Canada)

Clean Air Components:

# AMERICAN INTERNATIONAL INDUSTRIES



# **MATERIAL SAFETY DATA SHEET**

This product does not contain nor has it come into contact with ozone depleting chemicals. Furthermore, no ozone depleting chemicals were used during the manufacturing process.

#### WHMIS Classification:

Class D, Division 2, Subdivision B

#### California Proposition 65:

Talc may contain the following proposition 65 regulated chemicals in the following typical Arsenic 2 ppm

Algenie	
Cadmium	2 ppm
Chromium	0.5 ppm
Mercury	0.5 ppm
Lead	5 ppm
Crystalline Silica	1.0% maximum

These Chemicals are present as impurities and occur as a result of their natural presence in the ore in which the talc is produced.

#### Section 16. Other Information

HMIS:

Health- 1 Flammability- 0 Reactivity- 0

#### EPA Hazard Classes:

Immediate Health- 1

- Fire- 0
- Reactivity- 0
- Delayed Health- 1
  - Pressure- 0