

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

### 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

Product I dentifier

Compound Name : YLANG YLANG COMPLETE ORGANIC OIL{OR019}

Code Number : NAT-11824

Relevant identified uses of the substance/mixture and uses advised against

Concentrated material for manufacturing purposes only.

Details of the supplier of the safety data sheet

Absolute Aromas Absolute Aromas Ltd 1 Absolute House

Mill Lane Alton Hampshire GU34 2PX

Telephone Number : +44 (0) 1420 540400

Email Address : Relax@absolute-aromas.com

Emergency Tel No: +44 (0) 1420 540400

#### 2. HAZARDS I DENTIFICATION

Classification of the substance or mixture CLP Classification according to EC1272/2008

AH 1 : Aspiration hazard, category 1

SCI 2 : Skin corrosion/irritation, category 2

SS 1 : Skin sensitisation, category 1
EDI 2 : Eye damage/irritation, category 2
EH C3 : Aquatic hazard, chronic, category 3

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

EU DSD classification according to 67/548/EEC, 1999/45/EC, 2001/58/EC Hazard Symbols



Xi: Irritant

Risk Codes : R43,R52/53

HydroCarbons : 40%

Additional Information

Full text of R and S phrases: see Section 16

**CLP Labelling** 

Symbols



Signal Word Danger

**Hazard Statements** 

H317 May cause an allergic skin reaction

H361 Suspected of damaging fertility or the unborn child H412 Harmful to aquatic life with long lasting effects

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignnition sources. No smoking.

P261 Avoid breathing fumes.

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call %.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

D201 D212		CIMALLOWED	1	11 C		£ £
P301+P312	۱ŀ	SWALLOWED:	immediateiv	' call 5	% I	f vou feel unwell.

P302+P352 IF ON SKIN: Wash with %.

P305 IF IN EYES:

P321 Specific treatment (see % on this label).

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice.

P333+P313 If skin irritation or rash occurs: Get medical advice.

P337+P313 If eye irritation persists: Get medical attention.
P351 Rinse cautiously with water for several minutes.

P362 Take off contaminated clothing.

P363 Wash contaminated clothing before reuse.
P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of Local Environment Regulation in accordance with

regulation.

#### Other Hazards

No data available at this time

#### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

Description Ylang ylang Complete

REACH Reg No

USCAS Number 8006-81-3
CAS Number 83863-30-3
EINECS 281-092-1

### Hazardous substances in complex natural material

Chemical Name	CAS No. EC No.	Classification 67/548/EEC	Classification EC 1272/2008	Conc (%)
Benzyl acetate	140-11-4 205-399-7			15.0000
Linalool	78-70-6 201-134-4	Xi; R38	EDI 2; SCI 2	14.1220
Caryophyllene	87-44-5 201-746-1	Xn; R65	AH 1	13.5960
Benzyl benzoate	120-51-4 204-402-9	Xn,N; R22,R51/53	ATO 4(1500); EH C2	9.7240

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

118-58-1 204-262-9	Xi,N; R43,R51/53	SS 1B;EH C2	5.4390
4602-84-0 225-004-1	Xi; R36/38,R43	SCI 2;EDI 2;SS 1B	3.0570
105-87-3 203-341-5	N; R51/53	EH C2	2.7910
93-58-3 202-259-7	Xn; R22	ATO 4(1300)	2.4000
106-24-1 203-377-1	Xi; R38,R41,R43	SCI 2;EDI 1;SS 1	2.3850
29548-30-9 249-689-1			2.2580
104-93-8 203-253-7	Xn; R22,R38,R52/53	ATO 4(1900); SCI 2; EDI 2; REP 2; EH C3	1.4770
106-26-3 203-379-2	Xi; R38,R43	SCI 2;SS 1B;EDI 2	1.0890
106-23-0 203-376-6	Xi,N; R38,R43,R51/53	SCI 2;EDI 2;SS 1	1.0580
100-51-6 202-859-9	Xn; R20/22	ATI 4;ATO 4(1620);EDI 2	0.5000
97-53-0 202-589-1	Xn; R36,R43	EDI 2;SS 1B	0.5000
97-54-1 202-590-7	Xn; R21/22,R36/38,R43	ATO 4(1500); ATD 4(1900); SCI 2; EDI 2; SS 1	0.5000
	204-262-9  4602-84-0 225-004-1  105-87-3 203-341-5  93-58-3 202-259-7  106-24-1 203-377-1  29548-30-9 249-689-1  104-93-8 203-253-7  106-26-3 203-379-2  106-23-0 203-376-6  100-51-6 202-859-9  97-53-0 202-589-1	204-262-9  4602-84-0 225-004-1  105-87-3 203-341-5  N; R51/53  93-58-3 202-259-7  XN; R22  202-259-7  106-24-1 203-377-1  29548-30-9 249-689-1  XN; R22,R38,R41,R43  XN; R22,R38,R52/53  XN; R22,R38,R52/53  XN; R38,R43  XN; R38,R43	204-262-9  4602-84-0 225-004-1  N; R36/38,R43  SCI 2; EDI 2; SS 1B  105-87-3 203-341-5  N; R51/53  EH C2  93-58-3 202-259-7  Xn; R22  ATO 4(1300)  SCI 2; EDI 1; SS 1  205-48-30-9 249-689-1  104-93-8 203-253-7  Xn; R22,R38,R52/53  ATO 4(1900); SCI 2; EDI 2; REP 2; EH C3  Xi; R38,R43  SCI 2; EDI 1; SS 1  275-48-30-9 275-48-30-9 275-48-30-9 275-48-30-9 275-48-30-9 275-58-9  Xn; R36,R43  SCI 2; EDI 2; SS 1B; EDI 2  ATI 4; ATO 4(1620); EDI 2  275-58-1  ATO 4(1500); ATD 4(1900); SCI 2

## 4. FIRST AID MEASURES

General: Take phrases in sections 2 and 15 into account

Inhalation : Remove from the exposure area to fresh air. Contact a doctor

if necessary.

Ingestion : Wash mouth with plenty of water and obtain medical advice

immediately.

Skin Contact : Remove contaminated clothing. Wash thoroughly with soap

and water. Seek medical advice if irritation persists or there is

any sign of tissue damage.

Eye Contact : Flush with plenty of water and seek medical advice if

necessary.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

#### 5. FIRE-FIGHTING MEASURES

Extinguishing Media : Carbon dioxide, foam or dry powder

DO NOT USE A DIRECT WATER JET.

In case of overheating, cool containers to avoid a

pressure increase.

Combustion Products : Carbon dioxide and unidentified organic

compounds.

Special Protective Equipment

for Fire Fighters Only

: Wear protective clothing and avoid inhalation of

vapours.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

### Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

Reference to other sections

Take Risk, Safety and Precautionary phrases (section 16) into account

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

Specific end use(s)

Not available at this time

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Control Parameters** 

**Exposure Controls** 

Maintain adequate ventilation.

Personal Protection

Respiratory Protection : Not generally required. Use inhalation protection in

poorly ventilated areas

Hand Protection : Wear chemically resistant disposable gloves.

Eye Protection : Wear safety goggles.

Skin Protection : Wear overalls. Always wash routinely before breaks,

meals and at the end of the work period.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Flash Point (°C) : 87

Liquid : Mobile Liquid

Colour : Yellow

Aroma : Floral

### 10. STABILITY AND REACTIVITY

Conditions to avoid : Extreme temperatures

Incompatible materials : Highly reactive chemicals which may

produce unknown reaction products and

so cause additional hazards.

Hazardous decomposition products: Not determined

#### 11. TOXICOLOGY INFORMATION

No data available

#### 12. ECOLOGICAL INFORMATION

No data available; avoid soil, surface water and water-bearing stratum contamination.

#### 13. DI SPOSAL CONSI DERATIONS

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

#### 14. TRANSPORT INFORMATION

UN Number : Not Regulated

Shipping Name : Class : Packing Group : Tunnel Code :

**Environmental Hazards:** 

No relevant information available

Special precautions for user:

No relevant information available

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code :

Not applicable

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

Chemical safety assessment

A chemical safety assessment has not been carried out

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Citral, Eugenol, Farnesol, Geraniol, Isoeugenol and Linalool which may produce an allergic reaction

### 16. OTHER INFORMATION

Text of the risk and safety phrases listed in section 2

R43 May cause sensitisation by skin contact

R52/53 Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

S24	Avoid contact with skin
S37	Wear suitable gloves
S61	Avoid release to the environment. Refer to special instructions/safety data sheet
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call %.
P301+P312	IF SWALLOWED: Immediately call % if you feel unwell.
P302+P352	IF ON SKIN: Wash with %.
P305	IF IN EYES:
P321	Specific treatment (see % on this label).
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362	Take off contaminated clothing.
P363	Wash contaminated clothing before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of Local Environment Regulation in accordance with regulation.

Text of the risk phrases listed in section 3

R20/22	Harmful by inhalation and if swallowed
R21/22	Harmful in contact with skin and if swallowed
R22	Harmful if swallowed

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11824

Version 3 Revised 04/07/2017 13:20:37

R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed