

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

1. I DENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

Product I dentifier

Compound Name : EUCALYPTUS RADIATA OIL ORGANIC {OR006}

Code Number : NAT-11605

Relevant identified uses of the substance/mixture and uses advised against

Concentrated material for manufacturing purposes only.

Details of the supplier of the safety data sheet

Absolute Aromas Absolute Aromas Ltd 1 Absolute House

Mill Lane Alton Hampshire GU34 2PX

Telephone Number : +44 (0) 1420 540400

Email Address : Relax@absolute-aromas.com

Emergency Tel No: +44 (0) 1420 540400

2. HAZARDS I DENTIFICATION

Classification of the substance or mixture CLP Classification according to EC1272/2008

FL 3 : Flammable liquid, category 3 AH 1 : Aspiration hazard, category 1

SCI 2 : Skin corrosion/irritation, category 2

SS 1 : Skin sensitisation, category 1

EDI 2 : Eye damage/irritation, category 2 EH C2 : Aquatic hazard, chronic, category 2

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

EU DSD classification according to 67/548/EEC, 1999/45/EC, 2001/58/EC

Hazard Symbols







Xn: Harmful

Xi: Irritant

N: Dangerous for the Environment

Risk Codes : R10,R38,R43,R51/53,R65

HydroCarbons : 15%

Additional Information

Full text of R and S phrases: see Section 16

CLP Labelling

Symbols



Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignnition sources. No smoking.

P241 Use explosion-proof equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing fumes.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605 Version 2 Revised 16/06/2017 10:42:41

	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace.
	P273	Avoid release to the environment.
	P280	Wear protective gloves and eye protection
	P301+P310	IF SWALLOWED: Immediately call %.
	P301+P312	IF SWALLOWED: Immediately call % if you feel unwell.
	P302+P352	IF ON SKIN: Wash with %.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with waterRemove
	P305	IF IN EYES:
	P321	Specific treatment (see % on this label).
	P331	Do NOT induce vomiting.
	P332+P313	If skin irritation occurs: Get medical advice.
	P333+P313	If skin irritation or rash occurs: Get medical advice.
	P337+P313	If eye irritation persists: Get medical attention.
	P351	Rinse cautiously with water for several minutes.
	P362	Take off contaminated clothing.
	P363	Wash contaminated clothing before reuse.
	P391	Collect spillage.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
	P403+P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	P501	Dispose of contents and container in accordance with regulation.
_		

Other Hazards

No data available at this time

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

Description Eucalyptus radiata oil

REACH Reg No

USCAS Number 92201-64-4
CAS Number 92201-64-4
EINECS 295-995-3

Hazardous substances in complex natural material

Chemical Name	CAS No. EC No.	Classification 67/548/EEC	Classification EC 1272/2008	Conc (%)
1,8-Cineole (Eucalyptol)	470-82-6 207-431-5	; R10	FL 3	50.0000
Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)	562-74-3 209-235-5	Xn; R22,R38	ATO 4(1300); SCI 2; EDI 2	2.5000
Terpinolene	586-62-9 209-578-0	Xn,N; R10,R51/53,R65	FL 3; AH 1; EH C2	2.5000
I-Limonene	5989-54-8 227-815-6	Xi,N; R10,R38,R43,R50/53,R 65	FL 3;AH 1;SCI 2;SS 1B;EH A1,C1	2.5000
alpha-Pinene	80-56-8 201-291-9	Xn; R10,R38,R43,R65	FL 3; SCI 2; SS 1B; AH 1	2.5000
Terpinenes (para-Mentha-1,4-diene)	99-86-5 202-795-1	Xn,N; R10,R22,R51/53,R65	FL 3;ATO 4(1680);AH 1;EH C2	2.5000
para-Cymene	99-87-6 202-796-7	Xn,N; R10,R51/53,R65	FL 3; AH 1; EH C2	2.5000
Linalyl acetate	115-95-7 204-116-4	Xi; R38	SCI 2;EDI 2	2.5000
beta-Pinene	127-91-3 204-872-5	Xn; R10,R38,R43,R65	FL 3; SCI 2; SS 1B; AH 1	2.5000

4. FIRST AID MEASURES

General : Take phrases in sections 2 and 15 into account

Inhalation : Remove from the exposure area to fresh air. Contact a doctor

if necessary.

Ingestion : Wash mouth with plenty of water and obtain medical advice

immediately.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

Skin Contact : Remove contaminated clothing. Wash thoroughly with soap

and water. Seek medical advice if irritation persists or there is

any sign of tissue damage.

Eye Contact : Flush with plenty of water and seek medical advice if

necessary.

5. FIRE-FIGHTING MEASURES

Extinguishing Media : Carbon dioxide, foam or dry powder

DO NOT USE A DIRECT WATER JET.

In case of overheating, cool containers to avoid a

pressure increase.

Combustion Products : Carbon dioxide and unidentified organic

compounds.

Special Protective Equipment

for Fire Fighters Only

: Wear protective clothing and avoid inhalation of

vapours.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

Reference to other sections

Take Risk, Safety and Precautionary phrases (section 16) into account

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

7. HANDLING AND STORAGE

Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

Specific end use(s)

Not available at this time

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control Parameters

Exposure Controls

Maintain adequate ventilation.

Personal Protection

Respiratory Protection : Not generally required. Use inhalation protection in

poorly ventilated areas

Hand Protection : Wear chemically resistant disposable gloves.

Eye Protection : Wear safety goggles.

Skin Protection : Wear overalls. Always wash routinely before breaks,

meals and at the end of the work period.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Flash Point (°C) : 46

Liquid : Mobile

Colour : White - Pale Yellow

Aroma : Medicated

10. STABILITY AND REACTIVITY

Conditions to avoid : Extreme temperatures

Incompatible materials : Highly reactive chemicals which may

produce unknown reaction products and

so cause additional hazards.

Hazardous decomposition products: Not determined

11. TOXICOLOGY INFORMATION

No data available

12. ECOLOGICAL INFORMATION

No data available; avoid soil, surface water and water-bearing stratum contamination.

13. DI SPOSAL CONSI DERATIONS

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605

Version 2 Revised 16/06/2017 10:42:41

14. TRANSPORT INFORMATION

UN Number : 1169

Shipping Name : EXTRACTS, AROMATIC, LIQUID

Class : 3
Packing Group : III
Tunnel Code : (D/E)
Environmental Hazards :

No relevant information available

Special precautions for user:

No relevant information available

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

Chemical safety assessment

A chemical safety assessment has not been carried out

Contains Limonene which may produce an allergic reaction

16. OTHER INFORMATION

Text of the risk and safety phrases listed in section 2

R10 Flammable R38 Irritating to skin

R43 May cause sensitisation by skin contact

R51/53 Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605 Version 2 Revised 16/06/2017 10:42:41

R65	Harmful: may cause lung damage if swallowed
S16	Keep away from sources of ignition - No smoking
S2	Keep out of the reach of children
S24	Avoid contact with skin
S37	Wear suitable gloves
S61	Avoid release to the environment. Refer to special instructions/safety data sheet
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P241	Use explosion-proof equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call %.
P301+P312	IF SWALLOWED: Immediately call % if you feel unwell.
P302+P352	IF ON SKIN: Wash with %.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with waterRemove
P305	IF IN EYES:
P321	Specific treatment (see % on this label).
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P351	Rinse cautiously with water for several minutes.
P362	Take off contaminated clothing.
	Ŭ

Printed on 22 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11605 Version 2 Revised 16/06/2017 10:42:41

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly

closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents and container in accordance with

regulation.

Text of the risk phrases listed in section 3

R10 Flammable

R22 Harmful if swallowed R38 Irritating to skin

R43 May cause sensitisation by skin contact

R50/53 Very toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment

R51/53 Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment

R65 Harmful: may cause lung damage if swallowed