

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

Product I dentifier

Compound Name : MAY CHANG OIL{B174}

Code Number : NAT-11678

Relevant identified uses of the substance/mixture and uses advised against Concentrated material for manufacturing purposes only.

Details of the supplier of the safety data sheet

		5
		Absolute Aromas
		Absolute Aromas Ltd
		1 Absolute House
		Mill Lane
		Alton
		Hampshire
		GU34 2PX
Telephone Number	:	+44 (0) 1420 540400
Email Address	:	Relax@absolute-aromas.com
Emergency Tel No	:	+44 (0) 1420 540400

2. HAZARDS I DENTIFICATION

Classification of the substance or mixture CLP Classification according to EC1272/2008

AH 1	:	Aspiration hazard, category 1
SCI 2	:	Skin corrosion/irritation, category 2
SS 1	:	Skin sensitisation, category 1
EDI 2	:	Eye damage/irritation, category 2
EH C2	:	Aquatic hazard, chronic, category 2

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

EU DSD classification according to 67/548/EEC, 1999/45/EC, 2001/58/EC Hazard Symbols





Xi: Irritant



N: Dangerous for the Environment

Risk Codes:R38,R43,R51/53HydroCarbons:15%

Additional Information Full text of R and S phrases: see Section 16

CLP Labelling





Signal Word	Danger
Hazard Stateme	ents
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
Precautionary S	statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call %.
P302+P352	IF ON SKIN: Wash with %.

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

P321	Specific treatment (see % on this label).
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362	Take off contaminated clothing.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of Local Environment Regulations in accordance with regulation.
Other Hazards	

No data available at this time

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Any percentage values listed here for hazardous components are for illustrative purposes only

Description Litsea cubeba oil

REACH Reg No USCAS Number 68855-99-2 CAS Number 90063-59-5

EINECS 290-018-7

Hazardous substances in complex natural material

Chemical Name	CAS No. EC No.	Classification 67/548/EEC	Classification EC 1272/2008	Conc (%)
Citral	5392-40-5 226-394-6	Xi; R38,R43	SCI 2;SS 1;EDI 2	70.0000
Geranial	141-27-5 205-476-5	Xi; R38,R43	SCI 2;SS 1B;EDI 2	41.5900
Neral	106-26-3 203-379-2	Xi; R38,R43	SCI 2;SS 1B;EDI 2	33.2960
d-Limonene (p-Mentha-1,8-diene)	5989-27-5 227-813-5	Xi,N; R10,R38,R43,R50/53,R 65	FL 3; SCI 2; SS 1B; AH 1; EH A1, C1	14.9630
Linalool	78-70-6 201-134-4	Xi; R38	EDI 2;SCI 2	1.4390
beta-Pinene	127-91-3 204-872-5	Xn; R10,R38,R43,R65	FL 3;SCI 2;SS 1B;AH 1	1.3700
Caryophyllene	87-44-5 201-746-1	Xn; R65	AH 1	1.3000
Geraniol	106-24-1 203-377-1	Xi; R38,R41,R43	SCI 2;EDI 1;SS 1	1.2050

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

alpha-Pinene	80-56-8 201-291-9	Xn; R10,R38,R43,R65	FL 3; SCI 2; SS 1B; AH 1	0.8790
Citronellal	106-23-0 203-376-6	Xi,N; R38,R43,R51/53	SCI 2; EDI 2; SS 1	0.7610
Nerol	106-25-2 203-378-7	Xi; R38	EDI 2; SCI 2	0.6330
6-Methyl-5-hepten-2-one (MHO)	110-93-0 203-816-7	Xi; R10,R36	FL 3	0.6130
Myrcene	123-35-3 204-622-5	Xn; R10,R38,R52/53,R65	FL 3; AH 1; SCI 2; EDI 2	0.5750
1,8-Cineole (Eucalyptol)	470-82-6 207-431-5	; R10	FL 3	0.3520
Camphene	79-92-5 201-234-8	F,Xi,N; R11,R36,R50/53	FS 2; EDI 2; EH A1, C1	0.2010
Citronellol (d,I-Citronellol)	106-22-9 203-375-0	Xi,N; R38,R43,R51/53	SCI 2;EDI 2;SS 1B	0.2000

4. FIRST AID MEASURES

General	: Take phrases in sections 2 and 15 into account
Inhalation	: Remove from the exposure area to fresh air. Contact a doctor if necessary.
Ingestion	: Wash mouth with plenty of water and obtain medical advice immediately.
Skin Contact	: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.
Eye Contact	: Flush with plenty of water and seek medical advice if necessary.

5. FIRE-FIGHTING MEASURES

Extinguishing Media	 Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET. In case of overheating, cool containers to avoid a pressure increase.
Combustion Products	: Carbon dioxide and unidentified organic compounds.
Special Protective Equipment for Fire Fighters Only	: Wear protective clothing and avoid inhalation of vapours.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

6. ACCI DENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact. Ensure proper ventilation.

Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

Reference to other sections

Take Risk, Safety and Precautionary phrases (section 16) into account

7. HANDLING AND STORAGE

Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

Specific end use(s)

Not available at this time

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHE According to 1907/2006/EC, Articl	EET Printed on 30 November 2017 e 31 as amended by 453/2010/EC
Code Number : NA Version 4 Revised 04/07/2	T-11678 1017 10:24:09
8. EXPOSURE CONTROLS Control Parameters	S AND PERSONAL PROTECTION
Exposure Controls Maintain adequate ventila Personal Protection	tion.
Respiratory Protection	: Not generally required. Use inhalation protection in poorly ventilated areas
Hand Protection	: Wear chemically resistant disposable gloves.
Eye Protection	: Wear safety goggles.
Skin Protection	: Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.
9. PHYSICAL AND CHEM Information on basic ph	ICAL PROPERTIES ysical and chemical properties
Flash Point (°C)	: 71
Liquid	: Mobile Liquid
Colour	: Pale Yellow - Brown
Aroma	: Lemon-like

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET According to 1907/2006/EC, Article 31 as amended	Printed on 30 November 2017 by 453/2010/EC
Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09	
10. STABILITY AND REACTIVITY	
Conditions to avoid :	Extreme temperatures
Incompatible materials :	Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.
Hazardous decomposition products :	Not determined
11. TOXI COLOGY I NFORMATION No data available	
12. ECOLOGICAL INFORMATION	
No data available; avoid soil, surface w contamination.	vater and water-bearing stratum
13. DI SPOSAL CONSI DERATI ONS	
Dispose in accordance with the law and	d local regulations. Treat as trade effluent.
14. TRANSPORT INFORMATION	
UN Number : 3082 Shipping Name : ENVIRONMENTALLY (LITSEA CUBEBA OII	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. L)
Class : 9 Packing Group : III	
Tunnel Code : (E)	
Environmental Hazards : No relevant information available	
Special precautions for user : No relevant information available	
Transport in bulk according to Annex II Not applicable	of MARPOL73/78 and the IBC Code :

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

Chemical safety assessment

A chemical safety assessment has not been carried out

Contains Citral, Citronellol, Geraniol and Limonene which may produce an allergic reaction

16. OTHER INFORMATION

Text of the risk and safety phrases listed in section 2

R51/53 Toxic to aquatic organisms, may cause long-term advers effects in the aquatic environment	
S24 Avoid contact with skin	
S37 Wear suitable gloves	
S61 Avoid release to the environment. Refer to special instructions/safety data sheet	
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignnition sources. No smoking.	
P261 Avoid breathing fumes.	
P264 Wash hands thoroughly after handling	
P273 Avoid release to the environment.	
P280 Wear protective gloves and eye protection	
P301+P310 IF SWALLOWED: Immediately call %.	
P302+P352 IF ON SKIN: Wash with %.	

Printed on 30 November 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : NAT-11678 Version 4 Revised 04/07/2017 10:24:09

P321	Specific treatment (see % on this label).
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362	Take off contaminated clothing.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of Local Environment Regulations in accordance with regulation.
Text of the risk p	hrases listed in section 3
R10	Flammable
R11	Highly flammable
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed