

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND COMPANY

Product I dentifier

Compound Name : DE-STRESS (B978)

Code Number : DEV-30045

Relevant identified uses of the substance/mixture and uses advised against Concentrated fragrance material for manufacturing purposes only.

Details of the supplier of the safety data sheet

		5
		Absolute Aromas
		Absolute Aromas Ltd
		1 Absolute House
		Mill Lane
		Alton
		Hampshire
		GU34 2PX
Telephone Number	:	+44 (0) 1420 540400
Email Address	:	Relax@absolute-aromas.com
Emergency Tel No	:	+44 (0) 1420 540400

2. HAZARDS I DENTIFICATION

Classification of the substance or mixture CLP Classification according to EC1272/2008

AH 1	:	Aspiration hazard, category 1
SCI 2	:	Skin corrosion/irritation, category 2
SS 1	:	Skin sensitisation, category 1
EDI 2	:	Eye damage/irritation, category 2
EH A1	:	Aquatic hazard, acute, category 1
EH C1	:	Aquatic hazard, chronic, category 1

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43

EU DSD classification according to 67/548/EEC, 1999/45/EC, 2001/58/EC

Hazard Symbols



Xn: Harmful



N: Dangerous for the Environment

 Risk Codes
 :
 R38,R43,R50/53,R65

 HydroCarbons
 :
 51.0952%

Additional Information Full text of R and S phrases: see Section 16

CLP Labelling





Signal Word	Danger
Hazard Statements	5
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Precautionary Stat	ements
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call %.

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43

P302+P352	IF ON SKIN: Wash with %.
P308+P313	IF exposed or concerned: Get medical advice.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents and container in accordance with regulation.
Other Hazards	

No data available at this time

3. COMPOSITION AND INFORMATION ON INGREDIENTS Any percentage values listed here for hazardous components are for illustrative purposes only

Complex mixture of fragrance ingredients

Contains

Chemical Name	CAS No. EC No.	Classification 67/548/EEC	Classification EC 1272/2008	Conc (%)
d-Limonene (p-Mentha-1,8-diene)	5989-27-5 227-813-5	Xi,N; R10,R38,R43,R50/53,R 65	FL 3;SCI 2;SS 1B;AH 1;EH A1,C1	>=10%,<259
Linalyl acetate	115-95-7 204-116-4	Xi; R38	SCI 2;EDI 2	>=5%,<10%
Linalool	78-70-6 201-134-4	Xi; R38	EDI 2;SCI 2	>=5%,<10%
Benzyl benzoate	120-51-4 204-402-9	Xn,N; R22,R51/53	ATO 4(1500);EH C2	>=5%,<10%
Cedarwood oil, Himalayan	91771-47-0 294-939-5	Xn,N; R51/53,R65	AH 1; EH C2	>=5%,<10%
Caryophyllene	87-44-5 201-746-1	Xn; R65	AH 1	>=3%,<5%
alpha-Pinene	80-56-8 201-291-9	Xn; R10,R38,R43,R65	FL 3;SCI 2;SS 1B;AH 1	>=3%,<5%
Eugenol	97-53-0 202-589-1	Xn; R36,R43	EDI 2;SS 1B	>=3%,<5%
Rose absolute	90106-38-0 290-260-3	Xi; R36,R38,R41,R43,R52/ 53		>=1%,<3%

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045

Version 3 Revised 28/07/2015 10:05:43

Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol)	562-74-3 209-235-5	Xn; R22,R38	ATO 4(1300); SCI 2; EDI 2	>=1%,<3%
para-Cresyl methyl ether (para-Methyl anisole)	104-93-8 203-253-7	Xn; R22,R38,R52/53	ATO 4(1900);SCI 2;EDI 2;REP 2;EH C3	>=1%,<3%
beta-Pinene	127-91-3 204-872-5	Xn; R10,R38,R43,R65	FL 3;SCI 2;SS 1B;AH 1	>=1%,<3%
gamma-Terpinene (p-Mentha-1,4-diene)	99-85-4 202-794-6	Xn; R10,R65	FL 3;AH 1	>=1%,<3%
Geraniol	106-24-1 203-377-1	Xi; R38,R41,R43	SCI 2;EDI 1;SS 1	>=0.1%,<1%
Isophytol	505-32-8 208-008-8	Xi,N; R38,R50/53	SCI 2;EH A1,C1	>=0.1%,<1%
Phytol	150-86-7 205-776-6	Xi; R38,R50/53	SCI 2;EH A1,C1	>=0.1%,<1%
Citral	5392-40-5 226-394-6	Xi; R38,R43	SCI 2;SS 1;EDI 2	>=0.1%,<1%

4. FIRST AID MEASURES

General	: Take phrases in sections 2 and 15 into account
Inhalation	: Remove from the exposure area to fresh air. Contact a doctor if necessary.
Ingestion	: Wash mouth with plenty of water and obtain medical advice immediately.
Skin Contact	: Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.
Eye Contact	: Flush with plenty of water and seek medical advice if necessary.

5. FIRE-FIGHTING MEASURES

Extinguishing Media	 Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET. In case of overheating, cool containers to avoid a pressure increase.
Combustion Products	: Carbon dioxide and unidentified organic compounds.
Special Protective Equipment for Fire Fighters Only	: Wear protective clothing and avoid inhalation of vapours.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43

6. ACCI DENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact. Ensure proper ventilation.

Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

Reference to other sections

Take Risk, Safety and Precautionary phrases (section 16) into account

7. HANDLING AND STORAGE

Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

Specific end use(s)

Not available at this time

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET According to 1907/2006/EC, Article 31 as amended b	Printed on O1 December 2017 by 453/2010/EC
Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43	
8. EXPOSURE CONTROLS AND PERSON Control Parameters	NAL PROTECTION
Exposure Controls Maintain adequate ventilation. Personal Protection	
Respiratory Protection : Not general poorly venti	ly required. Use inhalation protection in lated areas
Hand Protection : Wear chemi	cally resistant disposable gloves.
Eye Protection : Wear safety	goggles.
	Is. Always wash routinely before breaks, it the end of the work period.
9. PHYSICAL AND CHEMICAL PROPER Information on basic physical and che	
Flash Point (°C) :	
10. STABILITY AND REACTIVITY	
Conditions to avoid :	Extreme temperatures
Incompatible materials :	Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.
Hazardous decomposition products :	Not determined
11. TOXI COLOGY I NFORMATI ON No data available	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 01 December 2017

According to 1907/2006/EC, Article 31 as amended by 453/2010/EC

Code Number : DEV-30045 Version 3 Revised 28/07/2015 10:05:43

12. ECOLOGICAL INFORMATION

No data available; avoid soil, surface water and water-bearing stratum contamination.

13. DI SPOSAL CONSI DERATI ONS

Dispose in accordance with the law and local regulations. Treat as trade effluent.

14. TRANSPORT INFORMATION

UN Number	: Not Regulated
Shipping Name	:
Class	:
Packing Group	:
Tunnel Code	:
Environmental H No relevant ir	lazards : nformation available
Special precaution No relevant in	ons for user : nformation available
Transport in bull Not applicable	k according to Annex II of MARPOL73/78 and the IBC Code :

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

Chemical safety assessment

A chemical safety assessment has not been carried out

Contains Benzyl Alcohol, Benzyl Benzoate, Benzyl Cinnamate, Benzyl Salicylate, Citral, Citronellol, Eugenol, Farnesol, Geraniol, Isoeugenol, Limonene and Linalool which may produce an allergic reaction

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

-	DATA SHE			Printed on 01 Dec	rember 2017
Code Numb Version 3 Re	er : DEV- evised 28/07/20				
16. OTHER	INFORMATION				
Total fraction	onal values:				
Xn	0.0052	Xn	0.0046	Xn	0.4085
R36	0.3270	R38	2.6652	R41	0.0225
R43	25.5989	R50	1.0412	R50/53	1.0412
R53	1.8399	R65	4.6750	R68/22	0.0038
Text of the	e risk and safet	y phrases li	isted in secti	on 2	
R38 R43		ating to skin	tisation by ski	n contact	
R50/53	5		5	ns, may cause lon	a-term
			n the aquatic		9
R65	Hari	mful: may ca	iuse lung dam	age if swallowed	
S24	Avo	id contact wi	th skin		
S37	Wea	ar suitable glo	oves		
S61		Avoid release to the environment. Refer to special instructions/safety data sheet			
S62			5	miting, coold mad	
502				omiting: seek meen ntainer or label	
P261	Avo	id breathing	fumes.		
P264		•	oughly after l	handling	
P273			the environm		
P280	Wea	r protective	gloves and ey	e protection	
P301+P3	10 IF S	WALLOWED:	Immediately	call %.	
P302+P3	52 IF C	N SKIN: Was	sh with %.		
P308+P3	13 IF e	xposed or co	ncerned: Get	medical advice.	
P331	Do I	NOT induce v	omiting.		
P332+P3	13 If sk	in irritation o	occurs: Get m	edical advice.	
P337+P3	13 If ey	ye irritation p	ersists: Get r	nedical attention.	
P363	Was	h contamina	ted clothing b	efore reuse.	
P391	Coll	ect spillage.			

Code Number	: DEV-30045
ersion 3 Revised	1 28/07/2015 10:05:43
P405	Store locked up.
P501	Dispose of contents and container in accordance with regulation.
Text of the risk	phrases listed in section 3
R10	Flammable
R22	Harmful if swallowed
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed