SAFETY DATA SHEET



Issuing Date No data available Revision Date 09-Feb-2018 Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name CND SHELLAC LUXE UV COLOR COAT

Bulk Number 469472, 468393

Brand CND

Other means of identification

Physical state Liquid

UPC Code(s) XXXX Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Restrictions on use This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of

the product. Please read the labeling on the consumer package for proper use of this material. For

external use only. Use only as directed.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Revion

Supplier Address 2121 Route 27, Edison, NJ 08818

Supplier Phone Number (732) 287-1400

Supplier Information

Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

Emergency telephone number

Chemical Emergency Phone 703-527-3887

Number Chemtrec 1-800-424-9300

Company Emergency Phone Medical Emergencies: 303-739-1110

Number

Emergency Telephone Number Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill

related emergencies)

2. HAZARDS IDENTIFICATION

Odor No information available

Bulk Number 469472, 468393

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

| Acute toxicity - Inhalation (Vapors) | Category 4 |
|--------------------------------------|------------|
| Flammable Liquids | Category 2 |

GHS Label elements, including precautionary statements

Emergency Overview

Hazard statements
Harmful if inhaled
Highly flammable liquid and vapor

Physical state Liquid

Precautionary Statements - Prevention

Appearance No information available

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof electrical/ ventilating/ lighting/ equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/eye protection/face protection

Precautionary Statements - Response

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS-No | Percent | Trade Secret |
|------------------------------------|------------|---------|--------------|
| Butyl acetate | 123-86-4 | <20 | - |
| Titanium dioxide | 13463-67-7 | <10 | - |
| Silica | 7631-86-9 | <5 | - |
| Mica | 12001-26-2 | <5 | - |
| Di-HEMA Trimethylhexyl Dicarbamate | 72869-86-4 | <5 | - |
| BHT | 128-37-0 | <1 | - |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Take

precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Do not breathe vapor or

mist.

Environmental precautions

Environmental precautionsLocal authorities should be advised if significant spillages cannot be contained. Do not flush

into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upPrevent product from entering drains. Take precautionary measures against static

discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all

sources of ignition. Avoid contact with eyes. Refer to Section 8.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|----------------------------------|--|---|
| Butyl acetate | STEL: 150 ppm | TWA: 150 ppm TWA: 710 | IDLH: 1700 ppm |
| 123-86-4 | TWA: 50 ppm | mg/m³ (vacated) TWA: | TWA: 150 ppm |
| | | 150 ppm | TWA: 710 mg/m ³ |
| | | (vacated) TWA: 710 mg/m ³ | STEL: 200 ppm |
| | | (vacated) STEL: 200 ppm | STEL: 950 mg/m ³ |
| | | (vacated) STEL: 950 mg/m ³ | |
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | | (vacated) TWA: 10 mg/m³ total | |
| | | dust | |
| Silica | - | (vacated) TWA: 6 mg/m ³ <1% | IDLH: 3000 mg/m ³ |
| 7631-86-9 | | Crystalline silica | TWA: 6 mg/m ³ |
| | | TWA: 20 mppcf | |
| | | : (80)/(% SiO2) mg/m³ TWA | |
| Mica | TWA: 3 mg/m³ respirable fraction | (vacated) TWA: 3 mg/m ³ | IDLH: 1500 mg/m ³ |
| 12001-26-2 | | respirable dust <1% Crystalline | TWA: 3 mg/m ³ containing <1% |
| | | silica | Quartz respirable dust |
| | | TWA: 20 mppcf <1% Crystalline | |
| | | silica | |
| BHT | TWA: 2 mg/m³ inhalable fraction | (vacated) TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 128-37-0 | and vapor | - | |

Appropriate engineering controls

Engineering Measures Ventilation systems Ensure that eyewash stations and safety showers are close to the

workstation location

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protectionNone under normal use conditions. None required for consumer use.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Liquid

Appearance Translucent to Opaque Colored Liquid Odor Ester-Like Odor

Color Translucent to Opaque Colors Odor Threshold No information available

Property Values Remarks Method No data available None known Hq Melting / freezing point No data available None known 126 °C / 259 °F Boiling point / boiling range None known Flash Point 22 C / 72 F CC (closed cup) **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Specific Gravity 1.0

Water Solubility Insoluble in water

 Partition coefficient: n-octanol/waterNo data available
 None known

 Autoignition temperature
 No data available
 None known

Other Information

VOC Content (%) No data available Particle Size No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under ambient conditions when stored properly (See Section 7, Storage and Handling).

Possibility of Hazardous Reactions

May occur, if exposed to extremely high temperatures.

Conditions to avoid

Keep away from strong oxidizers, heat, sparks, open flame and sources of ignition.

Incompatible materials

This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide).

Hazardous Decomposition Products

If exposed to extremely high temperatures, the product of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO₂).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Specific test data for the substance or mixture is not available.

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|------------------------|---------------------|
| Butyl acetate | = 10768 mg/kg (Rat) | > 17600 mg/kg (Rabbit) | = 390 ppm (Rat) 4 h |
| 123-86-4 | | | |
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Silica 7631-86-9 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 2.2 mg/L (Rat)1 h |
| BHT 128-37-0 | = 890 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|------------------|-------|---------|-----|------|
| Titanium dioxide | | | | X |
| 13463-67-7 | | | | |
| Silica | | Group 3 | | |
| 7631-86-9 | | | | |
| BHT | | Group 3 | | |
| 128-37-0 | | | | |

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system (CNS). lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
33,429.00 mg/kg
ATEmix (dermal)
33,527.00 mg/kg
ATEmix (inhalation-dust/mist)
13.67 mg/l
ATEmix (inhalation-vapor)
10.84 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------------------|--|--|-------------------------------|-------------------------------|
| Butyl acetate 123-86-4 | 72h EC50: = 674.7 mg/L (Desmodesmus subspicatus) | 96h LC50: = 62 mg/L (Leuciscus idus) 96h LC50: 17 - 19 mg/L (Pimephales promelas) 96h LC50: = 100 mg/L (Lepomis macrochirus) | | 24h EC50: = 72.8 mg/L |
| Silica 7631-86-9 | 72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 5000 mg/L (Brachydanio rerio) | | 48h EC50: = 7600 mg/L |
| BHT 128-37-0 | 72h EC50: > 0.42 mg/L (Desmodesmus subspicatus) 72h EC50: = 6 mg/L (Pseudokirchneriella subcapitata) | 48h LC50: = 5 mg/L (Oryzias latipes) | | |

Persistence and Degradability

No information available.

Bioaccumulation

For .?:

| Chemical name | Log Pow |
|---------------------------|---------|
| Butyl acetate 123-86-4 | 1.81 |
| BHT 128-37-0 | 4.17 |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Do not reuse empty containers.

US EPA Waste Number U031 D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---------------|----------------------------|
| Butyl acetate | Toxic |
| 123-86-4 | |

14. TRANSPORT INFORMATION

DOT

Description Consumer Commodity ORM-D

<u>IATA</u>

Description Consumer Commodity, ID8000

IMDG/IMO

Description UN1263, Paint, Class 3, PG II, Limited Quantity

.

Bulk Description UN1263, Paint, Class 3, PG II

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Butyl acetate | 5000 lb | | | X |
| 123-86-4 | | | | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances | RQ |
|---------------|--------------------------|--------------------------------|---------------------|
| | | RQs | |
| Butyl acetate | 5000 lb | | RQ 5000 lb final RQ |
| 123-86-4 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---------------|------------|---------------|--------------|--------------|----------|
| Butyl acetate | X | X | Χ | X | |
| 123-86-4 | | | | | |

International Regulations

| Component | Carcinogen Status | Exposure Limits |
|--------------------|-------------------|------------------------------------|
| Butyl acetate | | Mexico: TWA 150 ppm |
| 123-86-4 (<20) | | Mexico: TWA 710 mg/m ³ |
| | | Mexico: STEL 200 ppm |
| | | Mexico: STEL 950 mg/m ³ |
| Titanium dioxide | | Mexico: TWA 10 mg/m ³ |
| 13463-67-7 (<10) | | Mexico: STEL 20 mg/m ³ |
| Mica | | Mexico: TWA 3 mg/m ³ |
| 12001-26-2 (<5) | | _ |
| BHT | | Mexico: TWA 10 mg/m ³ |
| 128-37-0 (<1) | | Mexico: STEL 20 mg/m ³ |

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 3 Instability 0 Physical and

HMIS Health hazards 1 Flammability 3 Physical Hazard 0 Personal Protection

Χ

Prepared By Revlon Research Center, Edison, NJ

Revision Date 09-Feb-2018

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

End of Safety Data Sheet