# SAFETY DATA SHEET



Issuing Date No data available Revision Date 29-Jun-2017 Revision Number 1

\_\_\_\_\_

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name CND Vinylux Weekly Nail Polish

**Bulk Number** 468833 468834

Brand CND Category Nail

Other means of identification

Physical state Liquid

UPC Code(s) xxxx Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use No information available

Restrictions on use This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of

the product. Please read the labeling on the consumer package for proper use of this material. For

external use only. Use only as directed.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Revlon

Supplier Address 2121 Route 27, Edison, NJ 08818

Supplier Phone Number (732) 287-1400

Supplier Information

Emergency telephone number

Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

Chemical Emergency Phone 703-527-3887

**Number** Chemtrec 1-800-424-9300

**Company Emergency Phone** Medical Emergencies: 303-739-1110

Number

Emergency Telephone Number Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill

related emergencies)

# 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Acute toxicity - Inhalation (Vapors)	Category 3
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Liquids	Category 2

#### GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word Danger

#### Hazard statements

Toxic if inhaled

Causes serious eye irritation

Highly flammable liquid and vapor



The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** No information available

Physical state Liquid

**Odor** Characteristic

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### **Other information**

Harmful to aquatic life with long lasting effects Harmful to aquatic life

### **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	Trade Secret
Butyl acetate	123-86-4	<55	-
Ethyl acetate	141-78-6	<25	-
Nitrocellulose	9004-70-0	<15	-
Isopropyl alcohol	67-63-0	<10	-
Ci 77891	13463-67-7	<10	-

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Rinse mouth immediately and drink plenty of water.

### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

No information available.

**Effects** 

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Take

precautionary measures against static discharges. See section 8 for more information. Avoid breathing vapors or mists. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Remove all sources of ignition. Do not breathe vapor or

mist.

**Environmental precautions** 

Environmental precautions Local authorities should be advised if significant spillages cannot be contained. Do not flush

into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Prevent product from entering drains. Take precautionary measures against static

discharges. Keep in suitable, closed containers for disposal. Take up with sand, earth or other non-combustible absorbent material. Use personal protective equipment as required.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapor or mist. Ensure adequate ventilation. Remove all

sources of ignition. Avoid contact with eyes. Refer to Section 8.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition. Keep in properly labeled containers.

Incompatible Products Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butyl acetate	STEL: 150 ppm	TWA: 150 ppm	IDLH: 1700 ppm
123-86-4	TWA: 50 ppm	TWA: 710 mg/m <sup>3</sup>	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 710 mg/m <sup>3</sup>
		(vacated) TWA: 710 mg/m <sup>3</sup>	STEL: 200 ppm
		(vacated) STEL: 200 ppm	STEL: 950 mg/m <sup>3</sup>
		(vacated) STEL: 950 mg/m <sup>3</sup>	
Ethyl acetate	TWA: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
141-78-6		TWA: 1400 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 1400 mg/m <sup>3</sup>
		(vacated) TWA: 1400 mg/m <sup>3</sup>	
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Ci 77891	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m³ total	_
		dust	

Appropriate engineering controls

Engineering Measures Ventilation systems Ensure that eyewash stations and safety showers are close to the

workstation location

Individual protection measures, such as personal protective equipment

**Eve/face protection** No special protective equipment required.

**Skin and body protection**None under normal use conditions. None required for consumer use.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Ensure adequate ventilation.

None known

None known

**Hygiene Measures** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state Liquid

AppearanceVarious ColorsOdorCharacteristicColorMultipleOdor ThresholdNo information available

Property Values Remarks Method

pH No data available
Melting / freezing point No data available
Boiling point / boiling range 77 °C / 171 °F

Flash Point -5 C / 23 F CC (closed cup)
Evaporation Rate No data available None known
Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure

No data available
No data available
No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownSpecific Gravity0.99-1.01

Specific Gravity 0.99-1.01 Water Solubility Insoluble in water

Partition coefficient: n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone known

**Other Information** 

VOC Content (%)

Particle Size

No data available
No data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents.

### **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** Specific test data for the substance or mixture is not available.

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Butyl acetate	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
123-86-4			
Ethyl acetate	= 5620 mg/kg (Rat)	> 18000 mg/kg (Rabbit) > 20	-
141-78-6		mL/kg (Rabbit)	
Nitrocellulose	> 5 g/kg (Rat)	-	-
9004-70-0			
Isopropyl alcohol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
67-63-0			
Ci 77891	> 10000 mg/kg (Rat)	-	-
13463-67-7			

#### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Mutagenic EffectsNo information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nitrocellulose 9004-70-0				X
Isopropyl alcohol 67-63-0		Group 3		Х
Ci 77891 13463-67-7				Х

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Target organ effects Respiratory system. Eyes. Skin. Central nervous system (CNS). lungs.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
6,866.00 mg/kg
ATEmix (dermal)
17,473.00 mg/kg
ATEmix (inhalation-dust/mist)
1,490.50 mg/l
ATEmix (inhalation-vapor)
3.32 ATEmix

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Butyl acetate 123-86-4	72h EC50: = 674.7 mg/L (Desmodesmus subspicatus)	96h LC50: = 62 mg/L (Leuciscus idus) 96h LC50: 17 - 19 mg/L (Pimephales promelas) 96h LC50: = 100	intereor gamento	24h EC50: = 72.8 mg/L
		mg/L (Lepomis macrochirus)		
Ethyl acetate 141-78-6	48h EC50: = 3300 mg/L (Desmodesmus subspicatus)	96h LC50: = 484 mg/L (Oncorhynchus mykiss) 96h LC50: 220 - 250 mg/L (Pimephales promelas) 96h LC50: 352 - 500 mg/L (Oncorhynchus mykiss)		48h EC50: = 560 mg/L
Isopropyl alcohol 67-63-0	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: > 1000 mg/L (Desmodesmus subspicatus)	96h LC50: = 9640 mg/L (Pimephales promelas) 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: > 1400000 μg/L (Lepomis macrochirus)		48h EC50: = 13299 mg/L

## **Persistence and Degradability**

No information available.

# **Bioaccumulation**

For .? :

Chemical name	Log Pow
Butyl acetate	1.81
123-86-4	
Ethyl acetate	0.6
141-78-6	
Isopropyl alcohol	0.05
67-63-0	

### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Do not reuse empty containers.

US EPA Waste Number D001 U112

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Butyl acetate	Toxic
123-86-4	
Ethyl acetate	Toxic
141-78-6	Ignitable
Nitrocellulose	Ignitable
9004-70-0	Reactive
Isopropyl alcohol	Toxic
67-63-0	Ignitable

# 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name Consumer Commodity ORM-D

IATA

Proper Shipping Name Consumer Commodity ID8000

IMDG/IMO

Proper Shipping Name UN1263 Paint, Class 3, Packing Group II, Limited Quantity

.

Bulk UN-No.UN1263Bulk Proper Shipping NamePaintBulk Hazard Class3Bulk Packing GroupII

# 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

\_\_\_\_\_

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	<10	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Butyl acetate 123-86-4	5000 lb			Х

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical name	Hazardous Substances RQs	<b>Extremely Hazardous Substances</b>	RQ
			RQs	
Г	Butyl acetate	5000 lb		RQ 5000 lb final RQ
	123-86-4			RQ 2270 kg final RQ
Г	Ethyl acetate	5000 lb		RQ 5000 lb final RQ
	141-78-6			RQ 2270 kg final RQ

# **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Butyl acetate 123-86-4	X	X	X	X	
Ethyl acetate 141-78-6	X	X	X	X	
Nitrocellulose 9004-70-0	X	X	X		X
Isopropyl alcohol 67-63-0	X	X	X	X	

# **International Regulations**

Component	Carcinogen Status	Exposure Limits
Butyl acetate		Mexico: TWA 150 ppm
123-86-4 ( <55 )		Mexico: TWA 710 mg/m <sup>3</sup>
· · ·		Mexico: STEL 200 ppm

	Mexico: STEL 950 mg/m <sup>3</sup>
Ethyl acetate	Mexico: TWA 400 ppm
141-78-6 ( <25 )	Mexico: TWA 1400 mg/m <sup>3</sup>
Isopropyl alcohol	Mexico: TWA 400 ppm
67-63-0 ( <10 )	Mexico: TWA 980 mg/m <sup>3</sup>
	Mexico: STEL 500 ppm
	Mexico: STEL 1225 mg/m <sup>3</sup>
Ci 77891	Mexico: TWA 10 mg/m <sup>3</sup>
13463-67-7 ( <10 )	Mexico: STEL 20 mg/m <sup>3</sup>

Canada WHMIS Hazard Class Not determined

# **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and

HMIS Health hazards 2 \* Flammability 3 Physical Hazard 0 Personal Protection

Χ

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Revlon Research Center, Edison, NJ

Revision Date 29-Jun-2017

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

**End of Safety Data Sheet** 





# SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

**REVISION DATE: November 23, 2016** 

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Shellac UV Color Coat

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX

**Product Form: Mixture** 

Recommendations on use: Professional Use Only

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center CND, Inc

9560 Towne Centre Drive Suite 200 2121 Route 27 San Diego, California 92121 Edison, NJ 08818 Telephone #: (732) 287-1400 Telephone #: 1-800-833-NAIL

**Emergency Telephone:** 

Medical Emergencies: 303-739-1110

CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

### 2. HAZARDS IDENTIFICATION

**GHS Classification:** Flammable Liquid (Category 3)

> Acute Toxicity, Oral (Category 4) Eye Irritation (Category 2B)

Specific Target Organ, Single Exposure, Category 3

Pictogram:



Signal Word: Danger

Hazard Statement(s):

Highly flammable liquid and vapor H226

H302 Harmful if swallowed H318 Causes eye irritation

H336 May cause drowsiness or dizziness

Precautionary Statement(s):

P210 Keep away from flames and hot surfaces. No smoking.

P233 Keep container tightly closed.

Use explosion-proof electrical, ventilating, lighting, and all material handling equipment. P241

P242 Use only non-sparking tools.

Take precautionary measures against static discharge. P243 Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Wash skin thoroughly after handling. P264

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors ir in a well-ventilated area.

P280 Wear protective gloves.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 + P312

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do so. Continue rinsing.

P371 + P378 In case of fire: Use appropriate media for extinction.

Store in a well-ventilated place. P403

**Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX** Page 2 of 9

P501 Dispose of contents/container in accordance with local, regional, national, and/or international

regulations.

**Potential Health Effects:** 

**Eye Contact:** May cause eye irritation. Avoid eye contact. Direct contact with this product may cause burning,

tearing, redness, and swelling.

**Skin Contact:** May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated

contact.

**Inhalation:** Fumes/vapors may be irritating to the nose and throat. Avoid inhalation of fumes and/or vapors.

Use in a well ventilated area. Breathing high concentrations of fumes or vapors may cause

nausea, headache, vomiting, and dizziness.

**Ingestion:** Moderately toxic by ingestion. Avoid ingestion.

#### **Unknown Toxicity**

0% of mixture consists of ingredient(s) of unknown toxicity

**Hazard Classification:** 

OSHA (USA): Flammable liquid.

**HMIS Rating:** Health: 2. Flammability: 3. Reactivity: 0. **NFPA Rating:** Health: 2. Flammability: 3. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENTS:	CAS #:	%:*			
Butyl Acetate	123-86-4	20 – 30			
Tetrahydrofurfuryl Methacrylate	2544-24-5	5 – 15			
PPG-5 Methacrylate	39420-45-6	5 – 15			
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	1 – 10			
Silica	112926-00-8	0 – 10			

MAY CONTAIN:	CAS #:	%:*
Iron Oxides (CI 77491, CI 77492, CI 77499)	1309-37-1	0 – 5
Mica	12001-26-2	0 – 5
Titanium Dioxide	13463-67-7	0 – 5

<sup>\*</sup>Note: Any value shown as a range is due to batch-to-batch variation

### 4. FIRST AID MEASURES

**Eye Contact:** Flush eyes immediately with large amounts of water for 15 minutes. Open and close

eyelid(s) to ensure thorough irrigation. Seek medical attention if redness, swelling, itching,

burning or visual disturbances occur.

**Skin Contact:** If irritation develops immediately wash thoroughly with soap and large amounts of water.

Do not wear contaminated clothing until after it has been properly cleaned. Seek medical

attention if redness, swelling, itching, or burning occurs.

**Inhalation:** If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek

medical attention if symptoms persist. If necessary, restore normal breathing through

standard first aid measures.

Ingestion: DO NOT INDUCE VOMITING. Contact ChemTrec at +1(703) 527-3887 or the nearest

Poison control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep

victim's head lowered (forward) to reduce the risk of aspiration.

Notes to Physician: Treat symptomatically.

Most important symptoms/effects,

both acute and delayed: No acute or delayed symptoms or effects occur when handling this product.

**Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX** Page 3 of 9

# 5. FIRE AND IGNITION INFORMATION

Burn Rate: Not determined.

**Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

**Special Protective Actions for** 

Fire-Fighters:

Dangerous fire hazard when exposed to heat and flame. In the event of fire, wear self-contained breathing apparatus. Vapor may cause flash fire. Water spray may be

used to keep fire-exposed containers cool and minimize risk of rupture.

Unusual Fire/Explosion Hazard: Flammable. Above flash point, vapor-air mixtures may be a fire and explosion hazard.

Vapors can flow along surfaces to distant ignition source and flash back. Sealed containers may rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge. May release irritating gases/fumes during thermal

decomposition or burning.

**Specific Hazards Arising from the** 

Chemical:

Not Applicable.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid inhalation vapors. Remove all sources of ignition. Ventilate area with explosion-proof

equipment. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

**Methods for Cleaning Up:** Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate

Personal Protective Equipment

For small spills (e.g. ≤ 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥1 gallon (3.785 liters), deny entry to all unprotected indiviuals. Dike and contain all with inert material (e.g. sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

**Environmental Precautions:** Do not flush to sewer. Local authorities should be advised if significant spillages cannot be

contained.

### 7. HANDLING AND STORAGE

Work & Hygiene Practices: Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-

ventilated location (e.g. local exhaust ventilation, fans). Do not eat, drink, or smoke while handling

product.

Handling: Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide

appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not

createa dust cloud by using a brush or compressed air.

Storage: Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep

in properly labeled containers.

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **EXPOSURE LIMITS**

There are no exposure limits identified for this product. Exposure limits for individual ingredients are provided below:

**Occupational Exposure Limits (OEL)** 

CAS No.	Components	mg/m³	Category	Origin
123-86-4	Butyl Acetate	710	TWA (8)	OSHA PEL
		710	TWA (10)	NIOSH REL
		950	15 min	NIOSH STEL
				NIOSH IDLH
		710	TWA (8)	ACGIH TLV
7631-86-9	Silica	2	TWA (8 h)	OSHA PEL
		6	TWA (10 h)	NIOSH REL
		3000		NIOSH IDLH
		10	TWA (8 h)	ACGIH TLV (dust)
13463-67-7	Titanium Dioxide	15	TWA (8 h)	OSHA PEL
		10	TWA (8 h)	ACGIH TLV
		5000		NIOSH IDLH
12001-26-2	Mica	2	TWA (8 h)	OSHA PEL
		3	TWA (10 h)	NIOSH REL (Respirable Dust)
		1500		NIOSH IDLH
1309-37-1	Red Iron Oxide	10	TWA (8 h)	OSHA PEL (Fume)
		5	TWA (8h)	ACGIH TLV
		5	TWA (8h)	NIOSH REL
		5	TWA (8h)	OSHA OEL
12227-89-3	Black Iron Oxide	15	TWA (8 h)	OSHA PEL (Total Dust)
		10	TWA (8 h)	ACGIH TLV (Total Dust)
51274-00-1	Yellow Iron Oxide	10	TWA (8 h)	OSHA PEL (Fume)
		5	TWA (8 h)	NIOSH REL (Dust and Fume)

IDLH: Immediately Dangerous to Life or Health concentration

PEL: Permissible Exposure Limit OEL: Occupational Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value TWA: Time Weighted Average

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration NIOSH: National Institute for Occupational Safety and Health

REL: Recommended Exposure Limit

### **ENGINEERING CONTROLS**

When working with large quantities of product, provide adequate ventilation (e.g. local exhaust ventilation, fans) Ensure that an eyewash station, since or washbasin is available in case of exposure to eyes.

### PERSONAL PROTECTIVE EQUIPMENT

**Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX** Page 5 of 9

Respiratory protection: No special respiratory protection is required under typical circumstances of use of handling. If

necessary, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Adequate ventilation required in production areas.

Hand Protection: None required under normal use. May cause skin irritation in some sensitive individuals. When

handling large quantities (e.g.  $\geq$  1 gallon (3.785 liters)), wear rubber or impervious plastic gloves.

Wear suitable protective gloves..

**Eye Protection:** None required under normal use. Avoid eye contact. May cause irritation in some sensitive

individuals. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), safety glasses with side

shields should be used. Eye protection required in production areas.

**Skin and Body Protection:** When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye

wash stations and deluge showers should be available. Wear suitable protective clothing in

production areas.

Other protective equipment: None required under normal use. Skin protection required in production areas and when handling

large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety

shower should be located nearby.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Translucent to opaque, viscous liquid

Odor: Solvent odor

Odor Threshold: Not Known

pH: Not Known

Melting Point/Freezing Point: Not Known

Boiling Point/ Boiling Range: 126°C (258.8°F) estimated based on Butyl Acetate

Flash Point: 27<sup>o</sup>C (82.4<sup>o</sup>F).

Flash Point Method: Closed Cup (ASTM D 6450-05)

VOC: 26% by Weight

**Evaporation Rate:** 0.3 (Butyl acetate = 1)

Flammability Classification: Flammable Liquid, Category 3

Explosive Limits: Not Known

Vapor Pressure: Not Known

Vapor Density: Not Known

**Specific Gravity/Rel. Density:**  $1.04 - 1.06 (H_20 = 1)$ 

Solubility in Water: Insoluble

Partition Coeff. (n-octanol//water): Not Known

Auto-ignition temperature: Not Known

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX Page 6 of 9

**Decomposition temperature:** Not Known

**Viscosity:** 700-2000 cP

### 10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

**Stability:** Stable under normal temperatures and pressures.

Conditions to Avoid: Keep away from strong oxidizers, heat, sparks, open flame and sources of ignition.

**Incompatible With:** Strong oxidizing agents.

Hazardous Decomposition Products: Oxides of carbon.

Hazardous Polymerization: Hazardous polymerization does not occur.

### 11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

**Eye Irritation:** Eye irritant

Skin Corrosion/Irritation: May be irritating to skin in some sensitive individuals, especially after prolonged and/or

repeated contact.

Respiratory or Skin Sensitization: May be irritating to skin in some sensitive individuals, especially after prolonged and/or

repeated contact.

Acute toxicity -Oral: Moderately toxic by ingestion. Avoid ingestion

Germ Cell Mutagenicity: Does not contain any ingredients known to be mutagenic according to OSHA

Carcinogenicity: Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and

**IARC** 

Reproductive toxicity: Not expected to cause reproductive toxicity

STOT – Single Exposure: May cause dizziness or drowsiness

STOT – Repeat Exposure: Not expected to cause organ toxicity

Aspiration Hazard: Not an aspiration hazard

# 12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity: Not expected to cause aquatic toxicity

Persistence and Degradability: Not Available

Bioaccumulative Potential: Not Available

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX Page 7 of 9

Mobility in Soil: Not Available

Biological Oxygen Demand (BOD): Not Available

Other Adverse Effects: Not expected to cause adverse effects

### 13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of hazardous liquids. Do not dispose down sewer systems.

RCRA Classification (40 CFR 261): RCRA Class D001.

#### 14. TRANSPORT INFORMATION

### FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT):. Limited Quantity.

Vessel (IMDG): UN 1263, Paint, 3, III, Ltd Qty Air (IATA): Consumer Commodity, 9, ID8000

### **FOR BULK SHIPMENT**

DOT (Department of Transportation):
UN Number: 1263
UN Proper Shipping Name: Paint
UN Hazard Class: 3
UN Packing Group: III

#### IMDG (International Maritime Organization's Dangerous Goods Code):

Use UN classification listed above.

#### IATA (International Air Transport Association):

Use UN classification listed above.

### 15. REGULATORY INFORMATION

### **International Inventories**

TSCA (Toxic Substances Control Act)

The product is exempt

DSL (Domestic Substance List)

The following products are listed: Butyl Acetate, Tetrahydrofurfuryl Methacrylate,

PDC 5 Mathematical Picture Methacrylate Picture Methacrylate,

PDC 5 Mathematical Picture Methacrylate Picture Methacrylate,

PDC 5 Mathematical Picture Methacrylate,

PDC 6 Mathematical Picture Methacrylate,

PDC 6 Mathematical Picture Methacrylate,

PDC 7 Mathematical Picture Methacrylate,

PDC 7 Mathematical Picture Methacrylate,

PDC 7 Mathematical Picture Methacrylate,

PDC 8 Mathematical Picture Methacrylate,

PDC 9 Mathematical Picture Methacrylate,

PPG-5 Methacrylate, Di-HEMA Trimethylhexyl Dicarbonate, Silica, Mica, Iron

Oxides, Titanium Dioxide

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

# Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

### **CERCLA**

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

### **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any chemicals that are classified under Proposition 65.

### U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA	IL	MA	NJ	PA	RI
		8(b)	RTK	RTK	RTK	RTK	RTK
n-Butyl Acetate	123-86-4	Yes	Yes	Yes	Yes	Yes	Yes
Poly(propylene glycol) Methacrylate	39420-45-6	Yes			Yes	Yes	
Tetrahydrofurfuryl Methacrylate	2455-24-5	Yes			Yes	Yes	
Di-HEMA Trimethylhexyl							
Dicarbamate	72869-86-4	Yes			Yes	Yes	
Silica	112926-00-8	Yes		Yes	Yes	Yes	
Mica	12001-26-2			Yes	Yes	Yes	
Titanium Dioxide	13463-67-7	Yes		Yes	Yes	Yes	
Red Iron Oxide	1309-37-1	Yes		Yes	Yes	Yes	
Black Iron Oxide	12227-89-3	Yes					
Yellow Iron Oxide	51274-00-1	Yes					

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

# **16. OTHER INFORMATION**

**Last Revision:** 5/29/2015.

Prepared by: Revlon Research Center

### **Manufacture Supplemental Notes:**

Read all warnings and directions on packaging carefully before use.

### **Additional MSDS Information:**

For external use only.

#### Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

### Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Page 8 of 9

Bulk #: 468412-XX, 468413-XX, 468414-XX, 468415-XX

Page 9 of 9

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.