

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

1 Identification

· Product Identifier

· Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

· Product Number: FLA#: 007-078

· Relevant identified uses of the substance or mixture and uses advised against:

· Product Description: Cosmetics, personal care products

· Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier: NeoStrata Company Inc. 307 College Road East Princeton, NJ 08540

Phone: +1-609-520-0715 Fax: +1-609-986-1928 www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:



Flam. Liq. 3 H226 Flammable liquid and vapor.



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS05 GHS07

· Signal word: Danger



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

· Hazard-determining components of labeling:

Glycolic acid Ethanol

Ammonium Hydroxide

· Hazard statements:

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P312 Call a poison center/doctor if you feel unwell.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
CAS: 64-17-5	Ethanol	15-35%
RTECS: KQ 6300000	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

	Glycolic acid Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	15-35%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol Eye Irrit. 2B, H320	2-12%
	Ammonium Hydroxide vPvB ♦ Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ↓ Aquatic Acute 1, H400; ↑ Acute Tox. 4, H302	2-12%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

If easy to do so, remove contact lenses if worn.

Have eyes examined and tested by medical personnel.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	Action official for officialis		
64-17-5	Ethanol	1,800 ppm	
79-14-1	Glycolic acid	25 mg/m³	
57-55-6	Propylene Glycol	30 mg/m³	
1336-21-6	Ammonium Hydroxide	61 ppm	
64-02-8	Tetrasodium ethylenediaminetetraacetate	75 mg/m³	
· PAC-2:			
64-17-5	Ethanol	3300* ppm	
79-14-1	Glycolic acid	280 mg/m³	
57-55-6	Propylene Glycol 1,300		
1336-21-6	Ammonium Hydroxide 330 p		
64-02-8	Tetrasodium ethylenediaminetetraacetate 830 mg		
· PAC-3:			
64-17-5	Ethanol 15000* p		
79-14-1	Glycolic acid 390 mg/s		
57-55-6	Propylene Glycol 7,900 r		
1336-21-6	Ammonium Hydroxide 2,300 p		
64-02-8	Tetrasodium ethylenediaminetetraacetate 5,000 mg/		

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-17-5 Ethanol		
PEL	Long-term value: 1900 mg/m³, 1000 ppm	
REL	Long-term value: 1900 mg/m³, 1000 ppm	
TLV	Short-term value: 1880 mg/m³, 1000 ppm	
57-55-	57-55-6 Propylene Glycol	
WEEL	Long-term value: 10 mg/m³	

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

· Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Gel Color: Clear

· *Odour:* Characteristic · *Odor threshold:* Not determined.

· pH-value @ 20 °C (68 °F): 4.4

· Change in condition

Melting point/Melting range:Not determined.Boiling point/Boiling range:≥78 °C (≥172.4 °F)

Flash point: 29 °C (84.2 °F)
 Flammability (solid, gaseous): Not applicable.

• Ignition temperature: ≥425 °C (≥797 °F)
 • Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

Lower: 0 Vol % **Upper:** 15 Vol %

• **Vapor pressure @ 20 °C (68 °F):** ≤59 hPa (≤44.3 mm Hg)

• **Density @ 20 °C (68 °F):** 0.98 g/cm³ (8.1781 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: (Brookfield LV #3, 30 rpm, 1 minute)

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

Kinematic: Not determined.

· Solvent content:

 Organic solvents:
 25.5 %

 Water:
 56.1 %

 VOC content:
 25.50 %

 Solids content:
 15.6 %

• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: The product is stable under normal conditions
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

64-17-5 Et	thanol	
Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the bes of our knowledge, the chemical, physical, and toxicological properties have no been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)
79-14-1 G	lycolic acid	
Oral	LD50	1,950 mg/kg (Rat)
57-55-6 Pi	ropylene Glyco	
Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (Rabbit)

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

1336-21-6 Ammonium Hydroxide Oral

LD50 350 mg/kg (RAT)

Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter,

Bladder: Other changes.

Inhalative LC50/96 hours 8.2 mg/l (Pimephales)

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eve irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

64-17-5 Ethanol 1 · NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Ecological Information

- · Toxicity:
- Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

64-17	5 Ethanol
EC50	34,900 mg/l (Daphnia)
57-55	6 Propylene Glycol
EC50	>10,000 mg/l (Daphnia)
1336-	21-6 Ammonium Hydroxide
EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB:

1336-21-6 Ammonium Hydroxide

· Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

* 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA UN1993

· **ADN** Limited Quantity

UN proper shipping name:
 DOT
 Limited Quantity, Consumer Commodity
 RQ Flammable liquids, n.o.s. (Ethanol)

· ADR/ADN UN1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL

ALCOHOL))

· IMDG FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

· IATA FLAMMABLE LIQUID, N.O.S. (ETHANOL)

· Transport hazard class(es):

· DOT





· *Class:* 3 Flammable liquids

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel Exuviance Professional Retexturing Body Peel

· Label: 3

· ADR/ADN





Limited Quantity

· *Class:* 3 (FC) Flammable liquids

· Label:

· IMDG, IATA





Limited Quantity

· Class: 3 Flammable liquids

· *Label:* 3+ID8000

· Packing group:

· DOT, ADR/ADN, IMDG, IATA III

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Flammable liquids

Danger code (Kemler):

• EMS Number: F-E,S-E

· Segregation groups: Ammonium compounds

Stowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations:**On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· ADR/ADN

· Excepted quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

· Limited quantities (LQ): 5L

(Contd. on page 11)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

Excepted quantities (EQ): Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL

ALCOHOL)), 3, III

5 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

1336-21-6 Ammonium Hydroxide

TSCA (Toxic Substances Control Act):

64-17-5 Ethanol

79-14-1 Glycolic acid

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

64-02-8 Tetrasodium ethylenediaminetetraacetate

7732-18-5 Water, distilled water, deionized water

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethanol

· New Jersey Right-to-Know List:

64-17-5 Ethanol

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

New Jersey Special Hazardous Substance List:

64-17-5 Ethanol CA, MU, TE, F3 CO

1336-21-6 Ammonium Hydroxide

· Pennsylvania Right-to-Know List:

64-17-5 Ethanol

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

(Contd. on page 12)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

Pennsylvania Special Hazardous Substance List:	
1336-21-6 Ammonium Hydroxide	E

Carcinogenic categories:

· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH):	
64-17-5 Ethanol	A3
NICOLI O- (N-C	

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS05 GHS07

· Signal word: Danger

Hazard-determining components of labeling:

Glycolic acid Ethanol

P304+P340

Ammonium Hydroxide

· Hazard statements:

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Precautionary statements:

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
D242	Take procautionary measures against static discharge

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.



OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 01/30/2019 Reviewed on 01/30/2019

Trade Name: NeoStrata Gel Plus

NeoStrata Oil Control Oily Skin Gel Plus NeoStrata Professional Exfoliating Gel

Exuviance Professional Retexturing Body Peel

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

Call a poison center/doctor if you feel unwell. P312

Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray. P370+P378 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 01/30/2019 / 16

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

* Data compared to the previous version altered.

www.msdsauthoring.com SDS created by MSDS Authoring Services +1-877-204-9106