

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

1 Identification

- **Product Identifier**
- **Trade Name:** *Evuviance Revitalizing Peel 20% Glycolic Acid*
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)
- **Product Number:** FLA#: 268-050
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NeoStrata Company Inc.
307 College Road East
Princeton, NJ 08540
Phone: +1-609-520-0715
Fax: +1-609-986-1928
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS05

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Glycolic acid

Ammonium Hydroxide

- **Hazard statements:**

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

3 % of the mixture consists of component(s) of unknown toxicity.

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous Components:

CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	15-35%
CAS: 64-17-5 RTECS: KQ 6300000	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	5-10%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%
CAS: 9002-93-1	Polyethylene glycol octylphenol ether ⚠ Acute Tox. 3, H331; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	≤2.5%

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture:**

Combustible liquid. Vapors can travel to a source of ignition and flash back.

Explosive mixtures may occur at temperatures at or above flashpoint.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

· **Reference to other sections:**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

79-14-1	Glycolic acid	25 mg/m ³
64-17-5	Ethanol	1,800 ppm
1336-21-6	Ammonium Hydroxide	61 ppm

· **PAC-2:**

79-14-1	Glycolic acid	280 mg/m ³
64-17-5	Ethanol	3300* ppm
1336-21-6	Ammonium Hydroxide	330 ppm

· **PAC-3:**

79-14-1	Glycolic acid	390 mg/m ³
64-17-5	Ethanol	15000* ppm
1336-21-6	Ammonium Hydroxide	2,300 ppm

7 Handling and Storage

· **Handling**

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.
Protect from heat.
Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in the original container.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.
Protect from heat and direct sunlight.

· **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

· **Components with occupational exposure limits:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

64-17-5 Ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

TLV Short-term value: 1880 mg/m³, 1000 ppm

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:

Solution

Color:

Clear

· **Odour:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

3.3

· **Change in condition**

Melting point/Melting range:

Not determined.

Boiling point/Boiling range:

≥78 °C (≥172.4 °F)

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

- **Flash point:** 45 °C (113 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** ≥425 °C (≥797 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Explosion limits:**
 - Lower:** 0 Vol %
 - Upper:** 15 Vol %
- **Vapor pressure @ 20 °C (68 °F):** ≤59 hPa (≤44.3 mm Hg)
- **Density @ 20 °C (68 °F):** 1.007 g/cm³ (8.4034 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
 - Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 10.0 %
 - Water:** 59.6 %
 - VOC content:** 10.00 %
 - Solids content:** 23.0 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:**
 - No further relevant information available.
 - The product is stable under normal conditions
 - No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

11 Toxicological Information

· **Information on toxicological effects:**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

79-14-1 Glycolic acid

Oral	LD50	1,950 mg/kg (Rat)
------	------	-------------------

64-17-5 Ethanol

Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)

1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

9002-93-1 Polyethylene glycol octylphenol ether

Oral	LD50	1,800 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (Rat)
Inhalative	LC50/4 h	8.9 mg/l (Pimephales)

· **Primary irritant effect:**

· **On the skin:** Strong caustic effect on skin and mucous membranes.

· **On the eye:**

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

64-17-5 Ethanol	1
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

12 Ecological Information

- Toxicity:**
- Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

64-17-5 Ethanol	
EC50	34,900 mg/l (Daphnia)
1336-21-6 Ammonium Hydroxide	
EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)
9002-93-1 Polyethylene glycol octylphenol ether	
EC50	26 mg/l (Daphnia)

- Persistence and degradability:** No further relevant information available.
- Behavior in environmental systems:**
- Bioaccumulative potential:** No further relevant information available.
- Mobility in soil:** No further relevant information available.
- Ecotoxicological effects:**
- Remark:** Harmful to fish
- Additional ecological information:**
- General notes:**
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Harmful to aquatic organisms
- Results of PBT and vPvB assessment:**
- PBT:** Not applicable.

· vPvB:	
1336-21-6	Ammonium Hydroxide
· Other adverse effects: No further relevant information available.	

13 Disposal Considerations

- Waste treatment methods**
- Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- Uncleaned packaging**
- Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

* 14 Transport Information

- **UN-Number:** UN2924
- **DOT, ADR/ADN, IMDG, IATA** Limited Quantity, Consumer Commodity
- **UN proper shipping name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Glycolic acid)
- **DOT** UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **ADR/ADN** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **IMDG** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **IATA** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, Glycolic acid)
- **Transport hazard class(es):**

· **DOT**



Limited Quantity

- **Class:** 3 Flammable liquids
- **Label:** 3, 8

· **ADR/ADN**



Limited Quantity

- **Class:** 3 (FC) Flammable liquids
- **Label:** 3+8

· **IMDG**



Limited Quantity

- **Class:** 3 Flammable liquids

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

· **Label:** 3/8+ID8000

· **IATA**



Limited Quantity

· Class:	3 Flammable liquids
· Label:	3 (8)+ID8000
· Packing group:	Non-Regulated Material
· DOT, ADR/ADN, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user:	Warning: Flammable liquids
· Danger code (Kemler):	38
· EMS Number:	F-E,S-C
· Segregation groups:	Acids, ammonium compounds, alkalis
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations:	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR/ADN	
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ):	5L
· Excepted quantities (EQ):	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), GLYCOLIC ACID), 3 (8), III

15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
· **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

1336-21-6 Ammonium Hydroxide

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

· TSCA (Toxic Substances Control Act):		
All ingredients are listed or exempt from listing.		
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
64-17-5	Ethanol	
· New Jersey Right-to-Know List:		
64-17-5	Ethanol	
1336-21-6	Ammonium Hydroxide	
· New Jersey Special Hazardous Substance List:		
64-17-5	Ethanol	CA, MU, TE, F3
1336-21-6	Ammonium Hydroxide	CO
· Pennsylvania Right-to-Know List:		
64-17-5	Ethanol	
1336-21-6	Ammonium Hydroxide	
· Pennsylvania Special Hazardous Substance List:		
1336-21-6	Ammonium Hydroxide	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· TLV (Threshold Limit Value established by ACGIH):		
64-17-5	Ethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS05

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Glycolic acid
Ammonium Hydroxide

· **Hazard statements:**

H226 Flammable liquid and vapor.

(Contd. on page 12)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision: 01/10/2019 / 5

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health

(Contd. on page 13)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid
Evuviance Professional Revitalizing Peel (20% Glycolic Acid)

OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106