

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

1 Identification

- · Product Identifier
- · Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep
- · Product Number: FLA:# 378-148
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Cosmetics, personal care products
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
 NeoStrata Company Inc.
 307 College Road East
 Princeton, NJ 08540
 Phone: +1-609-520-0715
 Fax: +1-609-986-1928
 www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

· Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 14.7 % of the mixture consists of component(s) of unknown toxicity.
- · Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

| · Dangerous Compon | ents: | |
|------------------------------------|--|-------|
| CAS: 61789-40-0 | Cocamidopropyl Betaine Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | 2-12% |
| CAS: 57-55-6 RTECS: TY 2000000 | Propylene Glycol | ≤2.5% |
| CAS: 107-41-5 RTECS: SA 0810000 | Hexylene Glycol | ≤2.5% |
| CAS: 1336-21-6 | Ammonium Hydroxide vPvB | ≤2.5% |
| | Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302 | |

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

4 First-Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eve contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| | Action Official for Officials | |
|-----------------|--|-----------------|
| · <i>PAC-1:</i> | | |
| 57-55-6 | Propylene Glycol | 30 mg/m |
| 107-41-5 | Hexylene Glycol | 2.3 ppm |
| 122-99-6 | 2-Phenoxyethanol | 1.5 ppm |
| 5274-68-0 | 5274-68-0 Tetraethylene glycol monododecyl ether | |
| 67-63-0 | 67-63-0 Isopropyl alcohol | |
| 1336-21-6 | Ammonium Hydroxide | 61 ppm |
| · PAC-2: | | |
| 57-55-6 | 55-6 Propylene Glycol | |
| 107-41-5 | 7-41-5 Hexylene Glycol 25 | |
| | | (Contd. on nogo |

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

| 122-99-6 | 2-Phenoxyethanol | 16 ppm |
|-----------|---|-------------------------|
| 5274-68-0 | Tetraethylene glycol monododecyl ether | 330 mg/m ³ |
| 67-63-0 | Isopropyl alcohol | 2000* ppm |
| 1336-21-6 | Ammonium Hydroxide | |
| · PAC-3: | | |
| 57-55-6 | Propylene Glycol | 7,900 mg/m ³ |
| 107-41-5 | Hexylene Glycol | 150 ppm |
| 122-99-6 | 2-Phenoxyethanol | 97 ppm |
| 5274-68-0 | Tetraethylene glycol monododecyl ether 2, | |
| | Isopropyl alcohol 12000° | |
| 1336-21-6 | Ammonium Hydroxide | 2,300 ppm |

7 Handling and Storage

- · Handling
- · *Precautions for safe handling:* No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 57-55- | 6 Propylene Glycol | | |
|--------|--|--|--|
| WEEL | WEEL Long-term value: 10 mg/m ³ | | |
| 107-41 | I-5 Hexylene Glycol | | |
| REL | Ceiling limit value: 125 mg/m³, 25 ppm | | |
| TLV | Short-term value: 50* 10** ppm Long-term value: 25* ppm *vapor **inh. fraction, aerosol only | | |

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves: Not applicable.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

- · Penetration time of glove material: Not applicable.
- · Eye protection:



Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Gel

Color: Pale yellowOdour: CharacteristicOdor threshold: Not determined.

· **pH-value @ 20 ℃ (68 ℉):** 5.5-7

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: ≥100 $^{\circ}$ C (≥212 $^{\circ}$ F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

• **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· *Vapor pressure @ 20 ℃ (68 °F):* ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic @ 20 °C (68 °F): 8,000-30,000 mPas **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 1.1 % VOC content: 1.14 %



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

Solids content: 8.2 %

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | |
|--|----------------|---|
| 57-55-6 P | ropylene Glyco | |
| Oral | LD50 | 20,000 mg/kg (Rat) |
| Dermal | LD50 | 20,800 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | 52,930 mg/l (Pimephales) |
| | Intravenous | 6,630 mg/kg (Mouse) |
| | | 6,423 mg/kg (Rat) |
| | | 6,500 mg/kg (Rabbit) |
| 107-41-5 I | Hexylene Glyco | l |
| Oral | LD50 | 3,700 mg/kg (Rat) |
| Dermal | LD50 | 8,560 mg/kg (Rabbit) |
| 1336-21-6 | Ammonium Hy | droxide |
| Oral | LD50 | 350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes. |
| Inhalative | LC50/96 hours | 8.2 mg/l (Pimephales) |

- · Primary irritant effect:
- On the skin: No irritating effect.
- · On the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

| 67-63-0 Isopropyl alcohol | } |
|--|---------------|
| · NTP (National Toxicology Program): | |
| None of the ingredients are listed. | |
| · OSHA-Ca (Occupational Safety & Health Administration): | $\overline{}$ |
| None of the ingredients are listed. | |

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

61789-40-0 Cocamidopropyl Betaine

EC50 1-10 mg/l (Green algae)

6.5 mg/l (Daphnia)

57-55-6 Propylene Glycol

EC50 >10,000 mg/l (Daphnia)

1336-21-6 Ammonium Hydroxide

EC50 0.66 mg/l (Daphnia)

0.66 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB:

1336-21-6 Ammonium Hydroxide

· Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, ADN, IMDG, IATA Non-Re
- UN proper shipping name:
- DOT, ADR/ADN, ADN, IMDG, IATA

Non-Regulated Material

Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· Environmental hazards: Not applicable. Not applicable. · Special precautions for user:

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

5 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:

| · SARA (Superfund | Amendments and | Reauthorization) |)): |
|-------------------|----------------|------------------|-----|
|-------------------|----------------|------------------|-----|

· Section 355 (extremely hazardous substances):

| None of the ingi | redients are listed. |
|------------------|-----------------------------------|
| · Section 313 (S | pecific toxic chemical listings): |

122-99-6 2-Phenoxyethanol

67-63-0 Isopropyl alcohol

1336-21-6 Ammonium Hydroxide

· TSCA (Toxic Substances Control Act):

25446-78-0 sodium 2-[2-[2-(tridecyloxy)ethoxy]ethoxy]ethylsulfate

25035-69-2 Acrylates Copolymer

61789-40-0 Cocamidopropyl Betaine

57-55-6 Propylene Glycol

107-41-5 Hexylene Glycol

11099-07-3 Glyceryl Stearate

122-99-6 2-Phenoxyethanol

627-83-8 Glycol distearate

5274-68-0 Tetraethylene glycol monododecyl ether

9004-62-0 Hydroxyethyl Cellulose

67-63-0 Isopropyl alcohol

1336-21-6 Ammonium Hydroxide

7732-18-5 Water, distilled water, deionized water

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

| None of the | s known to cause developmental toxicity: e ingredients are listed. | | |
|-------------|--|----|--|
| New Jerse | ey Right-to-Know List: | | |
| 57-55-6 | Propylene Glycol | | |
| 107-41-5 | Hexylene Glycol | | |
| 67-63-0 | Isopropyl alcohol | | |
| 1336-21-6 | 21-6 Ammonium Hydroxide | | |
| New Jerse | ey Special Hazardous Substance List: | | |
| 67-63-0 | Isopropyl alcohol | F: | |
| 1336-21-6 | Ammonium Hydroxide | С | |
| Pennsylva | ania Right-to-Know List: | | |
| 57-55-6 | Propylene Glycol | | |
| 107-41-5 | Hexylene Glycol | | |
| 67-63-0 | Isopropyl alcohol | | |
| 1336-21-6 | Ammonium Hydroxide | | |
| Pennsylva | ania Special Hazardous Substance List: | | |
| 67-63-0 | Isopropyl alcohol | | |
| 1226-21-6 | Ammonium Hydroxide | | |

· Carcinogenic categories:

| · EPA (Environmental Protection Agency): | |
|---|----|
| None of the ingredients are listed. | |
| · TLV (Threshold Limit Value established by ACGIH): | |
| 67-63-0 Isopropyl alcohol | A4 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health): | |
| None of the ingredients are listed. | |

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 09/25/2018 / 2
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/25/2018 Reviewed on 09/25/2018

Trade Name: NeoStrata Enlighten Ultra Brightening Cleanser Exuviance Professional OptiLight Daily Prep

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

1 Identification

· Product Identifier

· Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Product Number: FLA#: 330-096

· Relevant identified uses of the substance or mixture and uses advised against:

· Product Description: Cosmetics, personal care products

· Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier:
NeoStrata Company Inc.
307 College Road East
Princeton, NJ 08540
Phone: +1-609-520-0715

Phone: +1-609-520-0/1 Fax: +1-609-986-1928 www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

· Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:

Eye Irrit. 2B H320 Causes eye irritation. Aquatic Acute 3 H402 Harmful to aquatic life.

Aguatic Chronic 3 H412 Harmful to aguatic life with long lasting effects.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Warning
- · Hazard statements:

H320 Causes eye irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Dangerous Components:

9002-93-1 Polyethylene glycol octylphenol ether

≤2.5%

Acute Tox. 3, H331; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox.

4, H302; Eye Irrit. 2A, H319

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Consult a doctor for complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eve contact:

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Protective Action Criteria for Chemicals

| PAC-1: | |
|---------------------------|-------------------------|
| 107-88-0 1,3-Butanediol | 120 mg/m ³ |
| 122-99-6 2-Phenoxyethanol | 1.5 ppm |
| PAC-2: | |
| 107-88-0 1,3-Butanediol | 1,300 mg/m ³ |
| 122-99-6 2-Phenoxyethanol | 16 ppm |
| PAC-3: | |
| 107-88-0 1,3-Butanediol | 4,500 mg/m ² |
| 122-99-6 2-Phenoxyethanol | 97 ppm |

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Breathing equipment: Not required.
- Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Eye protection:



Tightly sealed goggles recommended in a manufacturing setting only.

· Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solution
Color: Light gold
Odour: Characteristic
Odor threshold: Not determined.

· **pH-value @ 20 ℃ (68 ℉):** 4.2-5

· Change in condition

Melting point/Melting range:Not determined.Boiling point/Boiling range:≥100 °C (≥212 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

• **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· *Vapor pressure @ 20 °C (68 °F):* ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Solvent content:

 Organic solvents:
 0.8 %

 Water:
 93.9 %

 VOC content:
 0.77 %

 Solids content:
 0.8 %

Other information: No further relevant information available.

10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| | · LD/LC50 values that are relevant for classification: | | | | |
|---|--|----------|-----------------------|--|--|
| 9002-93-1 Polyethylene glycol octylphenol ether | | | | | |
| | Oral | LD50 | 1,800 mg/kg (Rat) | | |
| | Dermal | LD50 | 8,000 mg/kg (Rat) | | |
| | Inhalative | LC50/4 h | 8.9 mg/l (Pimephales) | | |

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

9002-93-1 Polyethylene glycol octylphenol ether

EC50 26 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards:
 Special precautions for user:
 Not applicable.
 Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

| | · Section 31 | 13 (Specific toxic chemical listings): |
|---|--------------|---|
| | 122-99-6 2 | 2-Phenoxyethanol |
| | · TSCA (To | xic Substances Control Act): |
| ľ | 107-88-0 | 1,3-Butanediol |
| | 9002-93-1 | Polyethylene glycol octylphenol ether |
| ľ | 122-99-6 | 2-Phenoxyethanol |
| ľ | 90-80-2 | δ-Gluconolactone |
| ľ | 1117-86-8 | Caprylyl Glycol |
| ľ | 7200-25-1 | DL-arginine |
| ľ | 7732-18-5 | Water, distilled water, deionized water |

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

None of the ingredients are listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Right-to-Know List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms: Non-Regulated Material
- · Signal word: Warning
- · Hazard statements:
- H320 Causes eye irritation.
- H402 Harmful to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018 Reviewed on 10/03/2018

Trade Name: Exuviance Soothing Toning Lotion

Exuviance Professional Soothing Toning Lotion

Exuviance HydraSoothe Refresh Toner

· Precautionary statements:

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 10/03/2018 / 1

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation — Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation — Category 2B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

1 Identification

· Product Identifier

· Trade Name: Exuviance Line Smooth Antioxidant Serum

Exuviance Super Charge AOX Serum NeoStrata Antioxidant Defense Serum

· Product Number: FLA#: 248-067

· Relevant identified uses of the substance or mixture and uses advised against:

· Product Description: Cosmetics, personal care products

· Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier:
NeoStrata Company Inc.
307 College Road East
Princeton, NJ 08540
Phone: +1-609-520-0715
Fax: +1-609-986-1928
www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

· Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning · Hazard statements:

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

· Precautionary statements:

P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

8 % of the mixture consists of component(s) of unknown toxicity.

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

· Chemical characterization: Mixtures

Description:

Mixture of substances listed below with non-hazardous additions.

Mixture: consisting of non-regulated material.

| · Dangerous Components: | | | |
|-------------------------|--|-------|--|
| CAS: 64-17-5 | Denatured Ethanol | 2-12% | |
| RTECS: KQ 6300000 | Flam. Liq. 2, H225; Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 | - | |
| CAS: 90-80-2 | δ-Gluconolactone | 2-12% | |
| | ♦ STOT SE 3, H335 | | |
| CAS: 9005-65-6 | Polysorbate 80 | 2-12% | |
| | ♦ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320 | | |
| CAS: 5949-29-1 | Citric acid, monohydrate | ≤2.5% | |
| | Skin Irrit. 2, H315; Eye Irrit. 2A, H319 | | |
| CAS: 1336-21-6 | Ammonium Hydroxide | ≤2.5% | |
| | vPvB | | |
| | Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302 | | |

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· Description of first aid measures

· General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| PAC-1: | | |
|-----------|-------------------------|-------------------------|
| 64-17-5 | Denatured Ethanol | 1,800 ppm |
| 107-88-0 | 1,3-Butanediol | 120 mg/m³ |
| 1336-21-6 | Ammonium Hydroxide | 61 ppm |
| 122-99-6 | 2-Phenoxyethanol | 1.5 ppm |
| 57-55-6 | Propylene Glycol | 30 mg/m³ |
| 7631-90-5 | sodium hydrogensulphite | 15 mg/m³ |
| PAC-2: | | |
| 64-17-5 | Denatured Ethanol | 3300* ppm |
| 107-88-0 | 1,3-Butanediol | 1,300 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 330 ppm |
| 122-99-6 | 2-Phenoxyethanol | 16 ppm |
| 57-55-6 | Propylene Glycol | 1,300 mg/m ³ |
| 7631-90-5 | sodium hydrogensulphite | 66 mg/m³ |
| PAC-3: | | |
| 64-17-5 | Denatured Ethanol | 15000* ppm |
| 107-88-0 | 1,3-Butanediol | 4,500 mg/m ³ |
| 107-00-0 | | |
| | Ammonium Hydroxide | 2,300 ppm |



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

| 57-55-6 | Propylene Glycol | 7,900 mg/m³ |
|-----------|-------------------------|-------------|
| 7631-90-5 | sodium hydrogensulphite | 400 mg/m³ |

7 Handling and Storage

- · Handling
- Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-17-5 Denatured Ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not required.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Tightly sealed goggles recommended in a manufacturing setting only.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: Light to dark amberOdour: CharacteristicOdor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 3.5-4.5

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: ≥78 °C (≥172.4 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: ≥375 °C (≥707 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: Not determined.

· **Density @ 20 °C (68 °F):** ≥1-≤1.08 g/cm³ (≥8.345-≤9.0126 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic @ 20 °C (68 °F): 500-5,000 mm²/s

· Solvent content:

Organic solvents: 5.6 % VOC content: 5.64 %

≥56.4-≤60.9 g/l / ≥0.47-≤0.51 lb/gal

Solids content: 9.3 %

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: The product is stable under normal conditions
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| 64-17-5 Denatured Ethanol | | | | |
|--|---------------|---|--|--|
| Oral | LD50 | 7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the bes of our knowledge, the chemical, physical, and toxicological properties have no been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence | | |
| Inhalative | | Stomach - Irregularities - Based on Human Evidence 20,000 mg/l (Rat) 12,900-15,300 mg/l (Trout) | | |
| 9005-65-6 Polysorbate 80 | | | | |
| Oral LD50 25,000 mg/kg (Mouse) 1336-21-6 Ammonium Hydroxide | | | | |
| | | /droxide | | |
| Oral | LD50 | 350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Urete Bladder: Other changes. | | |
| Inhalative | LC50/96 hours | 8.2 mg/l (Pimephales) | | |

- · Primary irritant effect:
- On the skin: No irritating effect.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer):

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

| 64-17-5 Denatured Ethanol | 1 | | |
|--|---|--|--|
| 7631-90-5 sodium hydrogensulphite | 3 | | |
| · NTP (National Toxicology Program): | | | |
| None of the ingredients are listed. | | | |
| · OSHA-Ca (Occupational Safety & Health Administration): | | | |
| None of the ingredients are listed. | | | |

12 Ecological Information

- · Toxicity:
- Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

| 64-17 | 64-17-5 Denatured Ethanol | | | | |
|-------|---------------------------|--|--|--|--|
| EC50 | 34,900 mg/l (Daphnia) | | | | |
| 1336- | 21-6 Ammonium Hydroxide | | | | |
| EC50 | 0.66 mg/l (Daphnia) | | | | |
| | 0.66 mg/l (Water flea) | | | | |

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · *Mobility in soil:* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB:

1336-21-6 Ammonium Hydroxide

• Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· **DOT, ADR/ADN, IMDG, IATA**Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):

| · Section 35 | · Section 355 (extremely hazardous substances): | | | | |
|---|---|--|--|--|--|
| None of the ingredients are listed. | | | | | |
| · Section 313 (Specific toxic chemical listings): | | | | | |
| 1336-21-6 | Ammonium Hydroxide | | | | |
| 122-99-6 | 2-Phenoxyethanol | | | | |
| · TSCA (Tox | ric Substances Control Act): | | | | |
| 64-17-5 | Denatured Ethanol | | | | |
| 107-88-0 | 1,3-Butanediol | | | | |
| 90-80-2 | δ-Gluconolactone | | | | |
| 9005-65-6 | Polysorbate 80 | | | | |
| 1336-21-6 | Ammonium Hydroxide | | | | |
| 9004-62-0 | Hydroxyethyl Cellulose | | | | |
| 122-99-6 | 2-Phenoxyethanol | | | | |
| 57-55-6 | Propylene Glycol | | | | |
| 7631-90-5 | sodium hydrogensulphite | | | | |
| 1117-86-8 | Caprylyl Glycol | | | | |
| · TSCA new | (21st Century Act) (Substances not listed) | | | | |
| 5949-29-1 | Citric acid, monohydrate | | | | |

(Contd. on page 9)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum Exuviance Super Charge AOX Serum NeoStrata Antioxidant Defense Serum

| Califo | rnia | Pron | osition | 65. |
|--------|------|------|----------|-----|
| Callio | ıııa | FIUD | USILIUII | UJ. |

| | Рторозніон вэ. | | | | |
|---|--|----------------|--|--|--|
| · Chemicals known to cause cancer: | | | | | |
| None of the ingredients are listed. | | | | | |
| · Chemicals known to cause reproductive toxicity for females: | | | | | |
| None of the ingredients are listed. | | | | | |
| · Chemicals known to cause reproductive toxicity for males: | | | | | |
| None of the | e ingredients are listed. | | | | |
| Chemicals | known to cause developmental toxicity: | | | | |
| 64-17-5 De | enatured Ethanol | | | | |
| New Jerse | y Right-to-Know List: | | | | |
| 64-17-5 | Denatured Ethanol | | | | |
| 1336-21-6 | Ammonium Hydroxide | | | | |
| 57-55-6 Propylene Glycol | | | | | |
| 7631-90-5 sodium hydrogensulphite | | | | | |
| New Jersey Special Hazardous Substance List: | | | | | |
| 64-17-5 | Denatured Ethanol | CA, MU, TE, F3 | | | |
| | Ammonium Hydroxide | CO | | | |
| 7631-90-5 | sodium hydrogensulphite | CO | | | |
| | nia Right-to-Know List: | | | | |
| - | Denatured Ethanol | | | | |
| | Ammonium Hydroxide | | | | |
| | Propylene Glycol | | | | |
| 7631-90-5 | sodium hydrogensulphite | | | | |
| | nia Special Hazardous Substance List: | | | | |
| | Ammonium Hydroxide | E | | | |
| 7631-90-5 | sodium hydrogensulphite | E | | | |

· Carcinogenic categories:

| • | | | |
|--------------|--|----|--|
| · EPA (Envir | · EPA (Environmental Protection Agency): | | |
| None of the | None of the ingredients are listed. | | |
| · TLV (Thres | · TLV (Threshold Limit Value established by ACGIH): | | |
| 64-17-5 | Denatured Ethanol | A3 | |
| 7631-90-5 | sodium hydrogensulphite | A4 | |
| · NIOSH-Ca | (National Institute for Occupational Safety and Health): | | |
| None of the | ingredients are listed. | | |

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)



OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum **Exuviance Super Charge AOX Serum** NeoStrata Antioxidant Defense Serum

· Hazard pictograms:



· Signal word: Warning · Hazard statements:

H319 Causes serious eye irritation. H402 Harmful to aquatic life.

· Precautionary statements:

Wash thoroughly after handling. P264 P273 Avoid release to the environment. P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 11/13/2018 / 1
- · Abbreviations and acronvms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/2018 Issue date 11/13/2018

Trade Name: Exuviance Line Smooth Antioxidant Serum Exuviance Super Charge AOX Serum NeoStrata Antioxidant Defense Serum

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

1 Identification

- · Product Identifier
- · Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

- · Product Number: FLA#: 337-144C
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Cosmetics, personal care products
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: NeoStrata Company Inc. 307 College Road East Princeton, NJ 08540 Phone: +1-609-520-0715 Fax: +1-609-986-1928

www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 5.1 % of the mixture consists of component(s) of unknown toxicity.
- · Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

| · Dangerous Compone | ents: | |
|-----------------------------------|--|-------|
| CAS: 90-80-2 | δ-Gluconolactone | 2-12% |
| CAS: 57-55-6 RTECS: TY 2000000 | Propylene Glycol | 2-12% |
| CAS: 56-81-5 RTECS: MA 8050000 | Glycerol | ≤2.5% |
| CAS: 541-02-6 | Decamethylcyclopentasiloxane Flam. Liq. 4, H227; Eye Irrit. 2B, H320; Aquatic Chronic 4, H413 | ≤2.5% |
| CAS: 9003-05-8 | Polyacrylamide • Acute Tox. 4, H302; Combustible Dust | ≤2.5% |
| CAS: 102-71-6 | Triethanolamine Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | ≤2.5% |

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

| CAS: 540-97-6 | Cyclohexasiloxane | ≤2.5% |
|---------------|-------------------------|-------|
| CAS: 141-62-8 | Decamethyltetrasiloxane | ≤2.5% |
| | Flam. Liq. 4, H227 | |

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Consult a doctor for complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | |
|----------|------------------|----------------------|
| 57-55-6 | Propylene Glycol | 30 mg/m ³ |
| 56-81-5 | Glycerol | 45 mg/m ³ |

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother Exuviance Professional Hydrating Eye Complex

| 102-71-6 | Triethanolamine | 15 mg/m ³ |
|----------------------------|-------------------------------|-------------------------|
| 540-97-6 | Cyclohexasiloxane | 150 mg/m ³ |
| 107-88-0 | 1,3-Butanediol | 120 mg/m³ |
| 122-99-6 | 2-Phenoxyethanol | 1.5 ppm |
| 57-11-4 | Stearic Acid, pure | 14 mg/m ³ |
| 68439-49-6 | Alcohols,C16-18, ethoxylated | 3.8 mg/m ³ |
| 139-33-3 | Edetate Disodium - EDTA | 11 mg/m³ |
| PAC-2: | | |
| 57-55-6 | Propylene Glycol | 1,300 mg/m ³ |
| 56-81-5 | Glycerol | 180 mg/m ³ |
| 102-71-6 | 1-6 Triethanolamine | |
| 540-97-6 | Cyclohexasiloxane | 1,700 mg/m ³ |
| 107-88-0 | 8-0 1,3-Butanediol | |
| 122-99-6 | 2-Phenoxyethanol | 16 ppm |
| 57-11-4 | Stearic Acid, pure | 150 mg/m ³ |
| | cohols,C16-18, ethoxylated 42 | |
| 139-33-3 | Edetate Disodium - EDTA | 120 mg/m ³ |
| PAC-3: | | |
| 57-55-6 | Propylene Glycol | 7,900 mg/m ³ |
| 56-81-5 | 56-81-5 Glycerol | |
| 102-71-6 Triethanolamine | | 1,500 mg/m ³ |
| 540-97-6 Cyclohexasiloxane | | 9,900 mg/m ³ |
| 107-88-0 | 07-88-0 1,3-Butanediol 4 | |
| 122-99-6 | 2-Phenoxyethanol 97 pp | |
| 57-11-4 | Stearic Acid, pure | 910 mg/m ³ |
| 68439-49-6 | Alcohols,C16-18, ethoxylated | 250 mg/m ³ |
| 139-33-3 | Edetate Disodium - EDTA | 730 mg/m ³ |

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

· Control parameters:

· Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 57-55- | 6 Propylene Glycol |
|--------|--|
| WEEL | Long-term value: 10 mg/m³ |
| 56-81- | 5 Glycerol |
| PEL | Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction |
| TLV | TLV withdrawn-insufficient data human occup. exp. |
| 102-7 | 1-6 Triethanolamine |
| TLV | Long-term value: 5 mg/m³ |

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves: Not applicable.
- Penetration time of glove material: Not applicable.
- · Eye protection:



Tightly sealed goggles recommended in a manufacturing setting only.

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Cream Cream White

Odour: CharacteristicOdor threshold: Not determined.

· **pH-value** @ **20** °**C** (**68** °**F**): 3.5-4.2

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: ≥100 $^{\circ}$ C (≥212 $^{\circ}$ F)

· Flash point: None

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

Ignition temperature: Not applicableDecomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· *Vapor pressure @ 20 °C (68 °F):* ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic @ **20** °**C** (**68** °**F**): 10,000-60,000 mPas **Kinematic**: Not determined.

· Solvent content:

 Organic solvents:
 3.8 %

 Water:
 69.6 %

 VOC content:
 1.84 %

 Solids content:
 10.3 %

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| · LD/LC50 | · LD/LC50 values that are relevant for classification: | |
|--------------------------|--|--------------------------|
| 57-55-6 Propylene Glycol | | |
| Oral | LD50 | 20,000 mg/kg (Rat) |
| Dermal | LD50 | 20,800 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | 52,930 mg/l (Pimephales) |
| | Intravenous | 6,630 mg/kg (Mouse) |

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

| | | 6,423 mg/kg (Rat) |
|------------|----------------|--------------------------|
| | | 6,500 mg/kg (Rabbit) |
| 56-81-5 G | lycerol | |
| Oral | LD50 | 12,600 mg/kg (Rat) |
| Dermal | LD50 | >10,000 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | >50,000 mg/l (Trout) |
| 541-02-6 E | Decamethylcyc | lopentasiloxane |
| Oral | LD50 | >5,000 mg/kg (Rat) |
| Dermal | LD50 | >2,000 mg/kg (Rabbit) |
| Inhalative | LC50/4 h | 8.67 mg/l (Rat) |
| 9003-05-8 | Polyacrylamid | e |
| Oral | LD50 | >1,000 mg/kg (Rat) |
| 102-71-6 | Triethanolamin | e |
| Oral | LD50 | 5,530 mg/kg (Rat) |
| | | 2,200 mg/kg (Rabbit) |
| | LD50 Oral | 2,200 ml/kg (Guinea Pig) |
| | | 5,846 ml/kg (Mouse) |
| Dermal | LD50 | >22,500 mg/kg (Rabbit) |

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

102-71-6 Triethanolamine 3

• NTP (National Toxicology Program):

None of the ingredients are listed.

• OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

· Toxicity:

| · Aquatic toxicity: | |
|-----------------------------|--|
| 57-55-6 Propylene Glycol | |
| EC50 >10,000 mg/l (Daphnia) | |

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

102-71-6 Triethanolamine

EC50 609.98 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · *Mobility in soil:* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

DOT, ADR/ADN, ADN, IMDG, IATA
 Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards:
Special precautions for user:
Not applicable.
Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

122-99-6 2-Phenoxyethanol

(Contd. on page 8)



Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 10/26/2018 Issue date 10/26/2018

Trade Name: Exuviance Daily Eye Smoother
Exuviance Professional Hydrating Eye Complex

| 68411-27 | -8 C12-15 Alkyl Benzoate |
|-------------|--|
| | -2 δ-Gluconolactone |
| | -6 Propylene Glycol |
| | -5 Glycerol |
| | -6 Decamethylcyclopentasiloxane |
| | -0 Alcohols, C16-18 |
| 9003-05 | -8 Polyacrylamide |
| 102-71 | -6 Triethanolamine |
| 540-97 | -6 Cyclohexasiloxane |
| 141-62 | -8 Decamethyltetrasiloxane |
| | -0 1,3-Butanediol |
| | -3 Polyethylene glycol stearate |
| | -8 Distillates (petroleum), hydrotreated light |
| | -6 2-Phenoxyethanol |
| 11099-07 | -3 Glyceryl Stearate |
| 68334-28 | -1 Vegetable Oil, hydrogenated |
| | -7 batilol |
| 11138-66 | -2 Xanthan Gum |
| 57-11 | -4 Stearic Acid, pure |
| 1117-86 | -8 Caprylyl Glycol |
| 3055-97 | -8 Polyoxyethylene (7) lauryl ether |
| 68439-49 | -6 Alcohols,C16-18, ethoxylated |
| 139-33 | -3 Edetate Disodium - EDTA |
| 7732-18 | -5 Water, distilled water, deionized water |
| TSCA ne | w (21st Century Act) (Substances not listed) |
| | Polyacrylamide |
| | a Proposition 65: |
| | ls known to cause cancer: |
| None of the | ne ingredients are listed. |
| Chemica | ls known to cause reproductive toxicity for females: |
| | ne ingredients are listed. |
| | Is known to cause reproductive toxicity for males: |
| | ne ingredients are listed. |
| Chemica | Is known to cause developmental toxicity: |
| | ne ingredients are listed. |
| | rey Right-to-Know List: |
| | Propylene Glycol |
| | Glycerol |
| | Triethanolamine |



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/26/2018 Reviewed on 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

| | · New Jersey | · New Jersey Special Hazardous Substance List: | | |
|---|--------------|--|--|--|
| | None of the | None of the ingredients are listed. | | |
| | · Pennsylvar | nia Right-to-Know List: | | |
| ľ | 57-55-6 | Propylene Glycol | | |
| | | Glycerol | | |
| | 102-71-6 | Triethanolamine | | |
| | 68334-28-1 | Vegetable Oil, hydrogenated | | |
| | · Pennsylvar | nia Special Hazardous Substance List: | | |
| ľ | None of the | ingredients are listed. | | |

- Carcinogenic categories:
- EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 10/26/2018 / 1
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 10/26/2018 Issue date 10/26/2018

Trade Name: Exuviance Daily Eye Smoother

Exuviance Professional Hydrating Eye Complex

Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

1 Identification

- · Product Identifier
- Trade Name: NeoStrata Glycolic Microdermabrasion Polish
 Exuviance Professional Glycolic Polish
- · Product Number: FLA#: 378-183
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Cosmetics, personal care products
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
 NeoStrata Company Inc.
 307 College Road East
 Princeton, NJ 08540
 Phone: +1-609-520-0715
 Fax: +1-609-986-1928
 www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:



Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 3 H402 Harmful to aquatic life.

- · Label elements:
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



· Signal word: Danger

Hazard-determining components of labeling:

Glycolic acid

Ammonium Hydroxide

Hazard statements:

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

· Precautionary statements:

P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 11.1 % of the mixture consists of component(s) of unknown toxicity.
- · Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

| · Dangerous Compone | · Dangerous Components: | | |
|-------------------------------------|---|-------|--|
| CAS: 79-14-1 RTECS: MC 5250000 | Glycolic acid ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302 | 5-10% | |
| CAS: 1344-28-1 RTECS: BD 1200000 | Aluminium Oxide ♦ STOT SE 3, H335 | 5-10% | |
| CAS: 56-81-5 RTECS: MA 8050000 | Glycerol | 2-12% | |
| CAS: 68037-01-4 | Polyalphaolefin | 2-12% | |
| CAS: 42131-25-9 | Isononyl isononanoate Combustible Dust | 2-12% | |
| CAS: 1336-21-6 | Ammonium Hydroxide vPvB ♣ Acute Tox. 3, H331; ♣ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♣ Aquatic Acute 1, H400; ♠ Acute Tox. 4, H302 | ≤2.5% | |
| CAS: 9004-99-3 | Polyethylene glycol stearate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | ≤2.5% | |

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes.

Get immediate medical attention.

Have eyes examined and tested by medical personnel.

If easy to do so, remove contact lenses if worn.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.

 (Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| PAC-1: | | |
|------------|-----------------------------------|-------------------------|
| 79-14-1 | Glycolic acid | 25 mg/m³ |
| 1344-28-1 | Aluminium Oxide | 15 mg/m³ |
| 56-81-5 | Glycerol | 45 mg/m³ |
| 68037-01-4 | Polyalphaolefin | 30 mg/m³ |
| 1336-21-6 | Ammonium Hydroxide | 61 ppm |
| 107-88-0 | 1,3-Butanediol | 120 mg/m ² |
| 36653-82-4 | 1-Hexadecanol | 1.6 mg/m³ |
| 112-92-5 | Stearyl alcohol | 5.4 ppm |
| 122-99-6 | 2-Phenoxyethanol | 1.5 ppm |
| 9005-00-9 | Polyoxyethylene(20) stearyl ether | 5.7 mg/m³ |
| PAC-2: | | |
| 79-14-1 | Glycolic acid | 280 mg/m ³ |
| 1344-28-1 | Aluminium Oxide | 170 mg/m³ |
| 56-81-5 | Glycerol | 180 mg/m³ |
| 68037-01-4 | Polyalphaolefin | 330 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 330 ppm |
| 107-88-0 | 1,3-Butanediol | 1,300 mg/m ² |
| | | (Contd. on page |



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

| 36653-82-4 | 1-Hexadecanol | 18 mg/m³ |
|------------|-----------------------------------|-------------------------|
| 112-92-5 | Stearyl alcohol | 60 ppm |
| 122-99-6 | 2-Phenoxyethanol | 16 ppm |
| 9005-00-9 | Polyoxyethylene(20) stearyl ether | 63 mg/m³ |
| · PAC-3: | | |
| 79-14-1 | Glycolic acid | 390 mg/m³ |
| 1344-28-1 | Aluminium Oxide | 990 mg/m³ |
| 56-81-5 | Glycerol | 1,100 mg/m³ |
| 68037-01-4 | Polyalphaolefin | 2,000 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 2,300 ppm |
| 107-88-0 | 1,3-Butanediol | 4,500 mg/m³ |
| 36653-82-4 | 1-Hexadecanol | 110 mg/m³ |
| 112-92-5 | Stearyl alcohol | 360 ppm |
| 122-99-6 | 2-Phenoxyethanol | 97 ppm |
| 9005-00-9 | Polyoxyethylene(20) stearyl ether | 380 mg/m³ |

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 56-81-5 Gly | 56-81-5 Glycerol | | |
|--|---|--|--|
| PEL Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction | | | |
| TLV | TLV withdrawn-insufficient data human occup. exp. | | |
| 68037-01-4 | 68037-01-4 Polyalphaolefin | | |
| ACGIH TLV Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ | | | |
| OSHA PEL Long-term value: 5 mg/m³ | | | |

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

9004-99-3 Polyethylene glycol stearate

TWA Long-term value: 10 mg/m³

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands: Not required.
- · Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Tightly sealed googles required in a manufacturing setting only.

· Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Cream

Color: Off white to whiteOdour: CharacteristicOdor threshold: Not determined.

· pH-value @ 20 °C (68 °F): 3.5-4

· Change in condition

Melting point/Melting range: Not determined.
Boiling point/Boiling range: ≥60 °C (≥140 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: ≥400 °C (≥752 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

· **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

· **Density @ 20 °C (68 °F):** 0.98-1.2 g/cm³ (8.1781-10.014 lbs/gal)

Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 5.9 %

 Water:
 46.2 %

 VOC content:
 0.77 %

 Solids content:
 31.6 %

· Other information: No further relevant information available.

*10 Stability and Reactivity

- · Reactivity: The product is stable under normal conditions
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| · LD/LC50 | · LD/LC50 values that are relevant for classification: | | | |
|--|--|---|--|--|
| 79-14-1 G | 79-14-1 Glycolic acid | | | |
| Oral | LD50 | 1,950 mg/kg (Rat) | | |
| 1344-28-1 | Aluminium Ox | ide | | |
| Oral | LD50 | >10,000 mg/kg (Rat) | | |
| Inhalative | Inhalative LC50/4 h >2.6 mg/l (Rat) | | | |
| 56-81-5 G | 56-81-5 Glycerol | | | |
| Oral | LD50 | 12,600 mg/kg (Rat) | | |
| Dermal | LD50 | >10,000 mg/kg (Rabbit) | | |
| Inhalative | LC50/96 hours | >50,000 mg/l (Trout) | | |
| 1336-21-6 | 1336-21-6 Ammonium Hydroxide | | | |
| Oral LD50 350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidner Bladder: Other changes. | | Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, | | |

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

Inhalative LC50/96 hours 8.2 mg/l (Pimephales)

- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

- Carcinogenic categories:
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

1336-21-6 Ammonium Hydroxide

EC50 0.66 mg/l (Daphnia)

0.66 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB:

1336-21-6 Ammonium Hydroxide

· Other adverse effects: No further relevant information available.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards:
 Special precautions for user:
 Not applicable.
 Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):

| · Section 3 | · Section 355 (extremely hazardous substances): None of the ingredients are listed. | |
|--------------|---|--|
| None of the | | |
| · Section 3: | · Section 313 (Specific toxic chemical listings): | |
| 1344-28-1 | Aluminium Oxide | |
| 1336-21-6 | Ammonium Hydroxide | |
| 122-99-6 | 2-Phenoxyethanol | |

| 1336-21-6 Ammonium Hydroxide | | | |
|------------------------------|--------------------------------------|--|--|
| 122-99-6 | 122-99-6 2-Phenoxyethanol | | |
| · TSCA (Toxi | TSCA (Toxic Substances Control Act): | | |
| 79-14-1 | Glycolic acid | | |
| 1344-28-1 | Aluminium Oxide | | |
| | Glycerol | | |
| | Polyalphaolefin | | |
| 68411-27-8 | C12-15 Alkyl Benzoate | | |
| 11099-07-3 | Glyceryl Stearate | | |
| 1336-21-6 | Ammonium Hydroxide | | |
| | DL-arginine | | |
| 107-88-0 | 1,3-Butanediol | | |
| 9004-99-3 | Polyethylene glycol stearate | | |

(Contd. on page 9)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

| | • | |
|--------------|--|----------|
| 36653-82-4 | 1-Hexadecanol | |
| | Stearyl alcohol | |
| | 2-Phenoxyethanol | |
| | Caprylyl Glycol | |
| | Polyethylene glycol hexadecyl ether | |
| | Polyoxyethylene(20) stearyl ether | |
| 7732-18-5 | Water, distilled water, deionized water | |
| · TSCA new | (21st Century Act) (Substances not listed) | |
| 42131-25-9 | Isononyl isononanoate | |
| | Proposition 65: | |
| | known to cause cancer: | |
| None of the | ingredients are listed. | |
| · Chemicals | known to cause reproductive toxicity for females: | |
| None of the | ingredients are listed. | |
| · Chemicals | known to cause reproductive toxicity for males: | |
| None of the | ingredients are listed. | |
| · Chemicals | known to cause developmental toxicity: | \equiv |
| None of the | ingredients are listed. | |
| · New Jersey | y Right-to-Know List: | |
| 1344-28-1 | Aluminium Oxide | |
| 56-81-5 | Glycerol | |
| 1336-21-6 | Ammonium Hydroxide | |
| | y Special Hazardous Substance List: | |
| 1336-21-6 | Ammonium Hydroxide C | CO |
| Pennsylvar | nia Right-to-Know List: | |
| 1344-28-1 | Aluminium Oxide | |
| 56-81-5 | Glycerol | |
| 1336-21-6 | Ammonium Hydroxide | |
| Pennsylvar | nia Special Hazardous Substance List: | |
| 1344-28-1 | Aluminium Oxide | E |
| 1336-21-6 | Ammonium Hydroxide | Е |
| Carcinoger | nic categories: | |
| · EPA (Envir | onmental Protection Agency): | |
| None of the | ingredients are listed. | |
| · TLV (Thres | hold Limit Value established by ACGIH): | \equiv |
| 1344-28-1 | Aluminium Oxide | A4 |
| · NIOSH-Ca (| (National Institute for Occupational Safety and Health): | \equiv |
| None of the | ingredients are listed. | |
| | | |

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018 Reviewed on 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

· Hazard pictograms:



· Signal word: Danger

· Hazard-determining components of labeling:

Glycolic acid

Ammonium Hydroxide

· Hazard statements:

H318 Causes serious eye damage.

H402 Harmful to aquatic life. *Precautionary statements:*

P273 Avoid release to the environment.
P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- Date of preparation / last revision: 11/13/2018 / 2
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 11/13/2018 Issue date 11/13/2018

Trade Name: NeoStrata Glycolic Microdermabrasion Polish Exuviance Professional Glycolic Polish

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

1 Identification

- · Product Identifier
- · Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

- · Product Number: FLA#: 337-186
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Cosmetics, personal care products
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: NeoStrata Company Inc. 307 College Road East Princeton, NJ 08540 Phone: +1-609-520-0715 Fax: +1-609-986-1928

www.neostrata.com

Responsible Person: NeoStrata UG, DE-41470 Neuss

Emergency telephone number: Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 20.6 % of the mixture consists of component(s) of unknown toxicity.
- · Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

| · Dangerous Compone | Dangerous Components: | | |
|-----------------------------------|--|-------|--|
| CAS: 90-80-2 | δ-Gluconolactone | 5-10% | |
| | ♦ STOT SE 3, H335 | | |
| CAS: 541-02-6 | Decamethylcyclopentasiloxane | 2-12% | |
| | Flam. Liq. 4, H227; Eye Irrit. 2B, H320; Aquatic Chronic 4, H413 | | |
| CAS: 540-97-6 | Cyclohexasiloxane | 2-12% | |
| CAS: 57-55-6 RTECS: TY 2000000 | Propylene Glycol | 2-12% | |
| | | | |
| CAS: 102-71-6 | Triethanolamine | ≤2.5% | |
| | ♦ Skin Irrit. 2, H315; Eye Irrit. 2B, H320 | | |
| CAS: 9004-99-3 | Polyethylene glycol stearate | ≤2.5% | |
| | ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | | |

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

| CAS: 112-92-5 RTECS: RG 2010000 | Stearyl alcohol | ≤2.5% |
|------------------------------------|--|-------|
| CAS: 56-81-5 RTECS: MA 8050000 | Glycerol | ≤2.5% |
| CAS: 111-90-0 RTECS: KK 8750000 | Diethylene glycol monoethyl ether Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320 | ≤2.5% |
| CAS: 68334-28-1 | Vegetable Oil, hydrogenated ◆ STOT SE 3, H335; Eye Irrit. 2B, H320 | ≤2.5% |
| CAS: 141-62-8 | Decamethyltetrasiloxane Flam. Liq. 4, H227 | ≤2.5% |

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Consult a doctor for complaints.
- · After skin contact:

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eve for several minutes under running water.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème
Exuviance Professional Ultra Restorative Crème

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| , , 0,000,, | e Action Criteria for Chemicals | |
|-------------|-----------------------------------|-------------------------|
| · PAC-1: | | |
| 540-97-6 | Cyclohexasiloxane | 150 mg/m ³ |
| 57-55-6 | Propylene Glycol | 30 mg/m ³ |
| 102-71-6 | Triethanolamine | 15 mg/m³ |
| 112-92-5 | Stearyl alcohol | 5.4 ppm |
| 56-81-5 | Glycerol | 45 mg/m ³ |
| 111-90-0 | Diethylene glycol monoethyl ether | 75 ppm |
| 107-88-0 | 1,3-Butanediol | 120 mg/m ³ |
| 122-99-6 | 2-Phenoxyethanol | 1.5 ppm |
| 57-10-3 | Palmitic acid | 0.19 mg/m ³ |
| 57-11-4 | Stearic Acid, pure | 14 mg/m³ |
| · PAC-2: | | , |
| 540-97-6 | Cyclohexasiloxane | 1,700 mg/m ³ |
| 57-55-6 | Propylene Glycol | 1,300 mg/m ³ |
| 102-71-6 | Triethanolamine | 240 mg/m ³ |
| 112-92-5 | Stearyl alcohol | 60 ppm |
| 56-81-5 | Glycerol | 180 mg/m ³ |
| 111-90-0 | Diethylene glycol monoethyl ether | 100 ppm |
| 107-88-0 | 1,3-Butanediol | 1,300 mg/m ³ |
| 122-99-6 | 2-Phenoxyethanol | 16 ppm |
| 57-10-3 | Palmitic acid | 2.1 mg/m ³ |
| 57-11-4 | Stearic Acid, pure | 150 mg/m ³ |
| · PAC-3: | | ' |
| 540-97-6 | Cyclohexasiloxane | 9,900 mg/m ³ |
| 57-55-6 | Propylene Glycol | 7,900 mg/m ³ |
| 102-71-6 | Triethanolamine | 1,500 mg/m ³ |
| 112-92-5 | Stearyl alcohol | 360 ppm |
| 56-81-5 | Glycerol | 1,100 mg/m ³ |
| 111-90-0 | Diethylene glycol monoethyl ether | 450 ppm |
| 107-88-0 | 1,3-Butanediol | 4,500 mg/m ³ |
| 122-99-6 | 2-Phenoxyethanol | 97 ppm |
| 57-10-3 | Palmitic acid | 12 mg/m³ |
| 57-11-4 | Stearic Acid, pure | 910 mg/m ³ |

7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| | anno, ano cano concentration of the concentration o | | | | |
|--|--|--|--|--|--|
| 57-55- | 57-55-6 Propylene Glycol | | | | |
| WEEL | WEEL Long-term value: 10 mg/m³ | | | | |
| 102-71 | 102-71-6 Triethanolamine | | | | |
| TLV | Long-term value: 5 mg/m³ | | | | |
| 9004-99-3 Polyethylene glycol stearate | | | | | |
| TWA | Long-term value: 10 mg/m³ | | | | |
| 56-81-5 Glycerol | | | | | |
| PEL | Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction | | | | |
| TLV | TLV withdrawn-insufficient data human occup. exp. | | | | |
| 111-90-0 Diethylene glycol monoethyl ether | | | | | |
| WEEL | Long-term value: 25 ppm | | | | |
| | | | | | |

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Tightly sealed goggles recommended in a manufacturing setting only.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Cream
Color: Blue green
Odour: Characteristic
Odor threshold: Not determined.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

· **pH-value** @ **20** °**C** (**68** °**F**): 3.5-4.2

· Change in condition

Melting point/Melting range:Not determined.Boiling point/Boiling range:≥100 °C (≥212 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· *Vapor pressure @ 20 °C (68 °F):* ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:

Vapor density:

Evaporation rate:

Not determined.

Not determined.

Not determined.

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 6.5 %

 Water:
 42.1 %

 VOC content:
 4.54 %

 Solids content:
 25.4 %

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

| House tox | | |
|------------|-----------------|------------------------------|
| | | relevant for classification: |
| | | lopentasiloxane |
| Oral | LD50 | >5,000 mg/kg (Rat) |
| Dermal | LD50 | >2,000 mg/kg (Rabbit) |
| Inhalative | LC50/4 h | 8.67 mg/l (Rat) |
| 57-55-6 P | ropylene Glyco | |
| Oral | LD50 | 20,000 mg/kg (Rat) |
| Dermal | LD50 | 20,800 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | 52,930 mg/l (Pimephales) |
| | Intravenous | 6,630 mg/kg (Mouse) |
| | | 6,423 mg/kg (Rat) |
| | | 6,500 mg/kg (Rabbit) |
| 102-71-6 | | e |
| Oral | LD50 | 5,530 mg/kg (Rat) |
| | | 2,200 mg/kg (Rabbit) |
| | LD50 Oral | 2,200 ml/kg (Guinea Pig) |
| | | 5,846 ml/kg (Mouse) |
| Dermal | LD50 | >22,500 mg/kg (Rabbit) |
| 112-92-5 | Stearyl alcohol | |
| Oral | LD50 | 20,000 mg/kg (Rat) |
| 56-81-5 G | lycerol | |
| Oral | LD50 | 12,600 mg/kg (Rat) |
| Dermal | LD50 | >10,000 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | >50,000 mg/l (Trout) |
| 111-90-0 | Diethylene glyc | ol monoethyl ether |
| Oral | LD50 | 5,500 mg/kg (Rat) |
| Dermal | LD50 | 8,500 mg/kg (Rabbit) |
| | | |

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

Group 4 - Probably not carcinogenic to humans

102-71-6 Triethanolamine

3

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

57-55-6 Propylene Glycol

EC50 >10,000 mg/l (Daphnia)

102-71-6 Triethanolamine

EC50 609.98 mg/l (Daphnia)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

· *Environmental hazards:* Not applicable.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème

Exuviance Professional Ultra Restorative Crème

· Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- SARA (Superfund Amendments and Reauthorization):

| · SARA (Supertuna Am | enaments and Reautnorization): | |
|-------------------------|--------------------------------|--|
| · Section 355 (extremel | ly hazardous substances): | |

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

111-90-0 Diethylene glycol monoethyl ether

122-99-6 2-Phenoxyethanol

· TSCA (Toxic Substances Control Act):

| 90-80-2 | δ-Gluconolactone |
|---------|------------------|
|---------|------------------|

541-02-6 Decamethylcyclopentasiloxane

540-97-6 Cyclohexasiloxane

57-55-6 Propylene Glycol

102-71-6 Triethanolamine

9004-99-3 Polyethylene glycol stearate

112-92-5 Stearyl alcohol

627-83-8 Glycol distearate

56-81-5 Glycerol

7200-25-1 DL-arginine

11099-07-3 Glyceryl Stearate

111-90-0 Diethylene glycol monoethyl ether

68334-28-1 Vegetable Oil, hydrogenated

141-62-8 Decamethyltetrasiloxane

8009-03-8 Petrolatum

107-88-0 1,3-Butanediol

122-99-6 2-Phenoxyethanol

73398-61-5 Caprylic / capric triglyceride

57-10-3 Palmitic acid

57-11-4 Stearic Acid, pure

8002-43-5 Lecithin

9004-62-0 Hydroxyethyl Cellulose

11138-66-2 | Xanthan Gum

1117-86-8 octane-1,2-diol

9003-05-8 Polyacrylamide

7732-18-5 Water, distilled water, deionized water

California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème
Exuviance Professional Ultra Restorative Crème

| · Chemicals | known to cause | reproductive | toxicity for females: |
|--------------|-----------------|-------------------|-------------------------|
| Ullellillais | KIIUWII LU GAUS | , i edi daadii ve | LUXICILY IUI ICIIIAICS. |

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

57-55-6 Propylene Glycol

102-71-6 Triethanolamine

56-81-5 Glycerol

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

Pennsylvania Right-to-Know List:

57-55-6 Propylene Glycol

102-71-6 Triethanolamine

56-81-5 Glycerol

68334-28-1 Vegetable Oil, hydrogenated

· Pennsylvania Special Hazardous Substance List:

None of the ingredients are listed.

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- Date of preparation / last revision: 09/20/2018 / -
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/20/2018 Reviewed on 09/20/2018

Trade Name: Exuviance Ultra Restorative Crème Exuviance Professional Ultra Restorative Crème

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106