

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**
- **Product Number:** FLA#: 237-059A
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
21.3 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### \* 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 541-02-6	Decamethylcyclopentasiloxane Flam. Liq. 4, H227; Eye Irrit. 2B, H320; Aquatic Chronic 4, H413	5-10%
CAS: 77-93-0	Triethyl Citrate ⚠ Acute Tox. 4, H332	2-12%
CAS: 540-97-6	Cyclohexasiloxane	≤2.5%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 111-90-0 RTECS: KK 8750000	Diethylene glycol monoethyl ether ⚠ Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	≤2.5%

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤2.5%
CAS: 68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl ⚠ STOT SE 3, H335; Eye Irrit. 2B, H320	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### \* 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.  
 In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation occurs, consult a doctor.

• **After eye contact:**

Rinse opened eye for several minutes under running water.  
 If eye irritation occurs, consult a doctor.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

540-97-6	Cyclohexasiloxane	150 mg/m <sup>3</sup>
56-81-5	Glycerol	45 mg/m <sup>3</sup>
111-90-0	Diethylene glycol monoethyl ether	75 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
110-27-0	Isopropyl myristate	81 mg/m <sup>3</sup>
68439-49-6	Alcohols,C16-18, ethoxylated	3.8 mg/m <sup>3</sup>
7631-90-5	sodium hydrogensulphite	15 mg/m <sup>3</sup>
6381-92-6	EDTA, Disodium, Dihydrate	30 mg/m <sup>3</sup>

• **PAC-2:**

540-97-6	Cyclohexasiloxane	1,700 mg/m <sup>3</sup>
56-81-5	Glycerol	180 mg/m <sup>3</sup>
111-90-0	Diethylene glycol monoethyl ether	100 ppm
122-99-6	2-Phenoxyethanol	16 ppm
110-27-0	Isopropyl myristate	900 mg/m <sup>3</sup>
68439-49-6	Alcohols,C16-18, ethoxylated	42 mg/m <sup>3</sup>
7631-90-5	sodium hydrogensulphite	66 mg/m <sup>3</sup>
6381-92-6	EDTA, Disodium, Dihydrate	330 mg/m <sup>3</sup>

• **PAC-3:**

540-97-6	Cyclohexasiloxane	9,900 mg/m <sup>3</sup>
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
111-90-0	Diethylene glycol monoethyl ether	450 ppm
122-99-6	2-Phenoxyethanol	97 ppm
110-27-0	Isopropyl myristate	5,400 mg/m <sup>3</sup>
68439-49-6	Alcohols,C16-18, ethoxylated	250 mg/m <sup>3</sup>
7631-90-5	sodium hydrogensulphite	400 mg/m <sup>3</sup>
6381-92-6	EDTA, Disodium, Dihydrate	2,000 mg/m <sup>3</sup>

\* **7 Handling and Storage**

• **Handling**

• **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

• **Information about protection against explosions and fires:** No special measures required.

• **Conditions for safe storage, including any incompatibilities**

• **Storage**

• **Requirements to be met by storerooms and receptacles:** No special requirements.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:** Keep receptacle tightly sealed.

• **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

**\* 8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

<b>56-81-5 Glycerol</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
<b>111-90-0 Diethylene glycol monoethyl ether</b>	
WEEL	Long-term value: 25 ppm
<b>9004-99-3 Polyethylene glycol stearate</b>	
TWA	Long-term value: 10 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:** None

**\* 9 Physical and Chemical Properties**

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Cream
  - Color:** Pale yellow
- **Odour:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** 4.5-5.25
- **Change in condition**
  - Melting point/Melting range:** Not determined.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

- Boiling point/Boiling range:** ≥90 °C (≥194 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic @ 20 °C (68 °F):** 40,000-100,000 mPas
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 3.8 %
  - Water:** 49.9 %
  - VOC content:** 2.08 %
  - Solids content:** 20.3 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

**\* 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

<b>541-02-6 Decamethylcyclopentasiloxane</b>		
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	8.67 mg/l (Rat)
<b>77-93-0 Triethyl Citrate</b>		
Oral	LD50	5,900 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)
<b>56-81-5 Glycerol</b>		
Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)
<b>111-90-0 Diethylene glycol monoethyl ether</b>		
Oral	LD50	5,500 mg/kg (Rat)
Dermal	LD50	8,500 mg/kg (Rabbit)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
Irritant

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

7631-90-5	sodium hydrogensulphite	3
-----------	-------------------------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

### 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**
- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

· <b>Section 313 (Specific toxic chemical listings):</b>	
111-90-0	Diethylene glycol monoethyl ether
122-99-6	2-Phenoxyethanol
· <b>TSCA (Toxic Substances Control Act):</b>	
541-02-6	Decamethylcyclopentasiloxane
77-93-0	Triethyl Citrate
68411-27-8	C12-15 Alkyl Benzoate
68920-03-6	Shea Butter
11099-07-3	Glyceryl Stearate
540-97-6	Cyclohexasiloxane
56-81-5	Glycerol
67762-27-0	Alcohols, C16-18
111-90-0	Diethylene glycol monoethyl ether
9004-99-3	Polyethylene glycol stearate
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl
25038-74-8	Polyamide (nylon) Composite
7695-91-2	DL- $\alpha$ -Tocopherol acetate
122-99-6	2-Phenoxyethanol
110-27-0	Isopropyl myristate
68439-49-6	Alcohols,C16-18, ethoxylated
63500-71-0	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol
1117-86-8	Caprylyl Glycol
7631-90-5	sodium hydrogensulphite
105-95-3	Ethylene brassylate
7732-18-5	Water, distilled water, deionized water
· <b>TSCA new (21st Century Act) (Substances not listed)</b>	
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl
· <b>California Proposition 65:</b>	
· <b>Chemicals known to cause cancer:</b>	
None of the ingredients are listed.	
· <b>Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients are listed.	
· <b>Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients are listed.	
· <b>Chemicals known to cause developmental toxicity:</b>	
None of the ingredients are listed.	
· <b>New Jersey Right-to-Know List:</b>	
56-81-5	Glycerol
7631-90-5	sodium hydrogensulphite

(Contd. on page 9)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

· <b>New Jersey Special Hazardous Substance List:</b>		
7631-90-5	sodium hydrogensulphite	CO
· <b>Pennsylvania Right-to-Know List:</b>		
56-81-5	Glycerol	
7631-90-5	sodium hydrogensulphite	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
7631-90-5	sodium hydrogensulphite	E
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
7631-90-5	sodium hydrogensulphite	A4
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		
· <b>GHS label elements</b> Non-Regulated Material		
· <b>Hazard pictograms:</b> Non-Regulated Material		
· <b>Signal word:</b> Non-Regulated Material		
· <b>Hazard statements:</b> Non-Regulated Material		
· <b>National regulations:</b>		
None of the ingredients are listed.		
· <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.		

**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 10/18/2018 / 3

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Flam. Liq. 4: Flammable liquids – Category 4

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

**Trade Name: NeoStrata Triple Firming Neck Cream**  
**NeoStrata Skin Active Triple Firming Neck Cream**  
**Exuviance Age Reverse Toning Neck Cream**  
**Exuviance Professional Triple Action Neck Crème**

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

### 1 Identification

- **Product Identifier**
- **Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**
- **Product Number:** FLA#: 268-052
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements:**

P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
2 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous Components:**

CAS: 25322-68-3	Polyethylene Glycol	15-35%
CAS: 5306-85-4	1,4:3,6-dianhydro-2,5-di-O-methyl-D-glucitol Eye Irrit. 2B, H320	5-10%
CAS: 9005-65-6	Polysorbate 80 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	≤2.5%

- **Additional information:**  
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.  
If easy to do so, remove contact lenses if worn.  
If eye irritation occurs, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• <b>PAC-1:</b>		
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>
25322-68-3	Polyethylene Glycol	30 mg/m <sup>3</sup>
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
• <b>PAC-2:</b>		
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>
25322-68-3	Polyethylene Glycol	1,300 mg/m <sup>3</sup>
79-14-1	Glycolic acid	280 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
• <b>PAC-3:</b>		
107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
25322-68-3	Polyethylene Glycol	7,700 mg/m <sup>3</sup>
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

### \* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

### 25322-68-3 Polyethylene Glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>  
(H); MW>200

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:**



Tightly sealed goggles

## \* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Gel
<b>Color:</b>	Yellow tint
- **Odour:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** 4
- **Change in condition**

<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	≥100 °C (≥212 °F)
- **Flash point:** 109 °C (228.2 °F)
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

- **Ignition temperature:** ≥305 °C (≥581 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density @ 20 °C (68 °F):** 1.1 g/cm<sup>3</sup> (9.1795 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:** 9,000 - 15,000 cps
- **Dynamic:** Not determined.
- **Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.6 %
  - Water:** 47.5 %
  - VOC content:** 0.64 %
- **Solids content:** 21.1 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**25322-68-3 Polyethylene Glycol**

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	10,000 mg/l (Fish - Poecilia reticulata, 96h)

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

<b>9005-65-6 Polysorbate 80</b>		
Oral	LD50	25,000 mg/kg (Mouse)
<b>79-14-1 Glycolic acid</b>		
Oral	LD50	1,950 mg/kg (Rat)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

• **Carcinogenic categories:**

• <b>IARC (International Agency for Research on Cancer):</b>
None of the ingredients are listed.
• <b>NTP (National Toxicology Program):</b>
None of the ingredients are listed.
• <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>
None of the ingredients are listed.

**12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA**                      Non-Regulated Material



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>
None of the ingredients are listed.

· <b>Section 313 (Specific toxic chemical listings):</b>
122-99-6   2-Phenoxyethanol

· <b>TSCA (Toxic Substances Control Act):</b>
107-88-0   1,3-Butanediol
25322-68-3   Polyethylene Glycol
9005-65-6   Polysorbate 80
7200-25-1   DL-arginine
79-14-1   Glycolic acid
9004-62-0   Hydroxyethyl Cellulose
122-99-6   2-Phenoxyethanol
9005-64-5   Polysorbate 20
1117-86-8   Caprylyl Glycol
24851-98-7   Methyl dihydrojasmonate
105-95-3   Ethylene brassylate
7732-18-5   Water, distilled water, deionized water

· <b>TSCA new (21st Century Act) (Substances not listed)</b>
5306-85-4   1,4:3,6-dianhydro-2,5-di-O-methyl-D-glucitol

- **California Proposition 65:**

· <b>Chemicals known to cause cancer:</b>
None of the ingredients are listed.

· <b>Chemicals known to cause reproductive toxicity for females:</b>
None of the ingredients are listed.

· <b>Chemicals known to cause reproductive toxicity for males:</b>
None of the ingredients are listed.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
NeoStrata ProSystem Aminofil Complex  
Exuviance Professional Revive Pro-Concentrate**

· <b>Chemicals known to cause developmental toxicity:</b>
None of the ingredients are listed.
· <b>New Jersey Right-to-Know List:</b>
25322-68-3 Polyethylene Glycol
· <b>New Jersey Special Hazardous Substance List:</b>
None of the ingredients are listed.
· <b>Pennsylvania Right-to-Know List:</b>
25322-68-3 Polyethylene Glycol
· <b>Pennsylvania Special Hazardous Substance List:</b>
None of the ingredients are listed.
· <b>Carcinogenic categories:</b>
· <b>EPA (Environmental Protection Agency):</b>
None of the ingredients are listed.
· <b>TLV (Threshold Limit Value established by ACGIH):</b>
None of the ingredients are listed.
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>
None of the ingredients are listed.

· **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves / eye protection / face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P337+P313 If eye irritation persists: Get medical advice/attention.

· <b>National regulations:</b>
None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: NeoStrata Skin Active Line Lift Step 1 Aminofil Activator  
 NeoStrata ProSystem Aminofil Complex  
 Exuviance Professional Revive Pro-Concentrate**

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/03/2018 / 5

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety and Health  
 OSHA: Occupational Safety & Health Administration  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**
- **Product Number:** FLA#: 312-046
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
6 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

#### · **Dangerous Components:**

CAS: 57-55-6	Propylene Glycol	2-12%
RTECS: TY 2000000		

#### · **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Generally the product does not irritate the skin.  
If skin irritation occurs, consult a doctor.

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

- **After eye contact:**  
If eye irritation occurs, consult a doctor.  
Rinse opened eye for several minutes under running water.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

**5 Fire-Fighting Measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
139-33-3	Edetate Disodium - EDTA	11 mg/m <sup>3</sup>

· **PAC-2:**

57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
139-33-3	Edetate Disodium - EDTA	120 mg/m <sup>3</sup>

· **PAC-3:**

57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
139-33-3	Edetate Disodium - EDTA	730 mg/m <sup>3</sup>

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· **Components with occupational exposure limits:**

**57-55-6 Propylene Glycol**

WEEL | Long-term value: 10 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Smooth gel

**Color:**

Pale yellow to dark yellow

· **Odour:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

5-6

· **Change in condition**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

≥100 °C (≥212 °F)

· **Flash point:**

≥103 °C (≥217.4 °F)

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

≥371 °C (≥699.8 °F)

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic @ 20 °C (68 °F):** 7,000-20,000 mPas
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.6 %
  - Water:** 84.9 %
  - VOC content:** 0.64 %
  - Solids content:** 6.4 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

#### 57-55-6 Propylene Glycol

Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse) 6,423 mg/kg (Rat)

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

	6,500 mg/kg (Rabbit)
--	----------------------

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

• **Carcinogenic categories:**

• <b>IARC (International Agency for Research on Cancer):</b>
None of the ingredients are listed.

• <b>NTP (National Toxicology Program):</b>
None of the ingredients are listed.

• <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>
None of the ingredients are listed.

**12 Ecological Information**

• **Toxicity:**

• <b>Aquatic toxicity:</b>
<b>57-55-6 Propylene Glycol</b>
EC50 >10,000 mg/l (Daphnia)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA**                      Non-Regulated Material



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>	
None of the ingredients are listed.	

· <b>Section 313 (Specific toxic chemical listings):</b>	
122-99-6	2-Phenoxyethanol

· <b>TSCA (Toxic Substances Control Act):</b>	
57-55-6	Propylene Glycol
122-99-6	2-Phenoxyethanol
9005-64-5	Polysorbate 20
1117-86-8	Caprylyl Glycol
139-33-3	Edetate Disodium - EDTA
7732-18-5	Water, distilled water, deionized water

· **California Proposition 65:**

· <b>Chemicals known to cause cancer:</b>	
None of the ingredients are listed.	

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.	
-------------------------------------	--

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.	
-------------------------------------	--

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.	
-------------------------------------	--

· **New Jersey Right-to-Know List:**

57-55-6	Propylene Glycol
---------	------------------

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.	
-------------------------------------	--

· **Pennsylvania Right-to-Know List:**

57-55-6	Propylene Glycol
---------	------------------

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Daily Firming Masque**  
**Exuviance PROFESSIONAL Plump Perfect Firming Treatment**

<ul style="list-style-type: none"> <li>• <b>Pennsylvania Special Hazardous Substance List:</b></li> </ul>
None of the ingredients are listed.
<ul style="list-style-type: none"> <li>• <b>Carcinogenic categories:</b></li> </ul>
<ul style="list-style-type: none"> <li>• <b>EPA (Environmental Protection Agency):</b></li> </ul>
None of the ingredients are listed.
<ul style="list-style-type: none"> <li>• <b>TLV (Threshold Limit Value established by ACGIH):</b></li> </ul>
None of the ingredients are listed.
<ul style="list-style-type: none"> <li>• <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b></li> </ul>
None of the ingredients are listed.
<ul style="list-style-type: none"> <li>• <b>GHS label elements</b> Non-Regulated Material</li> <li>• <b>Hazard pictograms:</b> Non-Regulated Material</li> <li>• <b>Signal word:</b> Non-Regulated Material</li> <li>• <b>Hazard statements:</b> Non-Regulated Material</li> </ul>
<ul style="list-style-type: none"> <li>• <b>National regulations:</b></li> </ul>
None of the ingredients are listed.
<ul style="list-style-type: none"> <li>• <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.</li> </ul>

**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 11/06/2018 / 1
  - **Abbreviations and acronyms:**  
 ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety and Health  
 OSHA: Occupational Safety & Health Administration  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit
  - **\* Data compared to the previous version altered.**
- SDS created by MSDS Authoring Services    www.msdsauthoring.com    +1-877-204-9106

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**1 Identification**

- **Product Identifier**
- **Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**
- **Product Number:** FLA#: 298-179
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

**2 Hazard(s) Identification**

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
9 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

**3 Composition/Information on Ingredients**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

**Dangerous Components:**

CAS: 141-62-8	Decamethyltetrasiloxane Flam. Liq. 4, H227	2-12%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 36653-82-4 RTECS: MM 0225000	1-Hexadecanol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	≤2.5%
CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤2.5%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

56-81-5	Glycerol	45 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	1.6 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

<b>· PAC-2:</b>		
56-81-5	Glycerol	180 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	18 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
<b>· PAC-3:</b>		
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	110 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

<b>56-81-5 Glycerol</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
<b>9004-99-3 Polyethylene glycol stearate</b>	
TWA	Long-term value: 10 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not necessary under normal conditions.

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Cream  
**Color:** Pale mint green to light green

· **Odour:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value @ 20 °C (68 °F):** 4-4.8

· **Change in condition**

**Melting point/Melting range:** Not determined.  
**Boiling point/Boiling range:** ≥100 °C (≥212 °F)

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.  
**Upper:** Not determined.

· **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

· **Density:**

**Relative density:** Not determined.  
**Vapor density:** Not determined.  
**Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

**Water:** Miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic @ 20 °C (68 °F):** 25,000-90,000 mPas  
**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 2.7 %  
**Water:** 70.1 %  
**VOC content:** 0.70 %

**Solids content:** 7.2 %

· **Other information:** No further relevant information available.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

#### 36653-82-4 1-Hexadecanol

Oral	LD50	5,000 mg/kg (Rat)
------	------	-------------------

#### 1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
Irritant

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

**12 Ecological Information**

• **Toxicity:**

• **Aquatic toxicity:**

**1336-21-6 Ammonium Hydroxide**

EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Additional ecological information:**

• **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

• **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

• **Waste treatment methods**

• **Recommendation:**

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

• **Uncleaned packaging**

• **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

• **UN-Number:**

• **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

• **UN proper shipping name:**

• **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

• **Transport hazard class(es):**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

• **Class:** Non-Regulated Material

• **Packing group:**

• **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material

• **Environmental hazards:** Not applicable.

• **Special precautions for user:** Not applicable.

• **Transport in bulk according to Annex II of**

**MARPOL 73/78 and the IBC Code:** Not applicable.

• **UN "Model Regulation":** Non-Regulated Material

(Contd. on page 7)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

• **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

• **Section 313 (Specific toxic chemical listings):**

122-99-6 2-Phenoxyethanol

1336-21-6 Ammonium Hydroxide

• **TSCA (Toxic Substances Control Act):**

29806-73-3 Octyl palmitate

141-62-8 Decamethyltetrasiloxane

56-81-5 Glycerol

36653-82-4 1-Hexadecanol

11099-07-3 Glyceryl Stearate

9004-99-3 Polyethylene glycol stearate

90-80-2 δ-Gluconolactone

67762-27-0 Alcohols, C16-18

9005-67-8 Polysorbate 60

122-99-6 2-Phenoxyethanol

107-88-0 1,3-Butanediol

11138-66-2 Xanthan Gum

1336-21-6 Ammonium Hydroxide

7200-25-1 DL-arginine

7732-18-5 Water, distilled water, deionized water

• **California Proposition 65:**

• **Chemicals known to cause cancer:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **New Jersey Right-to-Know List:**

56-81-5 Glycerol

1336-21-6 Ammonium Hydroxide

• **New Jersey Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide

CO

• **Pennsylvania Right-to-Know List:**

56-81-5 Glycerol

1336-21-6 Ammonium Hydroxide

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

<ul style="list-style-type: none"> <li>• <b>Pennsylvania Special Hazardous Substance List:</b></li> </ul>	
1336-21-6	Ammonium Hydroxide
<ul style="list-style-type: none"> <li>• <b>Carcinogenic categories:</b></li> </ul>	
<ul style="list-style-type: none"> <li>• <b>EPA (Environmental Protection Agency):</b></li> </ul>	
None of the ingredients are listed.	
<ul style="list-style-type: none"> <li>• <b>TLV (Threshold Limit Value established by ACGIH):</b></li> </ul>	
None of the ingredients are listed.	
<ul style="list-style-type: none"> <li>• <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b></li> </ul>	
None of the ingredients are listed.	
<ul style="list-style-type: none"> <li>• <b>GHS label elements</b> Non-Regulated Material</li> <li>• <b>Hazard pictograms:</b> Non-Regulated Material</li> <li>• <b>Signal word:</b> Non-Regulated Material</li> <li>• <b>Hazard statements:</b> Non-Regulated Material</li> </ul>	
<ul style="list-style-type: none"> <li>• <b>National regulations:</b></li> </ul>	
None of the ingredients are listed.	
<ul style="list-style-type: none"> <li>• <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.</li> </ul>	

**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 10/03/2018 / -
- **Abbreviations and acronyms:**  
 ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety and Health  
 OSHA: Occupational Safety & Health Administration  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Flam. Liq. 4: Flammable liquids – Category 4  
 Acute Tox. 4: Acute toxicity – Category 4  
 Acute Tox. 3: Acute toxicity – Category 3  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
 Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

(Contd. on page 9)

## **Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

· \* **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

### 1 Identification

- **Product Identifier**
- **Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**

**FOR SALON USE ONLY**

- **Product Number:** FLA#: 268-049
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 3      H226 Flammable liquid and vapor.



Corrosion

Skin Corr. 1A      H314 Causes severe skin burns and eye damage.

Eye Dam. 1      H318 Causes serious eye damage.

Aquatic Acute 2      H401 Toxic to aquatic life.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02    GHS05

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Glycolic acid  
Ammonium Hydroxide

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

**Hazard statements:**

- H226 Flammable liquid and vapor.
- H314 Causes severe skin burns and eye damage.
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Unknown acute toxicity:**

3 % of the mixture consists of component(s) of unknown toxicity.

**Hazard(s) not otherwise classified (HNOC):** None known

**3 Composition/Information on Ingredients**

**Chemical characterization: Mixtures**

**Description:** Mixture of substances listed below with non-hazardous additions.

**Dangerous Components:**

CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	25-50%
CAS: 64-17-5 RTECS: KQ 6300000	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	5-10%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol Eye Irrit. 2B, H320	2-12%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	2-12%

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

CAS: 9002-93-1	Polyethylene glycol octylphenol ether 	≤ 2.5%
----------------	---	--------

### 4 First-Aid Measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation or a rash occurs, consult a doctor.
- **After eye contact:**  
If easy to do so, remove contact lenses if worn.  
Have eyes examined and tested by medical personnel.  
Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.
- **After swallowing:**  
Never give anything by mouth to an unconscious person.  
Rinse mouth with water.  
Call a doctor immediately.  
Do not induce vomiting without medical advice.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.  
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/surface or ground water.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· **Components with occupational exposure limits:**

**64-17-5 Ethanol**

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

**57-55-6 Propylene Glycol**

WEEL	Long-term value: 10 mg/m <sup>3</sup>
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles required in a manufacturing setting only.

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Solution

**Color:** Clear

· **Odour:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value @ 20 °C (68 °F):** 3-3.8

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** 78 °C (172.4 °F)

· **Flash point:** 43 °C (109.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 317 °C (602.6 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

**Lower:** 0.0 Vol %

**Upper:** 15.0 Vol %

(Contd. on page 6)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

- **Vapor pressure @ 20 °C (68 °F):** 59 hPa (44.3 mm Hg)
- **Density @ 25 °C (77 °F):** 1.05-1.15 g/cm<sup>3</sup> (8.7623-9.5968 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**  
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**  
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**  
  - Organic solvents:** 15.0 %
  - Water:** 48.5 %
  - VOC content:** 18.5 %
  - Solids content:** 33.0 %
- **Other information:** No further relevant information available.

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**79-14-1 Glycolic acid**

Oral	LD50	1950 mg/kg (Rat)
------	------	------------------

**9002-93-1 Polyethylene glycol octylphenol ether**

Oral	LD50	1800 mg/kg (Rat)
Dermal	LD50	8000 mg/kg (Rat)
Inhalative	LC50/4 h	8.9 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:** Corrosive effect.
- **Additional toxicological information:**  
 The product shows the following dangers according to internally approved calculation methods for preparations:  
 Harmful

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

Corrosive

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to its carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

64-17-5 Ethanol	1
-----------------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**12 Ecological Information**

· **Toxicity:**

· **Aquatic toxicity:**

**9002-93-1 Polyethylene glycol octylphenol ether**

EC50 26 mg/kg (Daphnia)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:**

1336-21-6 Ammonium Hydroxide

· **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### \*14 Transport Information

- **UN-Number:** None
- **DOT, ADR/ADN, IMDG, IATA** UN2924
- **UN proper shipping name:** Limited Quantity, Consumer Commodity
- **DOT** Flammable liquids, corrosive, n.o.s. (Glycolic acid, Ethanol)
- **ADR/ADN** UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Glycolic acid, ETHANOL (ETHYL ALCOHOL))
- **IMDG** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Glycolic acid, ETHANOL (ETHYL ALCOHOL))
- **IATA** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Glycolic acid, ETHANOL)
- **Transport hazard class(es):**
- **DOT, IMDG**



Limited Quantity

- **Class:** 3 Flammable liquids
- **Label:** LimitedQuant

---

· **ADR/ADN**



Limited Quantity

- **Class:** 3 Flammable liquids
- **Label:** Ltd Qty

(Contd. on page 9)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

· IATA



Limited Quantity

- **Class:** 3 Flammable liquids
- **Label:** ID8000 (Limit)
- **Packing group:** Non-Regulated Material
- **DOT, ADR/ADN, IMDG, IATA:** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Warning: Flammable liquids
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (GLYCOLIC ACID, ETHANOL (ETHYL ALCOHOL)), III

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· <b>Section 355 (extremely hazardous substances):</b>	None of the ingredients are listed.
· <b>Section 313 (Specific toxic chemical listings):</b>	1336-21-6 Ammonium Hydroxide
· <b>TSCA (Toxic Substances Control Act):</b>	All ingredients are listed or exempt from listing.
· <b>California Proposition 65:</b>	
· <b>Chemicals known to cause cancer:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause reproductive toxicity for females:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause reproductive toxicity for males:</b>	None of the ingredients are listed.
· <b>Chemicals known to cause developmental toxicity:</b>	64-17-5 Ethanol
· <b>Carcinogenic categories:</b>	
· <b>EPA (Environmental Protection Agency):</b>	None of the ingredients are listed.
· <b>TLV (Threshold Limit Value established by ACGIH):</b>	64-17-5 Ethanol
	A3

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS05

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Glycolic acid  
Ammonium Hydroxide

· **Hazard statements:**

H226 Flammable liquid and vapor.  
H314 Causes severe skin burns and eye damage.  
H401 Toxic to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dusts or mists.  
P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.  
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
P363 Wash contaminated clothing before reuse.  
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Exuviance Revitalizing-Plus Peel**  
**Exuviance Professional Revitalizing-Plus Peel**  
**FOR SALON USE ONLY**

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 01/10/2019 / 5

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

### 1 Identification

- **Product Identifier**
- **Trade Name: Evuiance Revitalizing Peel 20% Glycolic Acid**  
**Evuiance Professional Revitalizing Peel (20% Glycolic Acid)**
- **Product Number:** FLA#: 268-050
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 3      H226 Flammable liquid and vapor.



Corrosion

Skin Corr. 1A      H314 Causes severe skin burns and eye damage.

Eye Dam. 1      H318 Causes serious eye damage.

Aquatic Acute 3      H402 Harmful to aquatic life.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

- **Label elements:**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02    GHS05

- **Signal word:** Danger

- **Hazard-determining components of labeling:**

Glycolic acid

Ammonium Hydroxide

- **Hazard statements:**

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

3 % of the mixture consists of component(s) of unknown toxicity.

**Hazard(s) not otherwise classified (HNOC):** None known

**3 Composition/Information on Ingredients**

**Chemical characterization: Mixtures**

**Description:** Mixture of substances listed below with non-hazardous additions.

**Dangerous Components:**

CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ☠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ☠ Acute Tox. 4, H302	15-35%
CAS: 64-17-5 RTECS: KQ 6300000	Ethanol ☠ Flam. Liq. 2, H225; ☠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	5-10%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ☠ Acute Tox. 3, H331; ☠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; ☠ Acute Tox. 4, H302	≤2.5%
CAS: 9002-93-1	Polyethylene glycol octylphenol ether ☠ Acute Tox. 3, H331; ☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ☠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	≤2.5%

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture:**

Combustible liquid. Vapors can travel to a source of ignition and flash back.

Explosive mixtures may occur at temperatures at or above flashpoint.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· <b>PAC-1:</b>		
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>
64-17-5	Ethanol	1,800 ppm
1336-21-6	Ammonium Hydroxide	61 ppm
· <b>PAC-2:</b>		
79-14-1	Glycolic acid	280 mg/m <sup>3</sup>
64-17-5	Ethanol	3300* ppm
1336-21-6	Ammonium Hydroxide	330 ppm
· <b>PAC-3:</b>		
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>
64-17-5	Ethanol	15000* ppm
1336-21-6	Ammonium Hydroxide	2,300 ppm

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

<b>64-17-5 Ethanol</b>	
PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.

Avoid release into the environment.

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Solution

**Color:**

Clear

· **Odour:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

3.3

· **Change in condition**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

≥78 °C (≥172.4 °F)

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

- **Flash point:** 45 °C (113 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** ≥425 °C (≥797 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
- **Explosion limits:**
  - Lower:** 0 Vol %
  - Upper:** 15 Vol %
- **Vapor pressure @ 20 °C (68 °F):** ≤59 hPa (≤44.3 mm Hg)
- **Density @ 20 °C (68 °F):** 1.007 g/cm<sup>3</sup> (8.4034 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Soluble.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 10.0 %
  - Water:** 59.6 %
  - VOC content:** 10.00 %
  - Solids content:** 23.0 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:**
  - No further relevant information available.
  - The product is stable under normal conditions
  - No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

<b>79-14-1 Glycolic acid</b>		
Oral	LD50	1,950 mg/kg (Rat)
<b>64-17-5 Ethanol</b>		
Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)
<b>1336-21-6 Ammonium Hydroxide</b>		
Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)
<b>9002-93-1 Polyethylene glycol octylphenol ether</b>		
Oral	LD50	1,800 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (Rat)
Inhalative	LC50/4 h	8.9 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:**  
Strong irritant with the danger of severe eye injury.  
Corrosive effect.  
Causes serious eye irritation.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive  
Irritant  
Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to its carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans

64-17-5 Ethanol	1
<b>· NTP (National Toxicology Program):</b>	
None of the ingredients are listed.	
<b>· OSHA-Ca (Occupational Safety &amp; Health Administration):</b>	
None of the ingredients are listed.	

**12 Ecological Information**

- Toxicity:**
- Aquatic toxicity:**  
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

<b>64-17-5 Ethanol</b>	
EC50	34,900 mg/l (Daphnia)
<b>1336-21-6 Ammonium Hydroxide</b>	
EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)
<b>9002-93-1 Polyethylene glycol octylphenol ether</b>	
EC50	26 mg/l (Daphnia)

- Persistence and degradability:** No further relevant information available.
- Behavior in environmental systems:**
- Bioaccumulative potential:** No further relevant information available.
- Mobility in soil:** No further relevant information available.
- Ecotoxicological effects:**
- Remark:** Harmful to fish
- Additional ecological information:**
- General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
Harmful to aquatic organisms
- Results of PBT and vPvB assessment:**
- PBT:** Not applicable.

<b>· vPvB:</b>	
1336-21-6	Ammonium Hydroxide

- Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- Waste treatment methods**
- Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- Uncleaned packaging**
- Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

**\*14 Transport Information**

- **UN-Number:** UN2924
- **DOT, ADR/ADN, IMDG, IATA:** Limited Quantity, Consumer Commodity
- **UN proper shipping name:** Flammable liquids, corrosive, n.o.s. (Ethanol, Glycolic acid)
- **DOT:** UN2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **ADR/ADN:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **IMDG:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), Glycolic acid)
- **IATA:** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL, Glycolic acid)

· **Transport hazard class(es):**

· **DOT**



- **Class:** 3 Flammable liquids
- **Label:** 3, 8

· **ADR/ADN**



- **Class:** 3 (FC) Flammable liquids
- **Label:** 3+8

· **IMDG**



- **Class:** 3 Flammable liquids

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

· **Label:** 3/8+ID8000

· **IATA**



Limited Quantity

· **Class:** 3 Flammable liquids  
 · **Label:** 3 (8)+ID8000  
 · **Packing group:** Non-Regulated Material  
 · **DOT, ADR/ADN, IMDG, IATA** III  
 · **Environmental hazards:** Not applicable.  
 · **Special precautions for user:** Warning: Flammable liquids  
 · **Danger code (Kemler):** 38  
 · **EMS Number:** F-E,S-C  
 · **Segregation groups:** Acids, ammonium compounds, alkalis  
 · **Stowage Category** A  
 · **Stowage Code** SW2 Clear of living quarters.  
 · **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.  
 · **Transport/Additional information:**  
 · **DOT**  
 · **Quantity limitations:** On passenger aircraft/rail: 5 L  
 On cargo aircraft only: 60 L

· **ADR/ADN**  
 · **Excepted quantities (EQ):** Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

· **IMDG**  
 · **Limited quantities (LQ):** 5L  
 · **Excepted quantities (EQ):** Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
 (ETHANOL (ETHYL ALCOHOL), GLYCOLIC ACID), 3 (8), III

### 15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
 · **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

1336-21-6 Ammonium Hydroxide

(Contd. on page 11)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

· <b>TSCA (Toxic Substances Control Act):</b>		
All ingredients are listed or exempt from listing.		
· <b>California Proposition 65:</b>		
· <b>Chemicals known to cause cancer:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause reproductive toxicity for females:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause reproductive toxicity for males:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause developmental toxicity:</b>		
64-17-5	Ethanol	
· <b>New Jersey Right-to-Know List:</b>		
64-17-5	Ethanol	
1336-21-6	Ammonium Hydroxide	
· <b>New Jersey Special Hazardous Substance List:</b>		
64-17-5	Ethanol	CA, MU, TE, F3
1336-21-6	Ammonium Hydroxide	CO
· <b>Pennsylvania Right-to-Know List:</b>		
64-17-5	Ethanol	
1336-21-6	Ammonium Hydroxide	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
1336-21-6	Ammonium Hydroxide	E
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
64-17-5	Ethanol	A3
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS05

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Glycolic acid  
Ammonium Hydroxide

· **Hazard statements:**

H226 Flammable liquid and vapor.

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

H314 Causes severe skin burns and eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations:**

None of the ingredients are listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**Date of preparation / last revision:** 01/10/2019 / 5

**Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health

(Contd. on page 13)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/10/2019

Reviewed on 01/10/2019

**Trade Name: Evuviance Revitalizing Peel 20% Glycolic Acid**  
**Evuviance Professional Revitalizing Peel (20% Glycolic Acid)**

OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

### 1 Identification

- **Product Identifier**
- **Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**
- **Product Number:** FLA#: 357-077B
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 3 H402 Harmful to aquatic life.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard-determining components of labeling:**  
mandelic acid  
Glycolic acid  
Ammonium Hydroxide
- **Hazard statements:**  
H318 Causes serious eye damage.  
H402 Harmful to aquatic life.
- **Precautionary statements:**  
P273 Avoid release to the environment.  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

7 % of the mixture consists of component(s) of unknown toxicity.

• **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 90-64-2	mandelic acid ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	15-35%
CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	2-12%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	2-12%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

• **Description of first aid measures**

• **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Have eyes examined and tested by medical personnel.

If easy to do so, remove contact lenses if worn.

Get immediate medical attention.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

**5 Fire-Fighting Measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

• **PAC-1:**

90-64-2	mandelic acid	25 mg/m <sup>3</sup>
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
7631-90-5	sodium hydrogensulphite	15 mg/m <sup>3</sup>

• **PAC-2:**

90-64-2	mandelic acid	270 mg/m <sup>3</sup>
79-14-1	Glycolic acid	280 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
122-99-6	2-Phenoxyethanol	16 ppm
7631-90-5	sodium hydrogensulphite	66 mg/m <sup>3</sup>

• **PAC-3:**

90-64-2	mandelic acid	1,600 mg/m <sup>3</sup>
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm
122-99-6	2-Phenoxyethanol	97 ppm
7631-90-5	sodium hydrogensulphite	400 mg/m <sup>3</sup>

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles required in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:**  
Keep away from drains, surface and ground waters.  
Avoid release into the environment.

### 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Solution
<b>Color:</b>	Light brown

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

- **Odour:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** 3.3-3.8
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** ≥100 °C (≥212 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.6 %
  - Water:** 70.4 %
  - VOC content:** 0.64 %
  - Solids content:** 27.3 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

• <b>LD/LC50 values that are relevant for classification:</b>		
<b>90-64-2 mandelic acid</b>		
Oral	LD50	4,100 mg/kg (Rat)
<b>79-14-1 Glycolic acid</b>		
Oral	LD50	1,950 mg/kg (Rat)
<b>1336-21-6 Ammonium Hydroxide</b>		
Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:**  
Strong irritant with the danger of severe eye injury.  
Corrosive effect.  
Causes serious eye irritation.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

7631-90-5	sodium hydrogensulphite	3
-----------	-------------------------	---

- **NTP (National Toxicology Program):**  
None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**  
None of the ingredients are listed.

**12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:**  
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

<b>1336-21-6 Ammonium Hydroxide</b>	
EC50	0.66 mg/l (Daphnia) 0.66 mg/l (Water flea)

- **Persistence and degradability:** No further relevant information available.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.

• **vPvB:**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

- **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:**  
**DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**\*15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

• **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.
-------------------------------------

• **Section 313 (Specific toxic chemical listings):**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

122-99-6	2-Phenoxyethanol	
<b>• TSCA (Toxic Substances Control Act):</b>		
90-64-2	mandelic acid	
79-14-1	Glycolic acid	
90-80-2	δ-Gluconolactone	
7200-25-1	DL-arginine	
1336-21-6	Ammonium Hydroxide	
122-99-6	2-Phenoxyethanol	
1117-86-8	Caprylyl Glycol	
7631-90-5	sodium hydrogensulphite	
7732-18-5	Water, distilled water, deionized water	
<b>• TSCA new (21st Century Act) (Substances not listed)</b>		
90-64-2	mandelic acid	
<b>• California Proposition 65:</b>		
<b>• Chemicals known to cause cancer:</b>		
None of the ingredients are listed.		
<b>• Chemicals known to cause reproductive toxicity for females:</b>		
None of the ingredients are listed.		
<b>• Chemicals known to cause reproductive toxicity for males:</b>		
None of the ingredients are listed.		
<b>• Chemicals known to cause developmental toxicity:</b>		
None of the ingredients are listed.		
<b>• New Jersey Right-to-Know List:</b>		
1336-21-6	Ammonium Hydroxide	
7631-90-5	sodium hydrogensulphite	
<b>• New Jersey Special Hazardous Substance List:</b>		
1336-21-6	Ammonium Hydroxide	CO
7631-90-5	sodium hydrogensulphite	CO
<b>• Pennsylvania Right-to-Know List:</b>		
1336-21-6	Ammonium Hydroxide	
7631-90-5	sodium hydrogensulphite	
<b>• Pennsylvania Special Hazardous Substance List:</b>		
1336-21-6	Ammonium Hydroxide	E
7631-90-5	sodium hydrogensulphite	E
<b>• Carcinogenic categories:</b>		
<b>• EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
<b>• TLV (Threshold Limit Value established by ACGIH):</b>		
7631-90-5	sodium hydrogensulphite	A4
<b>• NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
None of the ingredients are listed.		

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

• **Hazard pictograms:**



GHS05

• **Signal word:** Danger

• **Hazard-determining components of labeling:**

mandelic acid  
Glycolic acid  
Ammonium Hydroxide

• **Hazard statements:**

H318 Causes serious eye damage.  
H402 Harmful to aquatic life.

• **Precautionary statements:**

P273 Avoid release to the environment.  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 09/27/2018 / 1

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/27/2018

Reviewed on 09/27/2018

**Trade Name: Exuviance Clarifying Peel/Booster**  
**Exuviance Professional Clarifying Peel/Booster**

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name:** NeoStrata ProSystem Foaming Peel Neutralizer  
NeoStrata ProSystem Foaming Peel Neutralizer-Refill  
NeoStrata Perfecting Peel Neutralizer Pad  
Exuviance Neutralizing Solution  
Exuviance Neutralizing Solution-Refill  
Exuviance Professional Neutralizing Solution
- **Product Number:** FLA#: 007-076
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- **Responsible Person:** NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	2-12%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	2-12%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

### 4 First-Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation occurs, consult a doctor.
- **After eye contact:**  
If eye irritation occurs, consult a doctor.  
Rinse opened eye for several minutes under running water.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>
56-81-5	Glycerol	45 mg/m <sup>3</sup>
144-55-8	Sodium Hydrogencarbonate	13 mg/m <sup>3</sup>

· **PAC-2:**

57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>
56-81-5	Glycerol	180 mg/m <sup>3</sup>
144-55-8	Sodium Hydrogencarbonate	140 mg/m <sup>3</sup>

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

· <b>PAC-3:</b>		
57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
144-55-8	Sodium Hydrogencarbonate	840 mg/m <sup>3</sup>

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

**8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· <b>Components with occupational exposure limits:</b>	
<b>57-55-6 Propylene Glycol</b>	
WEEL	Long-term value: 10 mg/m <sup>3</sup>
<b>56-81-5 Glycerol</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Goggles recommended during refilling.

- **Limitation and supervision of exposure into the environment:** None

(Contd. on page 4)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Clear

· **Odour:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value @ 20 °C (68 °F):** 7.5-9.5

· **Change in condition**

**Melting point/Melting range:** Not determined.

**Boiling point/Boiling range:** ≥100 °C (≥212 °F)

· **Flash point:** ≥103 °C (≥217.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** ≥371 °C (≥699.8 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

· **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

· **Density @ 20 °C (68 °F):** 1.0388 g/cm<sup>3</sup> (8.6688 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

**Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 5.0 %

**Water:** 87.5 %

**VOC content:** 0.00 %

**Solids content:** 2.5 %

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

· **Other information:** No further relevant information available.

**10 Stability and Reactivity**

- **Reactivity:**  
 No further relevant information available.  
 The product is stable under normal conditions  
 No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>57-55-6 Propylene Glycol</b>		
Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (Rabbit)
<b>56-81-5 Glycerol</b>		
Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
 The product is not subject to classification according to internally approved calculation methods for preparations.  
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories:**

· <b>IARC (International Agency for Research on Cancer):</b>
None of the ingredients are listed.

· <b>NTP (National Toxicology Program):</b>
None of the ingredients are listed.

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**12 Ecological Information**

· **Toxicity:**

· **Aquatic toxicity:**

**57-55-6 Propylene Glycol**

EC50 >10,000 mg/l (Daphnia)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:** No further relevant information available.

**13 Disposal Considerations**

· **Waste treatment methods**

· **Recommendation:**

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

· **UN-Number:**

· **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

· **UN proper shipping name:**

· **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

· **Transport hazard class(es):**

· **DOT, ADR/ADN, ADN, IMDG, IATA**

· **Class:** Non-Regulated Material

· **Packing group:**

· **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material

· **Environmental hazards:** Not applicable.

· **Special precautions for user:** Not applicable.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

· **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
 · **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**  
 None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**  
 None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**  
 All ingredients are listed or exempt from listing.

· **California Proposition 65:**  
 · **Chemicals known to cause cancer:**  
 None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**  
 None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**  
 None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**  
 None of the ingredients are listed.

· **New Jersey Right-to-Know List:**  
 57-55-6 Propylene Glycol  
 56-81-5 Glycerol

· **New Jersey Special Hazardous Substance List:**  
 None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**  
 57-55-6 Propylene Glycol  
 56-81-5 Glycerol

· **Pennsylvania Special Hazardous Substance List:**  
 None of the ingredients are listed.

· **Carcinogenic categories:**  
 · **EPA (Environmental Protection Agency):**  
 None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**  
 None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**  
 None of the ingredients are listed.

· **GHS label elements** Non-Regulated Material  
 · **Hazard pictograms:** Non-Regulated Material

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

**Trade Name: NeoStrata ProSystem Foaming Peel Neutralizer**  
**NeoStrata ProSystem Foaming Peel Neutralizer-Refill**  
**NeoStrata Perfecting Peel Neutralizer Pad**  
**Exuviance Neutralizing Solution**  
**Exuviance Neutralizing Solution-Refill**  
**Exuviance Professional Neutralizing Solution**

- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material

· **National regulations:**

None of the ingredients are listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of preparation / last revision:** 11/13/2018 / 1

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit

- **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    www.msdsauthoring.com    +1-877-204-9106