

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

* 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum
- **Product Number:** FLA#: 248-067
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NeoStrata Company Inc.
307 College Road East
Princeton, NJ 08540
Phone: +1-609-520-0715
Fax: +1-609-986-1928
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.
- **Precautionary statements:**
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear eye protection / face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

8 % of the mixture consists of component(s) of unknown toxicity.

· **Hazard(s) not otherwise classified (HNOC):** None known

* 3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:**

Mixture of substances listed below with non-hazardous additions.

Mixture: consisting of non-regulated material.

· **Dangerous Components:**

CAS: 64-17-5 RTECS: KQ 6300000	Denatured Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	2-12%
CAS: 9005-65-6	Polysorbate 80 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 5949-29-1	Citric acid, monohydrate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

* 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

64-17-5	Denatured Ethanol	1,800 ppm
107-88-0	1,3-Butanediol	120 mg/m ³
1336-21-6	Ammonium Hydroxide	61 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
57-55-6	Propylene Glycol	30 mg/m ³
7631-90-5	sodium hydrogensulphite	15 mg/m ³

· PAC-2:

64-17-5	Denatured Ethanol	3300* ppm
107-88-0	1,3-Butanediol	1,300 mg/m ³
1336-21-6	Ammonium Hydroxide	330 ppm
122-99-6	2-Phenoxyethanol	16 ppm
57-55-6	Propylene Glycol	1,300 mg/m ³
7631-90-5	sodium hydrogensulphite	66 mg/m ³

· PAC-3:

64-17-5	Denatured Ethanol	15000* ppm
107-88-0	1,3-Butanediol	4,500 mg/m ³
1336-21-6	Ammonium Hydroxide	2,300 ppm
122-99-6	2-Phenoxyethanol	97 ppm

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

57-55-6	Propylene Glycol	7,900 mg/m ³
7631-90-5	sodium hydrogensulphite	400 mg/m ³

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

64-17-5 Denatured Ethanol

PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m ³ , 1000 ppm
TLV	Short-term value: 1880 mg/m ³ , 1000 ppm

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not required.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

- **Limitation and supervision of exposure into the environment:**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

* 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- Form:** Liquid
- Color:** Light to dark amber
- Odour:** Characteristic
- Odor threshold:** Not determined.

- **pH-value @ 20 °C (68 °F):** 3.5-4.5

· Change in condition

- Melting point/Melting range:** Not determined.
- Boiling point/Boiling range:** ≥78 °C (≥172.4 °F)

- **Flash point:** None

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** ≥375 °C (≥707 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

- Lower:** Not determined.
- Upper:** Not determined.

- **Vapor pressure:** Not determined.

- **Density @ 20 °C (68 °F):** ≥1-≤1.08 g/cm³ (≥8.345-≤9.0126 lbs/gal)

- **Relative density:** Not determined.

- **Vapor density:** Not determined.

- **Evaporation rate:** Not determined.

· Solubility in / Miscibility with:

- Water:** Miscible

- **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

- Dynamic:** Not determined.
- Kinematic @ 20 °C (68 °F):** 500-5,000 mm²/s

· Solvent content:

- Organic solvents:** 5.6 %
- VOC content:** 5.64 %
≥56.4-≤60.9 g/l / ≥0.47-≤0.51 lb/gal

- Solids content:** 9.3 %

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· **Other information:** No further relevant information available.

* 10 Stability and Reactivity

- **Reactivity:** The product is stable under normal conditions
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

64-17-5 Denatured Ethanol

Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)

9005-65-6 Polysorbate 80

Oral	LD50	25,000 mg/kg (Mouse)
------	------	----------------------

1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

64-17-5	Denatured Ethanol	1
7631-90-5	sodium hydrogensulphite	3

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

64-17-5 Denatured Ethanol

EC50 34,900 mg/l (Daphnia)

1336-21-6 Ammonium Hydroxide

EC50 0.66 mg/l (Daphnia)

0.66 mg/l (Water flea)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Ecotoxic effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:**

1336-21-6 Ammonium Hydroxide

· **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

Observe all federal, state and local environmental regulations when disposing of this material.

- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

1336-21-6 Ammonium Hydroxide

122-99-6 2-Phenoxyethanol

· **TSCA (Toxic Substances Control Act):**

64-17-5 Denatured Ethanol

107-88-0 1,3-Butanediol

90-80-2 δ-Gluconolactone

9005-65-6 Polysorbate 80

1336-21-6 Ammonium Hydroxide

9004-62-0 Hydroxyethyl Cellulose

122-99-6 2-Phenoxyethanol

57-55-6 Propylene Glycol

7631-90-5 sodium hydrogensulphite

1117-86-8 Caprylyl Glycol

· **TSCA new (21st Century Act) (Substances not listed)**

5949-29-1 Citric acid, monohydrate

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 Denatured Ethanol

· **New Jersey Right-to-Know List:**

64-17-5 Denatured Ethanol

1336-21-6 Ammonium Hydroxide

57-55-6 Propylene Glycol

7631-90-5 sodium hydrogensulphite

· **New Jersey Special Hazardous Substance List:**

64-17-5 Denatured Ethanol

CA, MU, TE, F3

1336-21-6 Ammonium Hydroxide

CO

7631-90-5 sodium hydrogensulphite

CO

· **Pennsylvania Right-to-Know List:**

64-17-5 Denatured Ethanol

1336-21-6 Ammonium Hydroxide

57-55-6 Propylene Glycol

7631-90-5 sodium hydrogensulphite

· **Pennsylvania Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide

E

7631-90-5 sodium hydrogensulphite

E

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

64-17-5 Denatured Ethanol

A3

7631-90-5 sodium hydrogensulphite

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

· **Hazard pictograms:**



GHS07

· **Signal word:** Warning

· **Hazard statements:**

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 11/13/2018 / 1

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 11)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/13/2018

Reviewed on 11/13/2018

Trade Name: *Exuviance Line Smooth Antioxidant Serum*
Exuviance Super Charge AOX Serum
NeoStrata Antioxidant Defense Serum

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

* 1 Identification

- **Product Identifier**
- **Trade Name:** *NeoStrata Triple Firming Neck Cream*
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème
- **Product Number:** FLA#: 237-059A
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
NeoStrata Company Inc.
307 College Road East
Princeton, NJ 08540
Phone: +1-609-520-0715
Fax: +1-609-986-1928
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
21.3 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

* 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 541-02-6	Decamethylcyclopentasiloxane Flam. Liq. 4, H227; Eye Irrit. 2B, H320; Aquatic Chronic 4, H413	5-10%
CAS: 77-93-0	Triethyl Citrate ⚠ Acute Tox. 4, H332	2-12%
CAS: 540-97-6	Cyclohexasiloxane	≤2.5%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 111-90-0 RTECS: KK 8750000	Diethylene glycol monoethyl ether ⚠ Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 2B, H320	≤2.5%

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤2.5%
CAS: 68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl ⚠ STOT SE 3, H335; Eye Irrit. 2B, H320	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
 In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.
 If skin irritation occurs, consult a doctor.

• **After eye contact:**

Rinse opened eye for several minutes under running water.
 If eye irritation occurs, consult a doctor.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
 Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

• Protective Action Criteria for Chemicals

• PAC-1:

540-97-6	Cyclohexasiloxane	150 mg/m ³
56-81-5	Glycerol	45 mg/m ³
111-90-0	Diethylene glycol monoethyl ether	75 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
110-27-0	Isopropyl myristate	81 mg/m ³
68439-49-6	Alcohols,C16-18, ethoxylated	3.8 mg/m ³
7631-90-5	sodium hydrogensulphite	15 mg/m ³
6381-92-6	EDTA, Disodium, Dihydrate	30 mg/m ³

• PAC-2:

540-97-6	Cyclohexasiloxane	1,700 mg/m ³
56-81-5	Glycerol	180 mg/m ³
111-90-0	Diethylene glycol monoethyl ether	100 ppm
122-99-6	2-Phenoxyethanol	16 ppm
110-27-0	Isopropyl myristate	900 mg/m ³
68439-49-6	Alcohols,C16-18, ethoxylated	42 mg/m ³
7631-90-5	sodium hydrogensulphite	66 mg/m ³
6381-92-6	EDTA, Disodium, Dihydrate	330 mg/m ³

• PAC-3:

540-97-6	Cyclohexasiloxane	9,900 mg/m ³
56-81-5	Glycerol	1,100 mg/m ³
111-90-0	Diethylene glycol monoethyl ether	450 ppm
122-99-6	2-Phenoxyethanol	97 ppm
110-27-0	Isopropyl myristate	5,400 mg/m ³
68439-49-6	Alcohols,C16-18, ethoxylated	250 mg/m ³
7631-90-5	sodium hydrogensulphite	400 mg/m ³
6381-92-6	EDTA, Disodium, Dihydrate	2,000 mg/m ³

* 7 Handling and Storage

• Handling

• Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

• Conditions for safe storage, including any incompatibilities

• Storage

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s): No further relevant information available.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
 The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
 At this time, the other constituents have no known exposure limits.

56-81-5 Glycerol

PEL	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

111-90-0 Diethylene glycol monoethyl ether

WEEL	Long-term value: 25 ppm
------	-------------------------

9004-99-3 Polyethylene glycol stearate

TWA	Long-term value: 10 mg/m ³
-----	---------------------------------------

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
 The usual precautionary measures for handling chemicals should be followed.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing and wash before reuse.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:** None

* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Cream
Color:	Pale yellow
Odour:	Characteristic
Odor threshold:	Not determined.
- **pH-value @ 20 °C (68 °F):** 4.5-5.25
- **Change in condition**

Melting point/Melting range:	Not determined.
-------------------------------------	-----------------

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

- Boiling point/Boiling range:** ≥90 °C (≥194 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not determined.
 - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
 - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic @ 20 °C (68 °F):** 40,000-100,000 mPas
 - Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 3.8 %
 - Water:** 49.9 %
 - VOC content:** 2.08 %
 - Solids content:** 20.3 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

* 11 Toxicological Information

• **Information on toxicological effects:**

• **Acute toxicity:**

• **LD/LC50 values that are relevant for classification:**

541-02-6 Decamethylcyclopentasiloxane

Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	8.67 mg/l (Rat)

77-93-0 Triethyl Citrate

Oral	LD50	5,900 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)

56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

111-90-0 Diethylene glycol monoethyl ether

Oral	LD50	5,500 mg/kg (Rat)
Dermal	LD50	8,500 mg/kg (Rabbit)

• **Primary irritant effect:**

• **On the skin:** Irritant to skin and mucous membranes.

• **On the eye:** No irritating effect.

• **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Irritant

• **Carcinogenic categories:**

• **IARC (International Agency for Research on Cancer):**

- Group 1 - Carcinogenic to humans
- Group 2A - Probably carcinogenic to humans
- Group 2B - Possibly carcinogenic to humans
- Group 3 - Not classifiable as to its carcinogenicity to humans
- Group 4 - Probably not carcinogenic to humans

7631-90-5 sodium hydrogensulphite

3

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Smaller quantities can be disposed of with household waste.
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**
- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

• Section 313 (Specific toxic chemical listings):	
111-90-0	Diethylene glycol monoethyl ether
122-99-6	2-Phenoxyethanol
• TSCA (Toxic Substances Control Act):	
541-02-6	Decamethylcyclopentasiloxane
77-93-0	Triethyl Citrate
68411-27-8	C12-15 Alkyl Benzoate
68920-03-6	Shea Butter
11099-07-3	Glyceryl Stearate
540-97-6	Cyclohexasiloxane
56-81-5	Glycerol
67762-27-0	Alcohols, C16-18
111-90-0	Diethylene glycol monoethyl ether
9004-99-3	Polyethylene glycol stearate
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl
25038-74-8	Polyamide (nylon) Composite
7695-91-2	DL- α -Tocopherol acetate
122-99-6	2-Phenoxyethanol
110-27-0	Isopropyl myristate
68439-49-6	Alcohols, C16-18, ethoxylated
63500-71-0	2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol
1117-86-8	Caprylyl Glycol
7631-90-5	sodium hydrogensulphite
105-95-3	Ethylene brassylate
7732-18-5	Water, distilled water, deionized water
• TSCA new (21st Century Act) (Substances not listed)	
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl
• California Proposition 65:	
• Chemicals known to cause cancer:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
• Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
• New Jersey Right-to-Know List:	
56-81-5	Glycerol
7631-90-5	sodium hydrogensulphite

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

• New Jersey Special Hazardous Substance List:		
7631-90-5	sodium hydrogensulphite	CO
• Pennsylvania Right-to-Know List:		
56-81-5	Glycerol	
7631-90-5	sodium hydrogensulphite	
• Pennsylvania Special Hazardous Substance List:		
7631-90-5	sodium hydrogensulphite	E
• Carcinogenic categories:		
• EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
• TLV (Threshold Limit Value established by ACGIH):		
7631-90-5	sodium hydrogensulphite	A4
• NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		
• GHS label elements Non-Regulated Material		
• Hazard pictograms: Non-Regulated Material		
• Signal word: Non-Regulated Material		
• Hazard statements: Non-Regulated Material		
• National regulations:		
None of the ingredients are listed.		
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/18/2018 / 3

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 4: Flammable liquids – Category 4

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/18/2018

Reviewed on 10/18/2018

Trade Name: NeoStrata Triple Firming Neck Cream
NeoStrata Skin Active Triple Firming Neck Cream
Exuviance Age Reverse Toning Neck Cream
Exuviance Professional Triple Action Neck Crème

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

• *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106