

Page 1 of 6 SDS-012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017

1. PRODUCT & COMPANY IDENTIFICATION			1		T º COM	DANIV	IDE	NITIE		TIA	NI .				
TARIOUS NAMIS	1.1	Draduat Namo:					IDE	NIII	·ICA	110	IN				
1.3 Spronymer			FAMOUS	S NAMES	<u>– IBX BO</u>	OST									
14 Tarke Names: Famous Names - IBX Boost				Methacrylate F	Resin Blend										
15		, ,													
161 Delithour's Name: Famous Names, LLC 180 Delithour's Name: 187 Colkidand Hills Dr., Las Vegas, NV 89141 USA Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 706492) 10 Business Phone: Fax: +1 (858) 779-1613 / +1 (877) 235-1141 2. HAZARDS IDENTIFICATION															
17															
1.5 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 706492)				•											
Parametrication Parametric															
2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING: CAUSES SKNI IRRITATION. CAUSES EX'E IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Classification: Skin Irrit. 2; Eye Irrit. 28; STOT RE 3 Label Elements: L						+1 (800) 424	-930	O (CC	N 70	6492)			
This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC. 1088 (2004) and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Classification: Skin Irrit. 2; Eye Irrit. 215; STOT RE 2 22 Label Elements: Hazard Statements (P): H1515 — Causes skin infration. H320 — Causes eye irritation. H335 — May cause respiratory irritation. Precautionary Statements (P): P261 — Avoid breathing dust/furnes/mist/vapors. P264 — Wash skin hands and exposed skin areas with soap and warm water thoroughly after handling. P271 — Use only outdoors or in a well-ventilated area. P280 — Wear protective glove protection/face protection. P302+P352 — IF ON SKIN: Wash with plenty of water and soap. P304+P340 — IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing. P312 — Call POISON CONTROL or a doctor if you feel unwell. P321 — Specific treatment - see section 4 of this SDS. P332-P313 — If skin irritation occurs. Get medical advice/latention. P362+P364 — Take off contaminated clothing and wash before reuse. P403+P233 — Store in a well-ventilated place. Keep contaminating blossed. P405 — Store locked up. P501 — Dispose of contentiscontalner to locensed waste management facility. **REEP OUT OF REACH OF CHILDREN.** 3. COMPOSITION & INGREDIENT INFORMATION **REEP OUT OF REACH OF CHILDREN.** A NA	1.9	Business Phone / Fax:	+1 (858) 779-	1513 / +1 (877)) 235-1141										
Classification criteria of NORSC: 1086 (2004) and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. CAUSES SKIN IRRIT				2. HA	ZARDSI	DENT	IFIC	ATIC	N						
Cause respiratory irritation Precautionary Statements (P): P261 – Avoid breathing dust/fumes/mist/vapors. P264 – Wash skin Precautionary Statements (P): P261 – Avoid breathing dust/fumes/mist/vapors. P264 – Wash skin Precautionary Statements (P): P261 – Avoid breathing dust/fumes/mist/vapors. P264 – Wash skin Pacaditorary Statements (P): P261 – Avoid breathing dust/fumes/mist/vapors. P264 – Wash skin Pacaditorary Statements (P): P261 – Pacaditorary Statements (P): Pacaditorary Stat			classification of WARNING! Of Classification:	criteria of NOHS CAUSES SKIN Skin Irrit. 2; E	SC: 1088 (2004 IRRITATION. ye Irrit. 2B; ST	4) and AE CAUSES OT RE 3	G Cod	e (Aus RRITA	tralia). ATION	. MAY	CAUS	E RE	SPIRA [.]	TORY	
CAS No. RTECS No. EINECS No. STEL	2.3		cause respirat Precautionary hands and ex only outdoors protection. P INHALED: Rei IN EYES: Rins easy to do. (P321 – Specif medical advic P362+P364 – well-ventilated contents/conta	ory irritation. Statements (P posed skin are or in a well-v 302+P352 – If move person to se cautiously w Continue rinsin fic treatment - seattention. F Take off contail place. Keep of ainer to licensee F REACH OF (): P261 – Avoi as with soap a rentilated area = ON SKIN: W o fresh air and rith water for sr g. P312 – Ca g. P312 – Ca 337+P313 – aminated cloth container tightly d waste manag	d breathing dependence of this SE of this SE of the general mining and versions and	ng dust n water – Wea n plenty nfortabl nutes. DN CO DS. P3 ritation wash b P405 cility.	/fumes thorou r prote v of we e for b Remo NTRO 32+P3 persis efore – Sto	s/mist/ ughly a ective ater areathing ve con L or a \$13 – I sts get reuse.	vapors after ha gloves nd soang. P3 ntact la docto f skin P403 add up	s. P264 andling s/eye p ap. P30 305+P3 enses, or if yo irritatio cal ad 3+P233 . P501	4 – William P27 protect 04+P3 551+Priff pres u feel in occurice/a 3 – St	ash ski 1 – Us tion/fac 40 – I 338 – I sent an unwel urs: Ge ttentior ore in	n e e e F F d l.	!
ACGIH NOHSC OSHA ppm			3. CC	OMPOSITI	ON & INC	REDI	ENT	INF	ORI	ΛAΤ	ION				
PPM												IMITS II			
CAS No. RTECS No. EINECS No. % TLV STEL TWA STEL PEAK PEL STEL IDLH OTHER BIS-HEA POLY (PROPYLENE GLYCOL)-53/IPDI COPOLYMER BIS-HEA POLY(1,4-BUTANEDIOL)- 9/IPDI COPOLYMER BIS-HEA POLY(1,4-BUTANEDIOL)- 9/IPDI COPOLYMER BIS-HEMA POLYNEOPENTYL GLYCOL ADIPATE/IPDI COPOLYMER SKIN Irrit. 2; Eye Irrit. 2; H315; H319 TETRAHYDOFURFURYL METHACRYLATE SKIN Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 TRIMETHYLOLPROPANE TRIMETHYLOLPROPANE TRIMETHACRYLATE SUCROSE BENZOATE HYDROXYCYCLOHEXYL PHENYL KETONE TRIMETHYLBENZOYL DIPHENYLPHOSPHINE OXIDE SKIN Irrit. 2; STOT SE 3; H315, H319, H335 TRIMETHYLBENZOYL 947-13-3 NA 213-426-9 0-1 NA NA NF NF NF NA NA NA NA REPT. 2; H361f 7631-86-9 VV7310000 NA 0-1 NA NA NF NF NF NF NF NA NA NA SKIN Irrit. 2; STOT SE 3; H315, H319, H335 SKILICA SKIN IRRIT STORMEN NA							AC	GIH			;		OSHA		
CAS No. RTECS No. EINECS No. W TLV STEL TWA STEL PEAK PEL STEL IDLH OTHER							pp	m					ppm		
BIS-HEA POLY (PROPYLENE GLYCOL)-53/IPDI COPOLYMER BIS-HEA POLY(1,4-BUTANEDIOL)- 9/IPDI COPOLYMER BIS-HEA POLYNEOPENTYL GLYCOL ADIPATE/IPDI COPOLYMER BIS-HEMA POLYNEOPENTYL GLYCOL ADIPATE/IPDI COPOLYMER BIS-	СНЕМІ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL				PEL	STEL	IDLH	OTHER
Section State Section State Section															2.1.1=1.1
Signature Sign					•		•								
BIS-HEMA POLYNEOPENTYL GLYCOL ADIPATE/IPDI COPOLYMER Skin Irrit. 2; Eye Irrit. 2; H315; H319 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H			NA	NA	NA	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
Skin Irrit. 2; Eye Irrit. 2; H315; H319			82339-16-0	ΝΔ	NΔ	10-30	NΔ	ΝΔ	NF	NF	NF	NA	NA	NA	
2455-24-5	GLYC	OL ADIPATE/IPDI		1	1	10-30	14/1	14/1	141	141	141				
Skin Irrit. 2; Eye Irrit. 2; STOT RE 3; H315, H319, H335 TRIMETHYLOLPROPANE 3290-92-4 NA 221-950-4 5-15 NA NA NF NF NA NA NA NA					1	1	T				I				
TRIMETHYLOLPROPANE 3290-92-4	TETRAHYDROFURFURYL		2455-24-5		219-529-5	5-15	NA	NA	NF	NF	NF	NA	NA	NA	l .
TRIMETHACRYLATE Aquatic Chronic 2: H411 SUCROSE BENZOATE 12738-64-6 NA 235-795-5 0-1 NA NA NF NF NF NA			Skin Irrit 2: Ev	(a Irrit 2: STAT E	DE 3: U315 U310	H335									
SUCROSE BENZOATE HYDROXYCYCLOHEXYL PHENYL 947-13-3 NA 213-426-9 0-1 NA NA NF NF NF NA	ITRIME						NA	NA	NF	NF	NF	NA	NA	NA	
KETONE		THYLOLPROPANE	3290-92-4	NA			NA	NA	NF	NF	NF	NA	NA	NA	
TRIMETHYLBENZOYL 75980-60-8 NA 278-355-8 0-1 NA NA NF NF NF NA	TRIME	ETHYLOLPROPANE ETHACRYLATE	3290-92-4 Aquatic Chron	NA ic 2: H411	221-950-4	5-15			•						
DIPHENYLPHOSPHINE OXIDE Repr. 2; H361f	TRIME	ETHYLOLPROPANE ETHACRYLATE OSE BENZOATE	3290-92-4 Aquatic Chron 12738-64-6	NA ic 2: H411 NA	221-950-4	0-1	NA	NA	NF	NF	NF	NA	NA	NA	
SILICA 7631-86-9 VV7310000 NA 0-1 NA NA NF NF NF 20 NA 3000 RESP FRAC Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335 81-48-1 CR7700000 201-353-5 0-0.1 NA NA NE NE NE NA NA NA NA NA NA	SUCR HYDR KETO	ETHYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE	3290-92-4 Aquatic Chron 12738-64-6 947-13-3	NA ic 2: H411 NA NA	221-950-4 235-795-5 213-426-9	0-1	NA NA	NA NA	NF NF	NF NF	NF NF	NA NA	NA NA	NA NA	
Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	SUCR HYDR KETO TRIME	THYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE ETHYLBENZOYL	3290-92-4 Aquatic Chron 12738-64-6 947-13-3 75980-60-8	NA ic 2: H411 NA NA	221-950-4 235-795-5 213-426-9	0-1	NA NA	NA NA	NF NF	NF NF	NF NF	NA NA	NA NA	NA NA	
SKIN IMIT. 2; EYE IMIT. 2; STOTI SE 3; H315, H319, H335	SUCR HYDR KETO TRIME	THYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE ETHYLBENZOYL	3290-92-4 Aquatic Chron 12738-64-6 947-13-3 75980-60-8 Repr. 2; H361	NA ic 2: H411 NA NA NA	221-950-4 235-795-5 213-426-9 278-355-8	0-1 0-1 0-1	NA NA NA	NA NA NA	NF NF	NF NF	NF NF	NA NA	NA NA NA	NA NA	
CI 60725 (VIOLET 2)	SUCR HYDR KETO TRIME DIPHE	THYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE ETHYLBENZOYL ENYLPHOSPHINE OXIDE	3290-92-4 Aquatic Chron 12738-64-6 947-13-3 75980-60-8 Repr. 2; H3611 7631-86-9	NA ic 2: H411 NA NA NA f	221-950-4 235-795-5 213-426-9 278-355-8 NA	5-15 0-1 0-1 0-1	NA NA NA	NA NA NA	NF NF	NF NF	NF NF	NA NA	NA NA NA	NA NA	RESP FRAC
	SUCR HYDR KETO TRIME DIPHE	THYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE ETHYLBENZOYL ENYLPHOSPHINE OXIDE	3290-92-4 Aquatic Chron 12738-64-6 947-13-3 75980-60-8 Repr. 2; H361: 7631-86-9 Skin Irrit. 2; Ey	NA ic 2: H411 NA NA NA f VV7310000 re Irrit. 2; STOT S	221-950-4 235-795-5 213-426-9 278-355-8 NA SE 3; H315, H315	0-1 0-1 0-1 0-1 0-1 0-1 0, H335	NA NA NA	NA NA NA	NF NF NF	NF NF NF	NF NF NF	NA NA NA 20	NA NA NA	NA NA NA 3000	RESP FRAC
	SUCR HYDR KETO TRIME DIPHE SILICA	ETHYLOLPROPANE ETHACRYLATE OSE BENZOATE OXYCYCLOHEXYL PHENYL NE ETHYLBENZOYL ENYLPHOSPHINE OXIDE	3290-92-4 Aquatic Chron 12738-64-6 947-13-3 75980-60-8 Repr. 2; H361: 7631-86-9 Skin Irrit. 2; Ey	NA ic 2: H411 NA NA NA f VV7310000 re Irrit. 2; STOT S	221-950-4 235-795-5 213-426-9 278-355-8 NA SE 3; H315, H315	0-1 0-1 0-1 0-1 0-1 0-1 0, H335	NA NA NA	NA NA NA	NF NF NF	NF NF NF	NF NF NF	NA NA NA 20	NA NA NA	NA NA NA 3000	RESP FRAC



7.1

72

7.3

Work & Hygiene Practices:

Storage & Handling:

Special Precautions:

SAFETY DATA SHEET

Page 2 of 6

SDS-012 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017 4. FIRST AID MEASURES First Aid: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm Eyes: water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air at once. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Skin: None expected. In some sensitive individuals, the product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in rare instances. High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. Inhalation: 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. In some sensitive individuals, symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 4.4 Acute Health Effects: Moderate irritation to eyes. In some sensitive individuals moderate irritation to skin near affected areas. 4.5 Chronic Health Effects No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes, Skin, Respiratory System 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable, but will ignite at high temperatures. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO₂) and nitrogen (e.g., NO_x) and smoke. Extinguishing Methods: Water, Foam, CO₂, Dry Chemical 5.2 As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-5.3 Firefighting Procedures: demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). For small spills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash

7. HANDLING & STORAGE INFORMATION

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive

thoroughly before reuse.

heat and open flames.

Do not eat, drink, or smoke while handling this product.



Page 3 of 6 SDS-012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 7/6/2017 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OSHA OTHER Exposure Limits: 8 1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA PEAK PEL STEL IDLH STEL 3000 RESP FRAC SILICA NA NA NF NF NF NA Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls: that an eyewash station, sink or washbasin is available in case of exposure to eyes or skin. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged or repeated skin contact will occur while using or handling this product, wear latex or rubber gloves. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Clear to opaque liquid 9.2 Odor Mild odor 9.3 Odor Threshold: NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint > 100 °C (> 212 °F) Upper/Lower Flammability 9.8 NA Limits: 9.9 Vapor Pressure: < 1 (air=1) 9.10 Vapor Density: NA 9.11 Relative Density: 1.1 Solubility: 9.12 Insoluble (water) Partition Coefficient (log Pow): 9 13 NA 9 14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: 4,000 cPs (approximate) 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability This product is stable. Hazardous Decomposition 10.2 Oxides of carbon (CO, CO₂) and sulfur (SO₂). 10.3 Hazardous Polymerization: Will not occur. 104 Conditions to Avoid Open flames, sparks and high heat 10.5 Incompatible Substances: None known. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES 11.1 Absorption: YES Ingestion: NO 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of this product, but is not presented in this document 11.3 Acute Toxicity: See Section 4.4 Chronic Toxicity: 11.4 See Section 4.5 11.5 Suspected Carcinogen: 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: 11.7 See Section 4.3



Other Requirements:

NA

15.8

SAFETY DATA SHEET

Page 4 of 6 SDS-012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 7/6/2017 SDS Revision: 1.0 11. TOXICOLOGICAL INFORMATION – cont'd 11.8 Biological Exposure Indices: NE Physician Recommendations: 11.9 Treat symptomatically 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability There are no specific data available for this product. Effects on Plants & Animals: 12.2 There are no specific data available for this product. Effects on Aquatic Life 123 There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations Special Considerations: 13 2 U.S. EPA Waste Number: D001 (characteristic - ignitable). 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** IATA (AIR): 14.2 **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED 14.6 SCT (MEXICO): **NOT REGULATED** ADGR (AUS): 14.7 NOT REGULATED 14.8 OTHER: NA REGULATORY INFORMATION 15.1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.2 SARA TPQ There are no specific Threshold Planning Quantities for the components of this product. TSCA Inventory Status 15.3 The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity: 15.4 NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).



Page 5 of 6 SDS-012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 7/6/2017

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Avoid breathing dust/fumes/mist/vapors. Wash skin hands and exposed skin areas with soap and warm water thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. IF ON SKIN: Wash with plenty of water and soap. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call POISON CONTROL or a doctor if you feel unwell. Specific treatment - see section 4 of this SDS. If skin irritation occurs: Get medical advice/attention. If eye irritation persists get medical advice/attention. Take off contaminated clothing and wash before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container to licensed waste management facility. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Famous Names, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	Famous Names LLC 11897 Oakland Hills Dr Las Vegas, NV 89141 USA Tel: +1 (858) 779-1513 Toll Free: +1 (877) 235-1141 www.famousnamesproducts.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 SDS-012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 7/6/2017

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL Permissible Exposure Limit	
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F			





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	1 2
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \ \
₩	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(2)		\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	③		\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment