$0.6 \cdot 1$

SAFETY DATA SHEET

Page 1 of 5

SDS-377 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 8/24/2017 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name OPI CHROME EFFECTS NAIL LACQUER TOP COAT NΑ Chemical Name: 1.2 1.3 Synonyms NA 1.4 Trade Names: CPT31 Professional or Sundry Use Only 1.5 Product Use: Distributor's Name: OPI Products, Inc. 1.6 1.7 Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification This product is not classified as a hazardous substance or as dangerous goods according to the classification criteria of NOHSC: 1088 (1999) and ADG Code (Australia). WARNING! CAUSES EYE IRRITATION. Classification: Eye Irrit. 2B 2.2 Label Elements: Hazard Statements (H): H320 - Causes eye irritation. Precautionary Statements (P): P233 - Keep container tightly closed. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritations persist: Get medical advice. Attention. P332+P313 – If skin irritation occurs: Get medical advice attention. Other Warnings: 2.3 KEEP OUT REACH OF CHILDREN. Avoid eye contact due to sensitizing potential. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC **OSHA** ppm ppm ppm ES-ES-CHEMICAL NAME(S) RTECS No. FINECS No. TLV STEL PEAK PFI STEL IDI H OTHER CAS No. TWA STFI 7732-18-5 ZC0110000 231-191-2 60-90 NA NA NF NF NF NA NA NA WATER (AQUA/EAU) 25133-97-5 NA 604-559-5 15-40 NA NA NF NF NF NA NA NA ACRYLATES COPOLYMER NA NA NA 10-25 NA NA NF NF NF NA NA NA PPG-17/IPDI/DPMA COPOLYMER 122-99-6 KM0350000 204-589-7 0.1-1 NA NA NF NF NF NA NA NA PHENOXYETHANOL 472975-82-9 NA METHOXY PEG-11 METHOXY NA 0-0.1 NA NA NE NE NE NA NA NA PPG-24 DIMETHICONE 4. FIRST AID MEASURES First Aid: 4.1 If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air. Effects of Exposure: 4.2 If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system Ingestion: depression. Eyes: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Skin: Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory Inhalation: system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of vapors exceeding the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). 4.3 Symptoms of Overexposure: Symptoms of skin overexposure in individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering 4.4 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause

drowsiness, dizziness, headaches and nausea.

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 2 of 5

SDS-377

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 8/24/2017

4.5 Chronic Health Effects: None known. 4.6 Target Organs: Eyes, skin and respiratory system. 4.7 Medical Conditions Aggravated by Exposure: Pre-existing skin, eye and respiratory disorders. HEALTH FLAMMABILITY PHYSICAL HAZARDS			4. FIRST	M DIV	FASU	RFS -	cont'	'd					
Eyes, skin and respiratory system	4.5	Chronic Health Effects:			_,								
Aggravated by Exposure: Pre-existing skin, eye and respiratory disorders. HEALTH FLAMMABILITY PHYSICAL HAZARDS PROTECTIVE EQUIPMENT EYES SKIN	4.6			1									
FLAMMABILITY PRYSICAL HAZARDS PROTECTIVE EQUIPMENT EYES SKIN	4.7				sorders			HEALT	н				1
Spills: Spil		Aggravated by Exposure:		,						V			
5. FIREFIGHTING MEASURES 5. FIREFIGHTING MEASURES 5. FIREFIGHTING MEASURES 5. Estaquathing Methods: 5. Co., Halon (if permitted). Dry Chemical, Foam This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., C.O., NO ₂). 5. Estaquathing Methods: C.O., Halon (if permitted). Dry Chemical, Foam This product is a combastible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6.1 Spilit: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective equipment (e.g., goggles, gloves). Requirement (e.g., goggles, gloves). Registed material spills (e.g., < 1 gallon (3.8 L)) wear appropriate closed container(s) for disposal. Dispose of projectorial protective equipment (e.g., goggles, gloves). Registed material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of projectorial protective equipment (e.g., goggles, gloves). Registed protection in government and containers for crowder of containers fo													0
September Sept								PHYSIC	CAL HAZ	ZARDS	5		0
5. FIREFIGHTING MEASURES 5.1 Five & Exposion Hazardix 5.2 Estinguishing Methods: 5.3 This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO,, CO,, NO,). 5.3 Fivefighting Procedures: 6.0 Cy, Halon (if permitted), Dry Chemical, Foam 7. This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. First responders should wear eye protection in spill cleanup must wear appropriate cleased containers or containers and outside of containers or containers and outside of containers or containers and outside of containers or should wear eye protection for eq								PROTE	CTIVE E	QUIP	MENT		В
Fire & Explosion Hazards: This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO, NO,).								EYES	SKIN	I			
Fire & Exposeion Hazards: This product is a non-flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO, NO,).			5. FIREI	FIGHT	ING N	/IEASU	RES						
Statisgualshing Methods CO_, Halon (if permitted), Dry Chemical, Foam This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. Spale: Spale: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective equipment. For small spills (e.g., <1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Requipment. For small spills (e.g., <1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Respilled maternal with absorbent material and place into appropriate closed container(s) for disposal. Dispose of proy accordance with local, state and federal regulations. Wash lal affected areas and outside of container with plenty of water and soap. Remove any contaminated clothing and wash throughly before reuse. For large spills (e.g., <1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and containing a water. Keep spills and cleaning runoffs out of municipal severs and open bodies of water. This product is a property of the product, and property of the	5.1	Fire & Explosion Hazards:	This product is a non-flammable	liquid.	When in	nvolved in		this produc	ct may ig	nite ar	ıd		
Firefighting Procedures: This product is a combustible liquid. When involved in a fire, this product may ignite readily and decompose to produce carbon oxides.	5.2	Extinguishing Methods:				()·						<u> </u>	
decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. A CCIDENTAL RELEASE MEASURES 8-1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Pre Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves), R spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of pro accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty or water and soap. Remove any contaminated clothing and wash throughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal severs and open bodies of water. 7.1 Work & Hyglene Practices: 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. 8.1 Exposure Limits: ppm (mg/m²) 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ppm (mg/m²) When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). That an eyewash station, sink or washbasin is available in case of exposure to eyes. No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product, pr			-			ad in a fire	this nr	oduct may	ianite re	adily ar	d /		
Protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Respilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of project of accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty or water and soap. Remove any contaminated clothing and wash throughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill will material (e.g., sand or earth). Transfer fliquid to containers for recovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with sow water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. T. HANDLING & STORAGE INFORMATION T. HANDLING & STORAGE INFORMATION	0.0	rongg r rooddaroo.	decompose to produce carbon ox	ides.			·	·	•	•			0
Spillis: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Proceedings of the property of the process of the property of the process of the product of the product of the product of th												1	/
6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Proceeding and spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Respilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of progracion accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty or water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., > 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dispose of progracion accordance with local, state and rederal regulations. Wash all affected areas and outside of container with plenty or water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., > 1 gallon (3.8 L)), deny entry to all unprotected individuals. Disposal containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hyglene Practices: Avoid eye contact. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ppm (mg/m²) BEQUARD A STORAGE INFORMATION 8.2 Ventilation & Engineering Chemical Name(s) Tuy STEL ESTWA STEL PEAK PEL STEL IDLH NA NA NF NF NA NA NA NF NF NA N							or arrect	vapors. \	vvater ma	iy not k	е		
Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Procedure.			1 Should in doldary extriguishing	C 111VC	viily uili	product.							
Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). R spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of projective accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., > 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill will material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7.1 Work & Hyglene Practices: 7.2 Storage & Handling: 1.3 Special Precautions: 8.4 Exposure Limits: 1.5 Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8.5 EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: 1.6 Personal Registration of Engineering Controls: 8.2 Ventilation & Engineering Controls: 8.3 Respiratory Protection: 8.4 Personal Respiratory Protection: 8.5 Respiratory Protection: 8.6 Respiratory Protection: 8.7 Aux And Na			6. ACCIDEN	TAL R	ELEA	SE ME	ASU	RES					
For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves), R spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of proj accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of water and soap. Remove any contaminated clothing and wash thoroughly before reuse.	6.1	Spills:		k, individ	luals inv	olved in s	spill clea	anup must	wear a	opropria	ite Pers	onal P	rotective
accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill will material (e.g., sand or earth). Transfer liquid to containers for procovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7.1 Work & Hyglene Practices: Avoid eye contact. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. Special Precautions: Speci	İ		For small spills (e.g., < 1 gallon (3										
water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill will material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7.1 Work & Hygiene Practices: Avoid eye contact.													
For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill wit material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid liking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with so water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid eye contact. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ppm (mg/m³) CHEMICAL NAME(s) TLV STEL ES-TWA STEL PEAK PEL STEL IDLH NA NA NF NF NF NA NA NA NA ANA NF NF NF NA NA NA NA When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard 294.4-93 and applicable standards of Canada Piol66. 8.5 Hand Protection: 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If										of conta	iner with	plenty	of warm
material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to se containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with solid water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7.1 Work & Hygiene Practices: 7.2 Storage & Handling: 1.3 Special Precautions: 8.1 Exposure Limits: 1.5 ppm (mg/m³) 1.6 Ventilation & Engineering 1.7 Chemical Name(s) 1.7 Chemical										ike and	contain	enill w	ith inert
containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with sowater. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid eye contact. 8. Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. 8. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ppm (mg/m²) CHEMICAL NAME(s) NA NA NA NF NF NF NA NA NA R. Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). That an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. AVOID EVE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: Hand Protection: Hand Protection: Hand Protection: However, no special body protection is required under typical circumstances of use and handling. If													
7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid eye contact. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: pm (mg/m³) CHEMICAL NAME(S) NA NA NA NA NA NA NA NA NA N													
Note			water. Keep spills and cleaning ru	noffs out	of munic	ipal sewers	and op	en bodies	of water.				
Note			7 HANDLING	8 CT/		EINEC)DMA	TION					
Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in dama unmarked containers or storage devices. Keep containers securely closed when not in use. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. S. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ppm (mg/m²) CHEMICAL NAME(s) NA ACGIH NOHSC CHEMICAL NAME(s) NA NA NF NF NF NF NF NF NF NF NA	7.1	Work & Hygiene Practices:		ασι	JKAC	IE INFO)KIVI <i>F</i>	TION					
Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.			*			/	ا ماده ام	4 4:1 4		. D	_4 _4	:	
Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.	1.2	Otorage & Hariding.									ot store	ın dam	aged or
8.1 Exposure Limits:	7.3	Special Precautions:	-		_								
Exposure Limits: ppm (mg/m³) Exposu		<u>'</u>	Spilled material may present a silp	ping naz	aiu ii ieii	unallende	u. Clea	ii ali spilis	promptly.				
Exposure Limits: ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA NA NA NA NA NA NA NA			8. EXPOSURE CONT	ROLS	& PE	RSON	AL P	ROTEC	CTION				
CHEMICAL NAME(S) NA NA NA NA NA NA NA NA NA N	8.1	Exposure Limits:										OTHE	R
NA NA NA NF NF NF NF NA NA NA 8.2 Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If		ppm (mg/m³)	CHEMICAL NAME(O)	T1.1/	OTEL	50 TWA			DEI	OTE	ID. II		
When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. Body Protection: However, no special body protection is required under typical circumstances of use and handling. If													
that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If	8.2											, fans).	Ensure
instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If		Controls:	that an eyewash station, sink or w	ashbasin	is availa	ble in case	of expo	sure to eye	es.				
use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If	8.3	Respiratory Protection:											
CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If													
Australia. 8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If													
8.4 Eye Protection: AVOID EYE CONTACT DUE TO SENSITIZING POTENTIAL. Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. B.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. Body Protection: However, no special body protection is required under typical circumstances of use and handling. If			•	plicable	standard	is of Cana	idian Pr	ovinces, E	EC memi	per Sta	tes, or		
splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If	8.4	Eye Protection:		SENSIT	IZING F	OTENTIA	L. Dene	ndina on t	he use o	f this n	roduct	6	4
standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If		•											
rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If			standards, or the European Stand	ard EN16	6.				_			V	
appropriate standards of Canada, of the EU member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If	8.5	Hand Protection:										mm	
8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If						. OSHA 2	9 CFR §	1910.1	38, the	ki)		
	0.0	Destri Dest. "					-1 -1-		£		in a 16		
I HECESSALY, TEIEL LO ADDIODINALE STANDANDA. HE E.C. HICHDEL STATES. OF U.S. USEA	8.6	Body Protection:									ing. If		
property and a series of the s			inecessary, refer to appropriate sta	ariuarus U	i Callau	a, III C E.C.	menne	siaies, Ul	0.3. 031	i/\.			

 $\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

SAFETY DATA SHEET

Page 3 of 5 SDS-377

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 8/24/2017

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Semi viscous liquid
9.2	Odor:	Slight
9.3	Odor Threshold:	NA LNA
9.4 9.5	pH: Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling	
	Range:	NA NA
9.7	Flashpoint:	NA NA
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	NA NA
9.10	Vapor Density:	NA
9.11 9.12	Relative Density: Solubility:	NA
9.12	Partition Coefficient (log P _{ow}):	Immiscible with water NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	NA NA
9.17	Other Information:	NA NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon and nitrogen.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat and direct sunlight.
10.5	Incompatible Substances:	None known.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: NO Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components
		of the product, which are found in scientific literature. This data has not been presented in this document.
11.3	Acute Toxicity:	See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or
11.6	Reproductive Toxicity:	confirmed human carcinogen by IARC, or as a known, potential or possible carcinogen by ACGIH, NTP or OSHA.
11.0	Mutagenicity:	This product is not reported to produce reproductive effects in humans. This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce empryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans.
,	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	Environmental data is available for some of the components of this mixture but are not presented in this document.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product. WGK: 0
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Dispose of in accordance with Federal, state and local regulations.
13.2	Special Considerations:	NA NA
		44 TRANSPORTATION INCORNATION
		14. TRANSPORTATION INFORMATION
		, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information /ICAO, IMDG, SCT, ADGT, ADR and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 5 SDS-377

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 8/24/2017

		15. REGULATORY INFORMATION		
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.		
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory as appropriate		
15.4	CERCLA Reportable Quantity:	NA NA		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D2B (Other Toxic Effects).		
15.7	State Regulatory Information:	None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).		
15.8	Other Requirements:	NA .		
		16. OTHER INFORMATION		
16.1	Other Information:	CAUSES EYE IRRITATION. Use only as directed. Discontinue use if irritation develops. Keep container tightly closed. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritations persist: Get medical advice. Attention. If skin irritation occurs: Get medical advice attention. Keep cool. KEEP OUT OF REACH OF CHILDREN.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.		
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.		
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com		

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 5 of 5

SDS-377

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 8/24/2017

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number		
RTECS No.	Registry of Toxic Effects of Chemical Substances Number		
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number		

EXPOSURE LIMITS IN AIR:

ACGIH	GIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA	U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1 Slight Hazard		
2	Moderate Hazard	
3	Severe Hazard	
4	4 Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F			

G				
Н				
ı				
J				
K	G		M	
Х	Consult y	our supe andling d	rvisor or irections.	SOPs for



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic		
Irrit	Irritant		
NA	NA Not Available		
NR	No Results		
ND	Not Determined		
NE	Not Established		
NF	NF Not Found		
SCBA	Self-Contained Breathing Apparatus		
Sens	Sensitization		
STOT RE	STOT RE Specific Target Organ Toxicity – Repeat Exposure		
STOT SE	STOT SE Specific Target Organ Toxicity – Single Exposure		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \ \
₩	Use No Water	HEALTH
ох	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animal			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{Io}	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TL _m	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®		(2)	Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	③		\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment