according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Cream Developer 6 %

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone

number:

Tel.: +49 (0) 170 2450126

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

Labelling according to cosmetic directive.

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 2 of 10

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

aqueous solution

Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
7722-84-1	Hydrogen peroxide solution %					
	231-765-0	008-003-00-9				
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, STOT SE 3; H271 H332 H302 H314 H335					

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 3 of 10

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Phosphorus oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 4 of 10

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7722-84-1	Hydrogen peroxide	1	1.4		TWA (8 h)	WEL
		2	2.8		STEL (15 min)	WEL

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Eye glasses with side protection DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

generation/formation of aerosols

Suitable respiratory protection apparatus: Particle filter device (DIN EN 143) - Type P2/3

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 5 of 10

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: <2,8

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Flash point:

Sustaining combustion:

not determined
not determined
not determined
Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: ~1 g/cm³

Water solubility: miscible.

Solubility in other solvents

not determined

Partition coefficient: not determined not determined Viscosity / dynamic: Viscosity / kinematic: not determined not determined Flow time: Vapour density: not determined Evaporation rate: not determined Solvent separation test: not determined not determined Solvent content:

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 6 of 10

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Phosphorus oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose	Species	Source	Method				
7722-84-1	Hydrogen peroxide solution %								
	oral	LD50 (426- 1026) mg/kg	Rat (OECD 401)	ECHA Dossier					
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier					
	inhalative vapour	ATE 11 mg/							
	inhalative (4 h) aerosol	LC50 (>0,17 50% H2O2) mg/l	-	ECHA Dossier					

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Hydrogenium peroxide. (CAS No. 7722-84-1):

In-vivo mutagenicity:

Method:

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

-OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: negative.

Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 7 of 10

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Hydrogenium peroxide. (CAS No. 7722-84-1): Subchronic oral toxicity LOEL = 300 ppm (Mouse.) Subacute inhalative toxicity NOEL = 2.03 ppm (Rat.)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

	The product has not been tested.								
CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7722-84-1	Hydrogen peroxide solu	Hydrogen peroxide solution %							
	Acute fish toxicity	LC50 mg/l	16,4	96 h	Pimephales promelas	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	1,38	72 h	Skeletonema costatum	ECHA Dossier			
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia pulex	ECHA Dossier			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
7722-84-1	Hydrogen peroxide solution %			
	OECD 209	>99%	28	ECHA Dossier

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 8 of 10

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED: packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available.

according to Regulation (EC) No 1907/2006

INTENSIVE Cream Developer 6 %

Revision date: 04.11.2016 Product code: Page 9 of 10

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.0: 14.05.2014. Initial release

Rev. 1.1; 04.11.2016, Changes in chapter: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

according to Regulation (EC) No 1907/2006

	INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU	
Revision date: 04.08.2017	Product code: AWAG001	Page 1 of 11
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
Further Information		

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, AMMONIUM HYDROXIDE, SODIUM CETEARYL SULFATE, SODIUM SULFITE, LANOLIN, P-PHENYLENEDIAMINE, PARFUM, P-AMINOPHENOL, RESORCINOL, 2,6-DIAMINOPYRIDINE, HELIANTHUS ANUUS SEED OIL, LIMONENE,

BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 2 of 11

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 3 of 11

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

aqueous solution

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regula	tion (EC) No. 1272/2008 [CLP]				
67762-27-0	Alcohols, C16-18			5 - < 10 %		
	267-008-6					
	Skin Irrit. 2, Eye Irrit. 2; H315 H31	9				
68603-38-3	Diethanolamine Oleic Acid Amide			1 - < 5 %		
	271-653-9		01-2119951823-33			
	Eye Dam. 1; H318	•				
1336-21-6	Ammonia %		< 1 %			
	215-647-6	007-001-01-2				
	Skin Corr. 1B, Aquatic Acute 1; H	314 H400				
106-50-3	p-phenylenediamine			< 1 %		
	203-404-7	612-028-00-6				
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H3	Tox. 3, Eye Irrit. 2, Skin Sens. 1, Aqu 01 H319 H317 H400 H410	atic Acute 1 (M-Factor = 1),			
123-30-8	4-aminophenol			< 1 %		
	204-616-2	612-128-00-X				
	Muta. 2, Acute Tox. 4, Acute Tox. H332 H302 H400 H410	4, Aquatic Acute 1 (M-Factor = 1), Aq	uatic Chronic 1; H341			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 4 of 11

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 5 of 11

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 6 of 11

FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at: generation/formation of aerosols exceeding exposure limit values

Suitable respiratory protective equipment: @0802.B008094

Type : A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: not determined

Changes in the physical state

Initial boiling point and boiling range: not determined
Flash point: not determined

Explosive properties

none

Lower explosion limits: Upper explosion limits:

Ignition temperature: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined

Solvent content: No information available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 7 of 11

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Reducing agent. Oxidizing agents. Substances and mixtures which, in contact with water, emit flammable gases

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67762-27-0	Alcohols, C16-18							
	oral	LD50 mg/kg	10000	Rat	IUCLID			
	dermal	LD50 mg/kg	8000	Rabbit	IUCLID			
68603-38-3	Diethanolamine Oleic Aci	d Amide						
	oral	LD50 mg/kg	>5000		MSDS extern			
1336-21-6	Ammonia %							
	oral	LD50 mg/kg	(350)	Rat.	GESTIS			
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS			
106-50-3	p-phenylenediamine							
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier			
	dermal	ATE mg/kg	300					
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier			
	inhalative aerosol	ATE	0,5 mg/l					
123-30-8	4-aminophenol							
	oral	LD50 mg/kg	671	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier			
	inhalative vapour	ATE	11 mg/l					
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Subchronic oral toxicity NOEL = 16 mg/kg (Rat.)

4-aminophenol:

Subchronic oral toxicity NOEL = 10 mg/kg (Rat.)

Lit.: ECHA dossier

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 9 of 11

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Ames test negative.

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative.

Developmental toxicity/teratogenicity NOAEL = 10 mg/kg (Rat.)

4-aminophenol:

No experimental indications of mutagenicity in-vivo exist.

No indications of human carcinogenicity exist.

Developmental toxicity/teratogenicity NOAEL = 100 mg/kg (Rat.)

Diethanolamine Oleic Acid Amide:

No experimental indications of mutagenicity in-vitro exist.

Lit.: ECHA dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68603-38-3	Diethanolamine Oleic Acid	d Amide					
	Acute fish toxicity	LC50 mg/l	>1 <=10	96 h		MSDS extern	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
123-30-8	4-aminophenol						
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,55	41 c	Oryzias latipes (OECD 210)	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,206	21 c	Daphnia magna (OECD 202)	ECHA Dossier	
	Acute bacteria toxicity	(29,9 mg/)	3 h	Activated sludge (OECD 209)	ECHA Dossier	

12.2. Persistence and degradability

No information available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 10 of 11

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
123-30-8	4-aminophenol			
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier
	Not readily biodegradable (according to OECD criteria)		•	

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67762-27-0	Alcohols, C16-18	7,7
1336-21-6	Ammonia %	-1,38
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
123-30-8	4-aminophenol	-0,09

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances: hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:

Not restricted

Not restricted

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe ASCHGRAU

Revision date: 04.08.2017 Product code: AWAG001 Page 11 of 11

<u>14.3. Transport hazard class(es):</u> Not restricted <u>14.4. Packing group:</u> Not restricted

Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): No information available.

Additional information

The preparation is dangerous in the sense of Directive 1999/45/EC.

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

Not subject to regulation 96/82/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.0 Initial release 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 1 of 13

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eve irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 2 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH e-mail: info@tge-consult.de Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone

number:

Tel.: +49 (0) 170 2450126

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, P-PHENYLENEDIAMINE, SODIUM CETEARYL SULFATE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, 2,4-DIAMINOPHENOXYETHANOL SULFATE, SODIUM SULFITE, 2,6-DIAMINOPYRIDINE, PARFUM, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

p-phenylenediamine

[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate

Signal word: Warning

Pictograms:



according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 3 of 13

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour./Aerosol.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to in accordance with official regulations.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regula	tion (EC) No. 1272/2008 [C	LP]	
	Amides, C18-unsatd., N,N-bis(hyd	roxyethyl)		1 - < 5 %
	700-972-2		01-2119968565-22	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Ch	nronic 2; H315 H319 H411		
106-50-3	p-phenylenediamine			1 - < 5 %
	203-404-7	612-028-00-6		
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H3		ns. 1, Aquatic Acute 1 (M-Factor = 1),	
1336-21-6	Ammonia %		< 1 %	
	215-647-6	007-001-01-2	01-2119488876-14	
	Skin Corr. 1B, STOT SE 3, Aquati H411	c Acute 1 (M-Factor = 1), Ad	quatic Chronic 2; H314 H335 H400	
70643-20-8	[4-(2-hydroxyethoxy)-1,3-phenyler	e]diammonium sulphate		< 1 %
	274-713-2			
	Acute Tox. 4, Eye Irrit. 2, Skin Ser	s. 1, Aquatic Chronic 2; H3	02 H319 H317 H411	
141-86-6	2,6-Diaminopyridine			< 1 %
	205-507-2			
	Acute Tox. 3; H301	•	•	

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 4 of 13

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 5 of 13

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

Do not breathe gas/vapour/aerosol.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 6 of 13

DNEL/DMEL values

CAS No Substance				
DNEL type		Exposure route	Effect	Value
Amides, C18-u	nsatd., N,N-bis(hydroxyethyl)			
Worker DNEL, long-term		inhalation	systemic	73,44 mg/m³
Worker DNEL, long-term		dermal	systemic	4,16 mg/kg bw/day
Worker DNEL, long-term		dermal	local	0,0312 mg/cm ²
Consumer DNEL, long-term		inhalation	systemic	21,73 mg/m ³
Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,01873 mg/cm ²
Consumer DNEL, long-term		oral	systemic	6,25 mg/kg bw/day
1336-21-6 Ammonia %				
Worker DNEL, long-term		dermal	systemic	6,8 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	6,8 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	47,6 mg/m³
Worker DNEL, long-term		inhalation	local	14 mg/m³
Worker DNEL, acute		inhalation	systemic	47,6 mg/m ³
Worker DNEL, acute		inhalation	local	36 mg/m³
Consumer DNEL, acute		dermal	systemic	68 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	68 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	23,8 mg/m³
Consumer DNEL, long-term		inhalation	local	2,8 mg/m³
Consumer DNEL, acute		inhalation	systemic	23,8 mg/m³
Consumer DNEL, acute		inhalation	local	7,2 mg/m³
Consumer DNEL, long-term		oral	systemic	6,8 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance	
Environment	al compartment	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	
Freshwater		0,007 mg/l
Freshwater (intermittent releases)	0,032 mg/l
Marine water		0,0007 mg/l
Freshwater sediment		0,2663 mg/kg
Marine sediment		0,02663 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	830 mg/l
Soil		0,1262 mg/kg
1336-21-6	Ammonia %	
Freshwater		0,0011 mg/l
Freshwater (intermittent releases)		0,0068 mg/l
Marine water		0,0011 mg/l

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 7 of 13







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: 10-11 (50% in aqueous solution)

Changes in the physical state

Melting point: not determined

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 8 of 13

Initial boiling point and boiling range: not determined

Flash point: not determined

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 9 of 13

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
	Amides, C18-unsatd., N,	N-bis(hydrox	(yethyl)			
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
106-50-3	p-phenylenediamine					
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier	
	dermal	ATE mg/kg	300			
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier	
	inhalative aerosol	ATE	0,5 mg/l			
1336-21-6	Ammonia %					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS	
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS	
70643-20-8	[4-(2-hydroxyethoxy)-1,3	[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate				
	oral	ATE mg/kg	500			
141-86-6	2,6-Diaminopyridine					
	oral	LD50 mg/kg	100	Rat.	MSDS extern	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (p-phenylenediamine; [4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414 Result: NOAEL = 10 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 10 of 13

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 16 mg/kg(bw)/day Literature information: ECHADossier

[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate (CAS No. 70643-20-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 20 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 11 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 0	Daphnia magna	MSDS external	
70643-20-8	[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate						
	Acute algae toxicity	ErC50 mg/l	36,5	72 h	Pseudokirchnerella subcapitata	ECHA dossier	
	Acute crustacea toxicity	EC50 mg/l	7,40	48 h	Daphnia magna	ECHA dossier	

12.2. Persistence and degradability

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
1336-21-6	Ammonia %	-1,38
70643-20-8	[4-(2-hydroxyethoxy)-1,3-phenylene]diammonium sulphate	-0,54
141-86-6	2,6-Diaminopyridine	0,25

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 12 of 13

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

.

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. <u>UN number:</u>	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

14.1. <u>UN number:</u>	Not restricted		
14.2. UN proper shipping name:	Not restricted		
14.3. Transport hazard class(es):	Not restricted		
14.4. Packing group:	Not restricted		

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BLAUSCHWARZ

Revision date: 04.08.2017 Product code: AWB0001 Page 13 of 13

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 1 of 14

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 2 of 14

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH rel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, P-PHENYLENEDIAMINE, M-AMINOPHENOL, SODIUM CETEARYL SULFATE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, RESORCINOL, LANOLIN, PARFUM, SODIUM SULFITE, P-AMINOPHENOL, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

p-phenylenediamine

1,3-benzenediol, resorcinol

Signal word: Warning

Pictograms:



according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 3 of 14

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour./Aerosol.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to in accordance with official regulations.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)				
	700-972-2		01-2119968565-22		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Cl				
106-50-3	p-phenylenediamine			1 - < 5 %	
	203-404-7	612-028-00-6			
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H3	Tox. 3, Eye Irrit. 2, Skin Sens. 1, Aqu 01 H319 H317 H400 H410	atic Acute 1 (M-Factor = 1),		
	Ammonia %			< 1 %	
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, STOT SE 3, Aquati H411	onic 2; H314 H335 H400			
108-46-3	1,3-benzenediol, resorcinol			< 1 %	
	203-585-2	604-010-00-1			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, STOT SE 1, STOT SE 2, Aquatic Acute 1 (M-Factor = 1); H302 H315 H318 H317 H370 H371 H400				

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 4 of 14

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 5 of 14

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
108-46-3	Resorcinol	10	46		TWA (8 h)	WEL
		20	92		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		=	_		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 6 of 14

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
Worker DNEL, long-term	inhalation	systemic	73,44 mg/m ³
Worker DNEL, long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNEL, long-term	dermal	local	0,0312 mg/cm ²
Consumer DNEL, long-term	inhalation	systemic	21,73 mg/m ³
Consumer DNEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DNEL, long-term	dermal	local	0,01873 mg/cm ²
Consumer DNEL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6 Ammonia %			
Worker DNEL, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	47,6 mg/m ³
Worker DNEL, long-term	inhalation	local	14 mg/m³
Worker DNEL, acute	inhalation	systemic	47,6 mg/m ³
Worker DNEL, acute	inhalation	local	36 mg/m³
Consumer DNEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DNEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	23,8 mg/m ³
Consumer DNEL, long-term	inhalation	local	2,8 mg/m³
Consumer DNEL, acute	inhalation	systemic	23,8 mg/m ³
Consumer DNEL, acute	inhalation	local	7,2 mg/m³
Consumer DNEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance		
Environment	al compartment	Value	
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)		
Freshwater		0,007 mg/l	
Freshwater (intermittent releases)	0,032 mg/l	
Marine water		0,0007 mg/l	
Freshwater s	ediment	0,2663 mg/kg	
Marine sedim	nent	0,02663 mg/kg	
Micro-organis	sms in sewage treatment plants (STP)	830 mg/l	
Soil		0,1262 mg/kg	
1336-21-6	Ammonia %		
Freshwater		0,0011 mg/l	
Freshwater (intermittent releases) 0,0068 mg/l			
Marine water		0,0011 mg/l	

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 7 of 14







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: 10-11 (50% in aqueous solution)

Changes in the physical state

Melting point: not determined

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 8 of 14

Initial boiling point and boiling range:

Flash point:

not determined

not determined

Sustaining combustion:

Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 9 of 14

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
	Amides, C18-unsatd., N,	N-bis(hydrox)	/ethyl)					
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier			
106-50-3	p-phenylenediamine							
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier			
	dermal	ATE mg/kg	300					
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier			
	inhalative aerosol	ATE	0,5 mg/l					
1336-21-6	Ammonia %							
	oral	LD50 mg/kg	(350)	Rat.	GESTIS			
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS			
108-46-3	1,3-benzenediol, resorcir	nol						
	oral	LD50 mg/kg	(510=	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier			
	inhalative (1 h) aerosol	LC50	(7,8) mg/l	Rat	ECHA Dossier			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (p-phenylenediamine; 1,3-benzenediol, resorcinol)

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 10 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 10 mg/kg(bw)/day
Literature information: ECHA Dossier

3-aminophenol (CAS No. 591-27-5):

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive. / negative.

Method: bacterial reversion assay, the WP2 Mutoxitest

Result: negative.

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOEL = 100 mg/kg(bw)/day
Literature information: ECHA Dossier

1,3-benzenediol, resorcinol (CAS No. 108-46-3):

In vitro mutagenicity/genotoxicity: Evidence for in vitro mutagenicity.

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Reproductive toxicity: Exposure time: 18 month

Species: Rat.

Method: OECD Guideline 416

Result: NOAEL = 3000 mg/kg(bw)/day Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 250 mg/kg(bw)/day
Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 11 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 16 mg/kg(bw)/day
Literature information: ECHADossier

3-aminophenol (CAS No. 591-27-5):

Subchronic oral toxicity: Exposure time: 90d Species: Rat. Method: no data

Result: NOEL = 20 mg/kg(bw)/day

Chronic dermal toxicity: Exposure time: 24 month

Species: Rat. Method: no data

Result: LOEL = 500 mg/kg

Literature information: ECHA Dossier

1,3-benzenediol, resorcinol (CAS No. 108-46-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 80 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 12 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
	Amides, C18-unsatd., N,N	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier			
106-50-3	p-phenylenediamine	p-phenylenediamine							
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier			
1336-21-6	Ammonia %								
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external			
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external			
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external			
108-46-3	1,3-benzenediol, resorcine	ol							
	Acute fish toxicity	LC50 mg/l	29,5	96 h	Pimephales promelas	ECHA Dossier			
	Acute algae toxicity	ErC50	>97 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier			
	Acute crustacea toxicity	EC50	1,0 mg/l	48 h	Daphnia magna	ECHA Dossier			
	Crustacea toxicity	NOEC mg/l	0,172	21 d	Daphnia magna	ECHA Dossier			
	Acute bacteria toxicity	(79 mg/l)		3 h	Activated sludge	ECHA Dossier			

12.2. Persistence and degradability

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier	
	Readily biodegradable (according to OECD criteria).				
108-46-3	1,3-benzenediol, resorcinol				
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	66,7%	10	ECHA Dossier	
•	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
1336-21-6	Ammonia %	-1,38
108-46-3	1,3-benzenediol, resorcinol	0,93

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 13 of 14

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted
Inland waterways transport (ADN)	
14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted
Marine transport (IMDG)	
14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted
Air transport (ICAO-TI/IATA-DGR)	

14.1. UN number: Not restricted

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe BRAUN

Revision date: 04.08.2017 Product code: AWB0002 Page 14 of 14

14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 1 of 14

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
11044	Carrage agreement alries browne

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H370 Causes damage to organs (central nervous system; blood).

H371 May cause damage to organs (respiratory system).

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 2 of 14

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, P-PHENYLENEDIAMINE, OLEAMIDE DEA, SODIUM CETEARYL SULFATE, M-AMINOPHENOL, AMMONIUM HYDROXIDE, HELIANTHUS ANNUUS SEED OIL, LANOLIN, PARFUM, SODIUM SULFITE, 2,6-DIAMINOPYRIDINE, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

p-phenylenediamine

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 3 of 14

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour./Aerosol. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to in accordance with official regulations.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulat	on (EC) No. 1272/2008 [CLP]		
106-50-3	p-phenylenediamine			1 - < 5 %
	203-404-7	612-028-00-6		
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H30	Гох. 3, Eye Irrit. 2, Skin Sens. 1, Aq и Н319 Н317 Н400 Н410	uatic Acute 1 (M-Factor = 1),	
	Amides, C18-unsatd., N,N-bis(hydr	oxyethyl)		1 - < 5 %
	700-972-2		01-2119968565-22	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Ch	ronic 2; H315 H319 H411		
1336-21-6	Ammonia %			< 1 %
	215-647-6	007-001-01-2	01-2119488876-14	
	Skin Corr. 1B, STOT SE 3, Aquatic H411	Acute 1 (M-Factor = 1), Aquatic Ch	ronic 2; H314 H335 H400	
141-86-6	2,6-Diaminopyridine			< 1 %
	205-507-2			
	Acute Tox. 3; H301			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms,

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 4 of 14

especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 5 of 14

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

Do not breathe gas/vapour/aerosol.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
Worker DNEL	_, long-term	inhalation	systemic	73,44 mg/m³
Worker DNEL	_, long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNEL	_, long-term	dermal	local	0,0312 mg/cm ²
Consumer Di	NEL, long-term	inhalation	systemic	21,73 mg/m ³
Consumer Di	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer Di	NEL, long-term	dermal	local	0,01873 mg/cm ²
Consumer Di	NEL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNEL	_, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL	_, acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL	_, long-term	inhalation	systemic	47,6 mg/m ³
Worker DNEL	_, long-term	inhalation	local	14 mg/m³
Worker DNEL	_, acute	inhalation	systemic	47,6 mg/m ³
Worker DNEL	L, acute	inhalation	local	36 mg/m ³
Consumer Di	NEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer Di	NEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	systemic	23,8 mg/m³
Consumer Di	NEL, long-term	inhalation	local	2,8 mg/m³
Consumer Di	NEL, acute	inhalation	systemic	23,8 mg/m³
Consumer Di	NEL, acute	inhalation	local	7,2 mg/m³
Consumer DI	NEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DI	NEL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance					
Environmen	al compartment	Value				
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)					
Freshwater		0,007 mg/l				
Freshwater	intermittent releases)	0,032 mg/l				
Marine wate	r	0,0007 mg/l				
Freshwater	sediment	0,2663 mg/kg				
Marine sedir	nent	0,02663 mg/kg				
Micro-organi	sms in sewage treatment plants (STP)	830 mg/l				
Soil		0,1262 mg/kg				
1336-21-6	Ammonia %	·				
Freshwater		0,0011 mg/l				
Freshwater (intermittent releases) 0,0068 mg						
Marine water 0,0011 mg						

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 7 of 14

8.2. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type

:A/P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

Test method

pH-Value: not determined

Changes in the physical state

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 8 of 14

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not determined

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxic ocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 9 of 14

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
106-50-3	p-phenylenediamine								
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier				
	dermal	ATE mg/kg	300						
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier				
	inhalative aerosol	ATE	0,5 mg/l						
	Amides, C18-unsatd., N,	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier				
1336-21-6	Ammonia %								
	oral	LD50 mg/kg	(350)	Rat.	GESTIS				
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS				
141-86-6	2,6-Diaminopyridine								
	oral	LD50 mg/kg	100	Rat.	RTECS				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (p-phenylenediamine)

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 10 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414 Result: NOAEL = 10 mg/kg(bw)/day Literature information: ECHADossier

3-aminophenol (CAS No. 591-27-5):

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive. / negative.

Method: bacterial reversion assay, the WP2 Mutoxitest

Result: negative.

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOEL = 100 mg/kg(bw)/day
Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 11 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 16 mg/kg(bw)/day
Literature information: ECHADossier

3-aminophenol (CAS No. 591-27-5):

Subchronic oral toxicity: Exposure time: 90d Species: Rat. Method: no data

Result: NOEL = 20 mg/kg(bw)/day

Chronic dermal toxicity: Exposure time: 24 month

Species: Rat. Method: no data

Result: LOEL = 500 mg/kg

Literature information: ECHA Dossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d] Species		Source	Method	
106-50-3	p-phenylenediamine							
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier		
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier		
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier		
1336-21-6	Ammonia %							
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external		
		NOEC mg/l	0,79	3 0	Daphnia magna	MSDS external		

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 12 of 14

12.2. Persistence and degradability

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 86% 28 ECHA Dossier							
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
1336-21-6	Ammonia %	-1,38
141-86-6	2,6-Diaminopyridine	0,25

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 13 of 14

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017 Product code: Page 14 of 14

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 1 of 14

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

<u>number:</u>

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, P-PHENYLENEDIAMINE, SODIUM CETEARYL SULFATE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, P-AMINOPHENOL, SODIUM SULFITE, RESORCINOL, 2,6-DIAMINOPYRIDINE, PARFUM, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to in accordance with official regulations.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 2 of 14

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 3 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to F	Regulation (EC) No. 1272/2008 [0	CLP]		
	Amides, C18-unsatd., N,N-b	is(hydroxyethyl)		1 - < 5 %	
	700-972-2		01-2119968565-22		
	Skin Irrit. 2, Eye Irrit. 2, Aqua	atic Chronic 2; H315 H319 H411			
123-30-8	4-aminophenol		< 1 %		
	204-616-2	612-128-00-X			
	Muta. 2, Acute Tox. 4, Acute H332 H302 H400 H410				
1336-21-6	Ammonia %	< 1 %			
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, STOT SE 3, 7 H411				
106-50-3	p-phenylenediamine	< 1 %			
	203-404-7	612-028-00-6			
	Acute Tox. 3, Acute Tox. 3, Aquatic Chronic 1; H331 H3				

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 4 of 14

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 5 of 14

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethy	/l)		
Worker DNE	L, long-term	inhalation	systemic	73,44 mg/m³
Worker DNE	L, long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNE	L, long-term	dermal	local	0,0312 mg/cm ²
Consumer D	NEL, long-term	inhalation	systemic	21,73 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer D	NEL, long-term	dermal	local	0,01873 mg/cm ²
Consumer D	NEL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNE	L, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	47,6 mg/m ³
Worker DNE	L, long-term	inhalation	local	14 mg/m³
Worker DNE	L, acute	inhalation	systemic	47,6 mg/m ³
Worker DNE	L, acute	inhalation	local	36 mg/m³
Consumer D	NEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	23,8 mg/m ³
Consumer D	NEL, long-term	inhalation	local	2,8 mg/m³
Consumer DNEL, acute		inhalation	systemic	23,8 mg/m ³
Consumer DNEL, acute		inhalation	local	7,2 mg/m³
Consumer D	NEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance						
Environmental	Environmental compartment						
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
Freshwater		0,007 mg/l					
Freshwater (in	termittent releases)	0,032 mg/l					
Marine water		0,0007 mg/l					
Freshwater se	0,2663 mg/kg						
Marine sedime	0,02663 mg/kg						
Micro-organism	ns in sewage treatment plants (STP)	830 mg/l					
Soil		0,1262 mg/kg					
1336-21-6	336-21-6 Ammonia %						
Freshwater	0,0011 mg/l						
Freshwater (intermittent releases) 0,0068 r							
Marine water		0,0011 mg/l					

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 7 of 14





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 8 of 14

Flash point: not determined
Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:not determinedDecomposition temperature:not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 9 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)								
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier				
123-30-8	4-aminophenol								
	oral	LD50 mg/kg	671	Rat	ECHA Dossier				
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier				
	inhalative vapour	ATE	11 mg/l						
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier				
1336-21-6	Ammonia %								
	oral	LD50 mg/kg	(350)	Rat.	GESTIS				
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS				
106-50-3	p-phenylenediamine								
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier				
	dermal	ATE mg/kg	300						
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier				
	inhalative aerosol	ATE	0,5 mg/l						

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 10 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414 Result: NOAEL = 10 mg/kg(bw)/day Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8): In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Result: negative.

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: positive. Carcinogenicity:

Exposure time: 102 weeks

Species: Rat.

Method: OECD Guideline 451 Result: NOEC = 30 mg/kg(bw)/day

Reproductive toxicity: Exposure time: 60d

Species: Rat.

Method: OECD Guideline 421 Result: NOAEL = 100 mg/kg(bw)/day Developmental toxicity/teratogenicity:

Exposure time: 60d Species: Rat.

Method: OECD Guideline 421 Result: NOAEL = 100 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 11 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 16 mg/kg(bw)/day Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 12 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Amides, C18-unsatd., N,N	l-bis(hydrox	yethyl)				
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier	
123-30-8	4-aminophenol						
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,55	41 c	Oryzias latipes (OECD 210)	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,206	21 c	Daphnia magna (OECD 202)	ECHA Dossier	
	Acute bacteria toxicity	(29,9 mg	g/l)	3 h	Activated sludge (OECD 209)	ECHA Dossier	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 0	Daphnia magna	MSDS external	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	

12.2. Persistence and degradability

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier				
	Readily biodegradable (according to OECD criteria).							
123-30-8	4-aminophenol							
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier				
	Not readily biodegradable (according to OECD criteria)							

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
123-30-8	4-aminophenol	-0,09
1336-21-6	Ammonia %	-1,38
106-50-3	p-phenylenediamine	-0.839 pH = 8,5

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 13 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

, , ,	
14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe GRAFIT

Revision date: 04.08.2017 Product code: AWG0001 Page 14 of 14

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 1 of 11

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation.H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 2 of 11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI:

AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, AMMONIUM HYDROXIDE, SODIUM CETEARYL SULFATE, HELIANTHUS ANUUS SEED OIL, SODIUM SULFITE, LANOLIN, P-PHENYLENEDIAMINE, PARFUM, P-AMINOPHENOL, RESORCINOL, 2,6-DIAMINOPYRIDINE,

LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 3 of 11

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

aqueous solution

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Reg	gulation (EC) No. 1272/2008 [0	CLP]			
67762-27-0	Alcohols, C16-18			5 - < 10 %		
	267-008-6					
	Skin Irrit. 2, Eye Irrit. 2; H315 H	H319	•			
68603-38-3	Diethanolamine Oleic Acid Am	ide		1 - < 5 %		
	271-653-9		01-2119951823-33			
	Eye Dam. 1; H318		•			
1336-21-6	Ammonia %			< 1 %		
	215-647-6	007-001-01-2				
	Skin Corr. 1B, Aquatic Acute 1	; H314 H400	•			
106-50-3	p-phenylenediamine			< 1 %		
	203-404-7	612-028-00-6				
	Acute Tox. 3, Acute Tox. 3, Ac Aquatic Chronic 1; H331 H311		ens. 1, Aquatic Acute 1 (M-Factor = 1),			
123-30-8	4-aminophenol			< 1 %		
	204-616-2	612-128-00-X				
	Muta. 2, Acute Tox. 4, Acute T H332 H302 H400 H410	ox. 4, Aquatic Acute 1 (M-Fac	tor = 1), Aquatic Chronic 1; H341			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 4 of 11

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. See protective measures under point 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 5 of 11

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 6 of 11

FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at: generation/formation of aerosols exceeding exposure limit values

Suitable respiratory protective equipment: @0802.B008094

Type : A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: not determined

Changes in the physical state

Initial boiling point and boiling range: not determined
Flash point: not determined

Explosive properties

none

Lower explosion limits: Upper explosion limits:

Ignition temperature: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Solvent content: No information available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 7 of 11

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Reducing agent. Oxidizing agents. Substances and mixtures which, in contact with water, emit flammable gases

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 8 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67762-27-0	Alcohols, C16-18							
	oral	LD50 mg/kg	10000	Rat	IUCLID			
	dermal	LD50 mg/kg	8000	Rabbit	IUCLID			
68603-38-3	Diethanolamine Oleic Aci	id Amide						
	oral	LD50 mg/kg	>5000		MSDS extern			
1336-21-6	Ammonia %							
	oral	LD50 mg/kg	(350)	Rat.	GESTIS			
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS			
106-50-3	p-phenylenediamine							
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier			
	dermal	ATE mg/kg	300					
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier			
	inhalative aerosol	ATE	0,5 mg/l					
123-30-8	4-aminophenol							
	oral	LD50 mg/kg	671	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier			
	inhalative vapour	ATE	11 mg/l					
_	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Subchronic oral toxicity NOEL = 16 mg/kg (Rat.)

4-aminophenol:

Subchronic oral toxicity NOEL = 10 mg/kg (Rat.)

Lit.: ECHA dossier

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 9 of 11

Based on available data, the classification criteria are not met.

p-phenylenediamine:

Ames test negative.

OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative.

Developmental toxicity/teratogenicity NOAEL = 10 mg/kg (Rat.)

4-aminophenol:

No experimental indications of mutagenicity in-vivo exist.

No indications of human carcinogenicity exist.

Developmental toxicity/teratogenicity NOAEL = 100 mg/kg (Rat.)

Diethanolamine Oleic Acid Amide:

No experimental indications of mutagenicity in-vitro exist.

Lit.: ECHA dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68603-38-3	Diethanolamine Oleic Acid	d Amide					
	Acute fish toxicity	LC50 mg/l	>1 <=10	96 h		MSDS extern	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
123-30-8	4-aminophenol						
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,55	41 c	Oryzias latipes (OECD 210)	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,206	21 c	Daphnia magna (OECD 202)	ECHA Dossier	
	Acute bacteria toxicity	(29,9 mg/)	3 h	Activated sludge (OECD 209)	ECHA Dossier	

12.2. Persistence and degradability

No information available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 10 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
123-30-8	4-aminophenol						
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier			
	Not readily biodegradable (according to OECD criteria)						

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67762-27-0	Alcohols, C16-18	7,7
1336-21-6	Ammonia %	-1,38
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
123-30-8	4-aminophenol	-0,09

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name:

Not restricted

Not restricted

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBLOND

Revision date: 04.08.2017 Product code: AWM0002 Page 11 of 11

14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): No information available.

Additional information

The preparation is dangerous in the sense of Directive 1999/45/EC.

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

Not subject to regulation 96/82/EC.

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.0 Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Product code: AWM0001 Revision date: 04.08.2017 Page 1 of 16

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H319 Causes serious eyeirritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 2 of 16

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, SODIUM CETEARYL SULFATE, P-PHENYLENEDIAMINE, RESORCINOL, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, P-AMINOPHENOL, M-AMINOPHENOL, SODIUM SULFITE, PARFUM, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine, 1,3-benzenediol, resorcinol. May produce an allergic

reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 3 of 16

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity			
	EC No	Index No	REACH No				
	Classification according to Re	gulation (EC) No. 1272/2008 [CLP]				
	Amides, C18-unsatd., N,N-bis	(hydroxyethyl)		1 - < 5 %			
	700-972-2		01-2119968565-22				
	Skin Irrit. 2, Eye Irrit. 2, Aquat	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 2; H315 H319 H411					
106-50-3	p-phenylenediamine	< 1 %					
	203-404-7	612-028-00-6					
	Acute Tox. 3, Acute Tox. 3, A Aquatic Chronic 1; H331 H31						
108-46-3	1,3-benzenediol, resorcinol	< 1 %					
	203-585-2	604-010-00-1					
	Acute Tox. 4, Skin Irrit. 2, Eye (M-Factor = 1); H302 H315 H						
1336-21-6	Ammonia %			< 1 %			
	215-647-6	007-001-01-2	01-2119488876-14				
	Skin Corr. 1B, STOT SE 3, Ao H411	quatic Acute 1 (M-Factor = 1), A	Aquatic Chronic 2; H314 H335 H400				
123-30-8	4-aminophenol	< 1 %					
	204-616-2	612-128-00-X					
	Muta. 2, Acute Tox. 4, Acute ¹ H332 H302 H400 H410	Tox. 4, Aquatic Acute 1 (M-Fac	etor = 1), Aquatic Chronic 1; H341				

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 4 of 16

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 5 of 16

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
108-46-3	Resorcinol	10	46		TWA (8 h)	WEL
		20	92		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 6 of 16

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyeth)	/l)		
Worker DNE	L, long-term	inhalation	systemic	73,44 mg/m ³
Worker DNE	L, long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNE	L, long-term	dermal	local	0,0312 mg/cm ²
Consumer D	NEL, long-term	inhalation	systemic	21,73 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer D	NEL, long-term	dermal	local	0,01873 mg/cm ²
Consumer D	NEL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNE	L, long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNE	L, long-term	inhalation	systemic	47,6 mg/m ³
Worker DNE	L, long-term	inhalation	local	14 mg/m³
Worker DNE	L, acute	inhalation	systemic	47,6 mg/m ³
Worker DNE	L, acute	inhalation	local	36 mg/m³
Consumer D	NEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	23,8 mg/m ³
Consumer D	NEL, long-term	inhalation	local	2,8 mg/m³
Consumer D	NEL, acute	inhalation	systemic	23,8 mg/m ³
Consumer D	NEL, acute	inhalation	local	7,2 mg/m³
Consumer D	NEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment			
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
Freshwater		0,007 mg/l		
Freshwater (ir	ntermittent releases)	0,032 mg/l		
Marine water		0,0007 mg/l		
Freshwater sediment		0,2663 mg/kg		
Marine sediment		0,02663 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	830 mg/l		
Soil		0,1262 mg/kg		
1336-21-6	Ammonia %			
Freshwater		0,0011 mg/l		
Freshwater (intermittent releases) 0,0068 mg/l				
Marine water		0,0011 mg/l		

8.2. Exposure controls

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 7 of 16







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value: 10-11 (50% in aqueous solution)

Changes in the physical state

Melting point: not determined

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 8 of 16

Initial boiling point and boiling range:

Flash point:

not determined

not determined

Sustaining combustion:

Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

not determined

not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 9 of 16

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
	Amides, C18-unsatd., N,	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier			
106-50-3	p-phenylenediamine							
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier			
	dermal	ATE mg/kg	300					
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier			
	inhalative aerosol	ATE	0,5 mg/l					
108-46-3	1,3-benzenediol, resorcinol							
	oral	LD50 mg/kg	(510=	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier			
	inhalative (1 h) aerosol	LC50	(7,8) mg/l	Rat	ECHA Dossier			
1336-21-6	Ammonia %							
	oral	LD50 mg/kg	(350)	Rat.	GESTIS			
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS			
123-30-8	4-aminophenol							
	oral	LD50 mg/kg	671	Rat	ECHA Dossier			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier			
	inhalative vapour	ATE	11 mg/l					
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 10 of 16

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8):

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Result: negative.

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: positive. Carcinogenicity:

Exposure time: 102 weeks

Species: Rat.

Method: OECD Guideline 451 Result: NOEC = 30 mg/kg(bw)/day

Reproductive toxicity: Exposure time: 60d

Species: Rat.

Method: OECD Guideline 421
Result: NOAEL = 100 mg/kg(bw)/day
Developmental toxicity/teratogenicity:

Exposure time: 60d Species: Rat.

Method: OECD Guideline 421 Result: NOAEL = 100 mg/kg(bw)/day Literature information: ECHA Dossier

3-aminophenol (CAS No.591-27-5): In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive. / negative.

Method: bacterial reversion assay, the WP2 Mutoxitest

Result: negative.

Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Result: negative.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414 Result: NOEL = 100 mg/kg(bw)/day Literature information: ECHADossier

1,3-benzenediol, resorcinol (CAS No. 108-46-3):

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 11 of 16

In vitro mutagenicity/genotoxicity: Evidence for in vitro mutagenicity.

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Reproductive toxicity: Exposure time: 18 month

Species: Rat.

Method: OECD Guideline 416

Result: NOAEL = 3000 mg/kg(bw)/day Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414 Result: NOAEL = 250 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 12 of 16

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 16 mg/kg(bw)/day
Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

3-aminophenol (CAS No. 591-27-5):

Subchronic oral toxicity: Exposure time: 90d Species: Rat. Method: no data

Result: NOEL = 20 mg/kg(bw)/day

Chronic dermal toxicity: Exposure time: 24 month

Species: Rat. Method: no data

Result: LOEL = 500 mg/kg

Literature information: ECHA Dossier

1,3-benzenediol, resorcinol (CAS No. 108-46-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 80 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no auideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 13 of 16

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Amides, C18-unsatd., N,N	l-bis(hydroxy	ethyl)				
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
108-46-3	1,3-benzenediol, resorcing	ol					
	Acute fish toxicity	LC50 mg/l	29,5	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50	>97 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50	1,0 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,172	21 c	Daphnia magna	ECHA Dossier	
	Acute bacteria toxicity	(79 mg/l)		3 h	Activated sludge	ECHA Dossier	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 0	Daphnia magna	MSDS external	
123-30-8	4-aminophenol						
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,55	41 c	Oryzias latipes (OECD 210)	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,206	21 c	Daphnia magna (OECD 202)	ECHA Dossier	
	Acute bacteria toxicity	(29,9 mg/	1)	3 h	Activated sludge (OECD 209)	ECHA Dossier	

12.2. Persistence and degradability

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 14 of 16

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier		
	Readily biodegradable (according to OECD criteria).					
108-46-3	1,3-benzenediol, resorcinol					
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	66,7%	10	ECHA Dossier		
	Readily biodegradable (according to OECD criteria).					
123-30-8	4-aminophenol					
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier		
	Not readily biodegradable (according to OECD criteria)					

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
108-46-3	1,3-benzenediol, resorcinol	0,93
1336-21-6	Ammonia %	-1,38
123-30-8	4-aminophenol	-0,09

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 15 of 16

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1.</u> <u>UN number:</u>	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted
14.3. Transport hazard class(es):	Not restrict

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe MITTELBRAUN

Revision date: 04.08.2017 Product code: AWM0001 Page 16 of 16

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL				
Revision date: 04.08.2017	Product code:	Page 1 of 14		
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H331	Toxic if inhaled.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H341	Suspected of causing genetic defects.			
H370	Causes damage to organs (central nervous system; blood).			
H371	May cause damage to organs (respiratory system).			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
EUH208	Contains p-phenylenediamine, 1,3-benzenediol, resorcinol. May produce an allergic			
reaction.				

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49 (0)251/924520-60

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, SODIUM CETEARYL SULFATE, P-AMINOPHENOL, P-PHENYLENEDIAMINE, 2,6-DIAMINOPYRIDINE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, PARFUM, SODIUM SULFITE, LIMONENE, BUTYLPHENYL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 2 of 14

METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects .

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 3 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to	Regulation (EC) No. 1272/2008 [C	CLP]	
	Amides, C18-unsatd., N,N	N-bis(hydroxyethyl)		1 - < 5 %
	700-972-2		01-2119968565-22	
	Skin Irrit. 2, Eye Irrit. 2, A	quatic Chronic 2; H315 H319 H411	•	
123-30-8	23-30-8 4-aminophenol			< 1 %
	204-616-2	612-128-00-X		
	Muta. 2, Acute Tox. 4, Ac H332 H302 H400 H410	ute Tox. 4, Aquatic Acute 1 (M-Fact	or = 1), Aquatic Chronic 1; H341	
106-50-3	50-3 p-phenylenediamine			< 1 %
	203-404-7	612-028-00-6		
		3, Acute Tox. 3, Eye Irrit. 2, Skin Se H311 H301 H319 H317 H400 H410	ens. 1, Aquatic Acute 1 (M-Factor = 1),	
1336-21-6	S-21-6 Ammonia %			< 1 %
	215-647-6	007-001-01-2	01-2119488876-14	
	Skin Corr. 1B, STOT SE 3, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 2; H314 H335 H400 H411			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 4 of 14

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 5 of 14

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	_		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 6 of 14

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
Worker DNEL,	long-term	inhalation	systemic	73,44 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	0,0312 mg/cm ²
Consumer DN	EL, long-term	inhalation	systemic	21,73 mg/m ³
Consumer DN	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	local	0,01873 mg/cm ²
Consumer DN	EL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL,	long-term	inhalation	local	14 mg/m³
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m³
Worker DNEL,	acute	inhalation	local	36 mg/m³
Consumer DN	EL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DN	EL, long-term	inhalation	local	2,8 mg/m³
Consumer DN	EL, acute	inhalation	systemic	23,8 mg/m³
Consumer DN	EL, acute	inhalation	local	7,2 mg/m³
Consumer DN	EL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmenta	Environmental compartment Value		
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)		
Freshwater		0,007 mg/l	
Freshwater (i	ntermittent releases)	0,032 mg/l	
Marine water		0,0007 mg/l	
Freshwater sediment 0,2663		0,2663 mg/kg	
Marine sediment 0,02663		0,02663 mg/kg	
Micro-organisms in sewage treatment plants (STP) 830 mg/l		830 mg/l	
Soil		0,1262 mg/kg	
1336-21-6	Ammonia %	·	
Freshwater		0,0011 mg/l	
Freshwater (intermittent releases) 0,0068 mg/		0,0068 mg/l	
Marine water 0,0011 mg/l			

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 7 of 14

8.2. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

Test method

pH-Value: 10-11 (50% in aqueous solution)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 8 of 14

Changes in the physical state

Melting point:
Initial boiling point and boiling range:

Flash point:

Sustaining combustion:

not determined
not determined
Not sustaining combustion

Explosive properties

none

Lower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:not determinedDecomposition temperature:not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 9 of 14

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Amides, C18-unsatd., N,	N-bis(hydro	xyethyl)				
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier		
123-30-8	4-aminophenol						
	oral	LD50 mg/kg	671	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier		
	inhalative vapour	ATE	11 mg/l				
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier		
106-50-3	p-phenylenediamine						
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier		
	dermal	ATE mg/kg	300				
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier		
	inhalative aerosol	ATE	0,5 mg/l				
1336-21-6	Ammonia %						
	oral	LD50 mg/kg	(350)	Rat.	GESTIS		
_	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 10 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8): In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Result: negative.

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: positive. Carcinogenicity:

Exposure time: 102 weeks

Species: Rat.

Method: OECD Guideline 451 Result: NOEC = 30 mg/kg(bw)/day

Reproductive toxicity: Exposure time: 60d

Species: Rat.

Method: OECD Guideline 421
Result: NOAEL = 100 mg/kg(bw)/day
Developmental toxicity/teratogenicity:

Exposure time: 60d Species: Rat.

Method: OECD Guideline 421 Result: NOAEL = 100 mg/kg(bw)/day Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 11 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408 Result: NOAEL = 16 mg/kg(bw)/day Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 12 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Amides, C18-unsatd., N,N	l-bis(hydroxy	yethyl)				
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier	
123-30-8	4-aminophenol						
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,55	41 d	Oryzias latipes (OECD 210)	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,206	21 d	Daphnia magna (OECD 202)	ECHA Dossier	
	Acute bacteria toxicity	(29,9 mg	/l)	3 h	Activated sludge (OECD 209)	ECHA Dossier	
106-50-3	p-phenylenediamine						
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external	

12.2. Persistence and degradability

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier			
	Readily biodegradable (according to OECD criteria).						
123-30-8	4-aminophenol						
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier			
	Not readily biodegradable (according to OECD criteria)						

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
123-30-8	4-aminophenol	-0,09
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
1336-21-6	Ammonia %	-1,38

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 13 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 14 of 14

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLYHAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 1 of 14

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

Harmful if swallowed

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains p-phenylenediamine. May produce an allergic reaction.

Further Information

⊔2∩2

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.5. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 2 of 14

1.6. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Restricted to professional users.

Uses advised against

none

1.7. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de

Chemieberatung GmbH Tel.: +49 (0)251/924520-60 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.8. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, OLEAMIDE DEA, SODIUM CETEARYL SULFATE, P-AMINOPHENOL, P-PHENYLENEDIAMINE, 2,6-DIAMINOPYRIDINE, HELIANTHUS ANUUS SEED OIL, AMMONIUM HYDROXIDE, LANOLIN, PARFUM, SODIUM SULFITE, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

SECTION 2: Hazards identification

2.4. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects .

2.5. Label elements

Regulation (EC) No. 1272/2008

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.6. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 3 of 14

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to	Regulation (EC) No. 1272/2008 [0	CLP]		
	Amides, C18-unsatd., N,N-	bis(hydroxyethyl)		1 - < 5 %	
	700-972-2		01-2119968565-22		
	Skin Irrit. 2, Eye Irrit. 2, Aqu	uatic Chronic 2; H315 H319 H411			
123-30-8	4-aminophenol		< 1 %		
	204-616-2	612-128-00-X			
	Muta. 2, Acute Tox. 4, Acute H332 H302 H400 H410	te Tox. 4, Aquatic Acute 1 (M-Fac	tor = 1), Aquatic Chronic 1; H341		
106-50-3	p-phenylenediamine			< 1 %	
	203-404-7	612-028-00-6			
	•	, Acute Tox. 3, Eye Irrit. 2, Skin Se 311 H301 H319 H317 H400 H410	ens. 1, Aquatic Acute 1 (M-Factor = 1),		
1336-21-6	Ammonia %		< 1 %		
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, STOT SE 3, H411	Aquatic Acute 1 (M-Factor = 1), A	Aquatic Chronic 2; H314 H335 H400		

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.4. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 4 of 14

4.5. Most important symptoms and effects, both acute and delayed

No information available.

4.6. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.4. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.5. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

5.6. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.5. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

6.6. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

6.7. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.8. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.4. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: refer to chapter 8

7.5. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 5 of 14

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.6. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.3. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 6 of 14

DNEL/DMEL values

CAS No	Substance					
DNEL type	•	Exposure route	Effect	Value		
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)					
Worker DNEL,	long-term	inhalation	systemic	73,44 mg/m³		
Worker DNEL,	long-term	dermal	systemic	4,16 mg/kg bw/day		
Worker DNEL,	long-term	dermal	local	0,0312 mg/cm ²		
Consumer DNI	EL, long-term	inhalation	systemic	21,73 mg/m ³		
Consumer DNI	EL, long-term	dermal	systemic	2,5 mg/kg bw/day		
Consumer DNI	EL, long-term	dermal	local	0,01873 mg/cm ²		
Consumer DNI	EL, long-term	oral	systemic	6,25 mg/kg bw/day		
1336-21-6	Ammonia %					
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day		
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³		
Worker DNEL,	long-term	inhalation	local	14 mg/m³		
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m³		
Worker DNEL,	acute	inhalation	local	36 mg/m³		
Consumer DNI	EL, acute	dermal	systemic	68 mg/kg bw/day		
Consumer DNI	EL, long-term	dermal	systemic	68 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	23,8 mg/m³		
Consumer DNI	EL, long-term	inhalation	local	2,8 mg/m³		
Consumer DNI	EL, acute	inhalation	systemic	23,8 mg/m³		
Consumer DNI	EL, acute	inhalation	local	7,2 mg/m³		
Consumer DNI	EL, long-term	oral	systemic	6,8 mg/kg bw/day		
Consumer DNI	EL, acute	oral	systemic	6,8 mg/kg bw/day		

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	
Freshwater		0,007 mg/l
Freshwater	(intermittent releases)	0,032 mg/l
Marine wate	r	0,0007 mg/l
Freshwater sediment		0,2663 mg/kg
Marine sediment		0,02663 mg/kg
Micro-organisms in sewage treatment plants (STP)		830 mg/l
Soil		0,1262 mg/kg
1336-21-6	Ammonia %	
Freshwater		0,0011 mg/l
Freshwater (intermittent releases)		0,0068 mg/l
Marine wate	r	0,0011 mg/l

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 7 of 14

8.4. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

Pull-over gloves of rubber.

Suitable material:

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type

: A/ P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.3. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

Test method

pH-Value: 10-11 (50% in aqueous solution)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 8 of 14

Changes in the physical state

Melting point:
Initial boiling point and boiling range:

Flash point:

Sustaining combustion:

not determined
not determined
Not sustaining combustion

Explosive properties

none

Lower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:not determinedDecomposition temperature:not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined

9.4. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.7. Reactivity

No information available.

10.8. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.9. Possibility of hazardous reactions

No information available.

10.10. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.11. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.12. <u>Hazardous decomposition products</u>

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 9 of 14

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier		
123-30-8	4-aminophenol						
	oral	LD50 mg/kg	671	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier		
	inhalative vapour	ATE	11 mg/l				
	inhalative (4 h) aerosol	LC50 mg/l	>3,42	Rat	ECHA Dossier		
106-50-3	p-phenylenediamine						
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier		
	dermal	ATE mg/kg	300				
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier		
	inhalative aerosol	ATE	0,5 mg/l				
1336-21-6	Ammonia %	Ammonia %					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS		
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 10 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist.

Developmental toxicity/teratogenicity:

Exposure time: 20d Species: Rat.

Method: OECD Guideline 414
Result: NOAEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8): In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: positive.

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

Result: negative.

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Result: positive. Carcinogenicity:

Exposure time: 102 weeks

Species: Rat.

Method: OECD Guideline 451 Result: NOEC = 30 mg/kg(bw)/day

Reproductive toxicity: Exposure time: 60d

Species: Rat.

Method: OECD Guideline 421
Result: NOAEL = 100 mg/kg(bw)/day
Developmental toxicity/teratogenicity:

Exposure time: 60d Species: Rat.

Method: OECD Guideline 421 Result: NOAEL = 100 mg/kg(bw)/day Literature information: ECHA Dossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist.

Carcinogenicity: Exposure time: 2 years Species: Mouse

Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHADossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 11 of 14

Based on available data, the classification criteria are not met.

p-phenylenediamine (CAS No. 106-50-3):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOAEL = 16 mg/kg(bw)/day
Literature information: ECHADossier

4-aminophenol (CAS No. 123-30-8):

Subchronic oral toxicity: Exposure time: 90d Species: Rat.

Method: OECD Guideline 408
Result: NOEL = 10 mg/kg(bw)/day
Literature information: ECHADossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2):

Subchronic dermal toxicity:

Exposure time: 90d Species: Rat.

Method: no guideline followed

Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local)

Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.7. Toxicity

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 12 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
	Amides, C18-unsatd., N,N	I-bis(hydroxy	yethyl)					
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier		
123-30-8	4-aminophenol							
	Acute fish toxicity	LC50 mg/l	0,82	96 h	Oryzias latipes (OECD 203)	ECHA Dossier		
	Acute algae toxicity	ErC50 mg/l	>0,253	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier		
	Acute crustacea toxicity	EC50 mg/l	0,182	48 h	Daphnia magna (OECD 202)	ECHA Dossier		
	Fish toxicity	NOEC mg/l	0,55	41 d	Oryzias latipes (OECD 210)	ECHA Dossier		
	Crustacea toxicity	NOEC mg/l	0,206	21 d	Daphnia magna (OECD 202)	ECHA Dossier		
	Acute bacteria toxicity	(29,9 mg	/l)	3 h	Activated sludge (OECD 209)	ECHA Dossier		
106-50-3	p-phenylenediamine							
	Acute fish toxicity	LC50	3,9 mg/l	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier		
	Acute algae toxicity	ErC50 mg/l	0,478	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier		
1336-21-6	Ammonia %							
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external		
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external		

12.8. Persistence and degradability

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)						
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	86%	28	ECHA Dossier			
	Readily biodegradable (according to OECD criteria).						
123-30-8	4-aminophenol						
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	6%	28	ECHA Dossier			
	Not readily biodegradable (according to OECD criteria)						

12.9. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
123-30-8	4-aminophenol	-0,09
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
1336-21-6	Ammonia %	-1,38

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 13 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
123-30-8	4-aminophenol	10-46	Cyprinus carpio	ECHA Dossier

12.10. Mobility in soil

No data available.

12.11. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.12. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.3. UN number:	Not restricted
14.4. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe NATURELL

Revision date: 04.08.2017 Product code: Page 14 of 14

14.8. UN number:Not restricted14.9. UN proper shipping name:Not restricted

<u>14.10.</u> <u>Transport hazard class(es):</u> Not restricted

14.11. Packing group: Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.3. UN number:Not restricted14.4. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.12. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.13. Special precautions for

user

Not restricted

14.14. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.3. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU Not subject

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.4. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 04.08.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 1 of 12

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology

Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin

de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization

Act SVHC: substance of very high concern

TRGS Technische Regeln für

Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic

Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.
H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains p-phenylenediamine. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 2 of 12

Tint Remover

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Professional: Cosmetics

Uses advised against none

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax: +49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49(0)251/394868-69

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Flammable liquid and vapour. Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:





Hazard statements

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 3 of 12

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to in accordance with official regulations.

Special labelling of certain mixtures

EUH208 Contains benzylsalicylate. May produce an allergic reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation	on (EC) No. 1272/2008 [CLP]			
67-63-0	propan-2-ol; isopropyl alcohol; isopr		10 - < 15 %		
	200-661-7	603-117-00-0	01-2119457558-25		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336			
118-58-1	benzylsalicylate		< 0.1 %		
	204-262-9				
	Skin Sens. 1A, Aquatic Chronic 2; H317 H411				

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off immediately all contaminated clothing.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In case of respiratory tract irritation, consult a physician.

After contact with skin

Take off immediately all contaminated clothing. Wash with plenty of water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 4 of 12

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam.

In case of major fire and large quantities: Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate affected area.

Do not breathe gas/vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment. (See section 8.)

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges . Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive

vapour-air mixture. Heating causes rise in pressure with risk of bursting.

Further information on handling

General protection and hygiene measures: See section 8.

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 5 of 12

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

Ensure adequate ventilation of the storage area.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Advice on storage compatibility

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: UV-radiation/sunlight. heat. moisture. frost.

storage temperature: 15-25 °C

7.3. Specific end use(s)

Cosmetics

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Worker DNEL,	long-term	dermal	systemic	888 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	500 mg/m ³		
Consumer DNI	EL, long-term	dermal	systemic	319 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	89 mg/m³		
Consumer DNI	EL, long-term	oral	systemic	26 mg/kg bw/day		

PNEC values

CAS No	Substance			
Environmental compartment Value		Value		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Freshwater		140,9 mg/l		
Freshwater (intermittent releases) 140,9 mg/l		140,9 mg/l		
Marine water		140,9 mg/l		
Freshwater sediment		552 mg/kg		
Secondary poisoning		160 mg/kg		
Micro-organisms in sewage treatment plants (STP)		2251 mg/l		
Soil		28 mg/kg		

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 6 of 12

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Professional: Use only outdoors or in a well-ventilated area.

Protective and hygiene measures

The usual precautions for handling chemicals should be considered.

Keep away from food, drink and animal feedingstuffs.

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Protect skin by using skin protective cream. Take off contaminated clothing.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

Hand protection

In case of prolonged or frequently repeated skin contact: Wear suitable gloves. (DIN EN 374)

Suitable material: Butyl rubber.

Thickness of glove material: 0,5 mm

Breakthrough time >= 480 min. penetration time (maximum wearing period): ~ 120 min. (estimated)

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Generation/formation of aerosols

exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: A/P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: perfumed

pH-Value: not determined

Changes in the physical state

according to Regulation (EC) No 1907/2006

	Tint Remover	
Revision date: 27.02.2018	Product code: 658.	Page 7 of 12

Melting point:

Initial boiling point and boiling range:

Flash point:

not applicable
not determined

~42 °C

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits:

Upper explosion limits:

12 (IPA) vol. %

Ignition temperature:

425 (IPA) °C

Decomposition temperature:

not determined

Oxidizing properties

none.

Vapour pressure: 48 (IPA) hPa

(at 20 °C)

Density: not determined Water solubility: miscible.

Solubility in other solvents

not determined

Viscosity / dynamic: not determined

(at 20 °C)

Viscosity / kinematic: not determined

(at 20 °C)

Vapour density:not determinedEvaporation rate:not determinedSolvent separation test:not determinedSolvent content:not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat. moisture. In use may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. strong alkalis.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Sulphur oxides

SECTION 11: Toxicological information

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 8 of 12

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

The product has not been tested.

CAS No	Chemical name						
	Exposure route	Dose	5	Species	Source	Method	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	oral	mg/kg		Rat	ECHA Dossier		
	dermal			Rabbit	ECHA Dossier		
	inhalative vapour	LC50 (>25) mg/l) F	Rat (6h)	MSDS external		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

propan-2-ol; isopropyl alcohol; isopropanol:

OECD Guideline 471 (Bacterial Reverse Mutation Assay) = negative., AllgK267153: ECHA Dossier; OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) = negative., Literature information: ECHA Dossier; No indications of human carcinogenicity exist., Literature information: ECHA Dossier; Reproductive toxicity: Method: OECD Guideline 415 (One-Generation Reproduction Toxicity Study); Species: Rat; Result: NOAEL = 853 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Method: (oral.) OECD Guideline 414 (Prenatal Developmental Toxicity Study); Species: Rabbit; Result: NOAEL = 480 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

propan-2-ol; isopropyl alcohol; isopropanol:

Chronic inhalative toxicity (Rat): NOAEC = 5000 ppm (OECD 451), Literature information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

Further information

Solvent:

Symptoms: Depression of the central nervous system. Liver and kidney damage. drowsiness. vomiting. Nausea. Dizziness. unconsciousness. Impaired consciousness. Intoxication. erythema (redness)

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658.

Page 9 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alco	ohol; isoprop	oanol				
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	>1800		Scenedesmus quadricauda	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>10000	48 h	Daphnia magna (24h)	ECHA Dossier	OECD Guideline 202
118-58-1	benzylsalicylate						
	Acute fish toxicity	LC50 mg/l	1,06	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	1,29	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	1,13	48 h	Daphnia magna	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Method Value d Source						
	Evaluation							
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	EU Method C.5/ EU Method C.6 53% 5 ECHA Dossier							
	Easily biodegradable (concerning to the criteria of the OE	CD)						
118-58-1	benzylsalicylate							
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D 93% 28 ECHA Dossier							
	Easily biodegradable (concerning to the criteria of the OE	Easily biodegradable (concerning to the criteria of the OECD)						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 10 of 12

Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u> UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol.)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. **UN number:** UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol.)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

<u>14.1.</u> <u>UN number:</u> UN 1993

14.2. **UN proper shipping name:** FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol.)

14.3. Transport hazard class(es): 3
14.4. Packing group: III

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 11 of 12

Hazard label: 3



Special Provisions: 223, 274, 955

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u> UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Isopropyl alcohol.)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

10 L

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

See section 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant.

SECTION 15: Regulatory information

$\underline{\textbf{15.1.}} \ \underline{\textbf{Safety, health and environmental regulations/legislation specific for the substance or mixture}$

EU regulatory information

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU P5c FLAMMABLE LIQUIDS

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

according to Regulation (EC) No 1907/2006

Tint Remover

Revision date: 27.02.2018 Product code: 658. Page 12 of 12

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.00; 27.02.2018, Initial release

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects

EUH208 Contains benzylsalicylate. May produce an allergic reaction.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 1 of 9

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Relaxing Eye Cream

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Responsible Department: Dr. Gans-Eichler e-mail: info@tge-consult.de Chemieberatung GmbH e-mail: info@tge-consult.de Tel.: +49(0)251/394868-69

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

according to Regulation (EC) No 1907/2006

	Relaxing Eye Cream	
Revision date: 27.02.2018	Product code: 834.	Page 2 of 9

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
122-99-6	2-phenoxyethanol			< 1 %
	204-589-7	603-098-00-9		
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
1117-86-8	octane-1,2-diol			< 1 %

according to Regulation (EC) No 1907/2006

	Relaxing Eye Cream		
Revision date: 27.02.2018	Product code: 834.	Page 3 c	of 9
214-254-7			
Eye Irrit. 2; H319			

Full text of H and FUH statements; see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 4 of 9

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 5 of 9

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them

before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Cream

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): 6 - 7

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

Sustaining combustion:

Not sustaining combustion

not determined
not determined
Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density (at 20 °C): ~1 g/cm³

Water solubility: miscible.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 6 of 9

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
122-99-6	2-phenoxyethanol							
	oral	LD50 1850 mg/kg	Rat	ECHA Dossier				
1117-86-8	octane-1,2-diol							
	oral LD50 >2000 Rat. ECHA Dossier mg/kg							

Irritation and corrosivity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 7 of 9

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
122-99-6	2-phenoxyethanol						
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	ECHA Dossier	
	Acute algae toxicity	ErC50	443 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	488 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC	(23) mg/l	34 c	Pimephales promelas	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	(9,43)	21 c	Daphnia magna	ECHA Dossier	
1117-86-8	octane-1,2-diol						
	Acute fish toxicity	LC50 mg/l	2,2-22	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50	35 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50	174 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Algea toxicity	NOEC	14 mg/l	3 0	Pseudokirchnerella subcapitata	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
122-99-6	2-phenoxyethanol				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	90%	28	ECHA Dossier	
	Readily biodegradable (according to OECD criteria).				
1117-86-8	octane-1,2-diol				
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	85%	28	ECHA Dossier	
	Easily biodegradable (concerning to the criteria of the OECD)			_	

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream			
Revision date: 27.02.2018	Product code: 834.	Page 8 of 9	

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,2
1117-86-8	octane-1,2-diol	2,1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream			
Revision date: 27.02.2018	Product code: 834.	Page 9 of 9	

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
 14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII: not relevant

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 27.02.2018

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 10 of

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety da