according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Eyelash Perm Cream 1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Biosmetics GmbH Company name: Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

Dr. Gans-Eichler Responsible Department: e-mail: info@tge-consult.de Chemieberatung GmbH Tel.: +49(0)251/394868-69

Tel.: +49 (0) 170 2450126

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements: May be corrosive to metals. Harmful if swallowed.

May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

ammonium mercaptoacetate ammonium hydrogencarbonate Signal word: Warning

Pictograms:





Hazard statements

H290 May be corrosive to metals. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 2 of 12

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to local/regional/national/international regulations.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification according to Regulat	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
5421-46-5	ammonium mercaptoacetate			5 - < 10 %		
	226-540-9		01-2119531489-31			
	Met. Corr. 1, Acute Tox. 3, Skin Se	ns. 1; H290 H301 H317				
1066-33-7	ammonium hydrogencarbonate			5 - < 10 %		
	213-911-5		01-2119486970-26			
	Acute Tox. 4; H302					
1336-21-6	Ammonia %			< 1 %		
	215-647-6	007-001-01-2	01-2119488876-14			
	Skin Corr. 1B, STOT SE 3, Aquation	Acute 1, Aquatic Chronic 2; H314 H3	335 H400 H411			

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 3 of 12

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 4 of 12

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
5421-46-5	ammonium mercaptoacetate			
Worker DNEL,	long-term	dermal	local	0,004 mg/cm ²
Worker DNEL,	long-term	dermal	systemic	2,06 mg/kg bw/day
1066-33-7	ammonium hydrogencarbonate			
Worker DNEL,	long-term	dermal	systemic	57 mg/kg bw/day
Worker DNEL,	long-term	inhalation	local	62,5 mg/m ³
Worker DNEL,	long-term	inhalation	systemic	62,5 mg/m ³
Worker DNEL,	acute	inhalation	local	160,7 mg/m ³
Worker DNEL,	acute	inhalation	systemic	160,7 mg/m ³
Consumer DNE	EL, long-term	inhalation	local	13,33 mg/m³
Consumer DNE	EL, long-term	inhalation	systemic	13,33 mg/m³
Consumer DNE	EL, acute	inhalation	local	143,91 mg/m³
Consumer DNE	EL, acute	inhalation	systemic	143,91 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	34,2 mg/kg bw/day
1336-21-6	Ammonia %			
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m ³
Worker DNEL, long-term		inhalation	local	14 mg/m³
Worker DNEL, acute		inhalation	systemic	47,6 mg/m ³
Worker DNEL, acute		inhalation	local	36 mg/m³
Consumer DNE	Consumer DNEL, acute		systemic	68 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	68 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DNE	EL, long-term	inhalation	local	2,8 mg/m³

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 5 of 12

Consumer DNEL, acute	inhalation	systemic	23,8 mg/m ³
Consumer DNEL, acute	inhalation	local	7,2 mg/m³
Consumer DNEL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	6,8 mg/kg bw/day

PNEC values

CAS No	Substance			
Environment	al compartment	Value		
5421-46-5	ammonium mercaptoacetate			
Freshwater		0,038 mg/l		
Marine water	•	0,0038 mg/l		
1066-33-7	ammonium hydrogencarbonate			
Freshwater		0,37 mg/l		
Freshwater (intermittent releases)		0,63 mg/l		
Marine water		0,037 mg/l		
Marine water (intermittent releases)		0,63 mg/l		
Freshwater sediment		0,1332 mg/kg		
Marine sedin	nent	0,01332 mg/kg		
Micro-organi	sms in sewage treatment plants (STP)	1347 mg/l		
Soil		74,9 mg/kg		
1336-21-6	Ammonia %			
Freshwater		0,0011 mg/l		
Freshwater (intermittent releases)		0,0068 mg/l		
Marine water	•	0,0011 mg/l		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). DIN EN 166

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 6 of 12

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: AK-P2

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous, fluid Colour: white Odour: characteristic

pH-Value: 8,0 - 8,7

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Sublimation point:
Softening point:
Pour point:
Pour point:
Initial boiling range:
Inot determined
Ino

Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

none

according to Regulation (EC) No 1907/2006

	Eyelash Perm Cream 1	
Revision date: 27.02.2018	Product code: 201	Page 7 of 12

Vapour pressure: not determined

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 8 of 12

Density (at 20 °C): ~1,0 g/cm³
Water solubility: not determined

Solubility in other solvents

not determined Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined Flow time: not determined Vapour density: not determined not determined Evaporation rate: Solvent separation test: not determined not determined Solvent content:

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 694,4 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
5421-46-5	ammonium mercaptoacetate					
	oral	LD50	71 mg/kg	Rat. (OECD 402)	ECHA Dossier	
	dermal	LD50 mg/kg	> 1430	Rat. (OECD 402)	ECHA Dossier	
1066-33-7	ammonium hydrogencarbonate					

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1 Revision date: 27.02.2018 Product code: 201 Page 9 of 12

	oral	LD50 mg/kg	1576	Rat.	ECHA dossier	
1336-21-6	Ammonia %					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS	
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (ammonium mercaptoacetate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
5421-46-5	ammonium mercaptoacetate						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier	
	Acute algae toxicity	ErC50	27 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
1066-33-7	ammonium hydrogencarbonate						
	Acute fish toxicity	LC50	173 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	US EPA	
1336-21-6	Ammonia %						
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external	
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external	
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external	

12.2. Persistence and degradability

The product has not been tested.

The product has not been tested.							
CAS No	Chemical name						
	Method Value d Source						
	Evaluation						
5421-46-5	ammonium mercaptoacetate						
	OECD 301C / ISO 9408 / EEC 92/69 annex V, C.4-F 100% 28 MSDS external						
Easily biodegradable (concerning to the criteria of the OECD)							

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 10 of 12

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5421-46-5	ammonium mercaptoacetate	-2,99 (pH = 7)
1066-33-7	ammonium hydrogencarbonate	-2,4
1336-21-6	Ammonia %	-1,38

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1.</u> <u>UN number:</u> UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es): 8

14.4. Packing group:
Hazard label: 8

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 11 of 12



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

<u>14.1. UN number:</u> UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C9
Special Provisions: 274

Limited quantity: 5 L Excepted quantity: E1

Marine transport (IMDG)

14.1. <u>UN number:</u> UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 III

 Hazard label:
 8



Marine pollutant: NO Special Provisions: 223, 274

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. **UN number:** UN 1760

14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (ammonium mercaptoacetate)

14.3. Transport hazard class(es):814.4. Packing group:III

Hazard label:



according to Regulation (EC) No 1907/2006

	Eyelash Perm Cream 1	
Revision date: 27.02.2018	Product code: 201	Page 12 of 12

Special Provisions: A3 A803 Limited quantity Passenger: 1 L

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1							
Revision date: 27.02.2018	F	Product code: 201	Page 13 of 12				
Passenger LQ:	Y841						
Excepted quantity:	E1						
IATA-packing instructions - Passenger:		852					
IATA-max. quantity - Passenger:		5 L					
IATA-packing instructions - Cargo:		856					
IATA-max. quantity - Cargo:		60 L					

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.0; Initial release: 27.02.2018

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 1

Revision date: 27.02.2018 Product code: 201 Page 14 of 12

LD50: Lethal dose, 50 percent

according to Regulation (EC) No 1907/2006

Evelash Perm Cream 2

Product code: 301 Revision date: 27.02.2018 Page 1 of 10

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Sens. 1; H317	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Eyelash Perm Cream 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 2 of 10

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40 Place: D Goldberg

Telephone: +49 [0] 451 | 30 800 90 Telefax:+49 [0] 451 | 20 351 03

 $Responsible \ Department: \qquad \qquad Dr. \ Gans-Eichler \qquad \qquad e-mail: info@tge-consult.de$

Chemieberatung GmbH Tel.: +49(0)251/394868-69

Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

1.4. Emergency telephone

Tel.: +49 (0) 170 2450126

number:

Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
7722-84-1	Hydrogen peroxide solution %				
	231-765-0	008-003-00-9			
	Ox. Liq. 1, Acute Tox. 4,	Acute Tox. 4, Skin Corr. 1A, STO	SE 3; H271 H332 H302 H314 H335		
8042-47-5	White mineral oil (petrole	um)		1 - < 5 %	

according to Regulation (EC) No 1907/2006

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 4 of 10

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7722-84-1	Hydrogen peroxide	1	1.4		TWA (8 h)	WEL
		2	2.8		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
8042-47-5	White mineral oil (petroleum)							
Worker DNEL,	long-term	dermal	systemic	220 mg/kg bw/day				
Worker DNEL,	long-term	inhalation	systemic	160 mg/m³				
Consumer DNEL, long-term		oral	systemic	40 mg/kg bw/day				

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 5 of 10

Consumer DNI	EL, long-term	dermal	systemic	92 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	35 mg/m³
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts			
Consumer DNI	EL, long-term	inhalation	systemic	85 mg/m³
Consumer DNEL, long-term		dermal	systemic	2440 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	24 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	285 mg/m³
		dermal	systemic	4060 mg/kg bw/day

PNEC values

CAS No	Substance					
Environmental	Environmental compartment Value					
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts					
Freshwater (intermittent releases) 0,052 mg/l						
Freshwater sediment 6,75 mg/kg						
Micro-organisms in sewage treatment plants (STP) 550 mg/l						
Freshwater		0,0204 mg/l				
Marine water	0,00204 mg/l					
Marine sedime	0,675 mg/kg					
Soil	1,35 mg/kg					

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 6 of 10

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -exceeding exposure limit values
- -insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type: NO - P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): < 3

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Sublimation point:
Softening point:
Pour point:
Plash point:
Inot determined
not determined
not determined
not determined
not determined
not determined
not determined

Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: miscible.

Solubility in other solvents

not determined

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 7 of 10

Partition coefficient: not determined Viscosity / dynamic: not determined

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 8 of 10

Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined
Evaporation rate: not determined
Solvent separation test: not determined
Solvent content: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
7722-84-1	Hydrogen peroxide solution %							
	oral	LD50 (426- 1026) mg/kg	Rat (OECD 401)	ECHA Dossier				
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA Dossier				
	inhalative (4 h) aerosol	LC50 (>0,17 - 50% H2O2) mg/l		ECHA Dossier				
	inhalative gas	ATE 4500 ppm						
8042-47-5	White mineral oil (petrole	um)						
	oral	LD50 >5000 mg/kg	Rat	ECHA Dossier				
	dermal	LD50 >2000 mg/kg	Rabbit.	ECHA Dossier				

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2							
Revision date: 27.02.2018	evision date: 27.02.2018 Product code: 301				Page 9 of 10		
inhalative (4 h) aerosol	LC50 >5 m	ng/l Rat					

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 10 of 10

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7722-84-1	Hydrogen peroxide solution %								
	Acute fish toxicity	LC50 mg/l	16,4	96 h	Pimephales promelas	ECHA Dossier			
	Acute algae toxicity	ErC50 mg/l	1,38	72 h	Skeletonema costatum	ECHA Dossier			
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia pulex	ECHA Dossier			
8042-47-5	White mineral oil (petroleu	ım)							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Fish	MSDS extern.			
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	MSDS extern.			

12.2. Persistence and degradability

The product has not been tested.

The product has not been tested.				
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
7722-84-1	Hydrogen peroxide solution %			
	OECD 209	>99%	28	ECHA Dossier
68955-20-4	Sulfuric acid, mono-C16-18-alkyl esters, sodium salts			
	OECD 301D/ EEC 92/69/V, C.4-E	77%	30	ECHA-Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 11 of 10

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

hae I	transpor	+ / A D R	/BID/

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 12 of 10

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 27.02.2018

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

according to Regulation (EC) No 1907/2006

Eyelash Perm Cream 2

Revision date: 27.02.2018 Product code: 301 Page 13 of 10

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 1 of 8

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Relevant H and EUH statements (number and full text)

H271	May cause fire or	explosion; strong oxidiser.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety Data sheets

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTENSIVE Eye-Make-up-Remover

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH
Street: Ziegeleiweg 40
Place: Further Information

Telephone:

Responsible Department:

1.4. Emergency telephone

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover					
Revision date: 03.11.2017	Revision date: 03.11.2017 Product code: 657 F				
D Goldberg +49 [0] 451 30 800 90	Dr. Gans-Eichler Chemieberatung GmbH Raesfeldstr. 22	e-mail: info@tge-consult.de Tel.: +49(0)251/394868-69 www.tge-consult.de			
Telefax:+49 [0] 451 20 351 03	D-48149 Münster Tel.: +49 (0) 170 2450126				

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains benzylsalicylate, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-

500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 3 of 8

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 4 of 8

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 5 of 8

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): 7,15-7,35

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

not determined

Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: not determined

Water solubility: miscible.

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: not determined Viscosity / kinematic: not determined

according to Regulation (EC) No 1907/2006

	INTENSIVE Eye-Make-up-Remover	
Revision date: 03.11.2017	Product code: 657	Page 6 of 8

Flow time: not determined Vapour density: not determined

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 7 of 8

Evaporation rate:

Solvent separation test:

Solvent content:

not determined
not determined
not determined

9.2. Other information

Solid content:

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

12.2. Persistence and degradability

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 8 of 8

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3 Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover		
Revision date: 03.11.2017	Product code: 657	Page 9 of 8

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 03.11.2017

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

according to Regulation (EC) No 1907/2006

INTENSIVE Eye-Make-up-Remover

Revision date: 03.11.2017 Product code: 657 Page 10 of

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 1 of 9

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Relevant H and EUH statements (number and full text)

EUH208 Contains benzylsalicylate, Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-

500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Relaxing Eye Cream

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetics

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Biosmetics GmbH Street: Ziegeleiweg 40

Place:

Telephone: <u>1.4.</u> <u>Emergency telephone number:</u>

Responsible Department: Further Information

according to Regulation (EC) No 1907/2006

Revision date: 27.02.2018 Product code: 834. Page 2 of 9

D Goldberg Dr. Gans-Eichler e-mail: info@tge-consult.de

+49 [0] 451 | 30 800 Chemieberatung GmbH Tel.: +49(0)251/394868-69 Raesfeldstr. 22 www.tge-consult.de

D-48149 Münster

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

Labelling according to cosmetic directive.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	No Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
122-99-6	2-phenoxyethanol		< 1 %	
	204-589-7	603-098-00-9		
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
1117-86-8	octane-1,2-diol	octane-1,2-diol		< 1 %

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream					
	Revision date: 27.02.2018	Product code: 834.		Page 3 c	of 9
	214-254-7				
	Eye Irrit. 2; H319				

Full text of H and FUH statements; see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 4 of 9

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: Light. UV-radiation/sunlight. heat. moisture.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

No special measures are necessary.

Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 5 of 9

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them

before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Cream

Colour: not determined Odour: characteristic

pH-Value (at 20 °C): 6 - 7

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Sublimation point:
not determined
Softening point:
not determined
Pour point:
not determined
rot determined
not determined
not determined
not determined
not determined
not determined

Sustaining combustion: Not sustaining combustion

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density (at 20 °C): ~1 g/cm³

according to Regulation (EC) No 1907/2006

	Relaxing Eye Cream	
Revision date: 27.02.2018	Product code: 834.	Page 6 of 9

Water solubility: miscible.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 7 of 9

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic:

Viscosity / kinematic:

not determined

Flow time:

vapour density:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

Solvent separation test:

not determined

solvent content:

not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide, Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
122-99-6	2-phenoxyethanol					
	oral	LD50 1850 mg/kg	Rat	ECHA Dossier		
1117-86-8	octane-1,2-diol					
	oral	LD50 >2000 mg/kg	Rat.	ECHA Dossier		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 8 of 9

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
122-99-6	2-phenoxyethanol						
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus	ECHA Dossier	
	Acute algae toxicity	ErC50	443 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	488 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC	(23) mg/l	34 c	Pimephales promelas	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	(9,43)	21 c	Daphnia magna	ECHA Dossier	
1117-86-8	octane-1,2-diol						
	Acute fish toxicity	LC50 mg/l	2,2-22	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50	35 mg/l	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50	174 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Algea toxicity	NOEC	14 mg/l	3 0	Pseudokirchnerella subcapitata	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
122-99-6	2-phenoxyethanol			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	90%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
1117-86-8	octane-1,2-diol			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D 85% 28 ECHA Dossier			
	Easily biodegradable (concerning to the criteria of the OECD)			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

according to Regulation (EC) No 1907/2006

	Relaxing Eye Cream	
Revision date: 27.02.2018	Product code: 834.	Page 9 of 9

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,2
1117-86-8	octane-1,2-diol	2,1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream Revision date: 27.02.2018 Product code: 834. Page 10 of				
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLYHAZARDOUS:	no			

14.6. Special precautions for user

refer to chapter 6-8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII: not relevant

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

SECTION 16: Other information

Changes

Rev. 1.00; Initial release: 27.02.2018

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

according to Regulation (EC) No 1907/2006

Relaxing Eye Cream

Revision date: 27.02.2018 Product code: 834. Page 11 of

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

EUH210 Safety data sheet available on request.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Section 1: Substance/preparation- and company name

1.1 Product identifier and relevant identified application

Polymer, ingredient for cosmetic agents

1.2 Supplied for

Company name: Biosmetics GmbH
Street: Ziegeleiweg 40
Place: 19399 Goldberg
Telephone: +49 (0) 451 3080090

Section 2: Composition/specifications on components

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

2.1. Chemical characteristics INCI-name:

VP/VA copolymer (and) Isopropanol Preparation based on: vinyl acetate, 1-vinyl 2- pyrrolidone copolymer (contents (W/W): 50 %). propan-2-ol (contents (W/W): 50 %)

Hazardous ingredient: Propan-2-ol Contents (W/W): 50 %: CAS-Reg No: 67-63-0,

EC 200-661-7, Index No: 603- 117-00-0

Warning symbol letter(s), R phrases: F: R11; Xi: R36; R67

If hazardous substances are named, the wording for the warning symbols and risk statements is specified in section 16.

Section 3: Hazard identification

3.1 Possible hazards:

Irritant to eyes. highly inflammable.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

Section 4: Firs-aid measures

4.1 **General recommendations:**

Remove contaminated clothing.

4.2 After inhaling:

Stay calm, fresh air, contact a doctor.

4.3 Following skin contact:

Wash-off thoroughly with soap and water.

4.4 Following eye contact:

Flush immediately and thoroughly for at least 15 minutes with eyelids wide open under flowing water;

Call an eye doctor.

4.5 After swallowing:

Rinse mouth immediately, then drink a copious amount of water; call a doctor.

Section 5: Measures to combat fire

5.1 Suitable fire extinguishers:

Sprayed water, foam, carbon dioxide, sand

5.2 **Special hazards arising:**

Carbon dioxide, nitrous gases, cyanide can be released in case of fire.

5.3 Specific protective gear:

Wear a self-contained breathing apparatus

5.4 Further information:

Dispose of fire residue and contaminated fire-fighting water according to official regulations.

Section 6: Measures in case of unintentional release

6.1 Individual preventive measures:

Ensure proper ventilation.

6.2 <u>Measures for environmental protection:</u>

Prevent entry into these wagesystem.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

6.3 **Procedures for cleaning and uptake:**

For large quantities: contain/dam-up. Dispose of in well-sealed containers.

Section 7: Handling and storage

7.1 General:

Handling Observe the usual precautionary measures for handling chemicals.

7.2 <u>Fire-and explosion protection:</u>

Keep away from sources of combustion - do not smoke. Use water to cool containers endangered by heat.

7.3 Further informationon/storage conditions:

Keep containers tightly sealed and store in a cool, well-ventilated location

Section 8: Exposure limit and personal protective gear

8.1 Components with workplace-related limit values to be monitored:

67-63-0: Propan-2-ol

TWA-value: 500 mg/m3; 200 ppm (MAK (CH)) STEL-value: 1,000 mg/m3; 400 ppm (MAK (CH)) Peak limit/exceedance factor: 4x15 MIN

(MAK (CH))

No grounds to fear risk of reproductive injury if workplace limit values and biological limit values (BLV) are observed.

8.2 Personal protective gear:

Respiratory protection: Gas filter for organic gases/vapours (boiling point > 65 °C, e. g.

EN 14387 Type A).

Hand protection: Suitable materials including longer, direct contact (recommended: protection index 6,

corresponds to > 480 minutes permeation according to EN 374): Butyl rubber (butyl) - 0.7 mm layer thickness Fluorelastomer (FKM) - 0.7 mm layer thickness Nitrile rubber (NBR) - 0.4 mm

layer thickness

Additional recommendation:

The information derives from in-house testing, literature and information from glove manufacturers, or is derived from conclusion by analogy for similar materials. Note should be taken that the actual duration of use for a chemically protective glove can be

clearly shorter in practice than the determined permeation

according to Regulation (EU) No 1907/2006

Lash Bond product

code: ELG002

time, due to many influencing factors (e.g. temperature). Due to the large number of

types, the manufacturer's instructions are to be followed.

Eye protection: Safety glasses with side shields (frame goggles) (e.g. EN 166) General protection and

hygiene measures: Avoid inhaling vapours.

Section 9: Physical and chemical properties

Information on: propan-2-ol

Form: liquid

Colour: light

yellow

Odour: perceptible

Boiling point: 82°C

Flashpoint: approx. 13°C
Lower explosion limit: 2% (V) Upper
explosion limit: 12.0%(V)
Ignition temperature: approx. 400°C

Vapour pressure: approx. 35 hPa (20°C)

approx. 220hPa (50°C)

Density: approx 0.95-1.0g/cm3 Solubility in water: approx. 20°C dispersible Viscosity,

dynamic: approx. 3,000 mPa.s (25°C)

Section 10: Stability and reactivity

10.1 Thermal decomposition: ca. 80°C

Thermal decomposition above the indicated temperature is possible.

10.2 Dangerous reactions:

No dangerous reactions if the regulations/recommendations for storage and handling are followed.

10.3 Hazardous decomposition products:

No hazardous decomposition products if the regulations/recommendations for storage and handling are followed.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

Section 11: Information on toxicology

Information on vinyl acetate, 1 -vinyl 2-pyrrolidon copolymer:

11.1 Acute toxicity:

Evaluation of acute toxicity: No further information available.

11.2 Irritant effect:

Evaluation of irritant effect: No further information available

11.3 Sensitisation:

Evaluation of sensitisation: Not skin sensitising in tests on animals. Guinea pig maximisation test (GPMT): not sensitising (OECD- guideline 406)

11.4 Gene toxicity:

Evaluation of mutagenicity:

No effect altering the genetic material was found in tests on bacteria and on mammalian cells.

11.5 <u>Developmental toxicity:</u>

Evaluation of teratogenicity:

The substance showed no properties of altering genetic material in tests on mammals.

Section 12: Environmental information / Environmental toxicity

12.1 Toxity Information on vinyl acetate, 1 -vinyl 2-pyrrolidon copolymer:

Evaluation of aquatic toxicity:

High probability of harmlessness for aquatic organisms if acute. Appropriate introduction of low concentrations in biological sewage systems should not lead to interference with decomposition activities of activated sludge.

Fish toxicity:

LC50 (96 h) > 10,000 mg/l, Brachydanio rerio (OECD- guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (Guideline 79/831/EWG, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l (biomass), Scenedesmus subspicatus (OECD-guideline 201, static)

12.2 <u>Persistence and decomposition information on vinyl acetate, 1 -vinyl 2-pyrrolidon copolymer:</u>

Evaluation of biodecomposition and elimination (H20): Difficult to eliminate from water.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

Information on elimination:

approx. 2 0 - 3 0 % DOC- decrease (15 d) (OECD-guideline 302 B) (aerob, activated sludge, adapted) Difficult to eliminate from water.

12.3 <u>Bioaccumulation potential information on vinyl acetate, 1-vinyl 2-pyrrolidon</u> copolymer:

Bioaccumulation potential:

Based on its structural properties, the polymer portion is not Accumulation is not expected in organisms.

Section 13: Recommendations for disposal

National and local legal regulations are to be observed.

Section 14: Information for transport Land transport

<u>ADR</u>

UN number UN1866

Proper shipping name (description of goods) Resin Solution (contains ISOPROPANOL) Transport

hazard class(es) 3

Pachaging group III

<u>RID</u>

UN number UN1866

Proper shipping name (description of goods)

Resin Solution (contains ISOPROPANOL) Transport

hazard class(es) 3
Pachaging group III

Barge freight

UN number UN1866

Proper shipping name (description of goods) Resin Solution (contains ISOPROPANOL) Transport

hazard class(es) 3
Pachaging group III

Ocean freight

UN number UN1866

Proper shipping name (description of goods) Resin Solution (contains ISOPROPANOL) Transport

hazard class(es) 3
Pachaging group III

Air transport

UN number UN1866

Proper shipping name (description of goods)

Resin Solution (contains ISOPROPANOL) Transport

hazard class(es) 3
Pachaging group III

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

Section 15: Regulations

The Safety Data Sheet is compiled according to the current regulations of the European Union (designation) / national regulations EU-guideline 1999/45/EU ('Preparations guideline').

Section 16: Other Information

16.1 Danger symbol(s):

F Highly flammable:



X Irritant:



16.2 R-Sentences:

R 11 Highly flammable R 36 Irritant to eyes

R 67 Vapours can cause drowsiness and light headedness

16.3 <u>S-sentences:</u>

S2 Keep out of reach of childrenS7 Keep container tightly sealed

S16 Keep away from sources of combustion- no smoking S24 Avoid

contact with skin

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16.4 Weak water pollutant.

16.5 Other regulations:

Complete wording for hazard symbols and risk sentences if "Dangerous contents" named in Section 2 and 16.

according to Regulation (EU) No 1907/2006

Lash Bond product code: ELG002

The preceding information in this material safety data sheet is based on our current knowledge and experience and describes the product with regard to safety requirements with no limit or warranty.

The information is in no way to be viewed as a description of the quality of the goods (product specification). Agreement on quality or product suitability for a specific application cannot be derived from our information in the safety data sheet. Any protective rights or existing laws and provisions are to be observed by the recipient of our product under their own responsibility.

DISCLAIMER:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.