

Safety Data Sheet Patchology MoodPatch Down Time MPDT1/MPDT5

Iontera, Inc. (Makers of Patchology) 83 Morse St. Ste 8A Norwood, MA 02062

Telephone: 401-378-6585 Fax: 401-415-0440

SECTION 1 - IDENTIFICATION

Patchology MoodPatch Down Time CHEMICAL FAMILY: Manufacturer: Iontera, Inc. MPDT1/MPDT5 IDENTITY (TRADE NAME): 83 Morse St, Ste 8A ISSUE DATE: 03/11/19 Norwood, MA 02062 (401) 378-6585 REVISION DATE: 03/11/19

SECTION 2 - HAZARD IDENTIFICATION

This is a personal care product that is safe for consumers when used as intended

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Water (AqualEau), Glycerin, Butylene Glycol, PEG-60 Hydrogenated Castor Oil, Xanthan Gum, 1,2-Hexanediol, Carrageenan, Ceratonia Siliqua (Carob) Gum, Allantoin, Pentylene Glycol, Calendula Officinalis Flower, Chlorphenesin, Jasminum Officinale (Jasmine) Flower, Lavandula Angustificiia (Lavender) Oil, Propanediol, Pirus Sylvestris Leaf Extract, Potassium Chloride, Sucrose, Ethyl Hexanediol, Cocos Nucifera (Coconut) Fruit Extract, Calcium Lactate, Cellulose Gum, Gellan Gum, Sodium Polyacrylate, Disodium EDTA, Sodium Hyaluronate, Brassica Napus Extract, Calendula Officinalis Flower Extract, Forsythia Suspensa Fruit Extract, Freesia Refracta Extract, Cenothera Biennis (Evening Primrose) Flower Extract, Saururus Chinensis Extract, Ethylhexylglycerin, Coptis Chinensis Root Extract, Iron oxide (CI 77492)

SECTION 4 - FIRST AID MEASURES

SKIN CONTACT: Not expected to be a skin hazard under normal use. Seek medical attention if irritation develops and persists.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes

Seek medical attention if irritation persists.

INHALATION: Not expected to be an inhalation hazard under normal use. Avoid breathing dust. If breathing becomes difficult, remove victim to fresh air

If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues

INGESTION: Not expected to be an ingestion hazard under normal use. If product is swallowed, call physician or poison control center for most current information.

If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

SECTION 5 - FIRE-FIGHTING MEASURES

Carcinogenicity

ELASH POINT/METHOD: Non-flammabe. This water-based material has little potential for fire or explosion

EXTINGUISHING MEDIA: Water, Carbon Dioxide or Dry Chemical

FIRE FIGHTING PROCEDURES - SPECIAL: Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with

carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations. Floors may be slippery from spill. Scoop the material and clean the area with plenty of water SPILLS:

Absorb material and place into appropriate labeled waste container. Finish cleaning by spreading water on the contaminated surface Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

HANDLING: STORAGE: Avoid contact with eyes. Use good hygiene practices

Storage at temperature between 10 et 25°C in his original packaging

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Personal care product that is safe for consumers and other users when used as intended.

General measures No Special measures required. Individual protection Media : No Special Media required



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: Not Applicable APPEARANCE: Yellow hydrogel Odor: Characteristic pH: 5.5-7.5 <100 CFU/g or mI Bacteria <100 CFU/g or ml Fungi: Solubility Water soluble

SECTION 10 - STABILITY AND REACTIVITY

Stable under ordinary conditions of use and storage

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong Base or Strong Acid

HAZARDOUS DECOMOSITION: COx, Sox Hazardous Polymerization: Will not occur under normal conditions

CONDITIONS TO AVOID Keep away from heat and light

SECTION 11 - TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.

Toxicity Data

ORAL: [Water] : LD50=90,000mg/kg Rat

[Glycerin]: LD50=12,600mg/kg Rat [Butylene Glycol] : LD50=22,800mg/kg Rat [Sucrose]: LD50=29,700 mg/kg Rat [Xanthan Gum] : LD50=45,000mg/kg Rat

[PEG-60 Hydrogenated Castor Oil] : LD50=5,000mg/kg Rat

[Allantoin] : LD50=5,000mg/kg Rat [Sodium Hyaluronate] : LD50=800mg/kg Rat [Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Sodium Polyacrylate] : LD50>40,000mg/kg Rat [Cellulose Gum]: LD50>27,000mg/kg Rat [Disodium EDTA] : LD50=2,300mg/kg Rat [Ethyl Hexanediol]: LD50=1,400mg/kg Rat [1,2-Hexanediol] : LD50=5,000mg/kg Rat [Chlorphenesin] : LD50=3,000mg/kg Rat

DERMAL [Allantoin]: LD50>5,000mg/kg Rat

[Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Cellulose Gum] : LD50>2,000mg/kg Rabbit [Ethyl Hexanediol] : LD50=2,000mg/kg Rat

INHALATION [Cellulose Gum] : LC50>5,800mg/L 4hr Rat

SKIN CORROSION/IRRITATION [Ethyl Hexanediol]: Mild skin irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No skin irritation / Rabbit

SERIOUS EYE DAMAGE/IRRITATION [Ethyl Hexanediol] : Serius Eye Irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No Eye irritation / Rabbit

Not available Respiratory sensitization Skin sensitization Not available Carcinogenicity Not available Germ cell mutagenicity Not available Reproductive toxicity Not available Not available Further information

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Ecoloxicity [Bulylene Glycol]: LC50 100mg/L 96hr Oryzias latipes

EC50 1,000mg/L 48hr Daphinia magna EC50 1,070mg/L 72hr Algae

[Sucrose] : LC50 199,000,000 mg/ℓ 96 hr Fish LC50 138,000,000 mg/ℓ 48 hr Crustacean EC50 60,200,000

mg/ℓ 96 hr Algae

[Xanthan Gum] : LC50 420mg/L 96hr Oncorhynchus

[Allantoin]: LC50 5.000mg/L 96hr Brachydanio rerio

EC50 100mg/L 48hr Daphinia magna

[Calcium Lactate] : LC50 186,000mg/L 96hr Fish EC50 7,120,000mg/L 48hr Crustacean EC50 3,330,000mg/L

72hr Algae

[Disodium EDTA] : LC50 320mg/L 96hr Poecilia reticulata

[Ethyl Hexanediol]: LC50 624mg/L 96hr Ictalurus punctatus EC50 134.717mg/L 48hr Daphinia magna EC50 53.750mg/L 96hr Algae

[1,2-Hexanediol]: LC50 1291.099 mg/L 96 hr Fish LC50 599.986 mg/L 48 hr Crustacean EC50 161.332 mg/L 96

Page 2 of 3

hr Algae

MPDT1/MPDT5 Patchology MoodPatch Down Time

[Bulylene Glycol]: 7.21 log Kow (Sucrose]: -3.70 log Kow (PEG-80 Hydrogensted Castor Oil]: 17.71 log Kow (Allantin]: -3.41 log Kow (Calcium Lactate]: -3.07 log Kow (Disodum EDTA]: -11.70 log Kow (Ethyl Hexanedio]: 1.800 log Kow (Ethyl Hexanedio]: 1.800 log Kow (Chlorphenesin]: 1.5 log Kow

Bioaccumulation

[Butylene Glycol] : 2668 [PEG-60 Hydrogenated Castor Oil] : 3.162 [Calcium Lactate] : 3.162 [Disodium EDTA] : 3.162

[Ethyl Hexanediol]: 5.281 (L/kg wet-wt) [1,2-Hexanediol]: 3.162

Not avalable

Mobility in soil

Thou area are [Buylene (Sp(col) : 06530 [PEG-60 Hydrogenated Castor Oil] : 2060000000 [Allantoin] : 10 [Ethyl Hexanedio] : 0.987 [1,2-Hexanedio] : 3.047 [Chlorphenesin]: 10

Degradability This product is readily biodegradable.

Bioaccumulative Potential Not avalable

SECTION 13 - DISPOSAL CONSIDERATION

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

Not a hazardous material for transportation

HAZARD CLASS:

ROAD Not regulated: should follow the packaging standard AIR Not regulated: should follow the packaging standard SEA Not regulated: should follow the packaging standard Specificity Not regulated: should follow the packaging standard

Not regulated as dangerous goods IATA

SECTION 15 - REGULATORY INFORMATION

None

SECTION 16 - OTHER INFORMATION

PREPARED BY: Fedora Stojkoska-Hristov DATE OF PRINTING: March 11, 2019

All chemicals may pose unknown hazards and should be used with cautions. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Dermaceutical laboratories assumes no responsibility for the completeness or accuracy of the information contained herein. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and protection of the environment

End of SDS Sheet



Safety Data Sheet Patchology MoodPatch Happy Place MPHP1/MPHP5

Iontera, Inc. (Makers of Patchology) 83 Morse St. Ste 8A Norwood, MA 02062

Telephone: 401-378-6585 Fax: 401-415-0440

SECTION 1 - IDENTIFICATION

CHEMICAL FAMILY: Patchology MoodPatch Happy Place Manufacturer: Iontera, Inc. MPHP1/MPHP5 IDENTITY (TRADE NAME): 83 Morse St, Ste 8A ISSUE DATE: 03/11/19 Norwood, MA 02062 (401) 378-6585 REVISION DATE: 03/11/19

SECTION 2 - HAZARD IDENTIFICATION

This is a personal care product that is safe for consumers when used as intended

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Water (Aqua'Eau), Glycerin, Butylene Glycol, PEG-60 Hydrogenated Castor Oil, Xanthan Gum, 1,2-Hexanedid, Carrageenan, Ceratonia Siliqua (Carcb) Gum, Allantoin, Hibiscus Sabdariffa Flower Extract, Pentylene Glycol, Chlorphenesin, Propanedid, Pinus Sylvestris Laef Extract, Potassium Chloride, Sucrose, Ethyl Hexanedid, Cooso Nucliera (Occondt) Fruit Extract, Caclium Lacate, Cellulose Gum, Gellan Gum, Sodium Polyacrylate, Disodium EDTA, Sodium Hyaluronate, Phenonyethanol, Saururus Chinensis Extract, Ethylhexylglycerin, Freesia Refracta Extract, Iris Ensata Extract, Leotopodium Alphum Extract, Lilium Candidum Flower Extract, Magnolia Biondi Flower Extract, Narcissus Pseudo-Narcissus (Daffodi) Flower Extract, Rosa Damascoran Flower Extract, Syringa Vulgaris (Lilac) Extract, Trifolium Paterse (Clover) Flower Extract, Copilis Chinensis Root Extract, Iron Oxide (C177491), Fragrance (Parfum), Limonene

SECTION 4 - FIRST AID MEASURES

SKIN CONTACT: Not expected to be a skin hazard under normal use. Seek medical attention if irritation develops and persists.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes

Seek medical attention if irritation persists.

INHALATION: Not expected to be an inhalation hazard under normal use. Avoid breathing dust. If breathing becomes difficult, remove victim to fresh air

If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues

INGESTION: Not expected to be an ingestion hazard under normal use. If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

SECTION 5 - FIRE-FIGHTING MEASURES

Carcinogenicity

ELASH POINT/METHOD: Non-flammabe. This water-based material has little potential for fire or explosion EXTINGUISHING MEDIA:

Water, Carbon Dioxide or Dry Chemical

FIRE FIGHTING PROCEDURES - SPECIAL: Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with

carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations. Floors may be slippery from spill. Scoop the material and clean the area with plenty of water SPILLS:

Absorb material and place into appropriate labeled waste container. Finish cleaning by spreading water on the contaminated surface Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

HANDLING: STORAGE: Avoid contact with eyes. Use good hygiene practices

Storage at temperature between 10 et 25°C in his original packaging

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Personal care product that is safe for consumers and other users when used as intended.

General measures No Special measures required. Individual protection Media : No Special Media required



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: APPEARANCE: Not Applicable Pink hydrogel Characteristic Odor: pH: 5.5-7.5 <100 CFU/g or mI Bacteria <100 CFU/g or ml Fungi: Boiling Point 100C Water soluble Solubility:

SECTION 10 - STABILITY AND REACTIVITY

STABILITY:

Stable under ordinary conditions of use and storage

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong Base or Strong Acid COx, Sox

HAZARDOUS DECOMOSITION:

Will not occur under normal conditions.

Hazardous Polymerization: CONDITIONS TO AVOID: Keep away from heat and light

SECTION 11 - TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.

Toxicity Data

ORAL: [Water] : LD50=90,000mg/kg Rat

[Glycerin]: LD50=12,600mg/kg Rat [Butylene Glycol] : LD50=22,800mg/kg Rat [Sucrose]: LD50=29,700 mg/kg Rat [Xanthan Gum] : LD50=45,000mg/kg Rat

[PEG-60 Hydrogenated Castor Oil] : LD50=5,000mg/kg Rat

[Allantoin] : LD50=5,000mg/kg Rat [Sodium Hyaluronate] : LD50=800mg/kg Rat [Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Sodium Polyacrylate]: LD50>40,000mg/kg Rat [Cellulose Gum] : LD50>27,000mg/kg Rat [Disodium EDTA] : LD50=2,300mg/kg Rat [Ethyl Hexanediol] : LD50=1,400mg/kg Rat [1,2-Hexanediol] : LD50=5,000mg/kg Rat [Chlorphenesin] : LD50=3,000mg/kg Rat [Phenoxyethanol] : LD50=1,260mg/kg Rat

DERMAL [Allantoin] : LD50>5,000mg/kg Rat

[Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Cellulose Gum] : LD50>2,000mg/kg Rabbit [Ethyl Hexanediol] : LD50=2,000mg/kg Rat [Phenoxyethanol] : LD50=2,500mg/kg Rabbit

INHALATION [Cellulose Gum] : LC50>5,800mg/L 4hr Rat

SKIN CORROSION/IRRITATION [Ethyl Hexanediol]: Mild skin irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No skin irritation / Rabbit

SERIOUS EYE DAMAGE/IRRITATION [Ethyl Hexanediol] : Serius Eye Irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No Eye irritation / Rabbit

Not available Respiratory sensitization Skin sensitization Not available Carcinogenicity Not available Germ cell mutagenicity Not available Reproductive toxicity Not available Further information Not available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.



Ecotoxicity

[Butylene Glycol] : LC50 100mg/L 96hr Oryzias latipes EC50 1,000mg/L 48hr Daphinia magna EC50

1,070mg/L 72hr Algae

[Sucrose]: LC50 199,000,000 mg/ℓ 96 hr Fish LC50 138,000,000 mg/ℓ 48 hr Crustacean EC50 60,200,000 mg/ℓ 96 hr Algae

[Xanthan Gum] : LC50 420mg/L 96hr Oncorhynchus mykiss

[Allantoin] : LC50 5,000mg/L 96hr Brachydanio rerio EC50 100mg/L 48hr Daphinia magna

[Calcium Lactate]: LC50 186,000mg/L 96hr Fish EC50 7,120,000mg/L 48hr Crustacean EC50 3,330,000mg/L

72hr Algae

[Disodium EDTA] : LC50 320mg/L 96hr Poecilia

reticulata

[Ethyl Hexanediol] : LC50 624mg/L 96hr Ictalurus punctatus EC50 134.717mg/L 48hr Daphinia magna EC50 53.750mg/L 96hr Algae

[1.2-Hexanediol]: LC50 1291.099 mg/L 96 hr Fish LC50 599.986 mg/L 48 hr Crustacean EC50 161.332 mg/L 96

[Phenoxyethanol]: LC50 344mg/L 96hr Fathead minnow

Persistence

[Butylene Glycal] : 7.21 log Kow [Sucrose] : -3.70 log Kow [PEG-60 Hydrogenated Castor Oil] : 17.71 log Kow [Allantoin] : -3.14 log Kow

[Allanton]: -3.14 log Kow
[Calcium Lactate]: -3.07 log Kow
[Disodium EDTA]: -11.70 log Kow
[Ethyl Hexanediol]: 1.600 log Kow
[1,2-Hexanediol]: 0.58 log Kow
[Chlorphenesin]: 1.5 log Kow

Bioaccumulation

[Butylene Glycol] : 2668

[PEG-60 Hydrogenated Castor Oil]: 3.162 [Calcium Lactate]: 3.162

[Disodium EDTA] : 3.162 [Ethyl Hexanediol] : 5.281 (L/kg wet-wt) [1,2-Hexanediol] : 3.162

[Chlorphenesin]: 0.6427

Mobility in soil

[Butylene Glycol] : 60530 [PEG-60 Hydrogenated Castor Oil] : 206000000 [Allantoin] : 10 [Ethyl Hexanediol] : 0.987

[1,2-Hexanediol]: 3.047 [Chlorphenesin]: 10

Degradability This product is readily biodegradable.

Not avalable

SECTION 13 - DISPOSAL CONSIDERATION

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan

SECTION 14 - TRANSPORTATION INFORMATION

Not a hazardous material for transportation

HAZARD CLASS:

ROAD Not regulated: should follow the packaging standard Not regulated: should follow the packaging standard AIR SEA Not regulated: should follow the packaging standard Specificity Not regulated: should follow the packaging standard

IATA Not regulated as dangerous goods

SECTION 15 - REGULATORY INFORMATION

SECTION 16 - OTHER INFORMATION

PREPARED BY: Fedora Stojkoska-Hristov DATE OF PRINTING: March 11, 2019

All chemicals may pose unknown hazards and should be used with cautions. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Dermaceutical laboratories assumes no responsibility for the completeness or accuracy of the information contained herein. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and protection of the environment



Safety Data Sheet Patchology MoodPatch Perk Up MPPU1/MPPU5

Iontera, Inc. (Makers of Patchology) 83 Morse St. Ste 8A Norwood, MA 02062

Telephone: 401-378-6585 Fax: 401-415-0440

SECTION 1 - IDENTIFICATION

Patchology MoodPatch Perk Up MPPU1/MPPU5 CHEMICAL FAMILY: Manufacturer: Iontera, Inc. IDENTITY (TRADE NAME): 83 Morse St, Ste 8A ISSUE DATE: 03/11/19 Norwood, MA 02062 (401) 378-6585 REVISION DATE: 03/11/19

SECTION 2 - HAZARD IDENTIFICATION

This is a personal care product that is safe for consumers when used as intended

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Water (Aqua Eau), Glycerin, Butylene Glycol, Xanthan Gum, Carrageenan, Ceratoria Siliqua (Carob) Gum, PEG60 Hydrogenated Castor Oil, 1,2-Hexanediol, Allantoin, Camellia Sinensis Leaf Powder, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Potassium Chloride, Sucrose, Pentylene Glycol, Chlorphenesin, Propanediol, Pinus Sylvestris Leaf Extract, Elly Hexanediol, Cocos Nucifera (Coconul) Fruit Extract, Calcium Lactale, Cellulose Gum, Gellan Gum, Sodium Polyacrylate, Disodium EDTA, Angelica Gigas Rood Extract, Cimicifuga Racemosa Root Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Morus Alba Bark Extract, Paenia Lactiflora Root Extract, Phellinus Linteus Extract, Polygonum Multiflorum Root Extract, Sururus Chinensis Extract, Extract, Pedesmun Indicum (Sesame) Seed Extract, Sodium Hyaluronate, Sophora Angustificial Root Extract, Saururus Chinensis Extract, Ethylhexylgycerin, Copits Chinensis Root Extract, Sururus Chinensis Extract, Ethylhexylgycerin, Copits Chinensis Root Extract, Chinensis Extract, Ethylhexylgycerin, Copits Chinensis Extract, Ethylhexylgycerin, Copits Chinensis Root Extract, Ethylhexylgycerin, Copits Chinensis Extract, Ethylhexylgycerin, Copits Chinensis Extract, Ethylhexylgycerin, Copi Greens (CI 77288)

SECTION 4 - FIRST AID MEASURES

SKIN CONTACT: Not expected to be a skin hazard under normal use. Seek medical attention if irritation develops and persists.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes

Seek medical attention if irritation persists.

INHALATION: Not expected to be an inhalation hazard under normal use. Avoid breathing dust. If breathing becomes difficult, remove victim to fresh air

If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues

INGESTION: Not expected to be an ingestion hazard under normal use. If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Not listed as a carcinogen by NTP, IARC, OSHA or ACGIH.

SECTION 5 - FIRE-FIGHTING MEASURES

Carcinogenicity

ELASH POINT/METHOD: Non-flammabe. This water-based material has little potential for fire or explosion

EXTINGUISHING MEDIA: Water, Carbon Dioxide or Dry Chemical

FIRE FIGHTING PROCEDURES - SPECIAL: Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with

carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations. Floors may be slippery from spill. Scoop the material and clean the area with plenty of water SPILLS:

Absorb material and place into appropriate labeled waste container. Finish cleaning by spreading water on the contaminated surface

Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

HANDLING: STORAGE: Avoid contact with eyes. Use good hygiene practices

Storage at temperature between 10 et 25°C in his original packaging

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Personal care product that is safe for consumers and other users when used as intended.

General measures No Special measures required. Individual protection Media : No Special Media required



SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: Not Applicable APPEARANCE: Green hydrogel Odor: Characteristic 5.5-7.5 Boiling point: 100 C Bacteria : <100 CFU/g or mI Fungi: <100 CFU/g or ml Water soluble Solubility:

SECTION 10 - STABILITY AND REACTIVITY

STABILITY:

Stable under ordinary conditions of use and storage

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Strong Base or Strong Acid COx, Sox

HAZARDOUS DECOMOSITION:

Will not occur under normal conditions.

Hazardous Polymerization: CONDITIONS TO AVOID: Keep away from heat and light

SECTION 11 - TOXICOLOGICAL INFORMATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.

Toxicity Data

ORAL:

[Water] : LD50=90,000mg/kg Rat [Glycerin]: LD50=12,600mg/kg Rat [Butylene Glycol] : LD50=22,800mg/kg Rat [Sucrose]: LD50=29,700 mg/kg Rat [Xanthan Gum] : LD50=45,000mg/kg Rat

[PEG-60 Hydrogenated Castor Oil] : LD50=5,000mg/kg Rat

[Allantoin] : LD50=5,000mg/kg Rat [Sodium Hyaluronate] : LD50=800mg/kg Rat [Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Sodium Polyacrylate]: LD50>40,000mg/kg Rat [Cellulose Gum] : LD50>27.000mg/kg Rat [Disodium EDTA] : LD50=2,300mg/kg Rat [Ethyl Hexanediol] : LD50=1,400mg/kg Rat [1,2-Hexanediol] : LD50=5,000mg/kg Rat [Chlorphenesin] : LD50=3,000mg/kg Rat

DERMAL [Allantoin]: LD50>5,000mg/kg Rat

[Ethylhexylglycerin] : LD50>2,000mg/kg Rat [Cellulose Gum] : LD50>2,000mg/kg Rabbit [Ethyl Hexanediol] : LD50=2,000mg/kg Rat

[Cellulose Gum1 : LC50>5.800mg/L 4hr Rat INHALATION

SKIN CORROSION/IRRITATION [Ethyl Hexanediol]: Mild skin irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No skin irritation / Rabbit

SERIOUS EYE DAMAGE/IRRITATION [Ethyl Hexanediol] : Serius Eye Irritation / STANDARD DRAIZE TEST

[1,2-Hexanediol]: No Eye irritation / Rabbit

Respiratory sensitization Not available Skin sensitization Not available Carcinogenicity Not available Germ cell mutagenicity Not available Reproductive toxicity Not available

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Rutylene Glycol] : LC50 100mg/L 96hr Oryzias latipes EC50 1,000mg/L 48hr Daphinia magna EC50 1,070mg/L 72hr Algae

[Sucrose] : LC50 199,000,000 mg/t 96 hr Fish LC50 138,000,000 mg/t 48 hr Crustacean EC50 60,200,000 mg/t 96 hr Algae

[Xanthan Gum]: LC50 420mg/L 96hr Oncorhynchus

[Allantoin] : LC50 5,000mg/L 96hr Brachydanio rerio EC50 100mg/L 48hr Daphinia magna

[Calcium Lactate] : LC50 186,000mg/L 96hr Fish EC50 7,120,000mg/L 48hr Crustacean EC50 3,330,000mg/L 72hr Algae

[Disodium EDTA] : LC50 320mg/L 96hr Poecilia

reticulata

[Ethyl Hexanediol] : LC50 624mg/L 96hr Ictalurus punctatus EC50 134.717mg/L 48hr Daphinia magna

EC50 53.750mg/L 96hr Algae

[1,2-Hexanediol]: LC50 1291.099 mg/L 96 hr Fish LC50 599.986 mg/L 48 hr Crustacean EC50 161.332 mg/L 96 hr Algae



[Bulylene Glycol]: 7.21 log Kow (Sucrose]: -3.70 log Kow (PEG-80 Hydrogensted Castor Oil]: 17.71 log Kow (Allantin]: -3.41 log Kow (Calcium Lactate]: -3.07 log Kow (Disodum EDTA]: -11.70 log Kow (Ethyl Hexanedio]: 1.800 log Kow (Ethyl Hexanedio]: 1.800 log Kow (Chlorphenesin]: 1.5 log Kow

Bioaccumulation

[Butylene Glycol] : 2668 [PEG-60 Hydrogenated Castor Oil] : 3.162 [Calcium Lactate] : 3.162 [Disodium EDTA] : 3.162

[Ethyl Hexanediol]: 5.281 (L/kg wet-wt) [1,2-Hexanediol]: 3.162

Not avalable

Mobility in soil

Thou area are [Buylene (Sp(col) : 06530 [PEG-60 Hydrogenated Castor Oil] : 2060000000 [Allantoin] : 10 [Ethyl Hexanedio] : 0.987 [1,2-Hexanedio] : 3.047 [Chlorphenesin]: 10

Degradability This product is readily biodegradable.

Bioaccumulative Potential Not avalable

SECTION 13 - DISPOSAL CONSIDERATION

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

Not a hazardous material for transportation

HAZARD CLASS:

ROAD Not regulated: should follow the packaging standard AIR Not regulated: should follow the packaging standard SEA Not regulated: should follow the packaging standard Specificity Not regulated: should follow the packaging standard

Not regulated as dangerous goods IATA

SECTION 15 - REGULATORY INFORMATION

None

SECTION 16 - OTHER INFORMATION

PREPARED BY: Fedora Stojkoska-Hristov DATE OF PRINTING: March 11, 2019

All chemicals may pose unknown hazards and should be used with cautions. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Dermaceutical laboratories assumes no responsibility for the completeness or accuracy of the information contained herein. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and protection of the environment

End of SDS Sheet