PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands

Date: May 10, 2019

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM-Acrylic Powders All

Catergory

2B

Shades/Sizes/ Brands

Product Use: Acrylic Power

Manufacturer's Name: Star Nail International, Inc. Chemical Family: Address: 29120 Avenue Paine Proprietary Mix

City, State, Zip: Valencia, CA 91355 CAS# N/A

Preparation Date: May 10, 2019

24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-813-248-0573

SECTION 2: Hazardous Identification

Classification of the substance or mixture
Hazard Class - Physical, Health, Environmental

Eye Damage/Irritation
Skin Sensitizer

OSHA Defined Hazards

Combustible dust, may form combustible dust concentrations in air, explosion hazard

Label Elements - Pictograms, Signal Word, Hazard Statements, Precautionary Statements, & Supplemental Information



Signal Word Warning

Hazards Statements		Precautionary Statements - Prevention, Response, & Disposal		
H317	May cause an allergic skin reaction	P240	Ground and bond container and receiving equipment	
H320	Causes eye irritation	P261	Avoid breathing dust/fume/gas/mist/vapours/spray	
		P264	Wash hands and exposed skin thoroughly after handling	
		P272	Contaminated work clothing should not be allowed out of the workplace	
		P280	Wear protective gloves/protective clothing/eye protection/face protection	
		P321	Specific treatment (see on this label)	
		P363	Wash contaminated clothing before reuse	
		P302+P352	IF ON SKIN: Wash with soap and water	
		P305+P351 +P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing	
		P333+P313	If skin irritation or a rash occurs: Get medical advice/attention	
		P337+P313	Get medical advice/attention	
		P501	Dispose of contents/container to an authorized disposal facility	

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019

SECTION 3: Composition/Information on Ingredients

Chemical Name	Cas No.	Weight-%	GHS Ratings
2-Propenoic acid, 2-methyl-, ethyl ester, polymer with methyl 2-methyl-2-propenoate	25685-29-4	40 — 50	Eye Damage/Irritation 2B (H320)
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer	9003-42-3	40 — 50	Eye Damage/Irritation 2B (H320)
Benzoyl Peroxide	94-36-0	1 — 5	Eye Damage/Irritation 2A (H319) Skin Sensitizer 1 (H317)

SECTION 4: First Aid Measures

General Advice

Provide the SDS to medical personnel for treatment.

Inhalation:

Remove victim to fresh air. Seek immediate medical attention.

Eye Contact

If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.

Skin Contact:

Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.

Clothing:

Remove contaminated clothing, wash thoroughly before reuse.

<u>ingestion:</u>

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.

SECTION 5: Fire Fighting Measures

Sultable Extinguishing Media

Water, Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide.

Unsultable Extinguishing Media

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019

Water may not be effective in extinguishing this fire.

Specific Hazards Arising from the Chemical

Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.

Special Fire Fighting Procedures:

Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.

Protective Equipment and Precautions for Firefighters

Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static discharge, follow grounding and bounding procedures. Polymers are not sensitive to mehcanical impacts.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Keep airborne particulates at a minimum when cleaning up spills. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

Environmental Precautions

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Methods for Cleaning Up

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

._____

SECTION 7: Handling and Storage

Precautions for Safe Handling

Advice on Safe Handling

Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.

Conditions for Safe Storage, including any incompatibilities

Storage Conditions

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C) at all times. Storing at above recomended tempreture

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands

Date: May 10, 2019

will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned, or destroyed.

Incompatible Materials

Strong oxidizers, strong oxidizing agents.

SECTION 8: Exposure Controls/ Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
2-Propenoic acid, 2-methyl-, ethyl ester, polymer with methyl 2-methyl-2-propenoate 25685-29-4			
2-Propenoic acid, 2-methyl-, ethyl ester, homopolymer 9003-42-3			
Benzoyl Peroxide 94-36-0	5 mg/m3 TWA	5 mg/m3 TWA	NIOSH: 5 mg/m3 TWA

Engineering Controls

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personnel Protective Equipment (PPE)

Respiratory Protection

A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, a N95 respirator dust mask is required. None required if airborne concentrations are maintained below any exposure limit that may be listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.

Eye/Face Protection

Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to U.S. OSHA 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin and Body Protection

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Splash contact: Material: Nitrile rubber Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Minimum layer thickness: 0.11 mm Break through time: 480 min Break through time: 120 min

General Hyglene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019

SECTION 9: Physical and Chemical Properties

Appearance: Clear

Odor: Faint

Flammable Limit (Air Volume%, 0% Lower/Upper)

Evaporation Rate No data available

Specific Gravity 2.030456853

Physical State: Powder

Flash Point: 577 F,303 C

Autoignition Temperature: 80°C

Bolling Range (low - high) N/A

SECTION 10: Stability and Reactivity

Material stability

Stable

Incompatible materials

Strong oxidizers

Hazardous decomposition products

Methacrylate Monomer and Oxides of Carbon when burned

Possibility of hazardous reactions

Hazardous polymerization will not occur.

SECTION 11: Toxicological Information

Mixture Toxicity

Component Toxicity

Routes of Exposure

Inhalation Eye Contact Ingestion

Target Organs

Eyes Skin Respiratory System

Effects of Overexposure

Product Components Listed as Carcinogenic

CAS Number Description

None

% Weight

Carcinogen Rating
No data available

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019

SECTION 12: Ecological Information
Component Ecotoxicity
SECTION 13: Disposal Considerations

Waste Treatment Methods

Disposal of Wastes

Dispose waste material in accordance with Federal, State, and Local regulations. it is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a

chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

Contaminated Packaging

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations

SECTION 14: Transport Information

Agency Proper Shipping Name UN Number Packing Group Hazard Class
DOT Not Regulated, Polymer, NOS
IATA Not Regulated, Polymer, NOS
IMDG Not Regulated, Polymer, NOS

SECTION 15: Regulatory Information

State of California Safe Drinking Water and Toxic Enforcement Act of 1986

(Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

SARA 313

Benzoyl Peroxide 94-36-0

US State Right-to-Know Regulations

- None

 Country
 Regulation
 All Components Listed


 EINECS
 Yes

EINECS Yes SARA Hazard categories No TSCA Inventory Yes

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019

SECTION 16: ADDITIONAL REGULATORY INFORMATION





DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Star Nail International assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

END OF SDS

PRODUCT NAME: CUCCIO PRO POWDER POLISH NAIL COLOUR DIP SYSTEM- Acrylic Powders- All Shades/Sizes/Brands Date: May 10, 2019