Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: JOIE ECLAT VA-300-169V2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : diluted perfume
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FRANCE LAB

14 rue Clément Marot

75008 PARIS

tel:01 49 52 09 85

fax: 01 45 03 21 84 www.france-lab.com

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

\*

F; Highly flammable

R11: Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP); 2009/2/CE (31eme ATP); 2006/8/CE

· Code letter and hazard designation of product:



F Highly flammable

· Risk phrases:

11 Highly flammable.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.
- · Special labelling of certain preparations:

Contains Citral, Citronellol, dipentene, Linalool, Geraniol, Farnesol. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

GB

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.

· Dangerous components:

CAS: 64-17-5 ethanol EINECS: 200-578-6 F R11 50-100%

Reg.nr.: 01-2119457610-43-xxxx Flam. Liq. 2, H225; Eye Irrit. 2, H319

· Additional information: For the wording of the listed risk phrases, refer to section 16.

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After excessive inhalation: Supply fresh air; consult a doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

(Contd. on page 3)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

· Information about fire - and explosion protection:

(Contd. of page 2)





Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s): No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol (50-100%)

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Gloves material:

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

*Colour:* According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 4)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

	(Contd. of page
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 78 °C
· Flash point:	17.5 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Vapour pressure at 20 °C:	59 hPa
Density at 20 °C:	$0.8854 \ g/cm^3$
Relative density:	Not determined.
· Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	70 %
	67.27 %
9.2 Other information :	No further relevant information available.

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eyes: No irritant effect.

(Contd. on page 5)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

· Sensitization: No sensitizing effects known.

(Contd. of page 4)

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1266
· 14.2 UN proper shipping name	
$\cdot ADR$	1266 PERFUMERY PRODUCTS, special provision 640D
· IMDG, IATA	PERFUMERY PRODUCTS

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



Class
Label
3 (F1) Flammable liquids.
3

· IMDG, IATA



· Class 3 Flammable liquids.

· Label

(Contd. on page 6)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: JOIE ECLAT VA-300-169V2

	(Contd. of p	age
· 14.4 Packing group · ADR, IMDG, IATA	II	
· 14.5 Environmental hazards: · Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids. 33 F-E,S-E	
· 14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.	
· Transport/Additional information:		
· ADR · Limited quantities (LQ) · Transport category · Tunnel restriction code	5L 2 D/E	

# SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

R11 Highly flammable.

GB



Printed: 03/02/2016 Revised: V1-R-2-CLP from 03/02/2016

# HARMONIE - PARFUM

## 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : HARMONIE - PARFUM

N° CAS TSCA :N° CE :
N° index REACH An VI :
N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

### 1.3. Details of the supplier of the safety data sheet

# SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E 06370 Mouans-Sartoux - FRANCE Tel : +33 (0)4 92 28 23 30

Fax: +33 (0)4 92 28 23 39 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical responsible: regulatory@pcwfrance.com

## 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

## 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**GHS Classification:** 

(RegulationCLP)

EHC3 Hazardous to the aquatic environment, long-trem hazard 3

FL2 Flammable Liquids 2 SS1B Sensitisation, skin 1B



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

H225 - Highly flammable liquid and vapour H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

#### **GHS Classification:**

(RegulationCLP)





Warning mention: Danger

EHC3 Hazardous to the aquatic environment, long-trem hazard 3

FL2 Flammable Liquids 2 SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

#### 2.3. Other hazards

# Contains Limonene, Cyclohexadecenone, Cyclopentadecanolide (omega-Pentadecalactone), Butylphenyl methylpropional (rep. 2), Methylenedioxyphenyl methylpropanal

COV Swiss - Annex 2: 100%

# 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

## 3.1. Substances

### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist.: N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	EDI2, FL2 - H225, H319	> 50 %



Printed: 03/02/2016	HARMONIE - PAF	RFUM	Revised: V1-R-2-CLP from 03	3/02/2016
2-(1-(3',3'-Dimethyl-1'-cyclohexyl)ethoxy hyl propyl propanoate (Regist.: N° RE/ 01-0000016242-80-xxxx / N° INDEX 607-492-00-1)		415-490-5	EHC2 - H411	[1-5]
Ethylene brassylate	105-95-3	203-347-8	EHC2 - H411	[ 1-5 ]
Limonene (Regist. : N° INDEX 601-029	9-00-7) 5989-27-5	227-813-5	AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H410	[ 1-5 ]
Butylphenyl methylpropional (rep. 2) (R N° REACH 01-2119485965-18-xxxx)	Regist. : 80-54-6	201-289-8	ATO4, EHC2, REP2, SCI2, SS1B - H302, H315, H317, H361, H411	[ 0-1 ]
Cyclohexadecenone	82356-51-2	429-900-5	EHA1, EHC1, SS1B - H317, H400, H410	[ 0-1 ]
Cyclopentadecanolide (omega-Pentadecalactone)	106-02-5	203-354-6	EHC2, SS1B - H316, H317, H410, H411	[ 0-1 ]
Methylenedioxyphenyl methylpropanal	1205-17-0	214-881-6	EHC2, SS1B - H317, H411	[ 0-1 ]

Description: Parfum

Solvent : Ethyl alcohol denat. / Aqua

Colorant(s):

#### 4. SECTION 4 - FIRST AID MEASURES

#### 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

#### 5. SECTION 5 - FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

#### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

#### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

#### 5.3. Advice for firefighters

**Fire-fighting equipment**: use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

#### 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

#### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up

# For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

#### 7. SECTION 7 - HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2











#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage:

Industrial: Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

## 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

#### 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

#### 8.2. Exposure controls

#### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust

5/9



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

#### Personal protection:

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability
Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

# 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

[0.852; 0.892]

Appearance : Liquid

Color: Colorless

Refractive index @ 20°C : [1.376 ; 1.386]

Flash point (°C) (close cup): 22

9.2. Other information

NO CONCERNED

Density at 20°C:

### 10. SECTION 10 - STABILITY AND REACTIVITY

# 10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### 10.4. Conditions to avoid

Avoid any potential source of heat.

#### 10.5. Incompatible materials

NO CONCERNED

#### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

# 11. SECTION 11 - TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological

### 12. SECTION 12 - ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

## 12.2. Persistence and degradability

NO CONCERNED

#### 12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

PNEC sol

#### 12.5. Results of PBT and vPvB assessment

vPvB PBT

:

40.6.046-----

12.6. Other adverse effects

No data

# 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers. **Not cleaned packing**: Evacuation according to local reglementation.

#### 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



Printed: 03/02/2016

HARMONIE - PARFUM

Revised: V1-R-2-CLP from 03/02/2016



IMDG:



IATA:



14.1. UN number

ADR : 1266 ( Tunnel code (D/E) ) IMDG:1266

IMDG:1266 IATA :ID8000

14.2. UN proper shipping name

ADR: Perfumery products IMDG:Perfumery products IATA:Consumer commodity

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:9

14.4. Packing group

ADR : II IMDG:II

IATA: NO CONCERNED

14.5. Environmental hazards

**IMDG: NO CONCERNED** 

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N)



Printed: 03/02/2016 HARMONIE - PARFUM Revised: V1-R-2-CLP from 03/02/2016

Plastic (11H1, 11H2, 21H1, 21H2)

#### 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00 10 00

15.2. Chemical safety assessment

#### SECTION 16 - OTHER INFORMATIONS

Full H sentenses text in point 3:

H225 Highly flammable liquid and vapour

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Key literature references and sources for data

Sources for data: Information from supplier

Literature references: ECHA

Literature references EU: Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points: 2.1 2.2 2.3 3.2 14.4 14.5 16

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SENSUALITE VA-200-62V2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : diluted perfume
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

FRANCE LAB

14 rue Clément Marot

75008 PARIS

tel:01 49 52 09 85 fax: 01 45 03 21 84

www.france-lab.com

· 1.4 Emergency telephone number:

France (ORFILA 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



F; Highly flammable

R11: Highly flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws. 2008/58/CE (30eme ATP); 2009/2/CE (31eme ATP); 2006/8/CE

· Code letter and hazard designation of product:



F Highly flammable

· Risk phrases:

11 Highly flammable.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

· Special labelling of certain preparations:

Contains Benzyl salicylate, 2-(4-tert-Butylbenzyl)propionaldehyde, dipentene, Linalool, Geraniol, Citronellol, hexyl cinnamaldéhyde, Hydroxy-methylpentylcyclohexenecarboxaldehyde. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 2)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

· vPvB: Not applicable.

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterization: Mixtures
- · Description: Mixture: consisting of the following components.
- · Dangerous components:

CAS: 64-17-5 ethanol EINECS: 200-578-6 F R11 50-100%

· Additional information: For the wording of the listed risk phrases, refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After excessive inhalation: Supply fresh air; consult a doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures :

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

(Contd. on page 3)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

· Information about fire - and explosion protection:

(Contd. of page 2)





Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

 $\cdot$  7.3 *Specific end use*(s): *No further relevant information available.* 

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol (50-100%)

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Gloves material:

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection:



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

*Colour:* According to product specification

Odour: CharacteristicOdour threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 4)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

	(Contd. of page
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 78°C
· Flash point:	18.5 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
· Vapour pressure at 20 °C:	59 hPa
· Density at 20 °C:	$0.8854 \text{ g/cm}^3$
Relative density:	Not determined.
· Vapour density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.
· Partition coefficient (n-octanol/water).	· Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC (EC)	70 %
	67.27 %
· 9.2 Other information :	No further relevant information available.

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eyes: No irritant effect.

(Contd. on page 5)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

(Contd. of page 4)

· Sensitization: No sensitizing effects known.

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

# SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN1266
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1266 PERFUMERY PRODUCTS, special provision 640D PERFUMERY PRODUCTS

- · 14.3 Transport hazard class(es)
- $\cdot ADR$



· Class 3 (F1) Flammable liquids.

· Label

· IMDG, IATA



· Class 3 Flammable liquids.

· Label

(Contd. on page 6)

Printing date 17.12.2012 Version number 1 Revision: 17.12.2012

Trade name: SENSUALITE VA-200-62V2

	(Contd. of	page
· 14.4 Packing group		
· ADR, IMDG, IATA	II	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Flammable liquids.	
· Danger code (Kemler):	33	
· EMS Number:	F-E, <u>S-E</u>	
· 14.7 Transport in bulk according to Anne	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	5L	
· Transport category	2	
· Tunnel restriction code	D/E	

# SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

R11 Highly flammable.

GB



Printed: 15/09/2014 Revised: V1-R-1-CLP du 15/09/2014

# **SERENITUDE - EAU DE PARFUM**

#### 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : SERENITUDE - EAU DE PARFUM

N° CAS TSCA :-

N° CE :

N° index REACH An VI : N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Eau de Parfum

#### 1.3. Details of the supplier of the safety data sheet

#### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E 06370 Mouans-Sartoux - FRANCE Tel : +33 (0)4 92 28 23 30

Fax: +33 (0)4 92 28 23 39 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical responsible : regulatory@pcwfrance.com

### 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

# 2. SECTION 2 - HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### According to Regulation (EC) 1272/2008

(Legislation CLP)

AH1 Aspiration hazard 1

EDI1 Serious eye damage / eye irritation 1

EHC3 Hazardous to the aquatic environment, long-trem hazard 3

FL2 Flammable Liquids 2 SCI2 Skin corrosion / irritation 2



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

#### According to Dir. 67/548/EC & 1999/45/EC

- Physico-chemical Hazards:

R10:Flammable.

#### 2.2. Label elements

## According to Regulation (EC) 1272/2008

(Legislation CLP)









Warning mention: Danger

AH1 Aspiration hazard 1

EDI1 Serious eye damage / eye irritation 1

EHC3 Hazardous to the aquatic environment, long-trem hazard 3

FL2 Flammable Liquids 2
SCI2 Skin corrosion / irritation 2
SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/regional / national / international Regulation.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

#### According to Dir. 67/548/EC & 1999/45/EC

- Physico-chemical Hazards:



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

R10:Flammable.

#### 2.3. Other hazards

Sensitizing substances: See Tab. 3.1: Phrases H317 and/or EUH208

COV Swiss - Annex 2: 100%

#### 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

#### 3.1. Substances

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Classification CLP	Percent %
Ethyl alcohol (Regist.: N° REACH 01-2119457610-43-xxxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	F, F+ R11	FL2 - H225	> à 50 %
Buddha light	-			AH1, EDI1, EHC2, SCI2, SS1A - H304, H315, H317, H318, H411	[ 10-20 ]
Ethyl acetate (impurity)	141-78-6	205-500-4	F, Xi R11 R36 R66 R67	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
Eucalyptol	470-82-6	207-431-5	F, Xi R10 R43		[ 0-1 ]
Methanol (impurity)	67-56-1		F, T+ R11 R23/24/25 R39d		[ 0-1 ]
Propyl alcohol (impurity) (Regist. : N° INDEX 603-003-00-0)	71-23-8	200-746-9	F, Xi R11 R41 R67		[ 0-1 ]
ter-Butanol (TBA) (Regist. : N° INDEX 603-005-00-1)	75-65-0	200-889-7	F, Xn R11 R20 R36/37	ATI4, EDI2, FL2, STO-SE3-RI - H225, H319, H332, H335	[ 0-1 ]

Description : Eau de Parfum

Solvent : Ethyl alcohol denat. / Aqua

Colorant(s):

### 4. SECTION 4 - FIRST AID MEASURES

#### 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation :** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

4.2. Most important symptoms and effects, both acute and delayed

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

See section 2

#### 5. SECTION 5 - FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.

#### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

#### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

#### 5.3. Advice for firefighters

Fire-fighting equipment: use an appropriate personal protective equipment with an approved positive-pressure self contained breathing apparatus.

#### 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame). Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

## 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

#### 7. SECTION 7 - HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

## Protective measures:

See section 2.2











Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

# Advice on general occupational hygiene:

Follow the general hygiene rules.

### 7.2. Conditions for safe storage, including any incompatibilities

<u>Storage conditions:</u> Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage : Industrial : Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

#### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

#### 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

5/10



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

#### 8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

#### 8.2. Exposure controls

#### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures:

#### Personal protection:

- -Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.
- -Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded : Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability
Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance : Liquid



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

Color: Colourless to clear yellow

Density at 20 C : [0.826 ; 0.866]

Refractive index @ 20 C : [1.376 ; 1.386]

Flash point (C) (close cup): 22

9.2. Other information

Not applicable

#### 10. SECTION 10 - STABILITY AND REACTIVITY

#### 10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### 10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Not applicable

#### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

### 11. SECTION 11 - TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological

#### 12. SECTION 12 - ECOLOGICAL INFORMATION

# 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

## 12.2. Persistence and degradability

Not applicable

### 12.3. Bioaccumulative potential

Not applicable

12.4. Mobility in soil

PNEC sol :

#### 12.5. Results of PBT and vPvB assessment

vPvB :

7/10



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

PBT :

12.6. Other adverse effects

No data

#### 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

**Not cleaned packing:** Evacuation according to local reglementation.

#### 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA :ID8000

14.2. UN proper shipping name

ADR: Perfumery products IMDG:Perfumery products IATA: Consumer commodity

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:9

14.4. Packing group

ADR : II IMDG:II IATA :III



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

14.5. Environmental hazards

IMDG: Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

#### 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00

15.2. Chemical safety assessment

#### 16. SECTION 16 - OTHER INFORMATIONS

H225	Highly	flammable	liquid	and vanou	ır
11440	IIIUIIIV	Hallillable	IIUUIU	and vabou	41 -

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 Kann Schläfrigkeit und Benommenheit verursachen.

H411 Toxic to aquatic life with long lasting effects.

R11 Highly flammable.

R10 Flammable.

R41 Risk of serious damage to eyes.

R36 Irritating to eyes.

R20 Harmful by inhalation.

R43 May cause sensitization by skin contact.

R67 Vapours may cause drowsiness and dizziness.

R66 Repeated exposure may cause skin dryness or cracking.

R36/37 Irritating to eyes and respiratory system.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R39d Danger of very serious irreversible effects in contact with skin

Key literature references and sources for data

Sources for data: Information from supplier

9/10



Printed: 15/09/2014 SERENITUDE - EAU DE PARFUM Revised: V1-R-1-CLP du 15/09/2014

Literature references : ECHA

Literature references EU: Reg. 1272/2008

\_\_\_\_\_

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the

properties of the product and do not give place to a contractual legal report.



Printed: 23/04/2015 Revised: V1-R-1-CLP du 23/04/2015

# **VITALITE - PARFUM**

#### SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : VITALITE - PARFUM

N° CAS TSCA :N° CE :
N° index REACH An VI :
N° REACH (partially) :

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

#### 1.3. Details of the supplier of the safety data sheet

#### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E 06370 Mouans-Sartoux - FRANCE Tel : +33 (0)4 92 28 23 30

Fax: +33 (0)4 92 28 23 39 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical responsible : regulatory@pcwfrance.com

#### 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

## 2. SECTION 2 - HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

According to Regulation (EC) 1272/2008

(Legislation CLP)

EHC2 Hazardous to the aquatic environment, long-trem hazard 2

FL2 Flammable Liquids 2 SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

H411 - Toxic to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. Contain: Geraniol,

6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Tetramethyl acetyloctahydronaphthalenes (OTNE),

Limonene 1

#### 2.2. Label elements

According to Regulation (EC) 1272/2008 (Legislation CLP)







Warning mention: Danger

EHC2 Hazardous to the aquatic environment, long-trem hazard 2

FL2 Flammable Liquids 2 SS1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

EUH208 - May produce an allergic reaction. Contain : Geraniol, 6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone, Tetramethyl acetyloctahydronaphthalenes (OTNE), Limonene  $^{\perp}$ 

#### 2.3. Other hazards

Sensitizing substances: See Tab. 3.1: Phrases H317 and/or EUH208

COV Swiss - Annex 2: 100%

## SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

# 3.1. Substances

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
----------	-------	--------	----------------	-----------



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

	•		.,_0.0
64-17-5	200-578-6	FL2 - H225	> à 50 %
105-95-3	203-347-8	EHC2 - H411	[ 1-5 ]
5989-27-5	227-813-5	AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H410	[ 1-5 ]
111879-80-2	422-320-3	EHA1, EHC1 - H400, H410	[ 1-5 ]
54464-57-2	259-174-3	EHA1, EHC1, SCI2, SS1B - H315, H317, H400, H410	[ 1-5 ]
68039-49-6	268-264-1	EDI2, EHC3, SCI2, SS1B - H315, H317, H319, H412	[ 0-1 ]
33704-61-9	251-649-3	EDI2, EHC2, SCI2, SS1A - H315, H317, H319, H411	[ 0-1 ]
5392-40-5	226-394-6	EDI2, SCI2, SS1B - H315, H317, H319	[ 0-1 ]
106-22-9	203-375-0	EDI2, SCI2, SS1B - H315	[ 0-1 ]
68737-61-1		EDI2, EHC3, SCI2, SS1 - H315, H317, H319, H412	[ 0-1 ]
141-78-6	205-500-4	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
106-24-1	203-377-1	EDI1, SCI2, SS1A - H315	[ 0-1 ]
105-87-3	203-341-5	EHC2 - H411	[ 0-1 ]
8008-56-8	84929-31- 7	AH1, EHA1, EHC1, FL3, SCI2, SS1 - H226, H304, H315, H317, H400, H410	[ 0-1 ]
78-70-6	201-134-4	EDI2, SCI2 - H315, H319	[ 0-1 ]
115-95-7	204-116-4	EDI2, SCI2 - H315, H319	[ 0-1 ]
7212-44-4	230-597-5	EDI2, EHA1, EHC1 - H319, H410	[ 0-1 ]
8014-17-3	84929-38- 4	AH1, EHC2, SCI2, SS1 - H304, H315, H317, H411	[ 0-1 ]
469-61-4	207-418-4	AH1, EHA1, EHC1 - H304, H400, H410	[ 0-1 ]
14901-07-6	238-969-9	EHC2 - H411	[ 0-1 ]
127-91-3	204-872-5	AH1, FL3, SCI2, SS1B - H226, H304, H315, H317	[ 0-1 ]
99-87-6	202-796-7	AH1, EHC2, FL3 - H226, H304, H411	[ 0-1 ]
75-65-0	200-889-7	ATI4, EDI2, FL2, STO-SE3-RI - H225, H319, H332, H335	[ 0-1 ]
	105-95-3 5989-27-5 111879-80-2 54464-57-2 68039-49-6 33704-61-9 5392-40-5 106-22-9 68737-61-1 141-78-6 106-24-1 105-87-3 8008-56-8 78-70-6 115-95-7 7212-44-4 8014-17-3 469-61-4 14901-07-6 127-91-3 99-87-6	105-95-3 203-347-8 5989-27-5 227-813-5 111879-80-2 422-320-3 54464-57-2 259-174-3 68039-49-6 268-264-1 33704-61-9 251-649-3 5392-40-5 226-394-6 106-22-9 203-375-0 68737-61-1 141-78-6 205-500-4 106-24-1 203-377-1 105-87-3 203-341-5 8008-56-8 84929-31- 78-70-6 201-134-4 115-95-7 204-116-4 7212-44-4 230-597-5 8014-17-3 84929-38- 469-61-4 207-418-4 14901-07-6 238-969-9 127-91-3 204-872-5 99-87-6 202-796-7	105-95-3 203-347-8 EHC2 - H411  5989-27-5 227-813-5 AH1, EHA1, EHC1, FL3, SCI2, SS1B - H226, H304, H315, H317, H410  111879-80-2 422-320-3 EHA1, EHC1 - H400, H410  54464-57-2 259-174-3 EHA1, EHC1, SCI2, SS1B - H315, H317, H400, H410  68039-49-6 268-264-1 EDI2, EHC3, SCI2, SS1B - H315, H317, H319, H412  33704-61-9 251-649-3 EDI2, EHC2, SCI2, SS1B - H315, H317, H319, H411  5392-40-5 226-394-6 EDI2, SCI2, SS1B - H315, H317, H319, H411  106-22-9 203-375-0 EDI2, SCI2, SS1B - H315, H317, H319, H412  141-78-6 205-500-4 EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336  106-24-1 203-377-1 EDI1, SCI2, SS1A - H315  105-87-3 203-341-5 EHC2 - H411  8008-56-8 84929-31- AH1, EHA1, EHC1, FL3, SCI2, SS1 - H226, H304, H315, H317, H400, H410  78-70-6 201-134-4 EDI2, SCI2 - H315, H319  115-95-7 204-116-4 EDI2, SCI2 - H315, H319  115-96-7 204-116-4 EDI2, SCI2 - H315, H319  48929-38- AH1, EHC1 - H319, H410  8014-17-3 84929-38- AH1, EHC1, EHC1 - H304, H410  469-61-4 207-418-4 AH1, EHC2, SCI2, SS1 - H304, H315, H317, H411  127-91-3 204-872-5 AH1, EHC2, FL3 - H226, H304, H315, H317  99-87-6 202-796-7 AH1, EHC2, FL3 - H226, H304, H411  75-65-0 200-890-7 AT14, EDI2, FL2, STO-SE3-RI - H225,

Description : Parfum

Solvent : Ethyl alcohol denat. / Aqua

Colorant(s):

## 4. SECTION 4 - FIRST AID MEASURES

# 4.1. Description of first aid measures



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

**General notes :** Please refer to the risk and safety statements (section 2)

**Following inhalation :** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion :** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

#### 5. SECTION 5 - FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.

#### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

#### Hazardous combustion products:

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

#### 5.3. Advice for firefighters

**Fire-fighting equipment:** use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

# 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

#### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

#### 7. SECTION 7 - HANDLING AND STORAGE

### 7.1. Precautions for safe handling

### Protective measures:

See section 2.2











# Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

#### 7.2. Conditions for safe storage, including any incompatibilities

5/10



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage: Industrial: Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

#### 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

#### 8.2. Exposure controls

#### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures:

#### Personal protection:

- -Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.
- -Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

Eyes protection: Safety eyewear complying with an approved standard should be used when a risk assessment



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

# 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color: Colourless to clear green translucent

Density at 20°C : **[0.826 ; 0.866]**Refractive index @ 20°C : **[1.373 ; 1.383]** 

Flash point (°C) (close cup): 21

9.2. Other information

Not applicable

# 10. SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Not applicable

10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

#### 11. SECTION 11 - TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological

#### 12. SECTION 12 - ECOLOGICAL INFORMATION



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

Not applicable

12.3. Bioaccumulative potential

Not applicable

12.4. Mobility in soil

PNEC sol

12.5. Results of PBT and vPvB assessment

vPvB : PBT :

12.6. Other adverse effects

No data

#### 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

Not cleaned packing: Evacuation according to local reglementation.

# 14. SECTION 14 - TRANSPORT INFORMATION

ADR:





IMDG:





IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA:ID8000

14.2. UN proper shipping name



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

ADR: Perfumery products IMDG:Perfumery products IATA:Consumer commodity

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:9

14.4. Packing group

ADR : II IMDG:II

IATA: Not applicable

14.5. Environmental hazards

IMDG:

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

**GRV Solid substances** 

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

#### 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00 10 00

15.2. Chemical safety assessment

# 16. SECTION 16 - OTHER INFORMATIONS

H225 Highly flammable liquid and vapour

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 Kann Schläfrigkeit und Benommenheit verursachen.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.



Printed: 23/04/2015 VITALITE - PARFUM Revised: V1-R-1-CLP du 23/04/2015

H412 Harmful to aquatic life with long lasting effects.

.....

**Key literature references and sources for data**Sources for data: Information from supplier

Literature references : ECHA

Literature references EU: Reg. 1272/2008

\_\_\_\_\_\_

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the

properties of the product and do not give place to a contractual legal report.



Printed: 18/11/2014 Revised: V1-R-1-CLP du 18/11/2014

# **CONFIANCE - EAU DE PARFUM**

#### SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : CONFIANCE - EAU DE PARFUM

N° CAS TSCA :N° CE :N° index REACH An VI :N° REACH (partially) :-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Eau de Parfum

1.3. Details of the supplier of the safety data sheet

#### SAS PARFUM COSMETIC WORLD

Parc de l'Argile - 213 Voie E 06370 Mouans-Sartoux - FRANCE Tel : +33 (0)4 92 28 23 30

Fax: +33 (0)4 92 28 23 39 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical responsible : regulatory@pcwfrance.com

# 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

# 2. SECTION 2 - HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

According to Regulation (EC) 1272/2008

(Legislation CLP)

AH1 Aspiration hazard 1

EDI2 Serious eye damage / eye irritation 2

EHC2 Hazardous to the aquatic environment, long-trem hazard 2

FL2 Flammable Liquids 2 SCI2 Skin corrosion / irritation 2



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

#### 2.2. Label elements

According to Regulation (EC) 1272/2008

(Legislation CLP)







Warning mention: Danger

AH1 Aspiration hazard 1

EDI2 Serious eye damage / eye irritation 2

EHC2 Hazardous to the aquatic environment, long-trem hazard 2

FL2 Flammable Liquids 2
SCI2 Skin corrosion / irritation 2
SS1A Sensitisation, skin 1A

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

EUH208 - May produce an allergic reaction. See components declared in pt 15 of the SDS.

#### 2.3. Other hazards

Sensitizing substances: See Tab. 3.1: Phrases H317 and/or EUH208

COV Swiss - Annex 2: 100%

# 3. SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

#### 3.1. Substances

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist.: N° REACH 01-2119457610-43-xxxx / N° INDEX 603-002-00-5)	64-17-5	200-578-6	FL2 - H225	> à 50 %
BOUTIQUE	-		AH1, EDI2, EHA1, EHC1, SCI2, SS1 - H304, H315, H317, H319, H410	[ 10-20 ]
Ethyl acetate (impurity) (Regist. : N° INDEX : 607-022-00-5)	141-78-6	205-500-4	EDI2, EUH066, FL2, STO-SE3-NE - H225, H319, H336	[ 0-1 ]
ter-Butanol (TBA) (Regist. : N° INDEX 603-005-00-1)	75-65-0	200-889-7	ATI4, EDI2, FL2, STO-SE3-RI - H225, H319, H332, H335	[ 0-1 ]

Description : Eau de Parfum

Solvent: Ethyl alcohol denat. / Aqua

Colorant(s):

# 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

# 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

### SECTION 5 - FIREFIGHTING MEASURES

# 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

#### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

# Hazardous combustion products:

Release of poison gases : Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

#### 5.3. Advice for firefighters

**Fire-fighting equipment:** use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

### 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

# 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

# 6.3. Methods and material for containment and cleaning up

# For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

### Other informations

Only qualified personnel is allowed to clean up.

# 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

### SECTION 7 - HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

# Protective measures:

See section 2.2











#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage:

Industrial: Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

#### 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

# 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1. Control parameters

**Measures of technical order :** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

# 8.2. Exposure controls

### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

#### Personal protection:

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

#### 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color : Clear yellow

Density at 20°C : [0.828 ; 0.868]

Refractive index @ 20°C : [1.374 ; 1.384]

Flash point (°C) (close cup): 22

9.2. Other information

Not applicable

# 10. SECTION 10 - STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Not applicable

10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

### 11. SECTION 11 - TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological

#### 12. SECTION 12 - ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

Not applicable

12.3. Bioaccumulative potential

Not applicable

12.4. Mobility in soil

PNEC sol

12.5. Results of PBT and vPvB assessment

vPvB : PBT :

12.6. Other adverse effects

No data

#### 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers. **Not cleaned packing**: Evacuation according to local reglementation.

### 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



Revised: V1-R-1-CLP du 18/11/2014

Printed: 18/11/2014

**CONFIANCE - EAU DE PARFUM** 









IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA :ID8000

14.2. UN proper shipping name

ADR: Perfumery products IMDG:Perfumery products IATA: Consumer commodity

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:9

14.4. Packing group

ADR : II IMDG:II

IATA: Not applicable

14.5. Environmental hazards

IMDG:

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N)



Printed: 18/11/2014 CONFIANCE - EAU DE PARFUM Revised: V1-R-1-CLP du 18/11/2014

Plastic (11H1, 11H2, 21H1, 21H2)

# 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00

15.2. Chemical safety assessment

# 16. SECTION 16 - OTHER INFORMATIONS

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 Kann Schläfrigkeit und Benommenheit verursachen.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

# Key literature references and sources for data

Sources for data: Information from supplier

Literature references: ECHA

Literature references EU: Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.



According to Regulation (EC) n° 1272/2008

Version: 1.0 Issue date: 08/26/2019 Revision Date: 08/26/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product Identifier

Product Name : Huile corps ARGAN BIO - LAVANDE FLEUR

D'ORANGER

Code : 301
Type of product : Mixture

# 1.2. Relevent identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevent identified uses

Main use category : Cosmetic product.

#### 1.2.2. Uses advised against

No additional information available.

# 1.3. Details of the supplier of the safety data sheet

**ICNV** 

2, Avenue Condorcet

91240 SAINT MICHEL SUR ORGE - France

Tel: +33 (0)9 86 54 07 88

Email of the responsible personne : contact@icnv.fr

#### 1.4. Emergency telephone number

Emergency number FRANCE : ORFILA N°+33 (0)1 45 42 59 59

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) N° 1272/2008 [CLP]

Skin Sens. 1 H317 Eye Irrit. 2 H319 Aquatic Chronic 3 H412

Full text of H-phrases: see section 16.

#### 2.2. Label elements

# Labelling according to Regulation (EC) N° 1272/2008 [CLP]

Hazards pictograms (CLP) :



GHS07

Signal word (CLP) : Attention.

Hazardous components : Fragrance.

Hazards statements (CLP) : H317 – May cause an allergic skin reaction.

H319 – Causes serious eye irritation.

H412 – Harmful to aquatic life with long lasting effects.

EUH208 – Contains Limonene, Linalol. May produce an allergic reaction.

Precautionary statement (CLP) : P102 – Keep out of reach of children.

P261 – Avoid breathing vapours.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P273 – Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face

GB 1/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

protection.

Precautionary statement (CLP) -Intervention

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 – If eye irritation persists: Get medical advice/attention.

Precautionary statement (CLP) -

Storage

P362 - Take off contaminated clothing and wash before reuse. P405 – Store locked up.

Precautionary statement (CLP) -

Disposal

P501- Dispose of contents/container according to local regulation.

#### 2.3. Other hazards

No additional information available.

# **SECTION 3: Composition/informations on ingredients**

#### 3.1. **Substance**

Not applicable.

#### 3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) N° 1272/2008 [CLP]
Fragrance		< 3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam.1 H318 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16.

#### **SECTION 4 : First aid measures**

# **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell

consult a doctor (if possible show the label).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove contaminated clothing. Rinse skin with water / shower. Wash with

plenty of soap and water. Wash contaminated clothing before reuse. If skin

irritation occurs: Get medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

### Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Normally, the product does not irritate the skin. May cause an allergic skin

reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

#### Indication of any immediate medical attention and special treatment needed 4.3.

No additional information available.

GB 2/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

# **SECTION 5 : Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dried powder. Carbon Dioxyde. Spray water.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No additional information available.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution

when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including

respiratory protection.

# **SECTION 6 : Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

# 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Keep away from sources of ignition. Avoid breathing vapors. Particularly

slippery soil due to the presence of spilled or overturned products.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release into the environment. In case of penetration into sewers and public waters, inform appropriate authorities.

# 6.3. Méthods and material for containment and cleaning up

Cleaning processes : Absorb spilled by means of inert solids such as sand, neutralizer, universal

binder, sawdust).

### 6.4. References to other sections

See section 8. Exposure controls and personal protection.

# **SECTION 7 : Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing vapors. Take off contaminated clothing before reuse.

Appropriate equipment to prevent fire and spills must remain available.

Do not eat, drink or smoke where the product is used.

Hygiene measures : Keep away from sources of ignition – do not smoke.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well ventilated area, protected from sources of ignition.

Keep out of reach of children and pets.

Store in a cool dry place in the original packaging tightly closed and put

straight, opening upwards.

# 7.3. Specific end use(s)

No additional information available.

GB 3/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

# SECTION 8 : Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available.

# 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : None under normal conditions of use.

Eye protection : Goggles recommended during refilling. Avoid eyes contact.

Skin and body protection : None under normal conditions of use.

Respiratory protection : None under normal conditions of use.

Other information : Do not eat, drink or smoke during use.

# **SECTION 9 : Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Oily liquid.

Colour : Yellow/golden to orange/brown.

Odour : Characteristic of the fragrance lavender orange blossom.

pH at 20°C : Not applicable. Flash point : Not determined. Density :  $0.92 \pm 0.05$ .

Solubility : Not soluble in water.

#### 9.2. Other information

No additional information available.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No additional information available.

# 10.2. Chemical stability

This mixture is stable under the handling and storage conditions recommended in section 7.

# 10.3. Possibility of hazardous reactions

No hazardous reactions.

### 10.4. Conditions to avoid

Avoid contact with sparks, flames, heat.

# 10.5. Incompatible materials

Keep away from strong oxydizer.

# 10.6. Hazardous decomposition products

None hazardous decomposition products under normal conditions of use.

# **SECTION 11 : Toxicological information**

#### 11.1. Information on toxicological effects

#### 11.1.1. Information on mixture

Acute toxicity : No data.

Skin corrosion /irritation : Not classified.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified.

GB 4/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

Carcinogenicity : Not classified. Reproductive toxicity : Not classified. Specific target organ toxicity (single : Not classified.

exposure)

Specific target organ toxicity (repeated: Not classified.

exposure)

Aspiration hazard : Not classified.

Potential adverse effects on human health and possible symptoms

: Based on available data, the classification criteria are not met.

#### 11.1.2. Information on substances

Acute toxicity: No data.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

#### 12.1.1. Information on mixture

Acute toxicity to aquatic environment: Harmful to aquatic life with long lasting effects.

# 12.1.2. Information on substances

Acute toxicity to aquatic environment : No data.

### Persistence and degradability

No additional information available.

#### **Bioaccumulative potential**

Not established.

#### **Mobility in soil** 12.4.

No additional information available.

#### **Results of PBT and VPVB assessment**

No additional information available.

#### 12.6. Other adverse effects

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# **Waste treatment methods**

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment. Ecology - waste materials

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN.

#### 14.1. **UN** number

Not classified as hazardous for transport.

#### 14.2. **UN proper shipping name**

Not applicable.

#### Transport hazard class(es) 14.3.

Not applicable.

#### 14.4. **Packing group**

Not applicable.

GB 5/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

# 14.5. Environmental hazards

Dangerous for the environment : no Marine pollutant : no

Other information : No supplementary information available.

#### 14.6. Special precautions for user

#### 14.6.1. Overland transport

No additional information available.

#### 14.6.2. Transport by sea

No additional information available.

#### 14.6.3. Air transport

No additional information available.

### 14.6.4. Inland waterway transport

No additional information available.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulation

- · REACH Regulation 1907/2006 List of substances of very high concern that are candidates for authorization (Article 59): This product does not contain any listed substances.
- · REACH Regulation 1907/2006 Annex XIV: This product contains no relevant substances.
- · REACH Regulation 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances and preparations and certain dangerous articles: this product contains no relevant substances.
- · Occupational diseases: No additional information available.

### 15.1.2. National Regulations

No additional information available.

### 15.2. Chemical safety assesment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No

1907/2006.

Other information : None.

# Full text of H and EUH phrases H:

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Hazard Category 2
Flam. Liq. 3	Highly flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Hazard Category 2
Skin Sens. 1	Skin sensitization, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H226	Flammable liquid and vapour

GB 6/7



# Safety Data Sheet

According to regulation (EC) n° 1272/2008

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Acronyms and abbreviations:

ADR: Accord européen sur le transport des marchandises dangereuses par Route IMDG: International Maritime Code for Dangerous Goods

INTO: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

FDS UE (Annexe II REACH)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product and shall not establish a legally valid contractual relationship

> GB 7/7



Printed: 20/09/2018 Revised: V1-R-1-CLP from 20/09/2018

# **SOLUTION SENSUALITE ESSENTIELLE - SOLSENE-2**

# 1. SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : SOLUTION SENSUALITE ESSENTIELLE - SOLSENE-2

N° CAS TSCA :N° CE ::
N° index REACH An VI ::
N° REACH (partially) ::

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

# 1.3. Details of the supplier of the safety data sheet

SAS PCW

Aromagrasse - 45 bd Marcel Pagnol

06130 Grasse - FRANCE Tel: +33 (0)4 92 42 35 00 Fax: +33 (0)4 92 42 35 19 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical manager: regulatory@pcwfrance.com

# 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

# 2. SECTION 2 - HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**GHS Classification:** 

(RegulationCLP)

Eye Irrit. 2 Serious eye damage / eye irritation 2 Aquatic Chronic 3 Hazardous to the aquatic environment, long-trem hazard 3 Flam. Liq. 2 Flammable Liquids 2



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

#### GHS Classification:

(RegulationCLP)





Warning mention: Danger

Eye Irrit. 2 Serious eye damage / eye irritation 2

Aquatic Chronic 3 Hazardous to the aquatic environment, long-trem hazard 3

Flam. Liq. 2 Flammable Liquids 2 Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

#### 2.3. Other hazards

Contains Linalool, Limonene, Citronellol, Geraniol, beta-Pinene, Citral, Terpinolene, paramenthanone, d,l-Isomenthone, Geranyl acetate, alpha-Pinene

COV Swiss - Annex 2: 100%

### SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

# 3.1. Substances



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOLSENE-2

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist. : N° INDEX 603-002-00-5)	64-17-5	200-578-6	Flam. Liq. 2 - H225, H319	> 50 %
Citronellol (Regist.:/)	106-22-9	203-375-0	Skin Irrit. 2, Skin. Sens. 1B - H315	[ 1-5 ]
Limonene (Regist.: N° INDEX 601-029-00-7)	5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 1-5 ]
Linalool (Regist.: N° INDEX 603-235-00-2)	78-70-6	201-134-4	Eye Irrit. 2, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H319	[ 1-5 ]
Citral (Regist. : N° INDEX 605-019-00-3)	5392-40-5	226-394-6	Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H319	[ 0-1 ]
Geraniol (Regist.:/)	106-24-1	203-377-1	Eye Dam. 1, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H318	[ 0-1 ]
Geranyl acetate (Regist.:/)	105-87-3	203-341-5	Aquatic Chronic 3, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H411, H412	[ 0-1 ]
Terpinolene (Regist.:/)	586-62-9	209-578-0	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H304, H317, H400, H410	[ 0-1 ]
alpha-Pinene (Regist. : /)	80-56-8	201-291-9	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]
beta-Pinene (Regist.:/)	127-91-3	204-872-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]
d,I-Isomenthone	491-07-6	207-727-4	Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H412	[ 0-1 ]
para- menthanone (Regist. : /)	10458-14-7	233-944-9	Skin Irrit. 2, Skin. Sens. 1B - H315, H317	[ 0-1 ]

Description : Parfum

Solvent(s): Ethyl alcohol denat. / Aqua

Colorant(s):

# 4. SECTION 4 - FIRST AID MEASURES

# 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation :** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

# 4.2. Most important symptoms and effects, both acute and delayed

See section 2

# 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

# 5. SECTION 5 - FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

**Unsuitable extinguishing media:** Never use a direct stream of water.

# 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

#### **Hazardous combustion products:**

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

# 5.3. Advice for firefighters

**Fire-fighting equipment:** use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

# 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOLSENE-2

### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

### SECTION 7 - HANDLING AND STORAGE

# 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2











# Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

Respect the general rules of incompatibility.

Storage : Industrial : Keep under Nitrogen, in ambiant temperature. Avoid

prolonged exposure to light, humidity and air.

# 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

#### 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

### 8.2. Exposure controls

#### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures :

### Personal protection:

- -Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.
- -Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

#### 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color: Colorless

Density at 20°C : [0.822 ; 0.862] Refractive index @ 20°C : [1.370 ; 1.380]

Flash point (°C) (close cup): 20.3

9.2. Other information

NO CONCERNED

# 10. SECTION 10 - STABILITY AND REACTIVITY

#### 10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### 10.4. Conditions to avoid

Avoid any potential source of heat.

# 10.5. Incompatible materials

# NO CONCERNED

# 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

# 11. SECTION 11 - TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological

# 12. SECTION 12 - ECOLOGICAL INFORMATION

# 12.1. Toxicity



Printed:

20/09/2018

SOLUTION SENSUALITE ESSENTIELLE -

Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

PNEC sol

12.5. Results of PBT and vPvB assessment

vPvB

PBT

12.6. Other adverse effects

No data

# 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers.

Not cleaned packing: Evacuation according to local reglementation.

# 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA:1266

14.2. UN proper shipping name



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

ADR: Perfumery products IMDG:Perfumery products IATA: Perfumery products

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:3

14.4. Packing group

ADR : II IMDG:II IATA :II

14.5. Environmental hazards

IMDG: NO CONCERNED

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

# 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00 90 00

15.2. Chemical safety assessment

# 16. SECTION 16 - OTHER INFORMATIONS

Full H sentenses text in point 3:

H225 Highly flammable liquid and vapour

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.



Printed: 20/09/2018 SOLUTION SENSUALITE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLSENE-2

H412 Harmful to aquatic life with long lasting effects.

.....

Key literature references and sources for data

Sources for data: Information from supplier

Literature references : ECHA

Literature references EU: Reg. 1272/2008

\_\_\_\_\_\_

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the

properties of the product and do not give place to a contractual legal report.



Printed: 20/09/2018 Revised: V1-R-1-CLP from 20/09/2018

# **SOLUTION HARMONIE ESSENTIELLE - SOLHARE-2**

# SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : **SOLUTION HARMONIE ESSENTIELLE - SOLHARE-2** 

N° CAS TSCA :N° CE ::
N° index REACH An VI ::
N° REACH (partially) ::

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

# 1.3. Details of the supplier of the safety data sheet

SAS PCW

Aromagrasse - 45 bd Marcel Pagnol

06130 Grasse - FRANCE Tel: +33 (0)4 92 42 35 00 Fax: +33 (0)4 92 42 35 19 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

# 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

# 2. SECTION 2 - HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

**GHS Classification:** 

(RegulationCLP)

Eye Irrit. 2 Serious eye damage / eye irritation 2

Flam. Liq. 2 Flammable Liquids 2 Skin. Sens. 1B Sensitisation, skin 1B



Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOLHARE-2

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

#### 2.2. Label elements

GHS Classification:

(RegulationCLP)





Warning mention: Danger

Eye Irrit. 2 Serious eye damage / eye irritation 2

Flam. Liq. 2 Flammable Liquids 2 Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

#### 2.3. Other hazards

### Contains Benzyl salicylate, Linalool, Geraniol

COV Swiss - Annex 2 : **100%** 

# SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

### 3.1. Substances

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
----------	-------	--------	----------------	-----------



Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOLHARE-2

Ethyl alcohol (Regist. : N° INDEX 603-002-00-5)	64-17-5	200-578-6	Flam. Liq. 2 - H225, H319	> 50 %
Benzyl salicylate (Regist.:/)	118-58-1	204-262-9	Eye Irrit. 2, Aquatic Chronic 3, Skin. Sens. 1B - H317, H319, H412	[ 1-5 ]
Linalool (Regist.: N° INDEX 603-235-00-2)	78-70-6	201-134-4	Eye Irrit. 2, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H319	[ 0-1 ]

Description: Parfum

Solvent(s): Ethyl alcohol denat. / Aqua

Colorant(s):

# 4. SECTION 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

Following ingestion: If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

#### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

### 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

# 5. SECTION 5 - FIREFIGHTING MEASURES

# 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

**Unsuitable extinguishing media :** Never use a direct stream of water.

# 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.



Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLHARE-2

Particular risks linked to exposure: see section 2

#### Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

#### 5.3. Advice for firefighters

**Fire-fighting equipment**: use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

# 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

# For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

# 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.

# 6.3. Methods and material for containment and cleaning up

### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

# Other informations

Only qualified personnel is allowed to clean up.

# 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

# 7. SECTION 7 - HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

# Protective measures:



Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOI HARE-2

See section 2.2











#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

# Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

### Advice on general occupational hygiene:

Follow the general hygiene rules.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use. In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

Industrial: Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

# 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

# 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

#### 8.2. Exposure controls

#### Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

#### Personal protection measures:



Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLHARE-2

#### Personal protection:

-Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.

-Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

Remark: Recommended impermeable goggles do not only depend of his matter. Other factors can have a significant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded: Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color: Colorless

Density at 20°C : [0.815 ; 0.855]
Refractive index @ 20°C : [1.365 ; 1.375]

Flash point (°C) (close cup): 20.2

9.2. Other information

NO CONCERNED

### 10. SECTION 10 - STABILITY AND REACTIVITY

#### 10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.



Printed: 20/09/2018

SOLUTION HARMONIE ESSENTIELLE -SOLHARE-2 Revised: V1-R-1-CLP from 20/09/2018

### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### 10.4. Conditions to avoid

Avoid any potential source of heat.

## 10.5. Incompatible materials

NO CONCERNED

### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological

## 12. SECTION 12 - ECOLOGICAL INFORMATION

## 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

## 12.2. Persistence and degradability

NO CONCERNED

## 12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

PNEC sol

### 12.5. Results of PBT and vPvB assessment

vPvB : PBT :

12.6. Other adverse effects

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers. **Not cleaned packing**: Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



Printed: 20/09/2018

SOLUTION HARMONIE ESSENTIELLE -SOLHARE-2 Revised: V1-R-1-CLP from 20/09/2018



IMDG:



IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA:1266

14.2. UN proper shipping name

ADR: Perfumery products IMDG:Perfumery products IATA: Perfumery products

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:3

14.4. Packing group

ADR : II IMDG:II IATA :II

14.5. Environmental hazards

IMDG: NO CONCERNED

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)



Revised: V1-R-1-CLP from 20/09/2018

Printed: 20/09/2018 SOLUTION HARMONIE ESSENTIELLE -

SOLHARE-2

GRV Solid substances Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00 90 00

15.2. Chemical safety assessment

## 16. SECTION 16 - OTHER INFORMATIONS

Full H sentenses text in point 3:

H225 Highly flammable liquid and vapour

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

\_\_\_\_\_

Key literature references and sources for data

Sources for data: Information from supplier

Literature references : ECHA

Literature references EU: Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points: 3.2 15.1



Printed: 20/09/2018 Revised: V1-R-1-CLP from 20/09/2018

## **SOLUTION JOIE ECLAT ESSENTIELLE - SOLJOIEE-2**

## SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

Name of the substance/mixture : SOLUTION JOIE ECLAT ESSENTIELLE - SOLJOIEE-2

N° CAS TSCA : N° CE :
N° index REACH An VI :
N° REACH (partially) :

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Parfum

## 1.3. Details of the supplier of the safety data sheet

SAS PCW

Aromagrasse - 45 bd Marcel Pagnol

06130 Grasse - FRANCE Tel: +33 (0)4 92 42 35 00 Fax: +33 (0)4 92 42 35 19 Web: www.pcwfrance.com Email: info@pcwfrance.com

Technical manager: regulatory@pcwfrance.com

## 1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS: +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA: +33(1) 45 42 59 59

## 2. SECTION 2 - HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**GHS Classification:** 

(RegulationCLP)

Eye Irrit. 2 Serious eye damage / eye irritation 2 Aquatic Chronic 3 Hazardous to the aquatic environment, long-trem hazard 3 Flam. Liq. 2 Flammable Liquids 2



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

### GHS Classification:

(RegulationCLP)





Warning mention: Danger

Eye Irrit. 2 Serious eye damage / eye irritation 2

Aquatic Chronic 3 Hazardous to the aquatic environment, long-trem hazard 3

Flam. Liq. 2 Flammable Liquids 2 Skin. Sens. 1B Sensitisation, skin 1B

H225 - Highly flammable liquid and vapour

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/.../equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272+P363 - Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container according to the local/regional / national / international Regulation.

#### 2.3. Other hazards

Contains Limonene, Linalool, Phenylethyl alcohol, beta-Pinene, Benzyl salicylate, Terpinolene, Geranyl acetate, alpha-Pinene, Geraniol, Petitgrain essence (Petitgrain bigarade oil)

COV Swiss - Annex 2: 100%

## SECTION 3 - COMPOSITION INFORMATION ON INGREDIENTS

## 3.1. Substances



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018 SOLJOIEE-2

#### 3.2. Mixtures

Material	C.A.S	EINECS	Classification	Percent %
Ethyl alcohol (Regist. : N° INDEX 603-002-00-5)	64-17-5	200-578-6	Flam. Liq. 2 - H225, H319	> 50 %
Limonene (Regist. : N° INDEX 601-029-00-7)	5989-27-5	227-813-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[1-5]
Benzyl salicylate (Regist. : /)	118-58-1	204-262-9	Eye Irrit. 2, Aquatic Chronic 3, Skin. Sens. 1B - H317, H319, H412	[ 0-1 ]
Geranyl acetate (Regist. : /)	105-87-3	203-341-5	Aquatic Chronic 3, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H411, H412	[ 0-1 ]
Linalool (Regist.: N° INDEX 603-235-00-2)	78-70-6	201-134-4	Eye Irrit. 2, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H319	[ 0-1 ]
Terpinolene (Regist.:/)	586-62-9	209-578-0	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H304, H317, H400, H410	[ 0-1 ]
alpha-Cedrene (Regist.:/)	469-61-4	207-418-4	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1 - H304, H400, H410	[ 0-1 ]
alpha-Pinene (Regist.:/)	80-56-8	201-291-9	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]
beta-Pinene (Regist. : /)	127-91-3	204-872-5	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Irrit. 2, Skin. Sens. 1B - H226, H304, H315, H317, H400, H410	[ 0-1 ]

Description : Parfum

Solvent(s): Ethyl alcohol denat. / Aqua

Colorant(s):

## 4. SECTION 4 - FIRST AID MEASURES

## 4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water

before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.



Printed: 20/09/2018 9

SOLUTION JOIE ECLAT ESSENTIELLE - SOLJOIEE-2

Revised: V1-R-1-CLP from 20/09/2018

00200122 2

## 4.2. Most important symptoms and effects, both acute and delayed

See section 2

## 4.3. Indication of any immediate medical attention and special treatment needed

See section 2

## 5. SECTION 5 - FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO2, powder, foam, specific liquid.

Unsuitable extinguishing media: Never use a direct stream of water.

### 5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Particular risks linked to exposure: see section 2

## Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO2), Oxyde d'azotes (NOx), Dioxyde de soufre (SO2), Cyanures (CN) ....

## 5.3. Advice for firefighters

**Fire-fighting equipment**: use an appropriate personal protective equipment with an approved positive-pressure self-contained breathing apparatus.

## 6. SECTION 6 - ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

#### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhal vapours.

#### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

## 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water. Inform the competent authorities if the product enters in ground or surface waters.



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

#### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

### For cleaning up

The soiled elements (rags, absorbent papiers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

#### Other informations

Only qualified personnel is allowed to clean up.

#### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## SECTION 7 - HANDLING AND STORAGE

### 7.1. Precautions for safe handling

## Protective measures:

See section 2.2











## Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

## Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

## Advice on general occupational hygiene:

Follow the general hygiene rules.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

<u>Technical measures:</u> Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage : Industrial : Keep under Nitrogen, in ambiant temperature. Avoid prolonged exposure to light, humidity and air.

## 7.3. Specific end use(s)

Wash the hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

## 8. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and closes. Do not ingest. Do not inhal vapors. Use proper personal protective equipment.

**Monitoring procedures**: If the product contains ingredients presenting exposure limits, he can turn out necessary to make an examination followed by the persons, by the atmosphere in the workplace either bodies living to end the efficiency of the ventilation or the other control measures or estimate the need to use of the material of protection of respiratory tracts. It is important to put back you in the European standard EN 689 concerning the methods to estimate the exhibition by inhalation to the chemical agents and to the national general documents of politics relative to the methods to determine dangerous substances.

#### 8.2. Exposure controls

## Appropriate technical controls:

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

### Personal protection measures:

## Personal protection:

- -Protection des mains : Protection non requise.-Protection des yeux : Protection non requise.
- -Protection respiratoire : En cas de ventilation insuffisante, porter un appareil respiratoire approprié.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown): Organic compounds boiling point < 65°C Type A (Brown): Organic compounds boiling point > 65°C

Type B (Grey): Inorganic gasses and fumes. Type P (White): Particles, dusts and aerosols

**Hand protection**: Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing: vinyle disposable.

**Remark**: Recommended impermeable goggles do not only depend of his matter. Other factors can have a signifiant effect on impermeability, like their thickness or specific use or temperature conditions. In all cases, matter certificates should be selected. Ask your supply if the goggles are appropriate to this use.

**Eyes protection**: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommanded : Splash googles, safety glasses with side-shields.

**Skin protection**: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommanded: lab coat (sarrau), general.

Type 3: Liquid impermeability Type 4: Aerosol impermeability

Type 6: Impermeability limited to liquid splashs

Foot: Recommanded: neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

### 9.1. Information on basic physical and chemical properties

Appearance : Liquid

Color: Colorless

Density at 20°C : **[0.815 ; 0.855]**Refractive index @ 20°C : **[1.364 ; 1.374]** 

Flash point (°C) (close cup): 20.6

9.2. Other information

NO CONCERNED

## 10. SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidizing agents

10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

NO CONCERNED

## 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decomposition products:** No dangerous decomposition products known.

## 11. SECTION 11 - TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological

### 12. SECTION 12 - ECOLOGICAL INFORMATION

## 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

## 12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

PNEC sol

12.5. Results of PBT and vPvB assessment

vPvB : PBT :

12.6. Other adverse effects

No data

## 13. SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Product**: Does not have to be evacuated with the refuse. Not let it penetrate in the sewers. **Not cleaned packing**: Evacuation according to local reglementation.

## 14. SECTION 14 - TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



14.1. UN number

ADR: 1266 (Tunnel code (D/E))

IMDG:1266 IATA:1266

14.2. UN proper shipping name

ADR: Perfumery products IMDG:Perfumery products IATA: Perfumery products

14.3. Transport hazard class(es)

ADR: 3 IMDG:3 IATA:3



Printed: 20/09/2018 SOLUTION JOIE ECLAT ESSENTIELLE - Revised: V1-R-1-CLP from 20/09/2018

SOLJOIEE-2

14.4. Packing group

ADR : II IMDG:II IATA :II

14.5. Environmental hazards

**IMDG: NO CONCERNED** 

14.6. Special precautions for user

NO CONCERNED

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(Except particular case)

IBC Liquid substances Metal (31A, 31B, 31N) Plastic (31H1, 31H2)

GRV Solid substances Metal (11A, 11B, 21A, 21N) Plastic (11H1, 11H2, 21H1, 21H2)

## 15. SECTION 15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Custom tariff: 3303 00 90 00

15.2. Chemical safety assessment

### 16. SECTION 16 - OTHER INFORMATIONS

Full H sentenses text in point 3:

H225 Highly flammable liquid and vapour

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

.....

Key literature references and sources for data

Sources for data: Information from supplier

Literature references: ECHA

Literature references EU: Reg. 1272/2008

Safety data sheet according to REG. 1272/2008/CE and its amendings

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

.....



SOLUTION JOIE ECLAT ESSENTIELLE - SOLJOIEE-2 Printed: 20/09/2018

Revised: V1-R-1-CLP from 20/09/2018