

MATERIAL SAFETY DATA SHEET

Sodium Bicarbonate



MSDS Ref. No.: 144-55-8
Date Approved: 01/26/2004
Revision No.: 3

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200; the Canada's Workplace Hazardous Materials Information System (WHMIS) and, the EC Directive, 2001/58/EC.

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Sodium Bicarbonate

SYNONYMS: Baking Soda, Bicarbonate of Soda

GENERAL USE: Leavening agent, cleaner ingredient, bath salt ingredient, water softener, diaper rinse ingredient, feed additive.

This chemical is certified to ANSI/NSF Standard 60, Drinking Water Chemicals-Health Effects (as packaged in the original, unopened container). The maximum dosage level for this chemical is 100 mg/L

MANUFACTURER

FMC Wyoming Corporation
Alkali Chemicals Division
1735 Market Street
Philadelphia, PA 19103
(215) 299-6000 (General Information)

EMERGENCY TELEPHONE NUMBERS

(800) 424-9300 (CHEMTREC - U.S.)
(303) 595-9048 (Medical - Call Collect)

(307) 872-2452 (Plant - Green River, WY)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

- White, odorless, granular solid.
- Product is non-combustible.
- Reacts with acids to release carbon dioxide gas and heat.

POTENTIAL HEALTH EFFECTS: No significant health effects anticipated.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS# | Wt. % | EC No. | EC Class |
|--------------------|----------|-------|-----------|-----------------------------|
| Sodium Bicarbonate | 144-55-8 | 100 | 205-633-8 | Not classified as hazardous |

4. FIRST AID MEASURES

EYES: Flush with plenty of water. Get medical attention if irritation occurs and persists.

SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

INGESTION: Drink plenty of water. Never give anything by mouth to an unconscious person. If any discomfort persists, obtain medical attention.

INHALATION: Remove to fresh air. If breathing difficulty or discomfort occurs and persists, obtain medical attention.

NOTES TO MEDICAL DOCTOR: Internal toxicity is low. Treatment is symptomatic and supportive.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water, water fog, carbon dioxide (CO₂), dry chemical

FIRE / EXPLOSION HAZARDS: None

FIRE FIGHTING PROCEDURES: None

FLAMMABLE LIMITS: Not applicable

HAZARDOUS COMBUSTION PRODUCTS: None

SENSITIVITY TO IMPACT: None

SENSITIVITY TO STATIC DISCHARGE: None

6. ACCIDENTAL RELEASE MEASURES

COMMENTS: PERSONAL PRECAUTIONS: Refer to Section 8 "Exposure Controls / Personal Protection".

CLEAN-UP: This product, if spilled, can be recovered and re-used if contamination does not present a problem. Vacuum or sweep up the material. If the spilled product is unusable due to contamination, consult state or federal environmental agencies for acceptable disposal procedures and locations. See Section 13 "Disposal Considerations".

NOTIFICATION REQUIREMENTS: Federal regulations do not require notification for spills of this product. State and local regulations may contain different requirements; consult local authorities.

7. HANDLING AND STORAGE

HANDLING: Use air conveying/mechanical systems for bulk transfer to storage. For manual handling of bulk transfer use mechanical ventilation to remove airborne dust from railcar, ship or truck. Use approved respiratory protection when ventilation systems are not available. Selection of respirators is based on the dust cloud generated.

STORAGE: Store in a cool dry area, away from acids.

COMMENTS: Use general room dilution or local exhaust ventilation when excessive dust is expected in the work environment.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Where possible, provide general mechanical and/or local exhaust ventilation to prevent release of airborne dust into the work environment.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Appropriate eye and face protection equipment (ANSI Z87 approved) should be selected for the particular use intended for this material. Safety glasses with side shields are recommended.

RESPIRATORY: Whenever dust in the worker's breathing zone cannot be controlled with ventilation or other engineering means, workers should wear respirators or dust masks approved by NIOSH/MSHA, EU CEN or comparable certification organization to protect them against airborne dust.

PROTECTIVE CLOTHING: Dry product is generally non-irritating to intact skin. However, this product can be irritating where skin has been damaged and can create skin irritation

after long exposures when moisture is present. Under such conditions, gloves and long-sleeved clothing are recommended to minimize skin contact.

COMMENTS:

ADDITIONAL EXPOSURE GUIDELINES:

Federal guidelines treat the ingredient(s) in this product as a nuisance dust, as no product-specific guidelines have been issued for exposure. As with all nuisance dusts, worker breathing zone concentrations should be measured by validated sampling and analytical methods. The following limits (OSHA and MSHA) apply to this material:

Particulates Not Otherwise Regulated:

OSHA (PEL / TWA): 15 mg/m³ (total dust); 5 mg/m³ (resp fraction)

MSHA (PEL / TWA): 10 mg/m³ (total dust)

The information noted above provides general guidance for handling this product. Specific work environments and material handling practices will dictate the selection and use of personal protection equipment (PPE).

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------------------|------------------------------------|
| ODOR: | Odorless |
| APPEARANCE: | White, granular solid. |
| AUTOIGNITION TEMPERATURE: | Not applicable |
| BOILING POINT: | Not applicable |
| COEFFICIENT OF OIL / WATER: | Not available |
| DENSITY / WEIGHT PER VOLUME: | 0.88 g/mL |
| EVAPORATION RATE: | Not applicable (Butyl Acetate = 1) |
| FLASH POINT: | Non-combustible |
| MELTING POINT: | Decomposes |
| ODOR THRESHOLD: | Not applicable |
| OXIDIZING PROPERTIES: | Not applicable |
| PERCENT VOLATILE: | Not available |
| pH: | 8.3 (1% solution) |
| SOLUBILITY IN WATER: | % by wt. @ 20°C (68°F): 9.0 |
| SPECIFIC GRAVITY: | (H ₂ O = 1) 2.20 |
| VAPOR DENSITY: | Not applicable (Air = 1) |

VAPOR PRESSURE:

Not available

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:

Contact with acids except under controlled conditions.

STABILITY:

Stable

POLYMERIZATION:

Will not occur

INCOMPATIBLE MATERIALS:

Reacts with acids to release carbon dioxide gas and heat.

HAZARDOUS DECOMPOSITION PRODUCTS: None

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Non-irritating (rabbit) J. Amer. Coll. Toxicol. 1987**SKIN EFFECTS:** Non-irritating (rabbit) J. Amer. Coll. Toxicol. 1987**DERMAL LD₅₀:** No data available for the product.**ORAL LD₅₀:** 20% slurry: 4,300 mg/kg (rat)

50 % slurry: 6,000 mg/kg (rat)

Gosselin, Smith & Hodge, Clinical Tox. of Comm. Products, 1984

INHALATION LC₅₀: No data available for the product.**TARGET ORGANS:** None**ACUTE EFFECTS FROM OVEREXPOSURE:** This product, when dry, is generally non-irritating to intact skin. However, when moisture is present, it can be irritating to damaged skin and can create irritation after long exposures. This product is approved for use as a food ingredient and is Generally Recognized As Safe (GRAS). No significant acute toxicological effects expected.**CHRONIC EFFECTS FROM OVEREXPOSURE:** Administration of large doses of sodium bicarbonate to patients with renal insufficiency can produce systemic alkalosis.

CARCINOGENICITY:

| | |
|---------------|--------------------|
| NTP: | Not listed |
| IARC: | Not listed |
| OSHA: | Not listed |
| OTHER: | (ACGIH) Not listed |

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: 48 hr LC₅₀ = 2000 mg/L (Culex sp. larvae or mosquito)

CHEMICAL FATE INFORMATION: No data available for the product.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: When this product is discarded or disposed of, as purchased, it is neither a characteristic nor a listed hazardous waste according to US Federal RCRA regulations (40 CFR 261). As a non-hazardous waste the material may be disposed of in a landfill in accordance with government regulations; check local or state regulations for applicable requirements prior to disposal. Any processing, usage, alteration, chemical additions to, or contamination of, the product may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)

| | |
|---|--|
| PROPER SHIPPING NAME: | Not regulated |
| PRIMARY HAZARD CLASS / DIVISION: | Not applicable |
| UN/NA NUMBER: | None |
| LABEL(S): | Not applicable |
| PLACARD(S): | Not applicable |
| MARKING(S): | Not applicable |
| ADDITIONAL INFORMATION: | Hazardous Substance/RQ: Not applicable 49 STCC Number: Not applicable |

INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG)

ADDITIONAL INFORMATION:

Not regulated

ADR - EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

ADDITIONAL INFORMATION:

Not regulated

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355, APPENDIX A):

Not listed

SECTION 312 THRESHOLD PLANNING QUANTITY (40 CFR 370):

The Threshold Planning Quantity (TPQ) for this product, if treated as a mixture, is 10,000 lbs; however, this product contains the following ingredients with a TPQ of less than 10,000 lbs.:
No TPQ for this product

SECTION 313 REPORTABLE INGREDIENTS (40 CFR 372):

Not listed

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT)

CERCLA DESIGNATION & REPORTABLE QUANTITIES (RQ) (40 CFR 302.4):

Not applicable

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA INVENTORY STATUS (40 CFR 710):

Listed

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA)

RCRA IDENTIFICATION OF HAZARDOUS WASTE (40 CFR 261):

Waste Number: Refer to Section 13 "Disposal Considerations" for RCRA status.

CANADA**WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM):**

Product Identification Number: None
Hazard Classification / Division: None
Ingredient Disclosure List: Not listed

COMMENTS:

CLEAN WATER ACT (CWA) - SECTION 307 / 311
Not listed as a hazardous pollutant (40 CFR 116), nor as a toxic pollutant (40 CFR 401.15)

CLEAN AIR ACT (CAA) - SECTION 112
Not regulated under the chemical accident prevention provisions (40 CFR 68)

16. OTHER INFORMATION**HMIS**

| | |
|---------------------------|---|
| Health | 0 |
| Flammability | 0 |
| Physical Hazard | 0 |
| Personal Protection (PPE) | B |

Protection = B (Safety glasses and gloves)

HMIS = Hazardous Materials Identification System

Degree of Hazard Code:

4 = Severe
3 = Serious
2 = Moderate
1 = Slight
0 = Minimal

NFPA

| | |
|--------------|------|
| Health | 0 |
| Flammability | 0 |
| Reactivity | 0 |
| Special | None |

No special requirements

NFPA = National Fire Protection Association

Degree of Hazard Code:

4 = Extreme
3 = High
2 = Moderate
1 = Slight
0 = Insignificant

REVISION SUMMARY:

Changes in information are as follows:

New Format, as well as text changes and/or updates to one or more Sections of this MSDS.

FMC Logo - FMC Corporation Trademark

© 2004 FMC Corporation. All Rights Reserved.

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable where such product is used in combination with any other materials or in any process. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.