

MATERIAL SAFETY DATA SHEET

Section 1. Product and Company Identification

Product Name: Clean + Easy Clean Up Surface Cleaner DATE: 6/18/2007
 Formula: 30-0625 REV. NEW
 Item#: 43620

Manufacturer: American International Industries
 2220 Gaspar Ave
 Los Angeles, CA 90040
 Chem-Tel: (800) 255-3924

Section 2. Composition / Information on Ingredients

NOT FOR USE ON SKIN. PRODUCT IS A SURFACE CLEANER

Composition:

Component	CAS #	%	Exposure Limits ppm	
			ACGIH-TLV	OSHA-PEL
Isopropyl Alcohol	67-63-0	60 - 65%	200ppm	400ppm
Solvent Naphtha (Petroleum), Light Aliphatic	64742-89-8	35 - 40%	400ppm	400ppm
Propylene Glycol	57-55-6	1 - 5%	None Established	
Fragrance (Parfum)	N/A	0 - 1%	None Established	
Yellow 5 (CI 19140)	12225-21-7	0 - 1%	None Established	

Section 3. Hazardous Identification

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Eyes, skin or inhalation

Eye: Eye Contact with the product may produce transient superficial irritation. Some redness and/or stinging may occur.

Skin: Skin Contact with the product may cause irritation or drying of the skin.

Ingestion: Possible mild gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation: May cause central nervous system depression.

Section 4. First Aid Measures

First Aid for Eye: Immediately flush with water for 15 minutes, including under eyelids. Seek medical attention if discomfort persists.

First Aid for Skin: Wash off affected areas with plenty of soap and water. If discomfort or irritation persists contact a physician.

MATERIAL SAFETY DATA SHEET

First Aid for Inhalation: Remove to fresh air. Seek medical attention if discomfort persists.

First Aid for Ingestion: Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek prompt medical attention.

Section 5. Fire Fighting Measures

Flash Point (°F/°C): 21°F / -6.11°C (Tag Closed Cup)

Flammable Limit (vol%): LEL: 1.0
UEL: 12.5

Auto-ignition Temp. (vol%): Not available

Extinguisher Media: Alcohol Foam, CO2, Dry Chemical, Water Fog

Fire Fighting Procedures: Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards: Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.

Section 6. Accidental Release Measures

Spill or Release Procedures: For small spills (e.g., < 1 gallon) wear appropriate personal equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure sources of ignition. Remove spilled material and place to appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or proper disposal. Remove contaminated clothing promptly and wash affected areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7. Handling and Storage

Handling & Storing: Keep container closed when not in use. Store in cool place. Keep away from heat, sparks and flame. Do not lay the container on its side. Use with proper ventilation. Avoid prolonged breathing vapor. Avoid contact with eyes and prolonged or repeated skin contact. Static electricity may accumulate and cause a fire hazard.

Information about the empty container:

Do not re-use the container. Container will be hazardous when emptied. Residues will be flammable. Keep away from heat, sparks and flame. Do not puncture or cut the container and do not weld on or near the container.

MATERIAL SAFETY DATA SHEET

Section 8. Exposure Controls / Personal Protective Equipment

Respiratory Protections (Specific Type):

None required, when used with adequate ventilation.

Ventilation to be Used:

Use adequate ventilation.

Other Protective Clothing and Equipment:

None required under normal conditions of use. When handling large quantities (e.g., > 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133).

Hygienic Work Practices:

Wash hand thoroughly after using this product and before eating, drinking, or smoking.

Section 9. Physical and Chemical Properties

Appearance @ 25°C: Clear liquid

Viscosity (RVT): Not applicable

Odor @ 25°C: Solvent odor
pH: Not applicable

Vapor Pressure: Not available.

Specific Gravity: ~0.77

Vapor Density: Heavier Than Air

Ignition: Not applicable

Evaporation Rate: Slower Than Ether

Melting Point: Not applicable

Material V.O.C.: 6.44 lb/gal

Boiling Range: 180 - 369°F

Solubility in Water: Slightly soluble

Section 10. Stability and Reactivity

Stability: Stable

Hazardous Decomposition Products:

Irritating vapors and toxic gases when involved in fire.

Incompatibility (Materials to Avoid):

Strong oxidizing agents.

Hazardous Polymerization:

Will not occur

Conditions to Avoid: Use or storage near open flames, sparks, high heat (>100°F), or other sources.

MATERIAL SAFETY DATA SHEET

Section 11. Toxicological Information

Skin Irritation: Not available

Eye Irritation: Not available

Sensitization: Not available

Acute Toxicity (LC50): Not available

Acute Toxicity (LC50): Not available

Subacute Toxicity: Not available

Chronic Toxicity: Not available

Section 12. Ecological Information

Biodegradation: Not available.

Bioaccumulation: Not available.

Aquatic Toxicology: Not available.

Other Information: Not available.

Section 13. Disposable Considerations

Do not dispose of the emptied container unless the contents have been completely removed and container has been flushed with a clean neutral solvent and then dried up. Do not dispose the emptied container unlawfully. Observe all federal, state, and local laws.

Section 14. Transportation Information

<DOT Information>

Proper Shipping Name (49CFR 172.101):	Flammable Liquid n.o.s. (Isopropyl Alcohol, Petroleum Distillates)
Hazard Class:	3
UN/NA:	UN1993
Packing Group:	II

Section 15. Regulatory Information

MATERIAL SAFETY DATA SHEET

Regulatory information available upon request.

Section 16. Other Information

No additional information available.