

# MATERIAL SAFETY DATA SHEET

PAGE 1

	Manufacturer: Forever Young International, Inc.
	84 Corporate Park Drive
<b>Date prepared:</b> 08/07/213	Henderson, NV 89074 <b>Phone</b> 760-504-0330
II. INGREDIENTS	3
	HAZADD DATA
GAG 119000 74 3	HAZARD DATA
	N/A
	N/A
	N/A
	N/A N/A
	N/A
CAS #8403U-6U-2	N/A
CAS #123465 35 0	N/A
	N/A N/A
	N/A
	N/A
	N/A N/A
	N/A
C110 1100-17-7	IV/A
CAS #106-24-1	N/A
	N/A
	N/A
Melting Point: 37-	-100°C
Solubility in water	:: <0.1%
Vapor Density: >5	; 
Evaporation Rate	:<0.01
Odor: Possible fragi	rance, Lavender
Auto-ignition: N/A	
<del>-</del>	
	LEL UEL N/A N/A
	CAS #8002-74-2 CAS #8002-43-5/8030-76-0 CAS #89957-48-2 CAS #84929-27-1 CAS #84650-60-2 CAS #84650-60-2 CAS #7695-91-2/58-95-7 CAS #79-81-2 CAS #137-66-6 CAS #81-13-0/1648 CAS #1338-41-6 CAS #68-19-9 CAS #106-24-1 CAS #5989-27-5 CAS #78-70-6 III. PHYSICAL DAT  Melting Point: 37- Solubility in water  Vapor Density: >5  Evaporation Rate  Odor: Possible fraging

Extinguishing Media: Water Fog; ok, CO2; ok, Dry Chemical; ok

**Special Fire Fighting Procedures:** N/A

Unusual Fire and Explosion Hazards: None known to laboratory

NFPA Rating: Health (0) Flammability (1) Reactivity (0) Special –none

V. HEALTH HAZARDS		
Inhalation	Exposure to vapors, fumes, or smoke from molten material handled in confined areas can produce irritation or respiratory tracts, and possible physical discomfort to sensitive individuals.	
Skin Contact	Skin contact with molten material can cause severe burns.	
Skin Absorption	None known.	
Ingestion	This material is essentially inert and non-toxic. Regardless of this the material should be handled with care and not be ingested or put in mouth.	
Eye Contact	Exposure to fumes, vapors or smoke from thermally degraded product can cause irritation to eyes. Contact with molten material will cause thermal burns and eye injury.	
Health Hazard	No Health Hazard specified by manufacturer.	
Notes to Physician	All treatments should be based on observed signs and symptoms of distress in a patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.	

## VI. REACTIVITY DATA

### **Stability:**

Material is considered stable.

**Compatibility with other substances:** Avoid strong oxidizing agents, e.g., peroxides, chlorine

## VII. CONTROL AND PROTECTIVE MEASURES

**Storage:** When kept in molten state, inert gas blanketing may be used to avoid material degradation. As a solid, avoid contamination by keeping in closed containers.

### VIII. SPILL OR LEAK PROCEDURE

Handle as a thermoplastic. With molten spills, allow the material to solidify and cool. Keep material out of sewers and watercourses by diking or impounding. Recover and place into appropriate containers for recycling or disposal, according to prevailing local, state and federal laws.

## IX. SPECIAL PROTECTION INFORMATION

No Special Protection measures are called for by consumer. See below for storage information.

### X. SPECIAL PRECAUTIONS

Handling: Protect against physical damage.

**Storage:** Store in a cool, dry well ventilated location, away from sources of ignition. Separate from incompatibles. Observe all warnings and precautions listed for the product. Store product in accordance with OSHA.

**Other Precautions:** As with all chemicals, read the MSDS before handling. Always use the proper safety gear and eye protection.

We believe the statements, technical information and recommendations contained herein are reliable, but are given without warranty or guarantee. The information in the MSDS was obtained from current and reliable sources. This document is generated for the purpose of distributing health, safety, and environmental data. It is NOT a specification sheet nor should any displayed data be construed as a specification, if this product is used as a component is another product, this MSDS information may not be applicable.