

POLYCARBONATE HIMALAYAN SALT MASSAGE STONE WARMER

Product Overview

Bring the benefits of warmed Himalayan salt stones into your treatment room with this professional stone warmer. The durable polycarbonate bowl design provides consistent heat distribution, while the adjustable dimmer allows you to maintain comfortable treatment temperatures throughout service.

Available Configurations



Himalayan Salt Massage Stone Warmer Polycarbonate Bowl

Includes:

- Polycarbonate warmer base with powder-coated canopy
- 7' UL-rated dimmer cord
- Porcelain GU10 heat-resistant socket
- 50-watt GU10 halogen bulb
- 2 lbs. Himalayan salt chunks
- 8" Himalayan salt slab
- Setup, Operation & Care Guide
- 1-Year Limited Warranty on Electrical Components

Himalayan Salt Massage Stone Warmer Polycarbonite Bowl, 12 Salt Stones



Includes everything in the Warmer Only package, plus:

- 12 Himalayan Salt Massage Stones

Himalayan Salt Massage Stone Warmer Polycarbonite Bowl, 20 Salt Stones



Includes everything in the Warmer Only package, plus:

- 20 Himalayan Salt Massage Stones

Heating Performance

- Stones begin warming within approximately 30 minutes.
 - Typical treatment temperature is reached in 45-60 minutes.
 - Maximum temperature may take up to 100 minutes.
 - Adjustable dimmer allows temperature control throughout service.
 - Optional 24-hour timer may be used for pre-heating and automatic shutoff.
-

Professional Use Tips

- Rotate stones periodically for more consistent temperatures.
 - The center of the warming surface will be warmer than the outer edges.
 - Cover stones with a towel between uses to help maintain warmth.
 - Always test stone temperature before applying to the client.
-

Care & Maintenance

Himalayan Salt Stones & Salt Slab

- Clean with Lucas-Cide® thymol-based disinfectant according to your facility's sanitation protocol.
- Thoroughly dry all salt components immediately after cleaning.
- Never return wet stones or a wet salt slab to the warmer.
- Avoid prolonged exposure to water, which may cause salt to gradually deteriorate over time.

Polycarbonate Warmer

- Allow the warmer to cool completely before cleaning.
 - Wipe the bowl and exterior surfaces with a soft cloth and mild soap and water solution.
 - Dry thoroughly before operating.
 - Never immerse the warmer base in water.
 - Keep liquids away from the bulb housing and electrical components.
-

Technical Specifications

- Material: Polycarbonate Bowl
- Finish: Jade
- Dimensions: 11" W × 6" H
- Socket: Porcelain GU10 Heat-Resistant Socket
- Bulb: 50-Watt GU10 Halogen Bulb

- Cord Length: 7 Feet
- Warranty: 1-Year Limited Warranty on Electrical Components