



Safety Data Sheet

Revision Date: 01/27/2022

Section 1: Product and Company Identification

Product Name: Biofreeze (360°) Spray
Chemical Family: Mixture

Recommended Use: Topical Pain Reliever
Restrictions on Use: No Data

Company: Performance Health, Inc.
1245 Home Avenue
Akron, OH 44310

Telephone: (330) 633-8460 (Only available during normal office hours.)

Email: web@biofreeze.com

Emergency Telephone:	(800) 321-2135
CHEMTREC (Transportation):	(800) 424-9300
U.S. Coast Guard National Response Center:	(800) 424-8802

Section 2: Hazards Identification

2.1 Emergency Overview:

Warning: Flammable. May cause eye irritation. Contains gas under pressure; may explode if heated.

GHS Classification:

Flammable Aerosol, Category 2
Eye Irritant Category 2B
Compressed Gas, Gases under pressure

GHS Label Elements:

Pictograms:



Signal Word: Warning

Hazard Statements:

H320: Causes eye irritation
 H223: Flammable aerosol
 H280: Contains gas under pressure; may explode if heated.

Precautionary Statements:

P210: Keep away from heat/sparks/open flames/hot surfaces.-No smoking.
 P233: Keep container tightly closed.
 P403 + P235: Store in a well-ventilated place. Keep cool.
 P410 + P403: Protect from sunlight. Store in a well-ventilated place.

2.2 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CPL/GHS]

Aerosol 1 H222, H229

Eye Irritant 2, H320

The product is classified as hazardous according to regulation (EC) 1272/2008 as amended.

See section 16 for the full text of the H statements declared above.

See section 11 for more detailed information on health effects and symptoms.

Signal Word :Danger

Hazard Statements :Extremely flammable aerosol. Pressurized container: may burst if heated.
 Causes serious eye irritation

Precautionary Statements

General :Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

Response :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention/advice.

Storage :Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Disposal :Dispose of contents/container in accordance with local regulations.

Supplemental label :For external use only

Elements Do not swallow.

Ingredient Declaration:

Per 100 g of dispensed product contains 62 grams of ethanol.

Allergens above 0.001% in the finished product: None

Caution: For external use only, Do not swallow. Keep out of reach of children unless under adult supervision. May cause eye irritation. Avoid direct contact with eyes. If the product comes into contact with the eyes, rinse thoroughly with water immediately. If eye irritation persists: Get medical advise/attention with the product container or label at hand. Do not use, store or dispose of it near fire. Do not store in direct sunlight or in areas with high temperatures (above 50°C /122 °F)

NOT TO BE USED FOR ANY OTHER PURPOSE, OR IN ANY MANNER,
 CONTRARY TO THIS LABEL UNLESS AUTHORIZED.

Special packaging requirements

Containers to be fitted with child resistant packaging : Not applicable

Tactile warning of Danger : Not applicable

2.3 Other Hazards

Product meets the criteria for PNT or vPvB according to Regulation (EC) No 1907/2006, Annex III : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Other hazards with do not result in classification : None known

Section 3: Composition/Information on Ingredients

Chemical Ingredients:	CAS Number:	EC Number	Index Number	Percent Range:	Classification of Ingredient according to Regulation (EC) No 1272/2008 [CLP]*	Type
Ethyl Alcohol	64-17-5	200-578-6	603-002-00-5	40 - 70%	Flam. Liq. 2 H225	[1], [2]
L-Menthol	2216-51-5	218-690-9	Not Available	7 – 13%	Not classified. Substance with a community workplace exposure limit.	N/A

*There are no additional ingredients present, which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

NOTE: Packaging contains compressed nitrogen gas (CAS #7727-37-9; EC # 231-783-9) in sealed can.

Section 4: First Aid Measures

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if victim feels unwell.

Skin Contact: Not applicable.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media: Water, carbon dioxide, dry chemical, or foam

Specific Hazards in Case of Fire: Nitrogen oxides may form under fire conditions. Container may explode if exposed to heat. Water spray can be used to cool fire-exposed containers.

Special Protective Equipment for Fire-Fighters: Use protective clothing and breathing equipment appropriate for the surrounding fire.

Section 6: Accidental Release Measures

Personal Precautions: Eliminate all ignition sources and heat sources if safe to do so. Take off contaminated clothing and wash before reuse. Avoid breathing gas. Ensure adequate ventilation.

Environmental Precautions: Do not flush into surface water or sanitary sewer system.

Methods for Containment/Cleaning Up: Contain spillage and collect with non-combustible absorbent material. Disposal should be in accordance with all applicable local, state and federal regulations.

Section 7: Handling and Storage

Handling: Wash hands thoroughly after handling. Keep away from heat, sparks, open flames, hot surfaces, and sources of ignition. No smoking. Keep out of reach of children. Protect container from damage. Do not puncture, crush or incinerate container.

Storage: Store in a well-ventilated place. Keep cool. Do Not Store above the following temperature: 50 °C (122 °F). Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Protect container from damage. Do not puncture, crush or incinerate container.

Section 8: Exposure Controls/Personal Protection

US Exposure Limits:

Chemical Ingredients:	CAS Number:	OSHA PEL	NIOSH REL	ACGIH TLV
Ethyl Alcohol	64-17-5	1000 ppm	1000 ppm (TWA) 3300 ppm (IDLH)	1000 ppm
L-Menthol	2216-51-5	Not Established	Not Established	Not Established

Other Exposure Limits:

Ethyl Alcohol:

Hong Kong: 1000 ppm TWA; 1880 mg/m³ TWA

India: 1000 ppm TWA; 1900 mg/m³ TWA

Indonesia: 1000 ppm TWA; 1880 mg/m³ TWA

Korea: 1000 ppm TWA; 1900 mg/m³ TWA

Malaysia:	1000 ppm TWA; 1880 mg/m ³ TWA
Philippines:	1000 ppm TWA; 1900 mg/m ³ TWA
Singapore:	1000 ppm TWA; 1880 mg/m ³ TWA
Taiwan:	1000 ppm STEL; 1880 mg/m ³ STEL; 1000 ppm TWA; 1880 mg/m ³ TWA
Vietnam:	3000 mg/m ³ STEL; 1000 mg/m ³ TWA
Russia:	2000 mg/m ³ STEL (vapor); 1000 mg/m ³ TWA (vapor)
Austria:	2000 ppm STEL; 3800 mg/m ³ STEL (3 x 60 min) 1000 ppm MAK; 1900 mg/m ³ MAK;
Belgium:	1000 ppm TWA; 1907 mg/m ³ TWA
Bulgaria:	5.0 mg/m ³ Maximum Admissible Hazardous Contaminant Level (MAHCL) – 30 Minute; 1000.0 mg/m ³ TWA
Czech Republic:	1000 mg/m ³ TWA; 3000 mg/m ³ Ceiling
Denmark:	1000 ppm TWA; 1900 mg/m ³ TWA
Estonia:	1000 ppm STEL; 1900 mg/m ³ STEL; 500 ppm TWA; 1000 mg/m ³ TWA
Finland:	1300 ppm STEL; 2500 mg/m ³ STEL; 1000 ppm TWA; 1900 mg/m ³ TWA
France:	5000 ppm STEL; 9500 mg/m ³ STEL; 1000 ppm TWA; 1900 mg/m ³ TWA
Germany:	1000 ppm Peak; 1920 mg/m ³ Peak; 500 ppm MAK; 960 mg/m ³ MAK 500 ppm TWA; 960 mg/m ³ TWA
Greece:	1000 ppm TWA; 1900 mg/m ³ TWA
Hungary:	7600 mg/m ³ STEL; 1900 mg/m ³ TWA
Ireland:	1000 ppm TWA; 1900 mg/m ³ TWA
Italy:	1000 ppm STEL
Latvia:	1000 mg/m ³ TWA
Lithuania:	1000 ppm STEL; 1900 mg/m ³ STEL; 500 ppm TWA; 1000 mg/m ³ TWA
Netherlands:	20000 mg/m ³ Life Threatening Value (LBW); 1000 mg/m ³ Prescribed Target Value (VRW); 5000 mg/m ³ Warning Limit Value (AGW); 1900 mg/m ³ STEL; 260 mg/m ³ TWA
Poland:	1900 mg/m ³ TWA
Portugal:	1000 ppm TWA
Romania:	5000 ppm STEL; 9500 mg/m ³ STEL; 1000 ppm TWA; 1900 mg/m ³ TWA
Slovakia:	1920 mg/m ³ Ceiling; 500 ppm TWA; 960 mg/m ³ TWA
Slovenia:	4000 ppm STEL; 7600 mg/m ³ STEL; 1000 ppm TWA; 1900 mg/m ³ TWA
Spain:	1000 ppm TWA; 1910 mg/m ³ TWA
Sweden:	1000 ppm STEL; 1900 mg/m ³ STEL; 500 ppm TLV; 1000 mg/m ³ TLV
United Kingdom:	3000 ppm STEL (calculated); 5760 mg/m ³ STEL (calculated); 1000 ppm TWA; 1920 mg/m ³ TWA
L-Menthol:	
Russia:	1 mg/m ³ (aerosol and vapor)

Engineering Controls: Use only in a well-ventilated area.

Personal Protective Equipment:

Eye Protection: None required under normal conditions of use.

Hand Protection: Not Applicable

Skin and Body Protection: Not Applicable

Respiratory Protection: None required under normal conditions of use.

Hygiene Measures: Wash hands thoroughly after handling. Use only in a well-ventilated area.

Section 9: Physical and Chemical Properties

Physical State:	Liquid
Color:	Clear
Odor:	Menthol Scented
Odor Threshold:	Not Available
pH:	6.0 – 7.0
Melting/Freezing Point:	Not Available
Initial Boiling Point:	Not Available
Flash Point:	≥73.4°F (≥23°C)
Evaporation Rate:	Not Available
Flammability (solid, gas):	Not Applicable
Lower Explosive Limit:	Not Available
Upper Explosive Limit:	Not Available
Lower Flammability Limit:	Not Available
Upper Flammability Limit:	Not Available
Vapor Pressure:	Not Available
Vapor Density:	Not Available
Relative Density:	0.880 - 0.890
Water Solubility:	Complete
Partition Coefficient:	Not Available
Autoignition Temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity:	Not Available

Section 10: Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Conditions to Avoid: Sources of ignition, heat, sunlight, pressure.

Incompatible Materials: Strong acids and oxidizers.

Hazardous Decomposition Products: Alcoholic vapors, nitrogen oxides.

Hazardous Polymerization: Will not occur.

Section 11: Toxicological Information

Inhalation: No known effects from Biofreeze (360°) Spray. The container contains compressed gas that may act as an asphyxiant if released.

Ingestion: May be harmful if swallowed.

Skin Contact: Relieves pain when used in accordance with instructions. Packaging contains compressed gas which is not expected to be released during ordinary conditions of use. However, if a release occurs, contact with rapidly expanding gas may cause burns or frostbite.

Eye Contact: May cause eye irritation.

Chronic Exposure: No known effects.

Aggravation of Pre-existing Conditions: No information found.

Numerical Measures of Toxicity: None available.

Carcinogenicity: Not known to be as defined by OSHA, IARC or NTP.

Section 12: Ecological Information

This product is safe for the environment at the concentrations predicted under normal use conditions.

Section 13: Disposal Considerations

Dispose of contents/container in accordance with all applicable local, state and federal regulations.

Section 14: Transport Information

US DOT:

Proper Shipping Name:	Aerosols, Flammable
Hazard Class:	2.1 (Flammable gas)
UN Number:	UN1950
Packing Group:	N/A
Labels:	Class 2 Flammable Gas

If a Limited Quantity (49CFR 173.150) then ship as follows:

Proper shipping name:	Not required.
Hazard class:	Not required.
UN Number:	Not required.
Labels:	Use ground limited quantity label.

DOT Hazardous Substance RQ:	None/no reportable quantities
DOT Marine Pollutants:	None/no reportable quantities

IATA: (All domestic and international Air shipments)

Proper Shipping Name:	Aerosols, Flammable
Hazard Class:	Class 2.1
UN Number:	UN1950
Packing Group:	N/A

Labels: Class 2 Flammable Gas

If a Limited Quantity (49CFR 173.150) then ship as follows:

Proper Shipping Name: Aerosols, Flammable
Hazard Class: Class 2.1
UN Number: UN1950
Packing Group: N/A
Labels: Class 2 Flammable Gas
Air Limited Quantity

IMDG (All domestic and international shipments by Vessel)

Proper Shipping Name: Aerosols, Flammable
Hazard Class: 2.1 (Flammable gas)
UN Number: UN1950
Packing Group: N/A
Labels: Class 2 Flammable Gas

If a Limited Quantity (49CFR 173.150) then ship as follows:

Proper Shipping Name: Aerosols, Flammable
Hazard Class: Class 2.1
UN Number: UN1950
Packing Group: N/A
Labels: Limited Quantity

Section 15: Regulatory Information

US Regulatory Information:

OSHA Hazards: Flammable, Irritant, Contains Compressed Gas

SARA 302: None/no reportable quantities.

SARA 311/312 Hazard Categories: Fire Hazard, Acute Health Hazard, Sudden Release of Pressure Hazard

SARA 313: None/no reportable quantities.

TSCA: All substances in this product are listed on the TSCA inventory if required.

Canadian Regulatory Information:

DSL List: All components of this product comply with registration requirements.

European Economic Community Information for Constituents: The following information is available for the components of this product:

Ethyl Alcohol: EU EINECS/ELINCS Number: 200-578-6
L-Menthol: EU EINECS/ELINCS Number: 218-690-9

Japanese Information:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances,

Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

Japanese ENCS Inventory: The components of this product are on the ENCS Inventory if required.

Poisonous and Deleterious Substances Control Law: No component of this product is a listed poisonous, deleterious, or specified poisonous substance under the Poisonous and Deleterious Substances Control Law.

Other International Chemical Inventories:

China Inventory of Existing Chemical Substances (IECSC): The components of this product are on the IECSC if required.

Korean Existing Chemicals List (KECL): The components of this product are on the KECL if required.

Philippines Inventory of Chemicals and Chemical Substances (PICCS): The components of this product are on the PICCS if required.

Section 16: Other Information

The information contained in this MSDS is presented in good faith and believed to be accurate based on the information provided. The MSDS does not purport to be all inclusive, and shall be used only as a guide. While Performance Health, Inc. believes that the data contained herein comply with 29 CFR 1910.1200, they are not to be taken as a warranty or representation for which Performance Health, Inc. assumes legal responsibility. Performance Health, Inc. shall not be held liable or accountable for any loss or damage associated with the use of this material and information. The recommended industrial hygiene and safe use, handling, storage, and disposal procedures are believed to be generally applicable. However, since the use, handling, storage, and disposal are beyond Performance Health, Inc. control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability of loss, damage, or expense arising out of the material's improper use.

HMIS Classification:

Health Hazard:	1
Flammability:	2
Physical Hazards:	0

Legend:

ACGIH: American Conference of Governmental & Industrial Hygienists

CAS: Chemical Abstract Service

CFR: Code of Federal Regulations

DOT: Department of Transportation

DSL/NDL: Domestic Substances List/Non-Domestic Substances List

EC Number: EINECS Number or ELINCS Number

EINECS: European Inventory of Existing Commercial Chemical Substance

ELINCS: European List of Notified Substance

ENCS: Existing and New Chemical Substances

EU: European Union

GHS: Globally Harmonized System of Chemical Classification and Labelling

HMIS: Hazardous Materials Identification System

IARC: International Agency for the Research of Cancer

IATA: International Air Traffic Association

ICAO: International Civil Aviation Organization

IDLH: Immediately Dangerous to Life or Health

IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organizations
MAK: Maximale Arbeitsplatzkonzentration (Exposure Limit)
NIOSH: National Institute of Occupational Safety and Health
NFPA: National Fire Protection Association
NTP: National Toxicology Program
OSHA: Occupational Safety & Health Administration
PEL: Permissible Exposure Limits
RCRA: Resource Conservation & Recovery Act
REL: Recommended Exposure Limits
RQ: Reportable Quantity
RTK: Right-To-Know
SARA: Superfund Amendments & Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value
TSCA: Toxic Substances Control Act
TWA: Time Weighted Average
TCLP: Toxicity Characteristic Leaching Procedure
US: United States
VOC: Volatile Organic Compounds
