

7820 E. Pleasant Valley Road  
 Independence, OH 44131  
 (800) 908-7028  
[www.crafters-choice.com](http://www.crafters-choice.com)

## Crafter's Choice™ Euphoria\* - EO & FO Blend

Page 1 of 8  
 2016-03-10

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Crafter's Choice™ Euphoria\* - EO & FO Blend**

#### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC  
 7820 E. Pleasant Valley Road  
 Independence, Ohio 44131  
 Phone: 1-800-908-7028  
[www.Crafters-Choice.com](http://www.Crafters-Choice.com)

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

##### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Acute Toxicity Dermal, Category 4	H312: Harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318: Causes serious eye damage
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Carcinogenicity, Category 1B	H350: May cause cancer
Target Organ Systemic Toxicity - Single Exposure, Category 2	H371: May cause damage to organs
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

##### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes 15 : May cause
Acute Inhalation	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, stomach, brain, tongue, mucous membranes, musculo-skeletal system 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Euphoria\* - EO & FO Blend

Page 2 of 8  
2016-03-10

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



**Signal Word: Danger**

#### Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H350	May cause cancer
H371	May cause damage to organs
H411	Toxic to aquatic life with long lasting effects

#### Precautionary Statements

##### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

##### Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P309	IF exposed or you feel unwell:
P310	Immediately call a POISON CENTER or doctor/physician
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Euphoria\* - EO & FO Blend

Page 3 of 8  
2016-03-10

P370 + P378

In case of fire: Use Carbon dioxide (CO<sub>2</sub>), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
60-12-8 <i>phenethyl alcohol</i>	200-456-2	30 - 40 %	H302; H313; H316; H319	11, 15, 3
140-11-4 <i>Benzyl acetate</i>	205-399-7	20 - 30 %	H303; H316; H401; H412	15, 25, 26, 31, 39
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	10 - 20 %	H303; H316; H317; H400; H411	11, 15
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	31
78-70-6 <i>Linalool</i>	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26
115-95-7 <i>Linalyl acetate</i>	204-116-4	2 - 5 %	H227; H315; H319; H401; H402	
106-22-9 <i>Citronellol</i>	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	11, 15
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3
106-24-1 <i>Geraniol</i>	203-377-1	2 - 5 %	H303; H315; H317; H318; H401	11, 15, 31
24851-98-7 <i>Methyldihydrojasmonate</i>	246-495-9	2 - 5 %	H402	
90-17-5 <i>Trichloromethyl phenyl carbiny acetate</i>	201-972-0	2 - 5 %	H315; H402; H412	
1222-05-5 <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410	11, 15
68917-33-9 <i>Lemon oil terpenes</i>	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31
106-25-2 <i>Nerol</i>	203-378-7	1 - 2 %	H303; H315; H317; H319; H402	15
68647-72-3 <i>Citrus aurantium var. dulcis</i>	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Euphoria\* - EO & FO Blend

Page 4 of 8  
2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
65113-99-7 <i>Pentamethylcyclopent-3-ene-butanol</i>	265-453-0	1 - 2 %	H316; H319; H401; H411	31
8015-91-6 <i>Cinnamomum Zeylanicum (Cinnamon Leaf Oil), ext.</i>	283-479-0	0.1 - 1.0 %	H227; H303; H313; H316; H319; H341; H350; H401; H412	11, 15, 31
57378-68-4 <i>delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)</i>	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	11, 15, 31

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 3.85

### 4. First Aid Measures

#### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

### 5. Fire-Fighting measures

#### 5.1 Extinguishing media

<b>Suitable:</b>	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

#### 5.2 Special hazards arising from the substance or mixture

<b>During fire fighting:</b>	Water may be ineffective
------------------------------	--------------------------

#### 5.3 Advice for firefighters

<b>Further information:</b>	Standard procedure for chemical fires
-----------------------------	---------------------------------------

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

## Crafter's Choice™ Euphoria\* - EO & FO Blend

Page 5 of 8  
2016-03-10

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
	TWA ppm	STEL ppm	TWA ppm	STEL ppm
140-11-4 <i>Benzyl acetate</i>				10

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Conforms to Standard
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Nearly Colorless to Yellow Tint (G0-1)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	181 F (82.78 C)
<b>Auto flammability:</b>	Not determined

7820 E. Pleasant Valley Road  
 Independence, OH 44131  
 (800) 908-7028  
[www.crafters-choice.com](http://www.crafters-choice.com)

**Crafter's Choice™ Euphoria\* -  
 EO & FO Blend**

Page 6 of 8  
 2016-03-10

<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.0799
<b>%VOC:</b>	23.8927
<b>Specific Gravity @ 25 C:</b>	0.9940
<b>Density @ 25 C:</b>	0.9910
<b>Refractive Index @ 20 C:</b>	1.5120
<b>Soluble in:</b>	Oil

**10. Stability and Reactivity**

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

**11. Toxicological Information**

**11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 2,786.90) May be harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 1,845.79) Harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LC50: 36.03) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Causes serious eye damage
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	May cause cancer
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	May cause damage to organs
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	Not classified - the classification criteria are not met

**12. Ecological Information**

**12.1 Toxicity**

<b>Acute aquatic toxicity</b>	Not classified - the classification criteria are not met
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects

7820 E. Pleasant Valley Road  
 Independence, OH 44131  
 (800) 908-7028  
[www.crafters-choice.com](http://www.crafters-choice.com)

**Crafter's Choice™ Euphoria\* -  
 EO & FO Blend**

Page 7 of 8  
 2016-03-10

<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available
<b>12.2 Persistence and degradability</b>	no data available
<b>12.3 Bioaccumulative potential</b>	no data available
<b>12.4 Mobility in soil</b>	no data available
<b>12.5 Other adverse effects</b>	no data available

**13. Disposal Conditions**

**13.1 Waste treatment methods**

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

**14. Transport Information**

<b>Regulator</b>	<b>Class</b>	<b>Pack Group</b>	<b>Sub Risk</b>	<b>UN-nr.</b>
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b> Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IATA (Air Cargo)</b> Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082
<b>IMDG (Sea)</b> Environmentally Hazardous Liquid, n.o.s.	Substance, 9	III		UN3082

**15. Regulatory Information**

**U.S. Federal Regulations:**

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:**

**California Proposition 65 Warning** This product contains the following components:  
 94-59-7 202-345-4 <= 24 ppm Safrole (NFS)  
 93-15-2 202-223-0 <= 11 ppm Methyl Eugenol (NFS)  
 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

**Canadian Regulations:**

**DSL / NDSL** 99.79% of the components are listed or exempt.  
 67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol  
 67801-20-1 267-140-4 <= 87 ppm 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

7820 E. Pleasant Valley Road  
 Independence, OH 44131  
 (800) 908-7028  
[www.crafters-choice.com](http://www.crafters-choice.com)

**Crafter's Choice™ Euphoria\* -  
 EO & FO Blend**

Page 8 of 8  
 2016-03-10

131812-67-4	412-950-7	<= 3 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-dioxolane (Okoumal)
198404-98-7	427-900-1	<= 45 ppm	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]
54440-17-4		<= 0 ppm	2,3,3-Trimethylindanone

**16. Other Information**

**GHS H-Statements referred to under section 3**

**Total Fractional Values**

(TFV) Risk	(TFV) Risk
(2.14) Skin Corrosion/Irritation, Category 2	(1.60) Sensitization, Skin, Category 1A
(1.01) Eye Damage/Eye Irritation, Category 1	(2.00) Carcinogenicity, Category 1B
(4.60) Target Organ Systemic Toxicity - Single Exposure, Category 2	(2.95) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.