

SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standards

REVISION DATE: September 14, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Scrubfresh

Bulk #: CND-N-022

Product Form: Mixture

Recommendations on use: For Professional Use Only

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: Flammable Liquids (Category 2)
Aspiration (Category 1)
Eye Irritation (Category 2)
Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects



Pictogram:

Signal Word: Danger

Hazard Statement(s):

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed or enters airways.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Precautionary Statement(s):

P210 Keep away from heat, sparks, open flames and/or hot surfaces. – No smoking.
P233 Keep container tightly closed.
P235 Keep cool.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P261 Avoid breathing mist/vapours/spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear eye/face protection.
P331 Do not induce vomiting.
P370 + P378 In case of fire: Use appropriate media water spray, alcohol-resistant foam, dry chemical, or Carbon dioxide for extinction.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P303 + P361 + P353 IF ON SKIN(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Potential Health Effects:

Eye Contact: Vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Symptoms of overexposure may include redness, itching, irritation, and watering.
Skin Contact: May be irritating to skin, especially after prolonged or repeated contact.
Inhalation: Fumes/vapors may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation concentrated vapors can cause central nervous system depression (e.g. drowsiness, dizziness, headaches, nausea). Odor may give some warning of exposure, but odor fatigue may occur.
Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.

Hazard Classification:

OSHA (USA): Flammable liquid, Irritant, Target Organ Effect
HMIS Rating: Health: 2. Flammability: 3. Reactivity: 0.
NFPA Rating: Health: 2. Flammability: 3. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:
Acetone	67-64-1	40 – 70
Isopropyl Alcohol	67-63-0	30 – 60
Butyl Acetate	123-86-4	0 - 1

4. FIRST AID MEASURES

Eye Contact: If product gets in the eyes, immediately flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek medical attention.

Skin Contact: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove all contaminated clothing including footwear and wash thoroughly before reuse. If irritation, redness, or swelling persists, seek medical attention.

Inhalation: If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.

Ingestion: DO NOT INDUCE VOMITING. Contact Chemtrec at +1 (703)527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

Notes to Physician: Treat symptomatically.

Most important symptoms/effects, Both acute and delayed: Target Organ Effect, Irritation

5. FIRE AND IGNITION INFORMATION

Burn Rate: Not determined.

Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Special Fire Fighting Procedures:	First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA.NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service/
Unusual Fire/Explosion Hazard:	Flammable. Above flash point, vapor-air mixtures may be a fire and explosion hazard. Vapors can flow along surfaces to distant ignition source and flash back. Sealed containers may rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge. May release irritating gases/fumes during thermal decomposition or burning.
Specific Hazards Arising from the Chemical:	Not Applicable.

HAZCHEM CODE: 2[Y]E

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
Methods for Cleaning Up:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</p> <p>For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Revlon spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before use.</p> <p>For spills \geq1 gallon (3.785 liters) deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g. sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</p>
Environmental Precautions:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices:	Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g. local exhaust ventilation, fans). Wash skin thoroughly with plenty of soap and water after using this product. Do not eat, drink, or smoke while handling this product.
Handling:	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care
Storage:	Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). As a precaution against exposure to the eyes, nose, throat, and face, this product should not be stored higher than waist level.

Keep away from children at all times!

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for individual ingredients are provided below.

Occupational Exposure Limits (OELs):

CAS No.	Components	ppm	Category	Origin
67-64-1	Acetone	1000	TWA (8)	OSHA PEL
		250	TWA (10)	NIOSH REL
		500	TWA (8)	ACGIH TLV
67-63-0	Isopropyl Alcohol	980	TWA (8)	OSHA PEL
		980	TWA (10)	NIOSH REL
		1225	15 min	NIOSH STEL
		980	TWA (8)	ACGIH TLV
		1230	15 min	ACGIH STEL
123-86-4	Butyl Acetate	710	TWA (8)	OSHA PEL
		710	TWA (10)	NIOSH REL
		950	15 min	NIOSH STEL
		710	TWA (8)	ACGIH TLV

IDLH: Immediately Dangerous to Life or Health concentration
 PEL: Permissible Exposure Limit
 OEL: Occupational Exposure Limit
 STEL: Short Term Exposure Limit
 TLV: Threshold Limit Value

TWA: Time Weighted Average
 ACGIH: American Conference of Governmental Industrial Hygienists
 OSHA: Occupational Safety and Health Administration
 NIOSH: National Institute for Occupational Safety and Health
 REL: Recommended Exposure Limit

ENGINEERING CONTROLS

Use adequate ventilation (e.g. open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g. sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g. local exhaust ventilation, fans).

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.

Hand Protection: None required under normal use. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)) wear rubber or impervious plastic gloves.

Eye Protection: Wear protective eyewear (e.g. safety glasses with side shields) at all times when handling this product. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.

Skin and Body Protection: No apron required when handling small quantities.
 When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

Other protective equipment: None required under normal use. Skin protection required in production areas. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid
Odor:	Ketone
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	Not Known
Flash Point:	-4 ^o C (25 ^o F) Acetone
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	Not Known
Evaporation Rate:	< 1
Flammability Classification:	Flammable Liquid, Category 2
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	2.05
Specific Gravity/Rel. Density:	0.99 (Calculated)
Solubility in Water:	Soluble
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	Not Known
Decomposition temperature:	Not Known
Viscosity:	Not Known

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	None Known.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by toxicologists in the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Causes serious eye irritation
Skin Corrosion/Irritation:	May cause mild skin irritation
Respiratory or Skin Sensitization:	May cause respiratory irritation
Acute toxicity:	Not Available
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	May cause drowsiness or dizziness
STOT – Repeat Exposure:	Not available
Aspiration Hazard:	Not Available

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Limited Quantity.

Vessel (IMDG): UN 1993, Flammable liquid n.o.s. (isopropanol, acetone), 3, II, Ltd Qty

Air (IATA): Consumer Commodity, 9, ID8000

FOR BULK SHIPMENT

DOT (Department of Transportation):

UN Number: UN1993
UN Proper Shipping Name: Flammable liquid n.o.s. (Isopropanol, Acetone)
UN Hazard Class: 3
UN Packing Group: II

IMDG (International Maritime Organization's Dangerous Goods Code):

Use UN classification listed above.

IATA (International Air Transport Association):

Use UN classification listed above.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act)
DSL (Domestic Substance List)

The product is exempt
The following are listed: Acetone, Isopropyl Alcohol, Butyl Acetate

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

The following substances are regulated as hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

- Acetone

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

The following ingredients are present in the finished product and listed on the following inventories and state Right-To-Know lists:

Ingredient	CAS #:	TSCA 8(b)	RI RTK	PA RTK	NJ RTK	MA RTK
Acetone	67-64-1	Yes	Yes	Yes	Yes	Yes
Isopropyl Alcohol	67-63-0	Yes		Yes	Yes	Yes
n-Butyl Acetate	123-86-4	Yes	Yes	Yes	Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: April 1, 2012.
Prepared by: Revlon Research Center

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Creative Nail Design COOLBLUE**GENERAL USE:** Personal Care**PRODUCT DESCRIPTION:** Creative Nail Design COOLBLUE**PRODUCT CODE:** Creative Nail Design COOLBLUE**PRODUCT FORMULATION NAME:** Creative Nail Design COOLBLUE**CHEMICAL FAMILY:** Skin care**GENERIC NAME:** Hand sanitizer**MANUFACTURER**

Colomer USA

5344 Overmyer Drive

Jacksonville, FL 32254

Customer Service: 904-366-5535**DISTRIBUTOR**

Creative Nail Design

Colomer USA, Inc.

9560 Towne Centre Drive Ste 200

San Diego, CA 92121

24 HR. EMERGENCY TELEPHONE NUMBERS

CANUTEC (Canadian Transportation) :(613) 996 - 6666

CHEMTREC (US Transportation) :(800) 424 - 9300

RMPC Medical Emergencies(303) 739 - 1110

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS**Health:**

Eye Irritation, Category 2A

Physical:

Flammable Liquids, Category 2

GHS LABEL

Flame

Exclamation
mark**HAZARD STATEMENTS**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

PRECAUTIONARY STATEMENTS**Prevention:**

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

EMERGENCY OVERVIEW

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

PHYSICAL APPEARANCE: Liquid**IMMEDIATE CONCERNS:** Flammable Liquid. Material can burn with little or no visible flame. May be irritating to eyes, skin and respirator system if over exposed.**POTENTIAL HEALTH EFFECTS****EYES:** Causes eye irritation**SKIN:** May cause skin irritation.**SKIN ABSORPTION:** NA = Not Applicable**INGESTION:** May cause gastro-intestinal irritation, nausea, vomiting and diarrhea**INHALATION:** Irritating to the nose, throat and respiratory tract.**REPRODUCTIVE TOXICITY****REPRODUCTIVE EFFECTS:** This product is not reported to cause reproductive effects in humans**TERATOGENIC EFFECTS:** This product is not reported to produce Teratogenic effects in humans**CARCINOGENICITY:** Not Listed as a carcinogen**MUTAGENICITY:** This product is not reported to produce mutagenic effects in humans**MEDICAL CONDITIONS AGGRAVATED:** May aggravate with long-term exposure**ROUTES OF ENTRY:** Inhalation, eye, skin and ingestion**TARGET ORGAN STATEMENT:** Eyes, skin and respiratory system**CANCER STATEMENT:** Not classified as carcinogen by OSHA, NTP, IARC or EPA**WARNING CAUTION LABELS:** Flammable Liquid**COMMENTS HEALTH:** Keep away from children, for external use only**HEALTH HAZARDS:** Harmful in contact with eyes**PHYSICAL HAZARDS:** Flammable Liquid

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Vol. %	CAS
Ethanol	60 - 70	64-17-5
2-propanol	< 5 - 10	67-63-0

COMMENTS: Risk Phrases: Ethanol: H225- Highly flammable liquid and vapor, H320 Causes eye irritation, H302 Harmful if swallowed, H371 May cause damage to organs. **Risk Phrases:** 2-Propanol (Isopropyl Alcohol): H225 Highly flammable liquid and vapor, H320 Causes eye Irritation.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.**SKIN:** Wash with soap and water and get medical attention if irritation develops or persists.**INGESTION:** If swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.**INHALATION:** If symptoms are experienced, move to fresh air and obtain medical attention if breathing difficulty persists.**SIGNS AND SYMPTOMS OF OVEREXPOSURE**

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

EYES: Causes eye irritation

SKIN: May be irritating to the skin in high concentrations

SKIN ABSORPTION: NA = Not Applicable

INGESTION: May cause vomiting.

INHALATION: May cause drowsiness, dizziness, headaches and nausea

ACUTE TOXICITY: Non-Hazardous under normal use and conditions

CHRONIC EFFECTS: None known.

NOTES TO PHYSICIAN: Symptoms may be delayed

ADDITIONAL INFORMATION: Product contains ethanol

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Flammable Liquid Category 2

GENERAL HAZARD: Flammable liquid and vapor.

EXTINGUISHING MEDIA: Dry chemical, Water, Water fog, Alcohol foam

HAZARDOUS COMBUSTION PRODUCTS: Carbon Monoxide

EXPLOSION HAZARDS: Highly Flammable Liquid

FIRE FIGHTING PROCEDURES: Ethanol vapors are heavier than air and may travel a considerable distance to a source of ignition.

FIRE FIGHTING EQUIPMENT: Wear positive pressure self-contained breathing apparatus

FIRE EXPLOSION: Flammable vapors may travel along floor to be ignited by distant ignition sources. Containers exposed to fire may develop sufficient internal pressure to rupture with explosive force

SENSITIVE TO STATIC DISCHARGE: NA = Not Applicable

SENSITIVITY TO IMPACT: NA = Not Applicable

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove all sources of ignition

Do not breath Vapors

Insure adequate Ventilation

Avoid Eye contact

Clean up with mop or sponge

LARGE SPILL: NA = Not Applicable

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Not Classified as toxic to aquatic plants and fish

LAND SPILL: Not classified as harmful.

AIR SPILL: Not classified as harmful

GENERAL PROCEDURES: Clean-up with normal janitorial supplies

RELEASE NOTES: Flammable Liquid

SPECIAL PROTECTIVE EQUIPMENT: S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

7. HANDLING AND STORAGE

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

GENERAL PROCEDURES: It is recommended that this material be stored in a cool, well ventilated area away from open flames or other sources of ignition

HANDLING: Do not use near fire or flame. Do not smoke until hair is dry.

STORAGE: Keep out of reach of children

Store in a cool dry area

Store in original container away from sources of heat and/or ignition

Keep in a tightly closed container

Store in ventilated area

Protect against physical damage

Isolate from incompatible substances

Separate from combustibles, organic or other readily oxidizable materials

Avoid storage on wood floors or shelves

STORAGE TEMPERATURE: Room Temperature

LOADING TEMPERATURE: Room Temperature

LOADING/UNLOADING VISCOSITY: 5400 to 7200 cps

STORAGE PRESSURE: NA = Not Applicable

ELECTROSTATIC ACCUMULATION HAZARD: NA = Not Applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient as maximum occupational exposure limit will not be reached under normal conditions of use

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid contact with eyes

SKIN: No Special Requirements

RESPIRATORY: Not normally required. If situation requires a respirator the respirator must meet OSHA's 29 CFR 1910.134 for Organic's

PROTECTIVE CLOTHING: No special clothing required

WORK HYGIENIC PRACTICES: No special procedures required

OTHER USE PRECAUTIONS: Never eat, drink or smoke in work area

COMMENTS: Exposure Levels OSHA PEL ACGIH TWA

Ethanol (64-17-5) 1000 ppm 1000 ppm

2-Propanol (67-63-0) 400 ppm 200 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

PHYSICAL STATE: Liquid
ODOR: Citrus
APPEARANCE: Clear Liquid
COLOR: Blue
pH: NA = Not Applicable
PERCENT VOLATILE: 62
FLASH POINT AND METHOD: 23°C (74°F) Closed Cup
FLAMMABLE LIMITS: 3.3 to 19
AUTOIGNITION TEMPERATURE: NDA
VAPOR PRESSURE: NA = Not Applicable
VAPOR DENSITY: > 1 (Air=1)
BOILING POINT: 78°C (173°F)
FREEZING POINT: NA = Not Applicable
MELTING POINT: NA = Not Applicable
POUR POINT: NA = Not Applicable
SOLUBILITY IN WATER: Soluble
EVAPORATION RATE: 1 Water = 1
DENSITY: NA = Not Applicable
SPECIFIC GRAVITY: 0.9
VISCOSITY #1: 5400 to 7200 cps
MOLECULAR WEIGHT: NA = Not Applicable
(VOC): < to 62
OXIDIZING PROPERTIES: NA = Not Applicable

10. STABILITY AND REACTIVITY

REACTIVITY: Yes
HAZARDOUS POLYMERIZATION: No
CONDITIONS TO AVOID: Exposure or contact to extreme temperatures, incompatible chemicals (Oxidizers), strong light sources, sparks, flame or other ignition sources.
POSSIBILITY OF HAZARDOUS REACTIONS: None known.
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
INCOMPATIBLE MATERIALS: Strong Oxidizing materials

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: Eye irritation
SKIN EFFECTS: NA = Not Applicable
CARCINOGENICITY
IARC: NA = Not Applicable
NTP: NA = Not Applicable

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

OSHA: NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not classified as harmful

AQUATIC TOXICITY (ACUTE): Not classified as harmful

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with EU Regulations, US Federal, State or Local Regulations

FOR LARGE SPILLS: NA = Not Applicable

PRODUCT DISPOSAL: Dispose in accordance with Federal, State and Local regulations

EMPTY CONTAINER: No special requirements but recycle container if possible

RCRA/EPA WASTE INFORMATION: Flammable Liquid

RCRA HAZARD CLASS: D001

EUROPEAN WASTE CATALOGUE: Flammable Liquid

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Ethanol solutions

TECHNICAL NAME: Ethanol solutions

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: 1170

PACKING GROUP: III

NAERG: 127

BULK FREIGHT CLASS: Flammable liquid

PLACARDS: Flammable Liquid

LABEL: Limited Quantity

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Ethanol solutions

UN NUMBER: 1170

HAZARD CLASS: 3

PACKING GROUP: III

LIMITED QUANTITY: 1 L

SPECIAL PROVISIONS: Consumer Commodity

LABEL: Limited Quantities

AIR (ICAO/IATA)

SHIPPING NAME: Ethanol solutions

TECHNICAL NAME: Ethanol solutions

UN/NA NUMBER: 1170

PRIMARY HAZARD CLASS/DIVISION: 3

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE**PACKING GROUP:** III**ERG:** 127**SPECIAL PROVISIONS:** Limited Quantity Consumer Commodity**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantity**VESSEL (IMO/IMDG)****SHIPPING NAME:** Ethanol solutions**TECHNICAL NAME:** Ethanol solutions**UN/NA NUMBER:** 1170**PRIMARY HAZARD CLASS/DIVISION:** 3**PACKING GROUP:** III**LIMITED QUANTITY:** 1 L**EmS:** 127**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantity**SPECIAL PROVISIONS:** Consumer Commodity Limited Quantity**CANADA TRANSPORT OF DANGEROUS GOODS****SHIPPING NAME:** Ethanol solutions**TECHNICAL NAME:** Ethanol solutions**UN/NA NUMBER:** 1170**PRIMARY HAZARD CLASS/DIVISION:** 3**PACKING GROUP:** III**TERTIARY HAZARD CLASS/DIVISION:** 3**CANUTEC GUIDE:** 127**PLACARDS:** Flammable Liquid**LABEL:** Limited Quantities**15. REGULATORY INFORMATION****UNITED STATES****DOT LABEL SYMBOL AND HAZARD CLASSIFICATION**Flammable
LiquidFlammable
Liquid

Consumer Commodity Limited Quantity

H225: Highly Flammable

H319: Causes serious eye irritation

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE

311/312 HAZARD CATEGORIES: No chemical in this material is subject to reporting

FIRE: Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: No chemical in this material is subject to reporting

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable

EPA

EPA RQ INGREDIENT: NA = Not Applicable

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All chemicals substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: NA = Not Applicable

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS CHEMICALS: NA = Not Applicable

REGULATIONS

STATE REGULATIONS: Flammable Liquid

LOCAL REGULATIONS: Flammable Liquid

CALIFORNIA PROPOSITION 65: NA = Not Applicable

RCRA STATUS: D001

OSHA HAZARD COMM. RULE: Flammable Liquid

CLEAN WATER ACT: NA = Not Applicable

NATIONAL RESPONSE CENTER: Flammable

CARCINOGEN: Not listed as a human carcinogen

USDA (U.S. DEPARTMENT OF AGRICULTURE): NA = Not Applicable

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): NA = Not Applicable

SDWA (SAFE DRINKING WATER ACT): NA = Not Applicable

FDA (FOOD AND DRUG ADMINISTRATION): This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

DEA (DRUG ENFORCEMENT PRECURSOR & ESSENTIAL CHEMICALS) LISTED SUBSTANCE: NA = Not Applicable

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014

SDS No : 7205847000

Creative Nail Design COOLBLUE



Flammable
Liquid

Consumer Commodity Limited Quantity

R11: Highly flammable.

R36 Irritating to eyes

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Flammable Liquid

WHMIS CLASS: Flammable Liquid

MEXICO Flammable Liquid

GENERAL COMMENTS: EU: All componets are in compliance with the EC Seventh amendment Directive 92 /32/EEC

Japan: All components are in compliance with the Chemical Substance Control Law of Japan

Australia: All components are in compliance with chemical notification requirements in Australia

New Zealand: All components are in compliance with chemical notification requirements in New Zealand

Canada: All components are in compliance with Canadian Environmental Protection Act and are present on the Domestic Substance List

Switzerland: All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland

Korea: All components are in compliance in Korea

Philippines: All components are in compliance with the philippines Toxic Substance and Hazardous and Nuclear Waste Control Act of 1990 (R.A. 6969)

China: All components of this product are listed on the Inventory of Existing Chemical Substances in China

16. OTHER INFORMATION

REASON FOR ISSUE: Old product msds

APPROVED BY: The R&D department

PREPARED BY: The Safety Department

Date Prepared: 10/20/2014

SAFETY DATA SHEET

Consumer Product

Date Prepared : 10/20/2014


SDS No : 7205847000

Creative Nail Design COOLBLUE

HMIS RATING

HEALTH	<input type="checkbox"/>	1
FLAMMABILITY		3
PHYSICAL HAZARD		1
PERSONAL PROTECTION	<input type="checkbox"/>	

NFPA CODES



MANUFACTURER SUPPLEMENTAL NOTES: Read all warnings and directions on packaging carefully before use

DATA SOURCES: Keep out of reach of children. For external use only

ADDITIONAL SDS INFORMATION: Flammable Liquid keep away from open flames and heat sources

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized technical sources. While the information is believed to be accurate Colomer USA, Inc. makes no representation as to it's accuracy or sufficiency. Judgement as to the suitability of information herein for purchaser's purposes are necessarily the purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

COMMENTS: Cosmetic products are exempted from Safety data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of chemicals (REACH) in europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standart 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetic are covered by the Food and Drug Adminstration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

MANUFACTURER DISCLAIMER: Avoid Contact with eyes

SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: June 1, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND SealeBond

Bulk #: CND-N-034

Product Form: Mixture

Recommendations on use: Professional or Sundry use only.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: Flammable Liquid, Category 4
Skin Irritation (Category 3)
Eye Irritation (Category 2B)
Specific target organ –single exposure (Category 3), Respiratory System

Pictogram:



Signal Word:

Warning

Hazard Statement(s):

H227	Combustible Liquid
H316	Causes mild skin irritation
H320	Causes eye irritation
H335	May cause respiratory irritation

Precautionary Statement(s):

P210	Keep away from flames and hot surfaces. No smoking.
P264	Wash skin thoroughly after handling
P280	Wear protective gloves/ clothing/ eye and face protection
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P304 + P340	IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention.
P371 + P378	In case of fire: Use appropriate media for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

Potential Health Effects:

- Eye Contact:** Eye irritant. Vapor of this product may be mildly to moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.
- Skin Contact:** Warning! This product will bond skin instantly. May be irritating to skin in some sensitive individuals, especially after prolonged or repeated skin contact.
- Inhalation:** Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of high concentrations of vapors can cause central nervous system depression (e.g. drowsiness, dizziness, headaches, nausea).
- Ingestion:** If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.

Unknown Toxicity

0% of mixture consists of ingredient(s) of unknown toxicity

Hazard Classification:

- OSHA (USA):** Combustible liquid.
- HMIS Rating:** Health: 2. Flammability: 2. Reactivity: 0.
- NFPA Rating:** Health: 2. Flammability: 2. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT:	CAS #:	%:*
Ethyl Cyanoacrylate	7085-85-0	85 – 95

*Note: Any value shown as a range is due to batch-to-batch variation

4. FIRST AID MEASURES

- Eye Contact:** Do not try to open the eye. Flush eyes immediately with large amounts of cool water for 15 minutes. Seek medical attention immediately. Cry.
- Skin Contact:** This product bonds skin immediately. Do not pull. Peel slowly using acetone or CND Remove (use lukewarm water only for product removal, if skin bonding has occurred near the eyes). If irritation develops and product is on the skin rinse thoroughly with lukewarm water, followed by a thorough washing of affected area with soap and water. Seek medical attention if redness, swelling, itching, or burning occurs.
- Inhalation:** Remove to fresh air at once. Under extreme conditions, if breathing stops, administer artificial respiration and seek medical attention.
- Ingestion:** Do not induce vomiting! If conscious, give several glasses of water or milk IMMEDIATELY. Never give anything by mouth to an unconscious person. Contact ChemTrec at +1(703)527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
- Notes to Physician:** Treat symptomatically.
- Most important symptoms/effects, both acute and delayed:** No acute or delayed symptoms or effects occur when handling this product.

5. FIRE AND IGNITION INFORMATION

- Burn Rate:** Not determined.
- Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Special Fire Fighting Procedures:** When involved in a fire, this product will ignite readily and decompose to produce oxides of carbon and hydrogen cyanide.

First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service.

Unusual Fire/Explosion Hazard: Combustible. Above flash point, vapor-air mixtures may be a fire and explosion hazard. Vapors can flow along surfaces to distant ignition source and flash back. Sealed containers may rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge. May release irritating gases/fumes during thermal decomposition or burning.

Specific Hazards Arising from the Chemical: Not Applicable.

HAZCHEM CODE: 2[Z]

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

Methods for Cleaning Up: For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills \geq 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g. sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Environmental Precautions: No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices: Avoid prolonged or repeated skin contact. Avoid breathing vapors of this product. Use eye protection when using this product. Do not eat, drink, or smoke while handling product.

Handling: Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or vapors. Provide appropriate exhaust ventilation at machinery and at places where vapors can be generated. Do not create a dust cloud by using a brush or compressed air.

Storage: Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

Occupational Exposure Limits (OEL)

CAS No.	Components	ppm	Category	Origin
7085-85-0	Ethyl Cyanoacrylate	2	TWA (8 h)	ACGIH TLV

IDLH: Immediately Dangerous to Life or Health concentration
PEL: Permissible Exposure Limit
OEL: Occupational Exposure Limit
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value

TWA: Time Weighted Average
ACGIH: American Conference of Governmental Industrial Hygienists
OSHA: Occupational Safety and Health Administration
NIOSH: National Institute for Occupational Safety and Health
REL: Recommended Exposure Limit

ENGINEERING CONTROLS

Ensure adequate ventilation to minimize exposure. Provide appropriate exhaust ventilation where dust or aerosols can be generated.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: No special respiratory protection is required under typical circumstances of use of handling. In instances where vapors or sprays of this product are generated and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Adequate ventilation required in production areas.

Hand Protection: Warning! This product will bond skin instantly. If necessary, refer to U.S. OSHA 29 CFR §1910.134, or applicable U.S. State regulations, or the appropriate standards of Canada, its provinces,, E.C. member states, or Australia.

Eye Protection: Use eye protection when using any amount of this product. This product is irritating to the eyes. Eye protection required in production areas.

Skin and Body Protection: When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.

Other protective equipment: None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid
Odor:	Sharp irritating
Odor Threshold:	1 – 2 ppm
pH:	Not Known
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	> 148.8°C (300°F)
Flash Point:	80 - 93°C (176 - 200°F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	< 20g/L by volume
Evaporation Rate:	Not Known
Flammability Classification:	Flammable Liquid, Category 4
Explosive Limits:	Not Known
Vapor Pressure:	< 0.2mm Hg @ 24°C
Vapor Density:	Not Known

Specific Gravity/Rel. Density:	1.05
Solubility in Water:	Polymerizes in the presence of water
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	485°C (905°F)
Decomposition temperature:	Not Known
Viscosity:	45 cp

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	Keep away from strong oxidizers, heat, sparks, open flame and sources of ignition.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Eye irritant
Skin Corrosion/Irritation:	May be irritating to skin
Respiratory or Skin Sensitization:	May be irritating to skin
Acute toxicity:	May cause nausea, vomiting and/or diarrhea and central nervous system depression
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	Vapors may be slightly irritating to the nose, throat and other tissues of the respiratory system.
STOT – Repeat Exposure:	Not expected to cause organ toxicity
Aspiration Hazard:	Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.

Vessel (IMDG): Not hazardous for transport.

Air (IATA): UN 3334, Aviation Regulated Liquid, n.o.s.(Ethyl Cyanoacrylate), 9 (500 mL max per package)

FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.

UN Number: Non-regulated

UN Proper Shipping Name: Non-regulated

UN Hazard Class: Non-regulated

UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):

Use UN classification listed above.

IATA (International Air Transport Association):

UN 3334, Aviation Regulated Liquid, n.o.s.(Ethyl Cyanoacrylate), 9 (500 mL max per package)

Not Regulated by DOT if shipped in containers less than 119 gallons.

Regulated as NA1993, Combustible liquid, n.o.s. (Silicones mixture), PG III, if shipped in containers greater than 119 gallons.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act)

The product is exempt

DSL (Domestic Substance List)

The following is listed: Ethyl Cyanoacrylate

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

Chronic Health Hazard No

Fire Hazard Yes

Sudden Release of Pressure Hazard No

Reactive Hazard No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Ethyl Cyanoacrylate	7085-85-0	Yes		Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: 2/08/2010.
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

For external use only.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.



SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: June 1, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Solar Oil
Bulk #: CND-N-028
Product Form: Mixture

Recommendations on use: Cosmetic Preparation.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: This product is not considered to be a hazardous substance as defined under OSHA's Hazard Communication Standard 29 CFR 1910.1200.

Pictogram: Not Applicable
Signal Word: Not Applicable
Hazard Statement(s): Not Applicable
Precautionary Statement(s): Not Applicable

Potential Health Effects:

Eye Contact: May be slightly irritating. Avoid eye contact.
Skin Contact: May be irritating to skin in some sensitive individuals
Inhalation: Not expected to cause irritation under normal conditions and use.
Ingestion: Not expected to cause irritation under normal conditions and use. May cause nausea, vomiting, and/or diarrhea, if swallowed.

Unknown Toxicity

0% of mixture consists of ingredient(s) of unknown toxicity.

Hazard Classification:

OSHA (USA): Not hazardous.
HMIS Rating: Health: 1. Flammability: 1. Reactivity: 0.
NFPA Rating: Health: 1. Flammability: 1. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

No Hazardous Ingredients

4. FIRST AID MEASURES

Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists seek medical attention.
Skin Contact:	If irritation develops wash thoroughly with soap and warm water. Remove contaminated clothing and wash thoroughly before reuse. Seek medical attention if redness, swelling, itching, or burning persists.
Inhalation:	Remove victim to fresh air at once.
Ingestion:	Contact ChemTrec at +1 (703)527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim.
Notes to Physician:	Treat symptomatically.
Most important symptoms/effects, both acute and delayed:	No acute or delayed symptoms or effects occur when handling this product.

5. FIRE AND IGNITION INFORMATION

Burn Rate:	Not determined.
Extinguishing Media:	Water, ABC all purpose extinguisher or CO ₂ extinguisher.
Special Protective Actions for Fire-Fighters:	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.
Specific Hazards Arising from the Chemical:	Not Applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
Methods for Cleaning Up:	<p>For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</p> <p>For spills \geq 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g. sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</p>
Environmental Precautions:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices:	Follow normal hygiene practices. Do not eat, drink, or smoke while handling this product. Appropriate personal protective equipment should be worn when working with large quantities (> 1 gallon (3.785 liters)) of this material.
Handling:	Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.
Storage:	Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits for this product.

ENGINEERING CONTROLS

General mechanical ventilation (e.g. fans) or natural ventilation is sufficient for use with this product.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection:	None required under normal use. Adequate ventilation required in production areas.
Hand Protection:	None required under normal use. Wear suitable rubber or impervious plastic gloves when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)) and in production areas.
Eye Protection:	None required under normal use. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), safety glasses with side shields should be used. Eye protection required in production areas.
Skin and Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.
Other protective equipment:	None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear to yellowish liquid
Odor:	Sweet fragrant
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	Not Known
Flash Point:	Above 150 ⁰ C (302 ⁰ F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	Not Known

Evaporation Rate:	Not Known
Flammability Classification:	Not Classified
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	Not Known
Specific Gravity/Rel. Density:	Not Known
Solubility in Water:	Insoluble
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	Not Known
Decomposition temperature:	Not Known
Viscosity:	Not Known

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	None Known.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	May be slightly irritating
Skin Corrosion/Irritation:	May be irritating to skin in some sensitive individuals
Respiratory or Skin Sensitization:	May be irritating to skin in some sensitive individuals
Acute toxicity:	Not Available
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity

STOT – Single Exposure: Not expected to cause organ toxicity

STOT – Repeat Exposure: Not expected to cause organ toxicity

Aspiration Hazard: Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity: Not expected to cause aquatic toxicity

Persistence and Degradability: Not Available

Bioaccumulative Potential: Not Available

Mobility in Soil: Not Available

Other Adverse Effects: Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.

Vessel (IMDG): Not hazardous for transport.

Air (IATA): Not hazardous for transport.

FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.

UN Number: Non-regulated

UN Proper Shipping Name: Non-regulated

UN Hazard Class: Non-regulated

UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):

Use UN classification listed above.

IATA (International Air Transport Association):

Use UN classification listed above.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act) The product is exempt
DSL (Domestic Substance List) Not determined

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

This product does not contain any chemicals with Right-To-Know regulations.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: 4/1/2008.
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

For external use only.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.



SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: June 1, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Perfect Color Sculpting Powders (Pinks, Whites, Clear, Natural)

Bulk #: CND-N-117

Product Form: Mixture

Recommendations on use: For Professional Use Only.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: Skin Irritation, Category 3

Pictogram: Not Applicable

Signal Word: Warning

Hazard Statement(s):
H316 Causes mild skin irritation

Precautionary Statement(s):
P332 + P313 If skin irritation occurs: Get medical advice/attention

Potential Health Effects:

Eye Contact: Possible irritation from dust.
Skin Contact: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact.
Inhalation: May cause irritation to mouth, nose, throat, and lungs.
Ingestion: Not expected under normal use. May be harmful if large quantities are ingested.

Unknown Toxicity

0% of mixture consists of ingredient(s) of unknown toxicity

Hazard Classification:

OSHA (USA): Not hazardous.
HMIS Rating: Health: 1. Flammability: 1. Reactivity: 0.
NFPA Rating: Health: 1. Flammability: 1. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:*
BENZOYL PEROXIDE	94-36-0	0 – 5

*Note: Any value shown as a range is due to batch-to-batch variation

4. FIRST AID MEASURES

Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes, holding eyelid(s) open to ensure complete flushing. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
Skin Contact:	If irritation develops wash thoroughly with soap and water. Wash all contaminated clothing thoroughly before reuse. Seek medical attention if redness, swelling, itching, or burning occurs.
Inhalation:	Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform respiration and seek medical attention.
Ingestion:	Contact ChemTrec +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
Notes to Physician:	Treat symptomatically.
Most important symptoms/effects, both acute and delayed:	No acute or delayed symptoms or effects occur when handling this product.

5. FIRE AND IGNITION INFORMATION

Burn Rate:	Not determined.
Extinguishing Media:	Water, ABC all purpose extinguisher or CO ₂ extinguisher.
Special Protective Actions for Fire-Fighters:	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service.
Specific Hazards Arising from the Chemical:	Not Applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
Methods for Cleaning Up:	For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves)/ Spilled product should be swept or vacuumed up immediately to prevent falls. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Spilled product should be swept or vacuumed up immediately to prevent falls. Transfer to containers for proper disposal. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep all spills and cleaning runoffs out of municipal sewers and open bodies of water.
Environmental Precautions:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Work & Hygiene Practices: Follow normal hygiene practices. Do not eat, drink, or smoke while handling product. Appropriate personal protective equipment should be worn when working with large quantities (> 1 gallon (3.785 liters)) of this material.

Handling: Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.

Storage: Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

Occupational Exposure Limits (OEL)

CAS No.	Components	mg/m ³	Category	Origin
96-53-0	Benzoyl Peroxide	5	TWA (8 h)	ACGIH TLV
		5	TWA (10 h)	ACGIH TLV
		5	TWA (8 h)	OSHA PEL
		5	TWA (8 h)	NIOSH REL

IDLH: Immediately Dangerous to Life or Health concentration
 PEL: Permissible Exposure Limit
 OEL: Occupational Exposure Limit
 STEL: Short Term Exposure Limit
 TLV: Threshold Limit Value
 TWA: Time Weighted Average
 US ACGIH: United States American Conference of Governmental Industrial Hygienists
 US OSHA: United States Occupational Safety and Health Administration
 NIOSH: National Institute for Occupational Safety and Health
 REL: Recommended Exposure Limit

ENGINEERING CONTROLS

General mechanical ventilation (e.g. local exhaust ventilation, fans) is required for use with this product.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory protection: Respirators are not required for use with this product. However, this product is a nuisance dust hazard. Product may cause irritation of the mouth, nose, throat, and lungs. Accordingly, when working with large quantities (> 1 gallon (3.785 liters)) a dust mask is suggested. A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements must be followed whenever a respirator is used. Adequate ventilation required in production areas.

Hand Protection: None required under normal use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)) wear rubber or impervious plastic gloves. Wear suitable protective gloves in production areas.

Eye Protection: Safety glasses with side shields should be used when using this product. Eye protection required in production areas. Wear suitable eye/face protection.

Skin and Body Protection: When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.

Other protective equipment: None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large

quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White or light pink powder
Odor:	Faint bland
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Approximately 200°C (392°F)
Boiling Point/ Boiling Range:	Not Known
Flash Point:	Above 150°C (302°F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	Not Known
Evaporation Rate:	Not Known
Flammability Classification:	Not Classified
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	Not Known
Specific Gravity/Rel. Density:	Not Known
Solubility in Water:	Insoluble
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	Not Known
Decomposition temperature:	Not Known
Viscosity:	Not Known

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	None Known.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Possible irritation from dust
Skin Corrosion/Irritation:	Skin irritant
Respiratory or Skin Sensitization:	Possible allergic reaction with prolonged or repeated contact
Acute toxicity:	Not Available
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	Not expected to cause organ toxicity
STOT – Repeat Exposure:	Not expected to cause organ toxicity
Aspiration Hazard:	Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.

Vessel (IMDG): Not hazardous for transport.

Air (IATA): Not hazardous for transport.

FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.

UN Number: Non-regulated

UN Proper Shipping Name: Non-regulated

UN Hazard Class: Non-regulated
UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):
Use UN classification listed above.

IATA (International Air Transport Association):
Use UN classification listed above.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act) The product is exempt
DSL (Domestic Substance List) The following are listed: Benzoyl Peroxide

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Benzoyl Peroxide	94-36-0	Yes	Yes	Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: 4/18/2011.
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

For external use only.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe.

Date Revised: Dec 5 2014

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name. : CND Retention + Nail Sculpting Liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cosmetics, personal care products
 Professional use only.

1.3. Details of the supplier of the safety data sheet

Creative Nail Design, Inc.
 1125 Joshua Way
 92081 Vista, CA - USA
 T +1 (760) 599-2900

1.4. Emergency telephone number

Emergency number : +1 (800) 424-9300 - CHEMTREC (US and Canada)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification in accordance with the Globally Harmonized Standard and regulations referenced above.

Flam. Liq. 3 H226
 Skin Irrit. 2 H315
 Eye Irrit. 2A H319
 Skin Sens. 1 H317
 STOT SE 3 H335

Full text of H-phrases: see section 16

Canadian WHMIS Classification

Class B Division 2 - Flammable Liquid
 Class D Division 2 Subdivision B - Toxic material causing other toxic effects

2.2. Label elements

GHS label Elements: applies to OSHA 29CFR1910.1200 ; Canadian WHMIS, and Australian WorkSafe.

GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

H226 - Flammable liquid and vapour
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation

Precautionary statements (GHS-US) :

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P233 - Keep container tightly closed
 P240 - Ground/bond container and receiving equipment
 P241 - Use explosion-proof electrical/ventilating/lighting equipment
 P242 - Use only non-sparking tools
 P243 - Take precautionary measures against static discharge
 P261 - Avoid breathing mist/vapours/spray

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

P264 - Wash hands thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302+P303+P352+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower, with plenty of soap and water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell
P321 - Specific treatment (see Section 4 on this label)
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P370+P378 - In case of fire: Use carbon dioxide, powder, alcohol resistant-foam, or water fog for extinction
P233 - Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container in accordance with local and national regulations

Labelling according to Canadian WHMIS

Class B Division 2 - Flammable Liquid

Class D Division 2 Subdivision B - Toxic material causing other toxic effects



2.3. Other hazards

For handling bulk quantities (>5 liters):

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting equipment

P242 - Use only non-sparking tools

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Only components contributing to the hazard classification and/or with OELs are listed below. Exact compositions are withheld due to business confidentiality.

(Full text of H-phrases: see section 16)

Name	Product identifier	%	Classification (UN-GHS): US and Australia,	Classification (WHMIS) Canada
Ethyl Methacrylate	(CAS No) 97-63-2 (Listed on Canada DSL) (Listed on Australian AICS)	72.7988	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335	Class B Division 2 - Flammable Liquid Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Hydroxypropyl Methacrylate	(CAS No) 27813-02-1 (Listed on Canada DSL) (Listed on Australian AICS)	9.534276	Eye Irrit. 2A, H319 Skin Sens. 1, H317	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
PEG-4 Dimethylacrylate	(CAS No) 109-17-1 (Listed on Canada DSL) (Listed on Australian AICS)	8.78592	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317	Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Drometizole	(CAS No) 2440-22-4 (Listed on Canada DSL) (Listed on Australian AICS)	0.42	Skin Sens. 1, H317 Aquatic Chronic 1, H410	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : May cause an allergic skin reaction. May cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation. Prolonged or repeated contact may cause skin to become dry or cracked.
- Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : If there is a fire close by, use suitable extinguishing agents: Carbon dioxide (CO2), powder, alcohol-resistant foam, water fog.
- Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Explosion hazard : May form flammable/explosive vapour-air mixture. For quantities >5 liters, heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No smoking.

6.1.1. For non-emergency personnel

- Protective equipment : Avoid all eyes and skin contact and do not breathe vapor and mist. Wear suitable gloves resistant to chemical penetration: butyl rubber.
- Emergency procedures : Avoid all unnecessary exposure. Stop leak without risks if possible. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Avoid all eyes and skin contact and do not breathe vapor and mist : Safety glasses, Gloves: butyl rubber
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No smoking. Avoid breathing mist/vapours/spray. Use only outdoors or in a well-ventilated area.
For handling bulk quantities (>5 liters): Provide good ventilation in process area to prevent formation of vapour. No naked lights. Take precautionary measures against static discharge. Use only non-sparking tools.
- Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep container tightly closed. Keep only in the original container in a cool well ventilated place.
Incompatible products	: None known

7.3. Specific end use(s)

Cosmetics, personal care products. Professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Appropriate engineering controls	: Either local exhaust or general room ventilation is usually required. No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.
Hand protection	: Gloves: recommended primarily for large-scale (industrial) operations, versus end-users for professional applications. Wear suitable gloves resistant to chemical penetration. rubber.



Eye protection	: When eye contact due to splashing is possible, wear goggles.
Skin and body protection	: Wear suitable protective clothing. Impervious clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment with organic vapor cartridges.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Colour	: Translucent violet.
Odour	: Acrylic-like
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -75 °C / 198.15 K
Freezing point	: No data available
Boiling point	: 101 °C / 374.15 K
Flash point	: 24.4 °C / 297.55 K
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C / 293.15 K	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1 Likely Routes of Exposure

Dermal, inhalation

11.2 Symptoms Related to Physical, Chemical and Toxicological Characteristics

Eye and skin irritation

11.3 Effects from Exposure

Skin sensitization

11.4. Information on toxicological effects

Acute toxicity : Not classified

Ethyl Methacrylate (97-63-2)	
LD50 oral rat	13424 mg/kg
LD50 dermal rat	> 9100 mg/kg
LC50 inhalation rat (mg/l)	55 mg/l/4h
ATE (oral)	13424.000 mg/kg bodyweight
ATE (vapours)	55.000 mg/l/4h
ATE (dust,mist)	55.000 mg/l/4h
Hydroxypropyl Methacrylate (27813-02-1)	
LD50 oral rat	11200 mg/kg
LD50 dermal rat	>= 3000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE (oral)	11200.000 mg/kg bodyweight
Drometrizole (2440-22-4)	
LD50 oral rat	10000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 590 mg/m ³
ATE (oral)	10000.000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Based on available data, the classification criteria are not met
Carcinogenicity : Based on available data, the classification criteria are not met

Ethyl Methacrylate (97-63-2)	
NOAEL (chronic,oral, animal/male,2 years)	30 mg/kg bodyweight
Hydroxypropyl Methacrylate (27813-02-1)	
NOAEL (chronic,oral, animal/male,2 years)	300 mg/kg bodyweight
Drometrizole (2440-22-4)	
NOAEL (chronic,oral, animal/male,2 years)	100 mg/kg bodyweight

Reproductive toxicity : Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure) : May cause respiratory irritation.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met

Aspiration hazard : Based on available data, the classification criteria are not met

11.5. Carcinogenicity Lists

No components of this product are included on any state or national carcinogen lists.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Ethyl Methacrylate (97-63-2)

LC50 fishes 1	100 mg/l 96h
EC50 Daphnia 1	> 66 mg/l 48h
EC50 other aquatic organisms 1	> 110 mg/l 72h
NOEC (acute)	28 mg/l 96h
NOEC chronic fish	9.4 mg/l

Hydroxypropyl Methacrylate (27813-02-1)

LC50 fishes 1	493 mg/l 48h
EC50 Daphnia 1	> 143 mg/l

Drometrizole (2440-22-4)

LC50 fishes 1	> 0.17 mg/l
EC50 Daphnia 1	> 1000 mg/l
LOEC (chronic)	0.041 mg/l 21d
NOEC (acute)	0.17 mg/l
NOEC chronic crustacea	0.013 mg/l 21d

12.2. Persistence and degradability

CND Retention + Nail Sculpting Liquid

Persistence and degradability : May cause long-term adverse effects in the environment.

Ethyl Methacrylate (97-63-2)

Biodegradation : 79.1 %

Hydroxypropyl Methacrylate (27813-02-1)

Persistence and degradability : Readily biodegradable.
Biodegradation : 94.2 % after 28 days

Drometrizole (2440-22-4)

Biodegradation : 84.3 % 28 days

12.3. Bioaccumulative potential

CND Retention + Nail Sculpting Liquid

Bioaccumulative potential : Not established.

Hydroxypropyl Methacrylate (27813-02-1)

BCF : 3.2
Log Pow : 0.97

Drometrizole (2440-22-4)

BCF : <= 2000 l/kg
Log Pow : 4.2 @ 25C

Trimethylolpropane Trimethacrylate (3290-92-4)

BCF fish 2 : 366 l/kg
Bioconcentration factor (BCF REACH) : 0
Log Pow : 2.749 - 4.193 @ 25C

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe


SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, ADGR and the CTDGR.

14.1	49 CFR (GND): CONSUMER COMMODITY, ORM-D (<= 5.0L) UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III (> 5.0L)	
14.2	IATA (Air): CONSUMER COMMODITY, 9, ID8000 (<= 0.5L) UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III, LTD QTY (>0.5 L, <= 5.0L) UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III (>5.0L)	
14.3	IMDG (OCN): UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III, LTD QTY (<= 5.0L) UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III (> 5.0L)	
14.4	TDGR (Canadian GND): MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (<= 5.0L) UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III (> 5.0L)	
14.5	ADR/RID (EU): UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III, ADR, LTD QTY (<= 5.0L)	
14.6	SCT (MEXICO): UN 1993, LIQUIDOS INFLAMABLES, N.E.P. (ETHYL METHACRYLATE, STABLIZED), 3, III, CANTIDAD LIMITADA (<= 5.0L)	
14.7	ADGR (AUS): UN 1993, FLAMMABLE LIQUID, N.O.S. (ETHYL METHACRYLATE, STABLIZED), 3, III, LTD QTY (<= 5.0L)	

SECTION 15: Regulatory information

15.1. US Federal regulations

Ethyl Methacrylate (97-63-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydroxypropyl Methacrylate (27813-02-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

PEG-4 Dimethylacrylate (109-17-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Drometrizole (2440-22-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

CND Retention + Nail Sculpting Liquid

WHMIS Classification

Class B Division 2 - Flammable Liquid
Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Listed on the Canadian DSL (Domestic Substances List) inventory

Ethyl Methacrylate (97-63-2)
Hydroxypropyl Methacrylate (27813-02-1)
PEG-4 Dimethylacrylate (109-17-1)
Drometrizole (2440-22-4)

EU-Regulations

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances

Ethyl Methacrylate (97-63-2)
Hydroxypropyl Methacrylate (27813-02-1)
PEG-4 Dimethylacrylate (109-17-1)
Drometrizole (2440-22-4)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226
Skin Irrit. 2 H315
Eye Irrit. 2 H319
Skin Sens. 1 H317
STOT SE 3 H335
Aquatic Chronic 3 H412

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

R43
R10
R52/53

Full text of R-phrases: see section 16

15.2.2. National regulations

Ethyl Methacrylate (97-63-2)

Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on KECI (Chemical Inventory of Korea)
Listed on Taiwan National Chemical Inventory
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on the AICS (the Australian Inventory of Chemical Substances).
Listed on New Zealand - Inventory of Chemicals (NZIoC)

Hydroxypropyl Methacrylate (27813-02-1)

Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on KECI (Chemical Inventory of Korea)
Listed on Taiwan National Chemical Inventory
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on the AICS (the Australian Inventory of Chemical Substances).
Listed on New Zealand - Inventory of Chemicals (NZIoC)

PEG-4 Dimethylacrylate (109-17-1)

Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on the AICS (the Australian Inventory of Chemical Substances).
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on Taiwan National Chemical Inventory
Listed on KECI (Chemical Inventory of Korea)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on Inventory of Existing Chemical Substances (IECSC)

Drometrizole (2440-22-4)

Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on the AICS (the Australian Inventory of Chemical Substances).
Listed on Taiwan National Chemical Inventory
Listed on KECI (Chemical Inventory of Korea)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on Inventory of Existing Chemical Substances (IECSC)

15.3. US State regulations

Ethyl Methacrylate (97-63-2)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New York - Right to Know List of Hazardous Chemicals
U.S. - Pennsylvania - List of Hazardous Substances

SECTION 16: Other information

Indication of changes : Original document.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>.

European Chemicals Agency (ECHA) Registered Substances list. Accessed at <http://echa.europa.eu/>.

Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.

National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition.

TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Abbreviations and acronyms : CAS (Chemical Abstracts Service) number.

ATE: Acute Toxicity Estimate.

BCF: Bioconcentration factor.

CLP: Classification, Labelling, Packaging.

DNEL: Derived No Effect Level.

EC50: Environmental Concentration associated with a response by 50% of the test population.

GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).

LD50: Lethal Dose for 50% of the test population.

NOEC: No Observable Effect Concentration.

OSHA: Occupational Safety & Health Administration.

PBT: Persistent, Bioaccumulative, Toxic.

PNEC: Predicted No Effect Level.

TSCA: Toxic Substances Control Act.


TWA: Time Weight Average.

Other information : None.

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



Full text of R-, H- and EUH-phrases::

Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
R10	Flammable.
R43	May cause sensitisation by skin contact.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CND Retention + Nail Sculpting Liquid

Safety Data Sheet

Prepared in accordance to UN GHS standards. Intended to comply with OSHA 29CFR1910.1200, Canadian WHMIS, and Australian WorkSafe

SDS Prepared by: The Redstone Group, LLC
6397 Emerald Pkwy.
Suite 200
Dublin, OH, USA 43016
T 614-923-7472
www.redstonegrp.com

Redstone SDS US_AUS_CA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

REVISION DATE: June 1, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CND Retention+ Powders

Bulk #: CND-N-144

Product Form: Mixture

Recommendations on use: For Professional Use Only.

Restrictions on use: This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

Address:

Revlon Research Center
2121 Route 27
Edison, NJ 08818
Telephone #: (732) 287-1400

CND, Inc
9560 Towne Centre Drive Suite 200
San Diego, California 92121
Telephone #: 1-800-833-NAIL

Emergency Telephone:

Medical Emergencies: 303-739-1110
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION

GHS Classification: Skin Irritation, Category 3

Pictogram: Not Applicable

Signal Word: Warning

Hazard Statement(s):
H316 Causes mild skin irritation

Precautionary Statement(s):
P332 + P313 If skin irritation occurs: Get medical advice/attention

Potential Health Effects:

Eye Contact: Possible irritation from dust.
Skin Contact: Irritation. Allergic contact dermatitis is possible with prolonged or repeated contact.
Inhalation: May cause irritation to mouth, nose, throat, and lungs.
Ingestion: Not expected under normal use. May be harmful if large quantities are ingested..

Unknown Toxicity

0% of mixture consists of ingredient(s) of unknown toxicity

Hazard Classification:

OSHA (USA): Not hazardous.
HMIS Rating: Health: 1. Flammability: 1. Reactivity: 0.
NFPA Rating: Health: 1. Flammability: 1. Reactivity: 0.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:*
BENZOYL PEROXIDE	94-36-0	0 – 2

*Note: Any value shown as a range is due to batch-to-batch variation

4. FIRST AID MEASURES

Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes, holding eyelid(s) open to ensure complete flushing. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
Skin Contact:	If irritation develops wash thoroughly with soap and water. Wash all contaminated clothing thoroughly before reuse. Seek medical attention if redness, swelling, itching, or burning occurs.
Inhalation:	Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform respiration and seek medical attention.
Ingestion:	Contact ChemTrec +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
Notes to Physician:	Treat symptomatically.
Most important symptoms/effects, both acute and delayed:	No acute or delayed symptoms or effects occur when handling this product.

5. FIRE AND IGNITION INFORMATION

Burn Rate:	Not determined.
Extinguishing Media:	Water, ABC all purpose extinguisher or CO ₂ extinguisher.
Special Protective Actions for Fire-Fighters:	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service.
Specific Hazards Arising from the Chemical:	Not Applicable.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
Methods for Cleaning Up:	For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves)/ Spilled product should be swept or vacuumed up immediately to prevent falls. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Spilled product should be swept or vacuumed up immediately to prevent falls. Transfer to containers for proper disposal. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep all spills and cleaning runoffs out of municipal sewers and open bodies of water.
Environmental Precautions:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

- Work & Hygiene Practices:** Follow normal hygiene practices. Do not eat, drink, or smoke while handling product. Appropriate personal protective equipment should be worn when working with large quantities (> 1 gallon (3.785 liters)) of this material.
- Handling:** Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.
- Storage:** Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

Occupational Exposure Limits (OEL)

CAS No.	Components	mg/m ³	Category	Origin
96-53-0	Benzoyl Peroxide	5	TWA (8 h)	ACGIH TLV
		5	TWA (10 h)	ACGIH TLV
		5	TWA (8 h)	OSHA PEL
		5	TWA (8 h)	NIOSH REL

IDLH: Immediately Dangerous to Life or Health concentration

PEL: Permissible Exposure Limit

OEL: Occupational Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TWA: Time Weighted Average

US ACGIH: United States American Conference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

NIOSH: National Institute for Occupational Safety and Health

REL: Recommended Exposure Limit

ENGINEERING CONTROLS

General mechanical ventilation (e.g. local exhaust ventilation, fans) is required for use with this product.

PERSONAL PROTECTIVE EQUIPMENT

- Respiratory protection:** Respirators are not required for use with this product. However, this product is a nuisance dust hazard. Product may cause irritation of the mouth, nose, throat, and lungs. Accordingly, when working with large quantities (> 1 gallon (3.785 liters)) a dust mask is suggested. A respiratory protection program that meets OSHA's 29 CFR §1910.134 and ANSI Z88.2 requirements must be followed whenever a respirator is used. Adequate ventilation required in production areas.
- Hand Protection:** None required under normal use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)) wear rubber or impervious plastic gloves. Wear suitable protective gloves in production areas.
- Eye Protection:** Safety glasses with side shields should be used when using this product. Eye protection required in production areas. Wear suitable eye/face protection.
- Skin and Body Protection:** When handling large quantities (e.g. ≥ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.
- Other protective equipment:** None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. ≥ 1 gallon (3.785 liters)). Upon completion of work activities involving large

quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White or light pink powder
Odor:	Faint bland
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Approximately 200°C (392°F)
Boiling Point/ Boiling Range:	Not Known
Flash Point:	Above 150°C (302°F).
Flash Point Method:	Closed Cup (ASTM D 6450-05)
% Volatile:	Not Known
Evaporation Rate:	Not Known
Flammability Classification:	Not Classified
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	Not Known
Specific Gravity/Rel. Density:	Not Known
Solubility in Water:	Insoluble
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	Not Known
Decomposition temperature:	Not Known
Viscosity:	Not Known

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	None Known.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Possible irritation from dust
Skin Corrosion/Irritation:	Skin irritant
Respiratory or Skin Sensitization:	Possible allergic reaction with prolonged or repeated contact
Acute toxicity:	Not Available
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC
Reproductive toxicity:	Not expected to cause reproductive toxicity
STOT – Single Exposure:	Not expected to cause organ toxicity
STOT – Repeat Exposure:	Not expected to cause organ toxicity
Aspiration Hazard:	Not an aspiration hazard

12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

13. DISPOSAL CONSIDERATIONS

Disposal: Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

14. TRANSPORT INFORMATION

FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

Ground (DOT): Not hazardous for transport.

Vessel (IMDG): Not hazardous for transport.

Air (IATA): Not hazardous for transport.

FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport.

UN Number: Non-regulated

UN Proper Shipping Name: Non-regulated

UN Hazard Class: Non-regulated
UN Packing Group: Non-regulated

IMDG (International Maritime Organization's Dangerous Goods Code):
Use UN classification listed above.

IATA (International Air Transport Association):
Use UN classification listed above.

15. REGULATORY INFORMATION

International Inventories

TSCA (Toxic Substances Control Act) The product is exempt
DSL (Domestic Substance List) The following are listed: Benzoyl Peroxide

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Benzoyl Peroxide	94-36-0	Yes	Yes	Yes	Yes

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

16. OTHER INFORMATION

Last Revision: 4/18/2011.
Prepared by: Revlon Research Center

Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

Additional MSDS Information:

For external use only.

Disclaimer:

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.