

1 PRODUCT & COMPANY IDENTIFICATION

Product Name:	Complete Pro - DEODORANT	Distributor:	A Wholesome Glow
Substance name:	Deodorant - Lemongrass Scent	Address:	1020 County Route 28 Lisbon, NY. 13658
Product Form:	Liquid		
Product Use:	Deodorant		
INCL Name:	Water, Ethyl Alcohol, Glycerin, Aluminum Chlorohydrate, Aloe Vera Gel (Water, Aloe Barbadensis Leaf Juice, Citric Acid, Potassium Sorbate, Sodium Benzoate), Cymbopogon Flexuosus (Lemongrass) Oil.	Phone:	1.315.854.0072
		Website:	www.awholesomeglow.com
		Email:	carmen@awholesomeglow.com

2 HAZARDS IDENTIFICATION

Appearance:	Clear liquid
Physical State:	Liquid
Classification:	Acute toxicity - Inhalation (Dusts/Mists) - Category 4 Flammable Liquids - Category 3
Signal Word:	Warning
Hazard statements:	Harmful if inhaled Flammable liquid and vapor



Warning

Precautionary Statements - Prevention:

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground/bond container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a poison center or doctor/physician if you feel unwell
IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3 COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification
Isopropyl Alcohol	10 - 20	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336
Aluminum chloride hydroxide (Al2Cl(OH)5)	.5 - 1	Not Classified
Essential Oil	.5 - 1	Not Classified

- 1 - Substance classified with a health or environmental hazard.
- 2 - Substance with a workplace exposure limit.
- 3 - PBT-substance or vPvB-substance.

4 FIRST AID MEASURES

First Aid Measures

General Advice	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Eye Contact	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin Contact	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects

Overview	Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.
Inhalation	Harmful if inhaled. May cause abdominal discomfort, nausea, vomiting and diarrhea. Liquid is irritating to eyes.
Advice for fire-fighters:	Dilution with water will affect extinguishment.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5 FIRE-FIGHTING MEASURES

Extinguishing Media: Recommended extinguishing media; alcohol resistant foam, powder, water fog.

Specific Hazards Arising from the substance or mixture: May produce toxic fumes of carbon and nitrogen oxides. Also aluminum oxides and chlorine compounds.

Unsuitable Extinguishing Media: Water may help to spread fire. Treat as oil fires.

Specific Hazards Arising from the Chemical: Vapors may form from this product and may travel or be moved by air currents and ignited by pilot lights, other flamed, sparks, heaters or electrical equipment.

Hazardous Combustion Products: Fumes and smoke. Carbon monoxide. Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Clear area of unprotected personnel. Containers exposed to intense heat should be hosed down with water

Advice to fire-fighters: Dilution with water will affect extinguishment.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Put on appropriate personal protective equipment.

Environmental precautions: Do not allow spills to enter drains or waterways. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up: Spills should be flushed with large quantities of water.

7 HANDLING & STORAGE

Precautions for safe handling: Do not take internally.
See section 2 for further details. (Prevention)

Conditions for safe storage, incl. any incompatibilities: Handle containers carefully to prevent damage and spillage.
Naked flames and smoking should not be permitted in storage areas.
It is recommended that fork lift trucks and electrical equipment are protected to the appropriate standard.
Incompatible materials: No data available.
Keep container closed. Spills should be flushed with large quantities of water.
See section 2 for further details. (Storage)

Incompatible Materials: None known based on information supplied.

Specific end use(s) No data available.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

CAS No.	Ingredient	Source	Value
0000067-63-0	Isopropyl Alcohol	OSHA ACGIH NIOSH Supplier	TWA 400 ppm (980 mg/m3)STEL 500 ppm TWA: 200 ppm STEL: 400 ppm Revised 2003, TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3) No Established Limit
0012042-91-0	Aluminum chloride hydroxide (Al2Cl(OH)5)	OSHA ACGIH NIOSH Supplier	No Established Limit No Established Limit No Established Limit No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000067-63-0	Isopropyl Alcohol	OSHA NTP IARC	Select Carcinogen: No Known: No; Suspected: No Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;
0012042-91-0	Aluminum chloride hydroxide (Al2Cl(OH)5)	OSHA NTP IARC	Select Carcinogen: No Known: No; Suspected: No Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

Exposure controls:

- EyesProtective goggles if desired.
- SkinRubber or vinyl gloves.
- RespiratoryIf workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
- Engineering ControlsProvide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
- Other Work PracticesEnsure showers and eyewash stations are available. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. (Prevention)

9 PHYSICAL AND CHEMICAL PROPERTIES

- AppearanceClear, Colorless Liquid
- OdorPleasant
- Odor ThresholdNot Measured
- pH3.5 - 4.5
- Initial boiling point and boiling range90C
- Flash Point80F C.C (1010)
- Evaporation rate (Ether = 1)< 1
- Flammability (solid, gas)Not Applicable
- Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured
Upper Explosive Limit: Not Measured
- Vapor pressure (Pa)Not Measured
- Vapor Density> 1 (Air=1
- Specific Gravity1.00-1.12 @ 25C
- Solubility in WaterComplete
- Partition coefficient n-octanol/water (Log Kow)Not Measured
- Auto-ignition temperatureNot Measured
- Decomposition temperatureNot Measured
- Viscosity (cSt)Not Measured
- Assay-Aluminum Chlorohydrate (Anhydrous)11.7%-14.3%
- Other informationNo other relevant information.

10 STABILITY AND REACTIVITY

Reactivity:	Hazardous Polymerization will not occur.
Chemical Stability:	Stable under normal circumstances.
Possibility of Hazardous Reactions	Stable under normal circumstances.
Conditions to Avoid:	Avoid heat, sparks and open flame.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	Chlorine compounds, metal oxides.

11 TOXICOLOGICAL INFORMATION

Acute toxicity: Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr
Isopropyl Alcohol - (67-63-0)	4,710.00, Rat - Category: 5	12,800.00, Rat Category: NA	72.60, Rat - Category: NA	No data available	No data available
Aluminum chloride hydroxide (Al ₂ Cl(OH) ₅) - (12042-91-0)	No data available	No data available	No data available	No data available	No data available

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation 2 Causes serious eye irritation.	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure 3	3	May cause drowsiness or dizziness.
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12 ECOLOGICAL INFORMATION

Toxicity: No additional information provided for this product.

Aquatic Toxicity:

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea mg/l	ErC50 algae, mg/l
Isopropyl Alcohol - (67-63-0)	1,400.00 Lepomis macrochirus	100.00, Daphnia magna	100.00 (72 hr) Scenedesmus subspicatus
Aluminum chloride hydroxide	Not Available	Not Available	Not Applicable

Persistence and degradability: there is no data available on the preparation itself.

Bioaccumulative potential: No Measured

Mobility in soil: No data available

Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals

Other adverse effects: No data available.

13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Observe all federal, state and local regulations when disposing of this substance

14 TRANSPORT INFORMATION

	DOT (Domestic Surface Transportation)	IMO/IMDG (Ocean Transportation)	ICAO/IATA
UN number	UN1993	UN1993	UN1993
UN proper shipping name	UN1993, Flammable liquids, n.o.s., (Isopropyl Alcohol), 3, III	Flammable liquids, n.o.s. (Isopropyl Alcohol)	Flammable liquids, n.o.s. (Isopropyl Alcohol)
Transport hazard class(es)	DOT Hazard Class: 3 Sub Class: Not Applicable	IMDG: 3 Sub Class: Not Applicable	Air Class: 3 Sub Class: Not Applicable
Packing group	III	III	III
Environmental hazards	Marine Pollutant: No		
Special precautions for user	Not Applicable		

15 REGULATORY INFORMATION

Regulatory Overview:	The product described in this Safety Data Sheet is regulated under the Federal Food, Drug, and Cosmetics Act and is safe to use as per directions on container, box or accompanying literature (where applicable).
Extremely Hazardous:	To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.
Toxic Substances Control Act (TSCA) Inventory Status:	This material is for cosmetic use. All components of this material are either listed or exempt from listing on the TSCA Inventory.
TSCA Export Notification Rules:	This product does not contain any TSCA export notifiable ingredients.
Sara Title III Section 313	This product contains no chemicals subject to the reporting requirements of section 313 of SARA.
CERCLA 302.4 Hazardous Substances:	Contains no CERCLA reportable ingredients.

16 OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

Disclaimer: The contents of this SDS are believed to be correct but do not propose to be all-inclusive and should only be used as a guide. We disclaim any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental or consequential damages resulting from the reliance on the above information.

End of Document