PRODUCT NAME: Cuccio Pro Brush & Dip Brush on Glue (All sizes) Date: January 20, 2021

This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

-----

# PRODUCT NAME: Cuccio Pro Brush & Dip Brush on Glue (All sizes)

Product Use: Nail glue Manufacturer's Name : Address : City, State, Zip :

e : Star Nail International, Inc. 29120 Avenue Paine Valencia, CA 91355

Chemical Family : Proprietary Mix CAS# N/A

Preparation Date: January 20, 2021 24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-813-248-0573

SECTION 2: Hazardous Identification

## GHS CLASSIFICATIONS

## Health:

Eye Irritation, Category 2A Skin Irritation, Category 2 Target Organ Toxicity (Single exposure), Category 3 Skin Sensitization, Category 1

## Physical:

Flammable Liquids, Category 4

## GHS LABEL ELEMENTS



SIGNAL WORD: WARNING

## HAZARD STATEMENTS

H315: Causes skin irritation. H319: Causes serious eye irritation. H317: May cause an allergic skin reaction. H335: May cause respiratory irritation. H227: Combustible liquid.

# PRECAUTIONARY STATEMENT(S)

## Prevention:

P264: Wash skin and hands thoroughly after handling.

- P280: Wear protective gloves/protective clothing/eye protection/face protection.
- P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271: Use only outdoors or in a well-ventilated area.

## PRODUCT NAME: Cuccio Pro Brush & Dip Brush on Glue (All sizes) Date: January 20, 2021

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Response:

P370: In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P313: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

- P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
- P362: Take off contaminated clothing and wash before reuse.

P304+P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed. P403+P235: Store in a well-ventilated place. Keep cool. P405: Store locked up.

#### Disposal:

7944L5O1: Dispose of in a manner consistent with federal, state, and local regulations.

# SECTION 3: Composition/Information on Ingredients

Chemical Name	Wt.%	CAS
ETHYL-2-CYANOACRYLATE	85 - 100	7085-85-0

#### \_\_\_\_\_

## SECTION 4 : First Aid Measures

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN: Wash with soap and water. Peel or roll skin apart.

**INGESTION:** Peel or roll skin apart. Adhesive becomes solid in contact with saliva and may adhere to inside of mouth. Saliva will lift adhesive in 1-2 days. Avoid swallowing solid adhesive after detachment. Not a toxic product.

INHALATION: Remove to fresh air. Prolonged or repeated elevated exposure may cause allergic reactions with asthma-like symptoms in sensitive individuals.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Causes serious eye irritation. Will bond eyelids. Will cause excessive tearing.

SKIN: Bonds skin in seconds. May cause skin irritation. May cause sensitization by skin contact. Cyanoacrylates generate heat on polymerization, so very large amounts will burn the skin.

INGESTION: Adhesive becomes solid in contact with saliva and may adhere to inside of mouth. Saliva will lift adhesive in 1-2 days. Not a toxic product.

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation.

ACUTE TOXICITY: Avoid exposure to vapor concentration in confined areas.

CHRONIC EFFECTS: Frequent or prolonged contact may irritate the skin and cause a skin rash (dermatitis).

SECTION 5: Fire Fighting Measures

GENERAL HAZARD: Combustible liquid and vapor.Product polymerized to solid by water.
EXTINGUISHING MEDIA: Use dry chemical extinguisher or flush with large amounts of water.
HAZARDOUS COMBUSTION PRODUCTS: Can burn in fire, releasing irritanting vapors
EXPLOSION HAZARDS: None Known.
FIRE FIGHTING PROCEDURES: Evacuate area and fight fire from a safe distance.
FIRE FIGHTING EQUIPMENT: As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.
FIRE EXPLOSION: None Known.
SENSITIVE TO STATIC DISCHARGE: None Known.
SENSITIVITY TO IMPACT: None Known.
HAZARDOUS DECOMPOSITION PRODUCTS: Combustible by-products of carbon monoxide/dioxide.

SECTION 6 : Accidental Release Measures

SMALL SPILL: Polymerize with water. Solid material may be scraped from surface.

LARGE SPILL: Polymerize with water. Increase ventilation to area. Solid material may be scraped from surface.

#### ENVIRONMENTAL PRECAUTIONS

WATER SPILL: This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

SECTION 7 : Handling and Storage

GENERAL PROCEDURES: Use with adequate ventilation. Avoid contact with eyes, skin and clothing.

HANDLING: Avoid breathing (dust, vapor, mist, gas). Avoid contact with skin, eyes and clothing. Keep container closed when not in use.

STORAGE: Store in a cool place in original container and protect from sunlight. Keep away from sources of ignition.

STORAGE TEMPERATURE: Ideal storage: 41-50F (5-10C)

## SECTION 8 : Exposure Controls/ Personal Protection

#### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)								
			EXPOSURE LIMITS					
		OSHA PEL ACGIH TLV SupplierOE			erOEL			
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg∕m³	
ETHYL-2-CYANOACRYLATE	TWA	[1]	[1]	0.2	1.0	0.2 ppm		
OSHA TABLE COMMENTS: 1. NL = Not Listed				-				

ENGINEERING CONTROLS: Use only in a well ventilated area. Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product.

#### PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

SKIN: Use Nitrile gloves and aprons to prevent contact. Do not use PVC, Nylon or Cotton materials.

**RESPIRATORY:** Use only in a well-ventilated area. In case of insufficient ventilation, wear suitable respiratory equipment. Recommended: Full-face NIOSH-approved respirator with organic vapor cartridge.

WORK HYGIENIC PRACTICES: Avoid direct contact and breathing vapor. Use with adequate ventilation. Wash hands with soap and water after use.

OTHER USE PRECAUTIONS: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

# PRODUCT NAME: Cuccio Pro Brush & Dip Brush on Glue (All sizes) Date: January 20, 2021

SECTION 9 : Physical and Chemical Properties

PHYSICAL STATE: Liquid
ODOR: Characteristic odor, intensely irritating.
ODOR THRESHOLD: Odor Threshold = 1 ppm
APPEARANCE: Transparent, colorless liquid.
pH: Not Applicable.
PERCENT VOLATILE: Not Available
FLASHPOINT AND METHOD: 80 °C (176 °F) to 93.4 °C (200 °F) TAG CC
FLAMMABLE LIMITS: Not Available
AUTOIGNITION TEMPERATURE: 485 °C (905 °F)
VAPOR PRESSURE: < 0.2 mm Hg
VAPOR DENSITY: Not Available
BOILING POINT: > 149 °C (300 °F)
FREEZING POINT: Not Available
MELTING POINT: Not Determined
THERMAL DECOMPOSITION: Not Available
SOLUBILITY IN WATER: Insoluble
EVAPORATION RATE: Not Established
DENSITY: Not Available
SPECIFIC GRAVITY: 1.06 g/mL at 25°C
VISCOSITY #1: 25 to 50 Centipoise at 22°C (72°F)
MOLECULAR WEIGHT: Not Available
(VOC): < 20.000 g/L Per SCAQMD Method 316B.
COEFF. OIL/WATER: Partition coefficient (octanol/water): Not applicable.

SECTION 10 : Stability and Reactivity

STABLE: Yes HAZARDOUS POLYMERIZATION: No CONDITIONS TO AVOID: Avoid temperatures above 176°F (80°C), moisture and alkalines. POSSIBILITY OF HAZARDOUS REACTIONS: Possible polymerization reaction in the presence of water, amines, alkalis and alcohols. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide, Carbon Monoxide and other toxic or irritating compounds may form when heated to decomposition.Oxides of nitrogen and probably hydrogen cyanide are also possible.

INCOMPATIBLE MATERIALS: Polymerized by water, alcohol, amines, alkaline materials.

COMMENTS: REACTIVITY: Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

-----

#### -----

SECTION 11: Toxicological Information

#### ACUTE

Chemical Name	ORAL LD <sub>50</sub> (rat)	DERMAL LD <sub>50</sub> (rabbit)
ETHYL-2-CYANOACRYLATE	> 5000 mg/kg	> 2000 mg/kg
DERMAL LD <sub>50</sub> : > 2000 mg/kg		
Notes: (Estimated)		
<b>ORAL LD</b> <sub>50</sub> : > 5000 mg/kg		
Notes: (Estimated)		
INHALATION LC <sub>50</sub> : Vapors may be irritating. Recommended TWA 0.2ppm.		
EYE EFFECTS: Bonds skin and eyes in seconds. Eye irritant.		
SKIN EFFECTS: Irritating to skin. May cause allergic skin reaction with prolonged contact.		
CARCINOGENICITY		
IARC: None known		
NTP: None known		
OSHA: None known		
SENSITIZATION: Possible skin sensitizer.		
TARGET ORGANS:		

Ingredient	Health Effect/ Target Organ	
Ethyl cyanoacrylate	Irritant, Allergen/ Respiratory, Skin	

SECTION 12: Ecological Information

#### ENVIRONMENTAL DATA:

This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water.

SECTION 13: Disposal Considerations

------

## DISPOSAL METHOD: Dispose of following all Local Authority requirements for disposal.

# PRODUCT NAME: Cuccio Pro Brush & Dip Brush on Glue (All sizes) Date: January 20, 2021

SECTION 14: Transport Information DOT (DEPARTMENT OF TRANSPORTATION) PROPER SHIPPING NAME: Not restricted ROAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: Not restricted AIR (ICAO/IATA) SHIPPING NAME: Not regulated (less than 500 mL). AVIATION REGULATED LIQUID, N.O.S. (ETHYL CYANOACRYLATE), UN3334, 9. VESSEL (IMO/IMDG) SHIPPING NAME: Not restricted CANADA TRANSPORT OF DANGEROUS GOODS SHIPPING NAME: Not restricted SECTION 15: Regulatory Information UNITED STATES SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) 311/312 HAZARD CATEGORIES: Immediate Health, Delayed Health, Fire, Reactive.

313 REPORTABLE INGREDIENTS: None above reporting de minimus.

## 302/304 EMERGENCY PLANNING

EMERGENCY PLAN: None above reporting de minimus.

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
ETHYL-2-CYANOACRYLATE	7085-85-0

TSCA STATUS: All components are listed on or are exempt from listing on the Toxic Substances Control Act.

## CLEAN AIR ACT

40 CFR PART 68-RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE PREVENTION: Not applicable.

CALIFORNIA PROPOSITION 65: No California Proposition 65 ingredients are known to be in this product.

#### CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION



Class B3 - Combustible, D2B - Irritant.

WHMIS CLASS: B3 - combustible, D2B - irritant.

DOMESTIC SUBSTANCE LIST (INVENTORY): All components are listed on or are exempt from listing on the Domestic Substances List.

SECTION 16: ADDITIONAL REGULATORY INFORMATION

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by us to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design and the appropriate protective mechanisms to prevent employee exposure, property damage or release to the environment. Star Nail International assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

END OF SDS