

Safety Data Sheet

1. Identification

Product Information.

Product Name: PROFOUND Purifier

Recommended Use. Coatings and Paints / Cosmetics / Nail

Uses advised against. No information available

Supplier.

Emergency telephone number. Chemtrec: +1-800-424-9300 USA
1-703-741-5970 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Eye Irritation, category 2A

STOT, single exposure, category 3, NE

GHS Pictograms



Signal Word

Warning

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes serious eye irritation.

May cause drowsiness or dizziness.

Precautionary Statements - Prevention.

Wash face and hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

Chemical Name CAS-No. Wt. %

Isopropyl alcohol 67-63-0 50-75

Ethanol 64-17-5 25-50

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a poison control center or doctor for treatment advice.

Inhalation.

Remove to fresh air immediately. Get medical attention immediately.

Skin contact.

Wash skin thoroughly with soap and water.

Eye contact.

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion.

If swallowed do not induce vomiting. Seek immediate medical attention.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Foam. Water spray or fog. Use CO₂, dry chemical, or foam.

Extinguishing media which shall not be used for safety reasons.

Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture.

Flash back possible over considerable distance. Vapors may form explosive mixture with air. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapors heavier than air. Development of hazardous combustion gases or vapors possible in the event of fire. Combustion may produce carbon monoxide, carbon dioxide, and irritating or toxic vapors and gases.

Advice for firefighters.

WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Personal precautions. Use personal protective equipment. All equipment used when handling the product must be grounded. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). **Advice for emergency responders.**

Refer to protective measures listed in sections 7 and 8.

Environmental precautions.

Environmental precautions. Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Methods and materials for containment and cleaning up.

Methods for Containment.

Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Remove all sources of ignition.

Methods for cleaning up.

No Information

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Vapors are heavier than air and can cause suffocation by reducing oxygen available for breathing. Do not use sparking tools. No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Hygiene measures.

Do not drink, taste, swallow or ingest this product. Wash thoroughly after handling product. Always wash up before eating, smoking or using toilet facilities.

Storage Conditions.

Keep in properly labeled containers. Keep away from heat and sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Use spark-proof tools and explosion-proof equipment. Keep away from oxidizing agents and strongly acid or alkaline materials.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
----------------------	----------------------	-----------------------	---------------------	-------------------------

Isopropyl alcohol	200 ppm	400 ppm	400 ppm N.E.	Ethanol N.E. 1000 ppm 1000 ppm N.E.
-------------------	---------	---------	--------------	-------------------------------------

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Provide appropriate exhaust ventilation at places where dust is formed. Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment is not a source of ignition.

Personal protective equipment.

Eye/Face Protection.

Goggles.

Skin and body protection.

Wear protective gloves/ protective clothing. Wear fire/ flame resistant/ retardant clothing. Flame retardant antistatic protective clothing.

Respiratory protection.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state Liquid

Appearance Liquid

Color TO MATCH STANDARD

Odor Characteristic
Odor Threshold Not Established
pH Not Applicable
Melting/freezing point., °C (°F) No Information
Flash Point., °C (°F) 12 (53.60)
Boiling point/boiling range., °C (°F) 78 - 83 (172.4 - 181.4)
Evaporation rate No Information Available
Explosive properties. No Information
Vapor pressure. Undefined
Vapor density. Heavier than air
Specific Gravity. (g/cm³) 0.790
Water solubility. Insoluble
Partition coefficient. Undefined
Autoignition temperature., °C Undefined
Decomposition Temperature °C. Undefined
Viscosity, kinematic. Undefined

Other information.

Volatile organic compounds (VOC) content. No Information
Density, lb/gal 6.578

10. Stability and Reactivity

Reactivity.

Hazardous polymerization does not occur.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

Will not occur.

Conditions to Avoid.

Keep away from heat, sparks and flames.

Incompatible Materials.

Keep away from oxidizing agents, strongly acid or alkaline materials and amines.

Hazardous Decomposition Products.

Carbon oxides. Nitrogen chloride.

11. Toxicological Information

Information on toxicological effects.**Acute toxicity.****Product Information**

No Information

Component Information.**CAS-No. Chemical Name LD50 Oral LD50 Dermal LC50 Inhalation**

67-63-0 Isopropyl alcohol 5840 mg/kg (Rat) 13,900 mg/kg (

64-17-5 Ethanol 8300 mg/kg Rat 5500 124.7 mg/L Rat (Vapor) N.I. = No Information

Rabbit)

N.I.

Skin corrosion/irritation.

No Information

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. **CAS-No. Chemical Name IARC NTP OSHA** 64-17-5 Ethanol IARC Group 1 - - **Reproductive toxicity.**

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage.

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information**Toxicity.**

0.00% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.**Toxicity to daphnia and other****Chemical Name Toxicity to algae Toxicity to fish aquatic invertebrates**

Isopropyl alcohol 67-63-0	subspicatus >1000 mg/L, EC50 72 h Desmodesmus subspicatus >1000 mg/L LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h	mg/ L, LC50 96 h Lepomis macrochirus >1400000 µg/L LC50 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L, LC50 96 h	13299 mg/L
Ethanol EC50 96 h Desmodesmus	Pimephales promelas 11130	EC50 48 h Daphnia magna	LC50 48 h Daphnia magna 9268
64-17-5	No data are available on the product itself. 96 h Pimephales promelas 13400 - 15100 mg/L		
	<u>Bioaccumulative potential.</u>		
	No data are available on the product itself. 2 mg/L		
	Pimephales promelas >100 mg/ L, LC50		

Persistence and degradability.**CAS-No. Chemical Name log POW**

67-63-0 Isopropyl alcohol 0.05

64-17-5 Ethanol -0.32

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Do not burn, or use a cutting torch on, the empty drum. DISPOSE OF WASTE MATERIAL AT AN APPROVED (HAZARDOUS) WASTE TREATMENT/DISPOSAL FACILITY IN ACCORDANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS. DO NOT DISPOSE OF WASTE WITH NORMAL GARBAGE, OR TO SEWER SYSTEMS.

14. Transport Information

DOT

Shipping Name: N/A
Hazard Class: Not Regulated
UN/NA Number: Not Regulated
Packing Group: N/A

IMDG

Proper Shipping Name: N/A
Hazard Class: Not Regulated
UN Number: N/A
Packing Group: N/A

IATA Not Regulated

15. Regulatory Information

International Inventories:

TSCA -

DSL -

DSL/NDSL -

EINECS/ELINCS -

ENCS -

IECSC -

KECI -

PICCS -

AICS -

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Commercial Substances/ European List of notified Chemical Substances

ENCS Japan Existing and New Chemical Substances.

IECSC China Inventory of Existing Chemical Substances.

KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AICS Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

U.S. Federal Regulations:

SARA SECTION 313:

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313. 23-Feb-2022

(US GHS SDS/English) Page 6 / 7

Product name.: PROFOUND Purifier

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:. Note: Ethyl alcohol is only considered a Proposition 65 cancer hazard when it is ingested as an alcoholic beverage.

Chemical Name CAS-No.

Ethanol 64-17-5

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS



WARNING

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards. Note: Ethyl alcohol is only considered a Proposition 65 reproductive hazard when it is ingested as an alcoholic beverage.

Chemical Name CAS-No.

Ethanol 64-17-5

16. Other Information

Revision Date: 2/23/2022 Supersedes Date: New SDS Reason for revision: No Information

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health: 1 Flammability: 0 Physical Hazard: 0 Personal Protection: G

NFPA Ratings:

Health: N.I. Flammability: N.I. Instability: N.I. Physical & Chemical: N.I.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

23-Feb-2022 (US GHS SDS/English) Page 7 / 7