



Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

1. IDENTIFICATION

**Product Identifier** 

Product identifier: Universal Relaxation S003

Other identifiers: None

Recommended use of the chemical and restrictions on use

**Product uses:** Fragrances, natural cosmetics and spa treatments

**Supplier Details** 

Company name: Universal Companies
Company address: 18260 Oak Park Drive

Abingdon VA 24210 USA

Contact: Regulatory Affairs

E-Mail address:

**Company phone:** 800 558 5571

**Emergency telephone number** 

**Emergency phone:** 800 558 5571

# 2. HAZARD IDENTIFICATION

## Classification

# This product is classified under 29CFR 1910.1200(d) as follows:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Class and category of Flammable Liquid, Hazard Category 3 danger: Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2 Sensitization - Skin Category 1 Aspiration Hazard Category 1

Signal word: Danger

Hazard statements: Flammable liquid and vapour.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation. Flammable liquid and vapour.





Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

Pictograms:



Precautionary statements:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing vapour or dust.

Wash hands and other contacted skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Do not induce vomiting.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

Store in a well-ventilated place. Keep cool.

Store locked up.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical, ventilating and lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazards not otherwise None classified (HNOC)



Page 3 (10)

Issue date: 08/06/2023

Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

3. COMPOSITION/INFORMATION ON INGREDIENTS

**Mixtures** 

**Contains:** 



Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

Name	CAS	%	GHS Classification  Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317- H226	
Limonene	7705-14-8	20-<50%		
Linalyl acetate	115-95-7	10-<20%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1;H227-H315-H317-H319- H227	
Linalool	78-70-6	10-<20%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1B;H227-H315-H317-H319- H227	
Eucalyptol	470-82-6	10-<20%	Flam. Liq. 3-Skin Sens. 1B;H226-H317- H226	
Geranial	141-27-5	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B; H315-H317-H319	
p-Mentha-1,4-diene	99-85-4	1-<5%	Flam. Liq. 3-Asp. Tox 1;H226-H304- H226	
delta-Guaiene	3691-11-0	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1; H304-H315-H319	
Neral	106-26-3	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B; H315-H317-H319	
alpha-Guaiene	3691-12-1	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1; H304-H315-H319	
beta-Caryophyllene	87-44-5	1-<5%	Skin Sens. 1B-Asp. Tox 1;H304-H317	
Myrcene	123-35-3	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A- Asp. Tox 1;H226-H304-H315-H319- H226	
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A; H227-H315-H319-H227	
4-Carvomenthenol	562-74-3	1-<5%	Flam. Liq. 4-Acute Tox. 4-Skin Irrit. 2- Eye Irrit. 2A;H302-H227-H315-H319- H227	
alpha-Pinene	80-56-8	1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1;H226-H302- H304-H315-H317-H226	
cis-beta-Ocimene	3338-55-4	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Asp. Tox 1; H226-H304-H315-H226	
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317- H226	
Geranyl acetate	105-87-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317	
Geraniol	106-24-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B; H315-H317-H318	
Neryl acetate	141-12-8	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317	
cis-alpha-Santalol	115-71-9	0.1-<1%	Skin Sens. 1B;H317	
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	76-22-2	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4- STOT SE 2;H228-H302-H332-H371	
1-Octen-3-yl acetate	2442-10-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Sens. 1B;H302-H227-H317-H227	
Nerol	106-25-2	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B; H315-H317-H318	
delta-3-Carene	13466-78-9	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1- Asp. Tox 1;H226-H304-H315-H317- H226	
cis-beta Santalol	77-42-9	0.1-<1%	Skin Sens. 1B;H317	
Citronellal	106-23-0	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1B;H227-H315-H317-H319- H227	
Terpinolene	586-62-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Asp. Tox 1; H304-H227-H317-H227	

The exact percentage concentrations of components are being withheld as a trade secret.



THE **ESS**ENCE OF WELL-BEING

Page 5 (10)

Issue date: 08/06/2023

Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

#### 4. FIRST-AID MEASURES

## **Description of first aid measures**

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

water/shower.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

## Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

#### Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

## **Extinguishing media**

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### Specific hazards arising from the chemical

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## **Protective Equipment and Precautions for Firefighters**

In case of insufficient ventilation, wear suitable respiratory equipment.

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

# Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.



Page 6 (10)

Issue date: 08/06/2023 Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

#### 7. HANDLING AND STORAGE

# Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

## Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

#### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

# **Exposure guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

## Other exposure guidelines

No information available

#### **Exposure controls**

#### **Engineering measures**

Showers, eyewash stations, ventilation systems.

#### Individual protection measures, such as personal protective equipment

#### **Eye/Face and Skin Protection**

Wear protective gloves/eye protection/face protection, and suitable protective clothing

## Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Physical and chemical properties

Appearance: Not determined





Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

Odor: Not determined Odor threshold: Not determined pH: Not determined Melting point / freezing point: Not determined Initial boiling point / range: Not determined 118 °F / 48 °C Flash point: **Evaporation rate:** Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapor pressure: Not determined Vapor density: Not determined Relative density: Not determined Not determined Solubility(ies): Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined Not determined **Decomposition temperature:** Not determined Viscosity:

Other information:

None available

#### **10. STABILITY AND REACTIVITY**

# **Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

# **Chemical stability:**

Good stability under normal storage conditions.

## Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### Conditions to avoid:

Avoid extreme heat.

# **Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

## **Hazardous decomposition products:**

Not expected.





Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

#### 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:

Skin Corrosion / Irritation Category 2

Serious eye damage/irritation:

Eye Damage / Irritation Category 2

Respiratory or skin sensitisation:

Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

**Aspiration hazard:** 

Additional Information None available

# **12. ECOLOGICAL INFORMATION**

# **Ecotoxicity:**

Very toxic to aquatic life with long lasting effects.

Persistence and degradability: Not available

Bioaccumulative potential: Not available

Mobility in soil: Not available

Other adverse effects: Not available

#### 13. DISPOSAL CONSIDERATIONS

## **Waste treatment**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. TRANSPORT INFORMATION

**US DOT:** Not Regulated (If shipped in NON BULK packaging by ground transport)

according to 49 CFR 173.150(f)(1). This material can be reclassified as

NA1993, Combustible liquid, NOS if it is shipped in bulk.



ESS S aromatherapy
THE ESSENCE OF WELLBEING

Issue date: 08/06/2023

Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN1197	EXTRACTS, LIQUID	3	-	III
US DOT	Not classified	-	-	-	-
US DOT (Bulk)	NA1993	COMBUSTIBLE LIQUID, N.O.S. (Limonene, Eucalyptol)	Comb liq	-	III
IMDG	UN1197	EXTRACTS, LIQUID (Limonene) MARINE POLLUTANT	3	-	III
ADR,RID,ADN	UN1197	EXTRACTS, LIQUID	3	-	III
ICAO TI	UN1197	EXTRACTS, LIQUID	3	-	III

US DOT refers to domestic transport by road/rail within the 48 ground states

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

**Environmental hazards:** This is an environmentally hazardous substance.

Special precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### **Additional information**

None additional

## **16. OTHER INFORMATION**

Issue date: 06/08/2023

Version: 4 Version Date: 12/09/2022

# Key to revisions:

14 UN number

14 UN proper shipping name

2 Classification

3 Composition/information on ingredients

US Department Of Transport Bulk Class

US Department Of Transport Bulk ID

US Department Of Transport Bulk Packing Group



Page 10 ( 10 )

Issue date: 08/06/2023

Version: 4 (09/12/2022)

# **SAFETY DATA SHEET**

In accordance with 29 CFR 1910.1200

**Product:** Universal Relaxation S003

Version: 4

US Department Of Transport Bulk Proper Shipping Name

US Department Of Transport Bulk Sub Risks

**US Department Of Transport Class** 

US Department Of Transport ID

US Department Of Transport Packing Group

US Department Of Transport Proper Shipping Name

US Department Of Transport Sub Risks

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.