Page 1 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product:	Universal Serenity S004
----------	-------------------------

1

Version:

<u>1. IDENTIFICATION</u>

Product Identifier		
Product identifier: Other identifiers:	Universal Serenity S004 None	
Recommended use of	the chemical and restrictions on use	
Product uses:	Fragrances, natural cosmetics and spa treatments	
Supplier Details		
Company name:	Universal Companies	
Company address:	18260 Oak Park Drive Abingdon VA 24210 USA	
Contact:	Regulatory Affairs	
E-Mail address:		
Company phone:	800 558 5571	
Emergency telephone number		
Emergency phone:	800 558 5571	

2. HAZARD IDENTIFICATION

Classification

This product is classified under 29CFR 1910.1200(d) as follows:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Class and category of Flammable Liquid, Hazard Category 3					
danger:	Skin Corrosion / Irritation Category 2				
	Eye Damage / Irritation Category 2				
	Sensitization - Skin Category 1				
	Toxic to Reproduction Category 2				
	Aspiration Hazard Category 1				
Signal word:	Danger				
Hazard statements:	Flammable liquid and vapour.				
Hazard statements:	Flammable liquid and vapour. May be fatal if swallowed and enters airways.				
Hazard statements:					
Hazard statements:	May be fatal if swallowed and enters airways.				
Hazard statements:	May be fatal if swallowed and enters airways. Causes skin irritation.				
Hazard statements:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction.				
Hazard statements:	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.				



Page 2 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product:	Universal Serenity S004
Version:	1
Pictograms:	
Precautionary	Do not handle until all safety precautions have been read and understood.
statements:	Keep away from heat, sparks, open flames and hot surfaces No smoking.
	Keep container tightly closed.
	Ground/bond container and receiving equipment.
	Use explosion-proof electrical, ventilating and lighting equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	Avoid breathing vapour or dust.
	Wash hands and other contacted skin thoroughly after handling.
	Contaminated work clothing should not be allowed out of the workplace.
	Wear protective gloves/eye protection/face protection.
	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.
	Do not induce vomiting.
	If skin irritation or rash occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Take off contaminated clothing and wash before reuse.
	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
	Store in a well-ventilated place. Keep cool.
	Store locked up.
	Keep away from heat, sparks, open flames and hot surfaces No smoking.
	Ground/bond container and receiving equipment.
	Use explosion-proof electrical, ventilating and lighting equipment.
	Use only non-sparking tools.
	Take precautionary measures against static discharge.
	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Hazards not of classified (HN	



Page 3 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Universal Serenity S004

1

Version:

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Contains:

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product:	Universal Serenity S004
----------	-------------------------

1

Version:

Name	CAS	%	GHS Classification
Limonene	7705-14-8	20-<50%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317- H226
Linalool	78-70-6	10-<20%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1B;H227-H315-H317-H319- H227
Linalyl acetate	115-95-7	10-<20%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1;H227-H315-H317-H319- H227
Geranial	141-27-5	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B; H315-H317-H319
Neral	106-26-3	1-<5%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B; H315-H317-H319
beta-Caryophyllene	87-44-5	1-<5%	Skin Sens. 1B-Asp. Tox 1;H304-H317
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A; H227-H315-H319-H227
p-Methylanisole	104-93-8	1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2- Repr. 2;H226-H302-H315-H361-H226
p-Mentha-1,4-diene	99-85-4	1-<5%	Flam. Liq. 3-Asp. Tox 1;H226-H304- H226
Myrcene	123-35-3	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A- Asp. Tox 1;H226-H304-H315-H319- H226
Benzyl benzoate	120-51-4	1-<5%	Acute Tox. 4;H302
Geranyl acetate	105-87-3	1-<5%	Skin Irrit. 2-Skin Sens. 1B;H315-H317
Terpinolene	586-62-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Asp. Tox 1; H304-H227-H317-H227
Geraniol	106-24-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B; H315-H317-H318
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1;H226-H302- H304-H315-H317-H226
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317- H226
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317- H226
Farnesol	4602-84-0	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B; H315-H317-H319
Benzyl salicylate	118-58-1	0.1-<1%	Eye Irrit. 2B-Skin Sens. 1B;H317-H320
Citronellal	106-23-0	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1B;H227-H315-H317-H319- H227
Neryl acetate	141-12-8	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317
1-Octen-3-yl acetate	2442-10-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Sens. 1B;H302-H227-H317-H227
delta-3-Carene	13466-78-9	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1- Asp. Tox 1;H226-H304-H315-H317- H226
Eugenol	97-53-0	0.1-<1%	Eye Irrit. 2A-Skin Sens. 1B;H317-H319
alpha-Bisabolene	17627-44-0	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1; H304-H315-H317
IbetaBisabolene	495-61-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1; H304-H315-H317
Nerol	106-25-2	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B; H315-H317-H318
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	76-22-2	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4- STOT SE 2;H228-H302-H332-H371
Isoeugenol	97-54-1	<0.1%	Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2- Eye Irrit. 2A-Skin Sens. 1A;H302-H312- H315-H317-H319

Page 5 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Universal Serenity S004

1

Version:

The exact percentage concentrations of components are being withheld as a trade secret.

4. FIRST-AID MEASURES

Description of first aid measures

Inhalation:Remove from exposure site to fresh air, keep at rest, and obtain medical attention.Eye exposure:IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing.Skin exposure:IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

water/shower.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Specific hazards arising from the chemical

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

Protective Equipment and Precautions for Firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

Page 6 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Universal Serenity S004

Version:

7. HANDLING AND STORAGE

Precautions for safe handling:

1

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Conditions for safe storage, including any incompatibilities:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Other exposure guidelines

No information available

Exposure controls

Engineering measures

Showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face and Skin Protection

Wear protective gloves/eye protection/face protection, and suitable protective clothing

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Appearance:

Not determined

Page 7 (9) Issue date: 08/06/2023 Version: 1 (09/12/2022)

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product:	Universal Serenity S004			
Version:	1			
Odor:		Not determined		
Odor thresho	ld:	Not determined		
pH:		Not determined		
Melting point	/ freezing point:	Not determined		
Initial boiling	point / range:	Not determined		
Flash point:		100 °F / 38 °C		
Evaporation I	rate:	Not determined		
Flammability	(solid, gas):	Not determined		
Upper/lower flammability or explosive limits:		Product does not present an explosion hazard		
Vapor pressure:		Not determined		
Vapor density	y :	Not determined		
Relative density:		Not determined		
Solubility(ies):	Not determined		
Partition coef	ficient: n-octanol/water:	Not determined		
Auto-ignition	temperature:	Not determined		
Decompositio	on temperature:	Not determined		
Viscosity:		Not determined		
Other informa	ation:	None available		

10. STABILITY AND REACTIVITY

Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

Chemical stability:

Good stability under normal storage conditions.

Possibility of hazardous reactions:

Not expected under normal conditions of use.

Conditions to avoid:

Avoid extreme heat.

Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

Hazardous decomposition products:

Not expected.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product:	Universal Serenity S004
----------	-------------------------

1

Version:

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	>5000
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Toxic to Reproduction Category 2
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	
Additional Information	None available

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Very toxic to aquatic life with long lasting effects.

Persistence and degradability:	Not available
Bioaccumulative potential:	Not available
Mobility in soil:	Not available
Other adverse effects:	Not available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

US DOT:

Not Regulated (If shipped in NON BULK packaging by ground transport) according to 49 CFR 173.150(f)(1). This material can be reclassified as NA1993, Combustible liquid, NOS if it is shipped in bulk.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: Universal Serenity S004

1

Version:

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN1197	EXTRACTS, LIQUID	3	-	Ш
US DOT	Not classified	-	-	-	-
US DOT (Bulk)	NA1993	COMBUSTIBLE LIQUID, N.O.S. (Limonene, p-Mentha-1,4-diene)	Comb liq	-	111
IMDG	UN1197	EXTRACTS, LIQUID (Limonene) MARINE POLLUTANT	3	-	111
ADR,RID,ADN	UN1197	EXTRACTS, LIQUID	3	-	III
ΙCAO ΤΙ	UN1197	EXTRACTS, LIQUID	3	-	

US DOT refers to domestic transport by road/rail within the 48 ground states

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

Environmental hazards: This is an environmentally hazardous substance.

Special precautions for user: None additional

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

Additional information

None additional

16. OTHER INFORMATION

Issue date: 06/08/2023 Version: 1 Version Date: 12/09/2022

Key to revisions:

Not applicable

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.