

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

### 1. IDENTIFICATION

#### Product Identifier

**Product identifier:** Lavandin Oil, Super; CAS: 8022-15-9

**Other identifiers:** UC Lavandin Super Oil U235 Lavandula hybrida

#### Recommended use of the chemical and restrictions on use

**Product uses:** Fragrances, natural cosmetics and spa treatments

#### Supplier Details

**Company name:** Universal Companies

**Company address:** 18260 Oak Park Drive  
Abingdon  
VA 24210  
USA

**Contact:** Regulatory Affairs

**E-Mail address:**

**Company phone:** 800 558 5571

#### Emergency telephone number

**Emergency phone:** 800 558 5571

### 2. HAZARD IDENTIFICATION

#### Classification

**This product is classified under 29CFR 1910.1200(d) as follows:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Class and category of** Flammable Liquid, Hazard Category 4

**danger:**

Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2A

Sensitization - Skin Category 1B

Specific Target Organ Toxicity (Single Exposure) Category 2

**Signal word:** Warning

**Hazard statements:** Combustible liquid.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause damage to organs (organs, exposure route).

Combustible liquid.

**M factor:** None

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

**Pictograms:**



**Precautionary statements:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
Do not breathe vapour or dust.  
Wash hands and other contacted skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/eye protection/face protection.  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Hazards not otherwise classified (HNOC)** None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

**Product identifier:** Lavandin Oil, Super; CAS: 8022-15-9

**SAFETY DATA SHEET**  
In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

**Contains:**

Name	CAS	%	GHS Classification
Linalyl acetate	115-95-7	20-<50%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1;H227-H315-H317-H319-H227
Linalool	78-70-6	20-<50%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B;H227-H315-H317-H319-H227
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	76-22-2	5-<10%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-STOT SE 2;H228-H302-H332-H371
Eucalyptol	470-82-6	1-<5%	Flam. Liq. 3-Skin Sens. 1B;H226-H317-H226
beta-Caryophyllene	87-44-5	1-<5%	Skin Sens. 1B-Asp. Tox 1;H304-H317
cis-beta-Ocimene	3338-55-4	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Asp. Tox 1;H226-H304-H315-H226
alpha-Terpineol	98-55-5	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A;H227-H315-H319-H227
Limonene	7705-14-8	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H304-H315-H317-H226
Geranyl acetate	105-87-3	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317
Neryl acetate	141-12-8	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317
Geraniol	106-24-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B;H315-H317-H318
1-Octen-3-yl acetate	2442-10-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Skin Sens. 1B;H302-H227-H317-H227
Terpinolene	586-62-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Asp. Tox 1;H304-H227-H317-H227
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H302-H304-H315-H317-H226
4-Isopropyl-2-cyclohexenone	500-02-7	0.1-<1%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Skin Irrit. 2-Eye Irrit. 2A;H301-H311-H227-H315-H319-H227
Nerol	106-25-2	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1B;H315-H317-H318
Coumarin	91-64-5	0.1-<1%	Acute Tox. 4-Skin Sens. 1B;H302-H317
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H304-H315-H317-H226

The exact percentage concentrations of components are being withheld as a trade secret.

**4. FIRST-AID MEASURES**

**Description of first aid measures**

- Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.
- Ingestion:** Rinse mouth with water and obtain medical attention.

**Most important symptoms and effects, both acute and delayed**

Causes skin irritation.  
May cause an allergic skin reaction.

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

Causes serious eye irritation.

May cause damage to organs (organs, exposure route).

### **Indication of immediate medical attention and special treatment needed, if necessary**

Treat symptomatically

## **5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable media: Carbon dioxide, Dry chemical, Foam.

### **Specific hazards arising from the chemical**

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### **Protective Equipment and Precautions for Firefighters**

In case of insufficient ventilation, wear suitable respiratory equipment.

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures:**

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### **Methods and material for containment and cleaning up:**

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## **7. HANDLING AND STORAGE**

### **Precautions for safe handling:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### **Conditions for safe storage, including any incompatibilities:**

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

### **Exposure guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

### Other exposure guidelines

No information available

### Exposure controls

### Engineering measures

Showers, eyewash stations, ventilation systems.

### Individual protection measures, such as personal protective equipment

### Eye/Face and Skin Protection

Wear protective gloves/eye protection/face protection, and suitable protective clothing

### Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	167 °F / 75 °C
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard
<b>Vapor pressure:</b>	Not determined
<b>Vapor density:</b>	Not determined
<b>Relative density:</b>	Not determined
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

**Decomposition temperature:** Not determined

**Viscosity:** Not determined

**Other information:** None available

### 10. STABILITY AND REACTIVITY

**Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

**Chemical stability:**

Good stability under normal storage conditions.

**Possibility of hazardous reactions:**

Not expected under normal conditions of use.

**Conditions to avoid:**

Avoid extreme heat.

**Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

**Hazardous decomposition products:**

Not expected.

### 11. TOXICOLOGICAL INFORMATION

**Information on toxicological effects**

**Acute Toxicity:** Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Skin Corrosion / Irritation Category 2

**Serious eye damage/irritation:** Eye Damage / Irritation Category 2A

**Respiratory or skin sensitisation:** Sensitization - Skin Category 1B

**Germ cell mutagenicity:** Based on available data the classification criteria are not met.

**Carcinogenicity:** Based on available data the classification criteria are not met.

**Reproductive toxicity:** Based on available data the classification criteria are not met.

**STOT-single exposure:** Specific Target Organ Toxicity (Single Exposure) Category 2

**STOT-repeated exposure:** Based on available data the classification criteria are not met.

**Aspiration hazard:** Based on available data the classification criteria are not met.

**Additional Information** None available

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:**

Harmful to aquatic life with long lasting effects.

**Persistence and degradability:** Not available

**Bioaccumulative potential:** Not available

**Mobility in soil:** Not available

**Other adverse effects:** Not available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. TRANSPORT INFORMATION

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
<b>UN Model Regulations</b>	Not classified	-	-	-	-
<b>US DOT</b>	Not classified	-	-	-	-
<b>US DOT (Bulk)</b>	NA1993		Comb liq	-	-
<b>IMDG</b>	Not classified	-	-	-	-
<b>ADR,RID,ADN</b>	Not classified	-	-	-	-
<b>ICAO TI</b>	Not classified	-	-	-	-

US DOT refers to domestic transport by road/rail within the 48 ground states

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

**Environmental hazards:** Not environmentally hazardous for transport

**Special precautions for user:** None additional

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not classified

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Lavandin Super Oil U235

**Version:** 1

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

RIFM ID Number: 190-F2.12

LM Unique Identifier: LM8197

#### Additional information

None additional

### 16. OTHER INFORMATION

Issue date: 06/08/2023

Version: 1 Version Date: 12/09/2022

#### **Key to revisions:**

Not applicable

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.