

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name PEPPER, BLACK OIL{B135}

Code Number NAT-11735

Alternative Name

REACH Reg No Not registered

1.2 Relevant identified uses of the substance or mixture and uses advised against Concentrated material for manufacturing purposes only

1.3 Details of the supplier of the safety data sheet

Absolute Aromas

Absolute Aromas Ltd 1 Absolute House

Mill Lane Alton Hampshire GU34 2PX

Telephone Number +44 (0) 1420 540400

Email Address Relax@absolute-aromas.com

1.4 Emergency Tel No +44 (0) 1420 540400

2. HAZARD I DENTIFICATION

2.1 Classification of the substance or mixture

FL 3 Flammable liquid, category 3
AH 1 Aspiration hazard, category 1

SCI 2 Skin corrosion/irritation, category 2

SS 1 Skin sensitisation, category 1
EH A1 Aquatic hazard, acute, category 1
EH C1 Aquatic hazard, chronic, category 1

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

CLP Label elements

CLP classification according to Regulation (EC) No 1272/2008

Hazard Pictograms



Signal Word Danger

Hazard Statements

H226 Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignnition sources. No smoking.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a poison centre or doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P501 Dispose of contents and container in accordance with Local

Environment Regulations regulation.

2.3 Other Hazards

Contains Linalool which may produce an allergic reaction

No further information available at this time

3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

3.1 Substances

Description PEPPER, BLACK OIL{B135}

EC/EINECS 284-524-7
CAS Number 84929-41-9
USCAS Number 8006-82-4

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 87-44-5 EINECS 201-746-1 REACH	Caryophyllene AH 1 H304	38.5000
CAS 7705-14-8 EINECS 231-732-0 REACH	d,I-Limonene (isomer unspecified) FL 3;AH 1;SCI 2;SS 1B;EH A1,C1 H226,H304,H315,H317,H400,H410	17.0000
CAS 80-56-8 EINECS 201-291-9 REACH	alpha-Pinene FL 3;SCI 2;SS 1B;AH 1 H226,H304,H315,H317	9.5000
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;SCI 2;SS 1B;AH 1 H226,H304,H315,H317	6.5000
CAS 13466-78-9 EINECS 236-719-3 REACH	delta-3-Carene FL 3;SCI 2;SS 1;AH 1 H226,H304,H315,H317	4.0000
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool EDI 2:SCI 2 H315,H319	2.0000
CAS 495-61-4 EINECS 207-805-8 REACH	beta-Bisabolene (Bisabolene) AH 1; SCI 2; SS 1B H304, H315, H317	1.5000
CAS 123-35-3 EINECS 204-622-5 REACH	Myrcene FL 3;AH 1;SCI 2;EDI 2 H226,H304,H315,H319	1.3000
CAS 1139-30-6 EINECS 214-519-7 REACH	Caryophyllene oxide EH C2 H411	1.2000
CAS 555-10-2 EINECS 209-081-9 REACH	beta-Phellandrene FL 3;AH 1 H226,H304	1.2000

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

CAS 99-83-2 EINECS 202-792-5 REACH	alpha-Phellandrene FL 3; AH 1 H226,H304	0.8000
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate SCI 2;EDI 2 H315,H319	0.5000
CAS 562-74-3 EINECS 209-235-5 REACH	Terpinene-4-ol (4-Terpineol) (4-Carvomenthenol) ATO 4(1300); SCI 2; EDI 2 H302, H315, H319	0.5000
CAS 99-87-6 EINECS 202-796-7 REACH	para-Cymene FL 3; AH 1; EH C2 H226,H304,H411	0.5000
CAS 79-92-5 EINECS 201-234-8 REACH	Camphene FS 2;EDI 2;EH A1,C1 H228,H319,H400,H410	0.3000
CAS 586-62-9 EINECS 209-578-0 REACH	Terpinolene FL 3; AH 1; EH C2 H226, H304, H411	0.2700
CAS 99-85-4 EINECS 202-794-6 REACH	gamma-Terpinene (p-Mentha-1,4-diene) FL 3; AH 1 H226,H304	0.1800
CAS 98-55-5 EINECS 202-680-6 REACH	alpha-Terpineol SCI 2;EDI 2 H315,H319	0.1500
CAS 13877-91-3 EINECS 237-641-2 REACH	Ocimene (3,7-Dimethyl-1,3,6-octatriene) FL 3; AH 1 H226,H304	0.1400
CAS 99-86-5 EINECS 202-795-1 REACH	Terpinenes (para-Mentha-1,4-diene) FL 3;ATO 4(1680);AH 1;EH C2 H226,H302,H304,H411	0.0900

Refer to section 16 for the wording of listed classification and hazard statement codes

4. First Aid measures

Take phrases in sections 2 into account

4.1 Description of first aid measures

After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

After eye contact

Flush with plenty of water and seek medical advice if necessary.

After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further information available at this time
- 4.3 Indication of immediate medical attention and special treatment needed No further information available at this time
- 5. Fire-fighting measures
- 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours.

- 6. Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.

Avoid inhalation, skin and eye contact.

Ensure proper ventilation.

6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbant material such as earth or vemiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

7.3 Specific end use(s)

No further information available

8. Exposure controls / personal protection

8.1 Control Parameters

No information available

8.2 Exposure controls

Engineering controls

No information available

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Wear safety goggles.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

Thermal hazards

No information available

Environmental exposure controls

No information available

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

- 9. Physical and chemical properties
- 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 43

Liquid
Colour
White
Aroma
Pepper

9.2 Other information

No further information available

- 10. Stability and reactivity
- 10.1 Reactivity

Not determined

10.2 Chemical Stability

Not determined

10.3 Possibility of hazardous reactions

Not determined

10.4 Conditions to avoid

Extreme temperatures

10.5 Incompatible materials

Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

10.6 Hazardous decomposition products

Not determined

- 11. Toxicological information
- 11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion / irritation

No data available

Serious eye damage / irritation

No data available

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STO-single exposure

No data available

STO-repeated exposure

No data available

Aspiration hazard

No data available

Information on likely routes of exposure

No data available

Symptoms related to the physical, chemical and toxicological characteristics No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data available

Interactive effects

No data available

Other information

No data available

12. Ecological information

12.1 Toxicity

No data available; avoid soil, surface water and water-bearing stratum contamination.

12.2 Persistence and degradability

No data available

Printed on 25 July 2018

CLP: According to 2015/830/EU

Code Number NAT-11735 Version 5 Revised 25/07/2018 10:13:24

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

No data available

13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

14. Transport information

14.1 UN number 1169

14.2 UN proper shipping name EXTRACTS, AROMATIC, LIQUID

14.3 Transport hazard class(es) 3

14.4 Packing group III

Tunnel Code (D/E)

14.5 Environmental Hazards

No relevant information available

14.6 Special precautions for user

No relevant information available

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No relevant information available at this time

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

Printed on 25 July 2018

CLP: According to 2015/830/EU

NAT-11735 Code Number Version 5 Revised 25/07/2018 10:13:24

16. Other information

H400

Full list of precautionary phrases

P210				
$\Gamma \angle IU$	IZEEN GMGA I		open flames an	

other ignnition sources. No smoking.

P280 Wear protective gloves and eye protection

P301+P310 IF SWALLOWED: Immediately call a poison centre or doctor.

IF ON SKIN: Wash with plenty of water. P302+P352

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice.

Flammable liquid, category 3

P501 Dispose of contents and container in accordance with Local

Environment Regulations regulation.

Wording of any hazard classes listed in section 3

FS 2	Flammable solid, category 2	
ATO 4	Acute toxicity, oral, category 4	
AH 1	Aspiration hazard, category 1	
SCI 2	Skin corrosion/irritation, category 2	
SS 1	Skin sensitisation, category 1	
SS 1B	Skin sensitisation, category 1B	
EDI 2	Eye damage/irritation, category 2	
EH A1	Aquatic hazard, acute, category 1	
EH C1	Aquatic hazard, chronic, category 1	
EH C2	Aquatic hazard, chronic, category 2	

Wording of any hazard statements listed in section 3

H226	Flammable liquid and vapour	
H228	Flammable solid	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	

Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects

DAFELY DATA SHEET LP: According to 2015/830/EU		Printed on 25 July 2018	
Code Number Version 5 Revised 2	NAT-11735 25/07/2018 10:13:24		
H411	Toxic to aquatic life with lor	ng lasting effects	