

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135  
**Version:** 1

### 1. IDENTIFICATION

#### Product Identifier

**Product identifier:** Pepper Oil, Black; CAS: 8006-82-4  
**Other identifiers:** UC Pepper Oil, Black U135 Piper nigrum

#### Recommended use of the chemical and restrictions on use

**Product uses:** Fragrances, natural cosmetics and spa treatments

#### Supplier Details

**Company name:** Universal Companies  
**Company address:** 18260 Oak Park Drive  
Abingdon  
VA 24210  
USA  
**Contact:** Regulatory Affairs  
**E-Mail address:**  
**Company phone:** 800 558 5571

#### Emergency telephone number

**Emergency phone:** 800 558 5571

### 2. HAZARD IDENTIFICATION

#### Classification

**This product is classified under 29CFR 1910.1200(d) as follows:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

**Class and category of danger:** Flammable Liquid, Hazard Category 3  
Skin Corrosion / Irritation Category 2  
Sensitization - Skin Category 1  
Aspiration Hazard Category 1

**Signal word:** Danger

**Hazard statements:** Flammable liquid and vapour.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Flammable liquid and vapour.

**M factor:** None

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

**Pictograms:**



**Precautionary statements:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical, ventilating and lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing vapour or dust.  
Wash hands and other contacted skin thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/eye protection/face protection.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
Do not induce vomiting.  
If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical, ventilating and lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Hazards not otherwise classified (HNOC)** None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

**Product identifier:** Pepper Oil, Black; CAS: 8006-82-4

**SAFETY DATA SHEET**  
In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

**Contains:**

Name	CAS	%	GHS Classification
beta-Caryophyllene	87-44-5	20-<50%	Skin Sens. 1B-Asp. Tox 1;H304-H317
Limonene	7705-14-8	10-<20%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H304-H315-H317-H226
alpha-Pinene	80-56-8	5-<10%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H302-H304-H315-H317-H226
beta-Pinene	127-91-3	5-<10%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H226-H304-H315-H317-H226
delta-3-Carene	13466-78-9	5-<10%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1-Asp. Tox 1;H226-H304-H315-H317-H226
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B;H227-H315-H317-H319-H227
l-beta-Bisabolene	495-61-4	1-<5%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H304-H315-H317
Myrcene	123-35-3	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1;H226-H304-H315-H319-H226
Linalyl acetate	115-95-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1;H227-H315-H317-H319-H227
Terpinolene	586-62-9	0.1-<1%	Flam. Liq. 4-Skin Sens. 1B-Asp. Tox 1;H304-H227-H317-H227
alpha-Bisabolene	17627-44-0	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1;H304-H315-H317
trans-Nerolidol	40716-66-3	0.1-<1%	Eye Irrit. 2B-Skin Sens. 1B;H317-H320
Eucalyptol	470-82-6	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317-H226

The exact percentage concentrations of components are being withheld as a trade secret.

**4. FIRST-AID MEASURES**

**Description of first aid measures**

- Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

**Most important symptoms and effects, both acute and delayed**

- May be fatal if swallowed and enters airways.
- Causes skin irritation.
- May cause an allergic skin reaction.

**Indication of immediate medical attention and special treatment needed, if necessary**

Treat symptomatically

## **SAFETY DATA SHEET**

**In accordance with 29 CFR 1910.1200**

**Product:** UC Pepper Oil, Black U135

**Version:** 1

### **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### **Specific hazards arising from the chemical**

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### **Protective Equipment and Precautions for Firefighters**

In case of insufficient ventilation, wear suitable respiratory equipment.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions, protective equipment and emergency procedures:**

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### **Methods and material for containment and cleaning up:**

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### **7. HANDLING AND STORAGE**

#### **Precautions for safe handling:**

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### **Conditions for safe storage, including any incompatibilities:**

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

#### **Exposure guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Other exposure guidelines**

No information available

#### **Exposure controls**

#### **Engineering measures**

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

Showers, eyewash stations, ventilation systems.

### **Individual protection measures, such as personal protective equipment**

#### **Eye/Face and Skin Protection**

Wear protective gloves/eye protection/face protection, and suitable protective clothing

#### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Physical and chemical properties**

<b>Appearance:</b>	Not determined
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Initial boiling point / range:</b>	Not determined
<b>Flash point:</b>	109 °F / 43 °C
<b>Evaporation rate:</b>	Not determined
<b>Flammability (solid, gas):</b>	Not determined
<b>Upper/lower flammability or explosive limits:</b>	Product does not present an explosion hazard
<b>Vapor pressure:</b>	Not determined
<b>Vapor density:</b>	Not determined
<b>Relative density:</b>	Not determined
<b>Solubility(ies):</b>	Not determined
<b>Partition coefficient: n-octanol/water:</b>	Not determined
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not determined
<b>Viscosity:</b>	Not determined
<b><u>Other information:</u></b>	None available

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

### 10. STABILITY AND REACTIVITY

**Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

**Chemical stability:**

Good stability under normal storage conditions.

**Possibility of hazardous reactions:**

Not expected under normal conditions of use.

**Conditions to avoid:**

Avoid extreme heat.

**Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

**Hazardous decomposition products:**

Not expected.

### 11. TOXICOLOGICAL INFORMATION

**Information on toxicological effects**

<b>Acute Toxicity:</b>	Based on available data the classification criteria are not met.
Acute Toxicity Oral	4817
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
<b>Skin corrosion/irritation:</b>	Skin Corrosion / Irritation Category 2
<b>Serious eye damage/irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Sensitization - Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.
<b>STOT-repeated exposure:</b>	Based on available data the classification criteria are not met.
<b>Aspiration hazard:</b>	

**Additional Information**

None available

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:**

Very toxic to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

**Persistence and degradability:** Not available

**Bioaccumulative potential:** Not available

**Mobility in soil:** Not available

**Other adverse effects:** Not available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. TRANSPORT INFORMATION

**US DOT:** Not Regulated (If shipped in NON BULK packaging by ground transport) according to 49 CFR 173.150(f)(1). This material can be reclassified as NA1993, Combustible liquid, NOS if it is shipped in bulk.

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
<b>UN Model Regulations</b>	UN1197	EXTRACTS, LIQUID	3	-	III
<b>US DOT</b>	Not classified	-	-	-	-
<b>US DOT (Bulk)</b>	NA1993	COMBUSTIBLE LIQUID, N.O.S. (Limonene, alpha-Pinene)	Comb liq	-	III
<b>IMDG</b>	UN1197	EXTRACTS, LIQUID (Limonene) MARINE POLLUTANT	3	-	III
<b>ADR,RID,ADN</b>	UN1197	EXTRACTS, LIQUID	3	-	III
<b>ICAO TI</b>	UN1197	EXTRACTS, LIQUID	3	-	III

US DOT refers to domestic transport by road/rail within the 48 ground states

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

**Environmental hazards:** This is an environmentally hazardous substance.

**Special precautions for user:** None additional

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

RIFM ID Number: 324-G2.12

## SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

**Product:** UC Pepper Oil, Black U135

**Version:** 1

LM Unique Identifier: LM9735

### **Additional information**

None additional

### **16. OTHER INFORMATION**

Issue date: 06/08/2023

Version: 1 Version Date: 12/09/2022

### **Key to revisions:**

Not applicable

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.