

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Deep Clean AHA Cleanser*  
*Exuviance Professional Purifying Cleansing Gel*
- **Product Number:** FLA#: 292-152A
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
19.3 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** Mixture of substances listed below with non-hazardous additions.

#### • **Dangerous Components:**

CAS: 61789-40-0	Cocamidopropyl Betaine	⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	5-10%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol		2-12%

#### • **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Consult a doctor for complaints.
- **After skin contact:**  
Generally the product does not irritate the skin.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

If skin irritation occurs, consult a doctor.

• **After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>

• **PAC-2:**

57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
79-14-1	Glycolic acid	280 mg/m <sup>3</sup>

• **PAC-3:**

57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name:** *Exuviance Deep Clean AHA Cleanser*  
*Exuviance Professional Purifying Cleansing Gel*

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

#### 57-55-6 Propylene Glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Gel
  - Color:** Translucent light bluish-green
  - Odour:** Characteristic
  - Odor threshold:** Not determined.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

- **pH-value @ 20 °C (68 °F):** 3.6
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** ≥100 °C (≥212 °F)
- **Flash point:** 99 °C (210.2 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 371 °C (699.8 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** 0.0 Vol %
  - Upper:** 0.0 Vol %
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density @ 20 °C (68 °F):** 1 g/cm<sup>3</sup> (8.345 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic @ 20 °C (68 °F):** 9,000 mPas (Brookfield RV #4, 10 rpm,)
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.8 %
  - Water:** 71.2 %
  - VOC content:** 0.77 %
- **Solids content:** 8.9 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

### 11 Toxicological Information

• **Information on toxicological effects:**

• **Acute toxicity:**

• **LD/LC50 values that are relevant for classification:**

**57-55-6 Propylene Glycol**

Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (Rabbit)

• **Primary irritant effect:**

• **On the skin:** No irritating effect.

• **On the eye:** No irritating effect.

• **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

• **Carcinogenic categories:**

• **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological Information

• **Toxicity:**

• **Aquatic toxicity:**

**61789-40-0 Cocamidopropyl Betaine**

EC50	1-10 mg/l (Green algae)
	6.5 mg/l (Daphnia)

**57-55-6 Propylene Glycol**

EC50	>10,000 mg/l (Daphnia)
------	------------------------

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Additional ecological information:**

• **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:** Limited Quantity, Consumer Commodity
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:** Non-Regulated Material
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

#### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

#### Section 313 (Specific toxic chemical listings):

122-99-6 2-Phenoxyethanol

#### TSCA (Toxic Substances Control Act):

3088-31-1	Sodium laureth sulfate
61789-40-0	Cocamidopropyl Betaine
68201-46-7	PEG-7 Glyceryl Cocoate
139-96-8	tris(2-hydroxyethyl)ammonium decyl sulphate
57-55-6	Propylene Glycol
122-99-6	2-Phenoxyethanol
90-80-2	δ-Gluconolactone
1117-86-8	Caprylyl Glycol
79-14-1	Glycolic acid

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

7732-18-5	Water, distilled water, deionized water
• <b>California Proposition 65:</b>	
• <b>Chemicals known to cause cancer:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause developmental toxicity:</b>	
None of the ingredients are listed.	
• <b>New Jersey Right-to-Know List:</b>	
57-55-6	Propylene Glycol
• <b>New Jersey Special Hazardous Substance List:</b>	
None of the ingredients are listed.	
• <b>Pennsylvania Right-to-Know List:</b>	
57-55-6	Propylene Glycol
• <b>Pennsylvania Special Hazardous Substance List:</b>	
None of the ingredients are listed.	
• <b>Carcinogenic categories:</b>	
• <b>EPA (Environmental Protection Agency):</b>	
None of the ingredients are listed.	
• <b>TLV (Threshold Limit Value established by ACGIH):</b>	
None of the ingredients are listed.	
• <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>	
None of the ingredients are listed.	
• <b>GHS label elements</b> Non-Regulated Material	
• <b>Hazard pictograms:</b> Non-Regulated Material	
• <b>Signal word:</b> Non-Regulated Material	
• <b>Hazard statements:</b> Non-Regulated Material	
• <b>National regulations:</b>	
None of the ingredients are listed.	
• <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 11/06/2018 / 5

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association

(Contd. on page 8)



## **Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 11/06/2018

Reviewed on 11/06/2018

**Trade Name: Exuviance Deep Clean AHA Cleanser**  
**Exuviance Professional Purifying Cleansing Gel**

ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*
- **Product Number:** FLA#: 330-096
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
Eye Irrit. 2B      H320 Causes eye irritation.  
Aquatic Acute 3      H402 Harmful to aquatic life.  
Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.
- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Warning
- **Hazard statements:**  
H320 Causes eye irritation.  
H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements:**  
P264      Wash thoroughly after handling.  
P273      Avoid release to the environment.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313      If eye irritation persists: Get medical advice/attention.  
P501      Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

### • **Dangerous Components:**

9002-93-1	Polyethylene glycol octylphenol ether ⚠ Acute Tox. 3, H331; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2A, H319	≤2.5%
-----------	--	-------

### • **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

### • **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:** Consult a doctor for complaints.

### • **After skin contact:**

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

### • **After eye contact:**

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

### • **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

## 5 Fire-Fighting Measures

### • **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

### • **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

### • **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

### • **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

### • **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

### • Protective Action Criteria for Chemicals

• <b>PAC-1:</b>		
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
• <b>PAC-2:</b>		
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
• <b>PAC-3:</b>		
107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm

## 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

## 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

• **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

• **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.  
Avoid release into the environment.

### 9 Physical and Chemical Properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

**Form:**

Solution

**Color:**

Light gold

• **Odour:**

Characteristic

• **Odor threshold:**

Not determined.

• **pH-value @ 20 °C (68 °F):**

4.2-5

• **Change in condition**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

≥100 °C (≥212 °F)

• **Flash point:**

None

• **Flammability (solid, gaseous):**

Not applicable.

• **Ignition temperature:**

Not applicable

• **Decomposition temperature:**

Not determined.

• **Auto igniting:**

Product is not self-igniting.

• **Danger of explosion:**

Product does not present an explosion hazard.

• **Explosion limits:**

**Lower:**

Not determined.

**Upper:**

Not determined.

• **Vapor pressure @ 20 °C (68 °F):**

≤23 hPa (≤17.3 mm Hg)

• **Density:**

**Relative density:**

Not determined.

**Vapor density:**

Not determined.

**Evaporation rate:**

Not determined.

• **Solubility in / Miscibility with:**

**Water:**

Soluble.

• **Partition coefficient (n-octanol/water):**

Not determined.

• **Viscosity:**

**Dynamic:**

Not determined.

**Kinematic:**

Not determined.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

- **Solvent content:**
  - Organic solvents:** 0.8 %
  - Water:** 93.9 %
  - VOC content:** 0.77 %
- **Solids content:** 0.8 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 9002-93-1 Polyethylene glycol octylphenol ether

Oral	LD50	1,800 mg/kg (Rat)
Dermal	LD50	8,000 mg/kg (Rat)
Inhalative	LC50/4 h	8.9 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**  
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

### 9002-93-1 Polyethylene glycol octylphenol ether

EC50 26 mg/l (Daphnia)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

## 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Soothing Toning Lotion*  
*Exuviance Professional Soothing Toning Lotion*  
*Exuviance HydraSoothe Refresh Toner*

• <b>Section 313 (Specific toxic chemical listings):</b>	
122-99-6	2-Phenoxyethanol
• <b>TSCA (Toxic Substances Control Act):</b>	
107-88-0	1,3-Butanediol
9002-93-1	Polyethylene glycol octylphenol ether
122-99-6	2-Phenoxyethanol
90-80-2	δ-Gluconolactone
1117-86-8	Caprylyl Glycol
7200-25-1	DL-arginine
7732-18-5	Water, distilled water, deionized water
• <b>California Proposition 65:</b>	
• <b>Chemicals known to cause cancer:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients are listed.	
• <b>Chemicals known to cause developmental toxicity:</b>	
None of the ingredients are listed.	
• <b>New Jersey Right-to-Know List:</b>	
None of the ingredients are listed.	
• <b>New Jersey Special Hazardous Substance List:</b>	
None of the ingredients are listed.	
• <b>Pennsylvania Right-to-Know List:</b>	
None of the ingredients are listed.	
• <b>Pennsylvania Special Hazardous Substance List:</b>	
None of the ingredients are listed.	
• <b>Carcinogenic categories:</b>	
• <b>EPA (Environmental Protection Agency):</b>	
None of the ingredients are listed.	
• <b>TLV (Threshold Limit Value established by ACGIH):</b>	
None of the ingredients are listed.	
• <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>	
None of the ingredients are listed.	
• <b>GHS label elements</b>	
The product is classified and labeled according to the Globally Harmonized System (GHS).	
• <b>Hazard pictograms:</b> Non-Regulated Material	
• <b>Signal word:</b> Warning	
• <b>Hazard statements:</b>	
H320 Causes eye irritation.	
H402 Harmful to aquatic life.	
H412 Harmful to aquatic life with long lasting effects.	

(Contd. on page 8)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Soothing Toning Lotion**  
**Exuviance Professional Soothing Toning Lotion**  
**Exuviance HydraSoothe Refresh Toner**

• **Precautionary statements:**

- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/03/2018 / 1

• **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 3: Acute toxicity – Category 3
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

### 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Bionic Body Polishing Masque*  
*Exuviance Professional Bionic Body Polishing Masque*
- **Product Number:** FLA#: 341-066
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
9 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Non-hazardous components:**

29806-73-3	Octyl palmitate	2-12%
7732-18-5	Water, distilled water, deionized water	60-90%

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

<b>· Dangerous Components:</b>		
CAS: 8001-78-3 RTECS: FI 4100000	Castor oil, hydrogenated ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	5-10%
CAS: 112-92-5 RTECS: RG 2010000	Stearyl alcohol ⚠ STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	2-12%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	2-12%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	≤2.5%

**· Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

**· Description of first aid measures**

**· General information:** No special measures required.

**· After inhalation:** Supply fresh air; consult doctor in case of complaints.

**· After skin contact:**

Generally the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

**· After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

**· After swallowing:** If swallowed and symptoms occur, consult a doctor.

**· Information for doctor**

**· Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**· Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

**· Extinguishing media**

**· Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**· For safety reasons unsuitable extinguishing agents:** No further relevant information.

**· Special hazards arising from the substance or mixture:** No further relevant information available.

**· Advice for firefighters**

**· Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

**· Personal precautions, protective equipment and emergency procedures:** Not required.

**· Environmental precautions:** Do not allow to enter sewers/surface or ground water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

**· Reference to other sections:**

See Section 7 for information on safe handling.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

112-92-5	Stearyl alcohol	5.4 ppm
56-81-5	Glycerol	45 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
139-33-3	Edetate Disodium - EDTA	11 mg/m <sup>3</sup>

• **PAC-2:**

112-92-5	Stearyl alcohol	60 ppm
56-81-5	Glycerol	180 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
139-33-3	Edetate Disodium - EDTA	120 mg/m <sup>3</sup>

• **PAC-3:**

112-92-5	Stearyl alcohol	360 ppm
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
139-33-3	Edetate Disodium - EDTA	730 mg/m <sup>3</sup>

### 7 Handling and Storage

• **Handling**

• **Precautions for safe handling:** No special measures required.

• **Information about protection against explosions and fires:** No special measures required.

• **Conditions for safe storage, including any incompatibilities**

• **Storage**

• **Requirements to be met by storerooms and receptacles:** No special requirements.

• **Information about storage in one common storage facility:** Not required.

• **Further information about storage conditions:** None.

• **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

• **Additional information about design of technical systems:** No further data; see section 7.

• **Control parameters:**

• **Components with occupational exposure limits:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

<b>9004-99-3 Polyethylene glycol stearate</b>	
TWA	Long-term value: 10 mg/m³
<b>56-81-5 Glycerol</b>	
PEL	Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

• **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles recommended in a manufacturing setting only.

### 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Cream
  - Color:** Light beige
- **Odour:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** 3.8-4.5
- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:** ≥100 °C (≥212 °F)
- **Flash point:** ≥255 °C (≥491 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** >450 °C (>842 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Miscible
- **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 3.8 %
  - Water:** 68.3 %
  - VOC content:** 0.77 %
- **Solids content:** 15.7 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 8001-78-3 Castor oil, hydrogenated

Oral	LD50	>4,952 mg/kg (Rat)
------	------	--------------------

#### 112-92-5 Stearyl alcohol

Oral	LD50	20,000 mg/kg (Rat)
------	------	--------------------

#### 56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name:** *Exuviance Bionic Body Polishing Masque*  
*Exuviance Professional Bionic Body Polishing Masque*

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Smaller quantities can be disposed of with household waste.  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

(Contd. on page 7)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

122-99-6 2-Phenoxyethanol

- **TSCA (Toxic Substances Control Act):**

8001-78-3	Castor oil, hydrogenated
29806-73-3	Octyl palmitate
112-92-5	Stearyl alcohol
9004-99-3	Polyethylene glycol stearate
56-81-5	Glycerol
11099-07-3	Glyceryl Stearate
90-80-2	δ-Gluconolactone
68920-03-6	Shea Butter
661-19-8	docosan-1-ol
122-99-6	2-Phenoxyethanol
7200-25-1	DL-arginine
12199-37-0	Magnesium aluminum silicate
141-62-8	Decamethyltetrasiloxane
11138-66-2	Xanthan Gum
9004-62-0	Hydroxyethyl Cellulose
1117-86-8	Caprylyl Glycol
139-33-3	Edetate Disodium - EDTA
7732-18-5	Water, distilled water, deionized water

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **New Jersey Right-to-Know List:**

56-81-5 Glycerol

- **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

- **Pennsylvania Right-to-Know List:**

56-81-5 Glycerol

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance Bionic Body Polishing Masque**  
**Exuviance Professional Bionic Body Polishing Masque**

• **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

• **Carcinogenic categories:**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements** Non-Regulated Material

• **Hazard pictograms:** Non-Regulated Material

• **Signal word:** Non-Regulated Material

• **Hazard statements:** Non-Regulated Material

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/03/2018 / -

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Retexturing Treatment*  
*Exuviance Professional Retexturing Treatment*
- **Product Number:** FLA#: 341-037
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Eye Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 3 H402 Harmful to aquatic life.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
Glycolic acid  
Ammonium Hydroxide
- **Hazard statements:**  
H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

11.5 % of the mixture consists of component(s) of unknown toxicity.

• **Hazard(s) not otherwise classified (HNOC):** None known

### \* 3 Composition/Information on Ingredients

• **Chemical characterization: Mixtures**

• **Description:** Mixture of substances listed below with non-hazardous additions.

• **Dangerous Components:**

CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	2-12%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	2-12%
CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤2.5%
CAS: 141-62-8	Decamethyltetrasiloxane Flam. Liq. 4, H227	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### \* 4 First-Aid Measures

• **Description of first aid measures**

• **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Generally the product does not irritate the skin.  
If skin irritation occurs, consult a doctor.

• **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.  
If easy to do so, remove contact lenses if worn.  
If eye irritation occurs, consult a doctor.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### \* 5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

#### • PAC-1:

79-14-1	Glycolic acid	25 mg/m <sup>3</sup>
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm
122-99-6	2-Phenoxyethanol	1.5 ppm
139-33-3	Edetate Disodium - EDTA	11 mg/m <sup>3</sup>

#### • PAC-2:

79-14-1	Glycolic acid	280 mg/m <sup>3</sup>
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
122-99-6	2-Phenoxyethanol	16 ppm
139-33-3	Edetate Disodium - EDTA	120 mg/m <sup>3</sup>

#### • PAC-3:

79-14-1	Glycolic acid	390 mg/m <sup>3</sup>
107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm
122-99-6	2-Phenoxyethanol	97 ppm
139-33-3	Edetate Disodium - EDTA	730 mg/m <sup>3</sup>

### \* 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

### \* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### 9004-99-3 Polyethylene glycol stearate

TWA Long-term value: 10 mg/m<sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles required in a manufacturing setting only.

- **Limitation and supervision of exposure into the environment:**  
Keep away from drains, surface and ground waters.  
Avoid release into the environment.

### \* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
  - Form:** Cream
  - Color:** Light beige
- **Odour:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value @ 20 °C (68 °F):** 3.51-4.2

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

- **Change in condition**
  - Melting point/Melting range:** Not determined.
  - Boiling point/Boiling range:**  $\geq 100\text{ }^{\circ}\text{C}$  ( $\geq 212\text{ }^{\circ}\text{F}$ )
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:**  $\geq 375\text{ }^{\circ}\text{C}$  ( $\geq 707\text{ }^{\circ}\text{F}$ )
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** 0.0 Vol %
  - Upper:** 0.0 Vol %
- **Vapor pressure @ 20 °C (68 °F):**  $\leq 23\text{ hPa}$  ( $\leq 17.3\text{ mm Hg}$ )
- **Density:**
  - Relative density:** Not determined.
  - Vapor density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
  - Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:** 25,000 - 70,000 (cps) 24 hours @ 25C (Brookfield RV TC, 10 rpm, 1 min)
- **Dynamic @ 20 °C (68 °F):** 25,000-90,000 mPas
- **Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.8 %
  - Water:** 65.0 %
  - VOC content:** 0.80 %
  - Solids content:** 20.3 %
- **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

### \* 11 Toxicological Information

• **Information on toxicological effects:**

• **Acute toxicity:**

• **LD/LC50 values that are relevant for classification:**

#### 79-14-1 Glycolic acid

Oral	LD50	1,950 mg/kg (Rat)
------	------	-------------------

#### 1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT)
------	------	-----------------

Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.

Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)
------------	---------------	-----------------------

• **Primary irritant effect:**

• **On the skin:** No irritating effect.

• **On the eye:** Irritating effect.

• **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

• **Carcinogenic categories:**

• **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### \* 12 Ecological Information

• **Toxicity:**

• **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

#### 1336-21-6 Ammonium Hydroxide

EC50	0.66 mg/l (Daphnia)
------	---------------------

	0.66 mg/l (Water flea)
--	------------------------

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Ecotoxicological effects:**

• **Remark:** Harmful to fish

• **Additional ecological information:**

• **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

• **Other adverse effects:** No further relevant information available.

### \* 13 Disposal Considerations

• **Waste treatment methods**

• **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

• **Uncleaned packaging**

• **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

• **UN-Number:**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

• **UN proper shipping name:**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

• **Transport hazard class(es):**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

• **Class:**

Non-Regulated Material

• **Packing group:**

• **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

• **Environmental hazards:**

Not applicable.

• **Special precautions for user:**

Not applicable.

• **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable.

• **UN "Model Regulation":**

Non-Regulated Material

### \* 15 Regulatory Information

• **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

• **SARA (Superfund Amendments and Reauthorization):**

• **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.	
-------------------------------------	--

• **Section 313 (Specific toxic chemical listings):**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

122-99-6	2-Phenoxyethanol
----------	------------------

• **TSCA (Toxic Substances Control Act):**

79-14-1	Glycolic acid
---------	---------------

107-88-0	1,3-Butanediol
----------	----------------

90-80-2	δ-Gluconolactone
---------	------------------

29806-73-3	Octyl palmitate
------------	-----------------

67762-27-0	Alcohols, C16-18
------------	------------------

11099-07-3	Glyceryl Stearate
------------	-------------------

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

9004-99-3	Polyethylene glycol stearate
141-62-8	Decamethyltetrasiloxane
68920-03-6	Shea Butter
1336-21-6	Ammonium Hydroxide
12199-37-0	Magnesium aluminum silicate
122-99-6	2-Phenoxyethanol
7695-91-2	DL- $\alpha$ -Tocopherol acetate
11138-66-2	Xanthan Gum
1117-86-8	octane-1,2-diol
139-33-3	Edetate Disodium - EDTA
7200-25-1	DL-arginine
7732-18-5	Water, distilled water, deionized water

• **California Proposition 65:**

• **Chemicals known to cause cancer:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **New Jersey Right-to-Know List:**

1336-21-6 Ammonium Hydroxide

• **New Jersey Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide CO

• **Pennsylvania Right-to-Know List:**

1336-21-6 Ammonium Hydroxide

• **Pennsylvania Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide E

• **Carcinogenic categories:**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

• **Hazard pictograms:**



GHS07

• **Signal word:** Warning

• **Hazard-determining components of labeling:**

Glycolic acid  
Ammonium Hydroxide

• **Hazard statements:**

H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.

• **Precautionary statements:**

P264 Wash thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 09/21/2018 / 2

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 10)

## **Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/21/2018

Reviewed on 09/21/2018

**Trade Name: Exuviance Retexturing Treatment**  
**Exuviance Professional Retexturing Treatment**

Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

### 1 Identification

- **Product Identifier**
- **Trade Name:** *Exuviance Body Tone Firming Concentrate*  
*Exuviance Professional Body Tone Firming Concentrate*
- **Product Number:** FLA #: 352-009A
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS02

- **Signal word:** Warning
- **Hazard statements:**  
H226 Flammable liquid and vapor.
- **Precautionary statements:**

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.  
18.1 % of the mixture consists of component(s) of unknown toxicity.

· **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 64-17-5 RTECS: KQ 6300000	Denatured Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	2-12%
CAS: 77-93-0	Triethyl Citrate ⚠ Acute Tox. 4, H332	2-12%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	2-12%
CAS: 13475-82-6	Isododecane ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2B, H320	≤2.5%
CAS: 68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl ⚠ STOT SE 3, H335; Eye Irrit. 2B, H320	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### \* 4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· **After inhalation:** Consult a doctor for complaints.

· **After skin contact:**

Generally the product does not irritate the skin.  
If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water.  
If easy to do so, remove contact lenses if worn.  
If eye irritation occurs, consult a doctor.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

### \* 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO2, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

#### · PAC-1:

64-17-5	Denatured Ethanol	1,800 ppm
57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
63394-02-5	Polysilicone	12 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>

#### · PAC-2:

64-17-5	Denatured Ethanol	3300* ppm
57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
63394-02-5	Polysilicone	130 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>

#### · PAC-3:

64-17-5	Denatured Ethanol	15000* ppm
57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
63394-02-5	Polysilicone	790 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
----------	----------------	-------------------------

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

### \* 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### 64-17-5 Denatured Ethanol

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

#### 57-55-6 Propylene Glycol

WEEL	Long-term value: 10 mg/m <sup>3</sup>
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

· **Eye protection:**



Tightly sealed goggles required in a manufacturing setting only.

· **Limitation and supervision of exposure into the environment:** None

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Liquid

**Color:**

Clear

· **Odour:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

6

· **Change in condition**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

≥78 °C (≥172.4 °F)

· **Flash point:**

34.5 °C (94.1 °F) (ASTM D 93)

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

≥425 °C (≥797 °F)

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not self-igniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

**Lower:**

3.5 Vol %

**Upper:**

15 Vol %

· **Vapor pressure @ 20 °C (68 °F):**

≤59 hPa (≤44.3 mm Hg)

· **Density:**

**Relative density:**

Not determined.

**Vapor density:**

Not determined.

**Evaporation rate:**

Not determined.

· **Solubility in / Miscibility with:**

**Water:**

Miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

5,000 – 20,000 24 Hours @ 25 °C (Brookfield RV #5, 10 rpm, 1 min)  
cps

· **Dynamic:**

Not determined.

· **Kinematic:**

Not determined.

· **Solvent content:**

**Organic solvents:**

10.6 %

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

**Water:** 57.8 %

**VOC content:** 10.64 %

**Solids content:** 18.0 %

· **Other information:** No further relevant information available.

### \* 10 Stability and Reactivity

- **Reactivity:** The product is stable under normal conditions
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### \* 11 Toxicological Information

· **Information on toxicological effects:**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

#### 64-17-5 Denatured Ethanol

Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)

#### 77-93-0 Triethyl Citrate

Oral	LD50	5,900 mg/kg (Rat)
Dermal	LD50	>5,000 mg/kg (Rabbit)

#### 57-55-6 Propylene Glycol

Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (Rabbit)

#### 1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
------	------	--

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)	
<ul style="list-style-type: none"> <li>• <b>Primary irritant effect:</b></li> <li>• <b>On the skin:</b> No irritating effect.</li> <li>• <b>On the eye:</b> Irritating effect.</li> <li>• <b>Additional toxicological information:</b> The product shows the following dangers according to internally approved calculation methods for preparations: Irritant</li> <li>• <b>Carcinogenic categories:</b></li> <li>• <b>IARC (International Agency for Research on Cancer):</b> Group 1 - Carcinogenic to humans Group 2A - Probably carcinogenic to humans Group 2B - Possibly carcinogenic to humans Group 3 - Not classifiable as to its carcinogenicity to humans Group 4 - Probably not carcinogenic to humans</li> </ul>			
64-17-5	Denatured Ethanol		1
9063-87-0	Carbomer		3
<ul style="list-style-type: none"> <li>• <b>NTP (National Toxicology Program):</b> None of the ingredients are listed.</li> </ul>			
<ul style="list-style-type: none"> <li>• <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b> None of the ingredients are listed.</li> </ul>			

### 12 Ecological Information

<ul style="list-style-type: none"> <li>• <b>Toxicity:</b></li> </ul>			
<ul style="list-style-type: none"> <li>• <b>Aquatic toxicity:</b></li> </ul>			
<b>64-17-5 Denatured Ethanol</b>			
EC50	34,900 mg/l	(Daphnia)	
<b>57-55-6 Propylene Glycol</b>			
EC50	>10,000 mg/l	(Daphnia)	
<b>1336-21-6 Ammonium Hydroxide</b>			
EC50	0.66 mg/l	(Daphnia)	
	0.66 mg/l	(Water flea)	
<ul style="list-style-type: none"> <li>• <b>Persistence and degradability:</b> No further relevant information available.</li> <li>• <b>Behavior in environmental systems:</b></li> <li>• <b>Bioaccumulative potential:</b> No further relevant information available.</li> <li>• <b>Mobility in soil:</b> No further relevant information available.</li> <li>• <b>Additional ecological information:</b></li> <li>• <b>General notes:</b> Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.</li> <li>• <b>Results of PBT and vPvB assessment:</b></li> <li>• <b>PBT:</b> Not applicable.</li> </ul>			
<ul style="list-style-type: none"> <li>• <b>vPvB:</b></li> </ul>			
1336-21-6	Ammonium Hydroxide		
<ul style="list-style-type: none"> <li>• <b>Other adverse effects:</b> No further relevant information available.</li> </ul>			

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name:** *Exuviance Body Tone Firming Concentrate*  
*Exuviance Professional Body Tone Firming Concentrate*

### 13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

### \*14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** UN1993
- **UN proper shipping name:**
- **DOT** Flammable liquids, n.o.s. (Ethanol)
- **ADR/ADN** UN1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))
- **IMDG** FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))
- **IATA** FLAMMABLE LIQUID, N.O.S. (ETHANOL)
- **Transport hazard class(es):**
- **DOT**



Limited Quantity

- **Class:** 3 Flammable liquids
- **Label:** 3

· **ADR/ADN**



Limited Quantity

- **Class:** 3 (F1) Flammable liquids
- **Label:** 3

(Contd. on page 9)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

· **IMDG, IATA**



Limited Quantity

· <b>Class:</b>	3 Flammable liquids
· <b>Label:</b>	3+ID8000
· <b>Packing group:</b>	III
· <b>DOT, ADR/ADN, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user:</b>	Warning: Flammable liquids
· <b>Danger code (Kemler):</b>	30
· <b>EMS Number:</b>	F-E,S-E
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations:</b>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· <b>ADR/ADN</b>	
· <b>Excepted quantities (EQ):</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ):</b>	5L
· <b>Excepted quantities (EQ):</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

122-99-6	2-Phenoxyethanol
1336-21-6	Ammonium Hydroxide

· **TSCA (Toxic Substances Control Act):**

64-17-5	Denatured Ethanol
---------	-------------------

(Contd. on page 10)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

36311-34-9	Isocetyl alcohol	
77-93-0	Triethyl Citrate	
57-55-6	Propylene Glycol	
13475-82-6	Isododecane	
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl	
141-62-8	Decamethyltetrasiloxane	
122-99-6	2-Phenoxyethanol	
9005-64-5	Polysorbate 20	
1117-86-8	Caprylyl Glycol	
1336-21-6	Ammonium Hydroxide	
107-88-0	1,3-Butanediol	
7732-18-5	Water, distilled water, deionized water	
· <b>TSCA new (21st Century Act): (Substances not listed)</b>		
68554-70-1	Poly(Methylsilsesquioxane) 100% Methyl	
· <b>California Proposition 65:</b>		
· <b>Chemicals known to cause cancer:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause reproductive toxicity for females:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause reproductive toxicity for males:</b>		
None of the ingredients are listed.		
· <b>Chemicals known to cause developmental toxicity:</b>		
64-17-5	Denatured Ethanol	
· <b>New Jersey Right-to-Know List:</b>		
64-17-5	Denatured Ethanol	
57-55-6	Propylene Glycol	
1336-21-6	Ammonium Hydroxide	
· <b>New Jersey Special Hazardous Substance List:</b>		
64-17-5	Denatured Ethanol	CA, MU, TE, F3
1336-21-6	Ammonium Hydroxide	CO
· <b>Pennsylvania Right-to-Know List:</b>		
64-17-5	Denatured Ethanol	
57-55-6	Propylene Glycol	
1336-21-6	Ammonium Hydroxide	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
1336-21-6	Ammonium Hydroxide	E
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
None of the ingredients are listed.		
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
64-17-5	Denatured Ethanol	A3

(Contd. on page 11)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02

· **Signal word:** Warning

· **Hazard statements:**

H226 Flammable liquid and vapor.

· **Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 01/24/2019 / 6

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 12)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/24/2019

Reviewed on 01/24/2019

**Trade Name: Exuviance Body Tone Firming Concentrate**  
**Exuviance Professional Body Tone Firming Concentrate**

NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

### 1 Identification

- **Product Identifier**
- **Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**
- **Product Number:** FLA#: 298-179
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
9 % of the mixture consists of component(s) of unknown toxicity.
- **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

#### Dangerous Components:

CAS: 141-62-8	Decamethyltetrasiloxane Flam. Liq. 4, H227	2-12%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤2.5%
CAS: 36653-82-4 RTECS: MM 0225000	1-Hexadecanol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	≤2.5%
CAS: 9004-99-3	Polyethylene glycol stearate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤2.5%
CAS: 90-80-2	δ-Gluconolactone ⚠ STOT SE 3, H335	≤2.5%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	≤2.5%

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

• **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

• **Description of first aid measures**

• **General information:** No special measures required.

• **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

• **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• **After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

• **After swallowing:** If swallowed and symptoms occur, consult a doctor.

• **Information for doctor**

• **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

• **Extinguishing media**

• **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

• **For safety reasons unsuitable extinguishing agents:** No further relevant information.

• **Special hazards arising from the substance or mixture:** No further relevant information available.

• **Advice for firefighters**

• **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

• **Personal precautions, protective equipment and emergency procedures:** Not required.

• **Environmental precautions:** Do not allow to enter sewers/surface or ground water.

• **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

• **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• **Protective Action Criteria for Chemicals**

• **PAC-1:**

56-81-5	Glycerol	45 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	1.6 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	1.5 ppm
107-88-0	1,3-Butanediol	120 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm

(Contd. on page 3)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

<b>· PAC-2:</b>		
56-81-5	Glycerol	180 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	18 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	16 ppm
107-88-0	1,3-Butanediol	1,300 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
<b>· PAC-3:</b>		
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
36653-82-4	1-Hexadecanol	110 mg/m <sup>3</sup>
122-99-6	2-Phenoxyethanol	97 ppm
107-88-0	1,3-Butanediol	4,500 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

<b>56-81-5 Glycerol</b>	
PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
<b>9004-99-3 Polyethylene glycol stearate</b>	
TWA	Long-term value: 10 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not necessary under normal conditions.

### 9 Physical and Chemical Properties

#### · Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

- Form:** Cream
- Color:** Pale mint green to light green
- Odour:** Characteristic
- Odor threshold:** Not determined.

- **pH-value @ 20 °C (68 °F):** 4-4.8

##### · Change in condition

- Melting point/Melting range:** Not determined.
- Boiling point/Boiling range:** ≥100 °C (≥212 °F)

- **Flash point:** None

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** Not applicable

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

##### · Explosion limits:

- Lower:** Not determined.
- Upper:** Not determined.

- **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

##### · Density:

- Relative density:** Not determined.
- Vapor density:** Not determined.
- Evaporation rate:** Not determined.

##### · Solubility in / Miscibility with:

- Water:** Miscible

- **Partition coefficient (n-octanol/water):** Not determined.

##### · Viscosity:

- Dynamic @ 20 °C (68 °F):** 25,000-90,000 mPas
- Kinematic:** Not determined.

##### · Solvent content:

- Organic solvents:** 2.7 %
- Water:** 70.1 %
- VOC content:** 0.70 %

- Solids content:** 7.2 %

- **Other information:** No further relevant information available.

(Contd. on page 5)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

#### 56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

#### 36653-82-4 1-Hexadecanol

Oral	LD50	5,000 mg/kg (Rat)
------	------	-------------------

#### 1336-21-6 Ammonium Hydroxide

Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
Irritant

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

### 12 Ecological Information

• **Toxicity:**

• **Aquatic toxicity:**

**1336-21-6 Ammonium Hydroxide**

EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)

• **Persistence and degradability:** No further relevant information available.

• **Behavior in environmental systems:**

• **Bioaccumulative potential:** No further relevant information available.

• **Mobility in soil:** No further relevant information available.

• **Additional ecological information:**

• **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

• **Results of PBT and vPvB assessment:**

• **PBT:** Not applicable.

• **vPvB:**

1336-21-6	Ammonium Hydroxide
-----------	--------------------

• **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

• **Waste treatment methods**

• **Recommendation:**

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

• **Uncleaned packaging**

• **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport Information

• **UN-Number:**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

• **UN proper shipping name:**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

Non-Regulated Material

• **Transport hazard class(es):**

• **DOT, ADR/ADN, ADN, IMDG, IATA**

• **Class:**

Non-Regulated Material

• **Packing group:**

• **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

• **Environmental hazards:**

Not applicable.

• **Special precautions for user:**

Not applicable.

• **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:**

Not applicable.

• **UN "Model Regulation":**

Non-Regulated Material

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

122-99-6 2-Phenoxyethanol

1336-21-6 Ammonium Hydroxide

- **TSCA (Toxic Substances Control Act):**

29806-73-3 Octyl palmitate

141-62-8 Decamethyltetrasiloxane

56-81-5 Glycerol

36653-82-4 1-Hexadecanol

11099-07-3 Glyceryl Stearate

9004-99-3 Polyethylene glycol stearate

90-80-2 δ-Gluconolactone

67762-27-0 Alcohols, C16-18

9005-67-8 Polysorbate 60

122-99-6 2-Phenoxyethanol

107-88-0 1,3-Butanediol

11138-66-2 Xanthan Gum

1336-21-6 Ammonium Hydroxide

7200-25-1 DL-arginine

7732-18-5 Water, distilled water, deionized water

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **New Jersey Right-to-Know List:**

56-81-5 Glycerol

1336-21-6 Ammonium Hydroxide

- **New Jersey Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide

CO

- **Pennsylvania Right-to-Know List:**

56-81-5 Glycerol

1336-21-6 Ammonium Hydroxide

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

• **Pennsylvania Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide

E

• **Carcinogenic categories:**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

• **GHS label elements** Non-Regulated Material

• **Hazard pictograms:** Non-Regulated Material

• **Signal word:** Non-Regulated Material

• **Hazard statements:** Non-Regulated Material

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 10/03/2018 / -

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

(Contd. on page 9)

## **Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 10/03/2018

Reviewed on 10/03/2018

**Trade Name: Exuviance PHA Massage Cream**  
**Exuviance Professional PHA Massage Cream**

· \* **Data compared to the previous version altered.**

SDS created by MSDS Authoring Services    [www.msdsauthoring.com](http://www.msdsauthoring.com)    +1-877-204-9106

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

### 1 Identification

- **Product Identifier**
- **Trade Name:** *NeoStrata Gel Plus*  
*NeoStrata Oil Control Oily Skin Gel Plus*  
*NeoStrata Professional Exfoliating Gel*  
*Exuviance Professional Retexturing Body Peel*
- **Product Number:** FLA#: 007-078
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Cosmetics, personal care products
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
NeoStrata Company Inc.  
307 College Road East  
Princeton, NJ 08540  
Phone: +1-609-520-0715  
Fax: +1-609-986-1928  
www.neostrata.com
- Responsible Person: NeoStrata UG, DE-41470 Neuss
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Flame

Flam. Liq. 3      H226 Flammable liquid and vapor.



Corrosion

Eye Dam. 1      H318 Causes serious eye damage.



Skin Irrit. 2      H315 Causes skin irritation.  
STOT SE 3      H335 May cause respiratory irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS02



GHS05



GHS07

- **Signal word:** Danger

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Hazard-determining components of labeling:**

Glycolic acid  
Ethanol  
Ammonium Hydroxide

· **Hazard statements:**

H226 Flammable liquid and vapor.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H401 Toxic to aquatic life.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 Wash thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/doctor.  
P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).  
P312 Call a poison center/doctor if you feel unwell.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.

· **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 64-17-5	Ethanol	15-35%
RTECS: KQ 6300000	⚠ Flam. Liq. 2, H225; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid ⚠ Skin Corr. 1A, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	15-35%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol Eye Irrit. 2B, H320	2-12%
CAS: 1336-21-6	Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	2-12%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### 4 First-Aid Measures

· **Description of first aid measures**

· **General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

If easy to do so, remove contact lenses if worn.

Have eyes examined and tested by medical personnel.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### 5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Dispose of the collected material according to regulations.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

64-17-5	Ethanol	1,800 ppm
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>
57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	61 ppm
64-02-8	Tetrasodium ethylenediaminetetraacetate	75 mg/m <sup>3</sup>

· **PAC-2:**

64-17-5	Ethanol	3300* ppm
79-14-1	Glycolic acid	280 mg/m <sup>3</sup>
57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	330 ppm
64-02-8	Tetrasodium ethylenediaminetetraacetate	830 mg/m <sup>3</sup>

· **PAC-3:**

64-17-5	Ethanol	15000* ppm
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>
57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>
1336-21-6	Ammonium Hydroxide	2,300 ppm
64-02-8	Tetrasodium ethylenediaminetetraacetate	5,000 mg/m <sup>3</sup>

## 7 Handling and Storage

· **Handling**

· **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in the original container.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

#### 64-17-5 Ethanol

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

#### 57-55-6 Propylene Glycol

WEEL	Long-term value: 10 mg/m <sup>3</sup>
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**  
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 6)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name:** NeoStrata Gel Plus  
NeoStrata Oil Control Oily Skin Gel Plus  
NeoStrata Professional Exfoliating Gel  
Exuviance Professional Retexturing Body Peel

· **Eye protection:**



Tightly sealed goggles

· **Limitation and supervision of exposure into the environment:**

Keep away from drains, surface and ground waters.  
Avoid release into the environment.

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Gel

**Color:**

Clear

· **Odour:**

Characteristic

· **Odor threshold:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

4.4

· **Change in condition**

**Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

≥78 °C (≥172.4 °F)

· **Flash point:**

29 °C (84.2 °F)

· **Flammability (solid, gaseous):**

Not applicable.

· **Ignition temperature:**

≥425 °C (≥797 °F)

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not self-igniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

**Lower:**

0 Vol %

**Upper:**

15 Vol %

· **Vapor pressure @ 20 °C (68 °F):**

≤59 hPa (≤44.3 mm Hg)

· **Density @ 20 °C (68 °F):**

0.98 g/cm<sup>3</sup> (8.1781 lbs/gal)

· **Relative density:**

Not determined.

· **Vapor density:**

Not determined.

· **Evaporation rate:**

Not determined.

· **Solubility in / Miscibility with:**

**Water:**

Miscible

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Viscosity:**

**Dynamic:**

(Brookfield LV #3, 30 rpm, 1 minute)

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 25.5 %

**Water:** 56.1 %

**VOC content:** 25.50 %

**Solids content:** 15.6 %

· **Other information:** No further relevant information available.

### 10 Stability and Reactivity

- **Reactivity:** The product is stable under normal conditions
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

· **Information on toxicological effects:**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

#### 64-17-5 Ethanol

Oral	LD50	7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Inhalative	LC50/4 h	20,000 mg/l (Rat)
	LC50/96 hours	12,900-15,300 mg/l (Trout)

#### 79-14-1 Glycolic acid

Oral	LD50	1,950 mg/kg (Rat)
------	------	-------------------

#### 57-55-6 Propylene Glycol

Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (Rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (Mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (Rabbit)

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

1336-21-6 Ammonium Hydroxide		
Oral	LD50	350 mg/kg (RAT) Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes.
Inhalative	LC50/96 hours	8.2 mg/l (Pimephales)

· **Primary irritant effect:**

· **On the skin:** Irritant to skin and mucous membranes.

· **On the eye:**

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

64-17-5	Ethanol	1
---------	---------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

## 12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

64-17-5 Ethanol	
EC50	34,900 mg/l (Daphnia)
57-55-6 Propylene Glycol	
EC50	>10,000 mg/l (Daphnia)
1336-21-6 Ammonium Hydroxide	
EC50	0.66 mg/l (Daphnia)
	0.66 mg/l (Water flea)

· **Persistence and degradability:** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

(Contd. on page 9)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:**

1336-21-6 Ammonium Hydroxide

· **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

### \* 14 Transport Information

· **UN-Number:**

· **DOT, ADR/ADN, IMDG, IATA**

· **ADN**

· **UN proper shipping name:**

· **DOT**

· **ADR/ADN**

UN1993

Limited Quantity

Limited Quantity, Consumer Commodity

RQ Flammable liquids, n.o.s. (Ethanol)

UN1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

· **IMDG**

FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))

· **IATA**

FLAMMABLE LIQUID, N.O.S. (ETHANOL)

· **Transport hazard class(es):**

· **DOT**



Limited Quantity

· **Class:**

3 Flammable liquids

(Contd. on page 10)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Label:** 3

· **ADR/ADN**



Limited Quantity

· **Class:** 3 (FC) Flammable liquids

· **Label:** 3

· **IMDG, IATA**



Limited Quantity

· **Class:** 3 Flammable liquids

· **Label:** 3+ID8000

· **Packing group:**

· **DOT, ADR/ADN, IMDG, IATA** III

· **Environmental hazards:** Not applicable.

· **Special precautions for user:** Warning: Flammable liquids

· **Danger code (Kemler):** 38

· **EMS Number:** F-E,S-E

· **Segregation groups:** Ammonium compounds

· **Stowage Category** A

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations:** On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· **ADR/ADN**

· **Excepted quantities (EQ):** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **IMDG**

· **Limited quantities (LQ):** 5L

(Contd. on page 11)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Excepted quantities (EQ):**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, III

### 15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

· **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

1336-21-6 Ammonium Hydroxide

· **TSCA (Toxic Substances Control Act):**

64-17-5 Ethanol

79-14-1 Glycolic acid

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

64-02-8 Tetrasodium ethylenediaminetetraacetate

7732-18-5 Water, distilled water, deionized water

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

64-17-5 Ethanol

· **New Jersey Right-to-Know List:**

64-17-5 Ethanol

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

· **New Jersey Special Hazardous Substance List:**

64-17-5 Ethanol

CA, MU, TE, F3

1336-21-6 Ammonium Hydroxide

CO

· **Pennsylvania Right-to-Know List:**

64-17-5 Ethanol

57-55-6 Propylene Glycol

1336-21-6 Ammonium Hydroxide

(Contd. on page 12)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

· **Pennsylvania Special Hazardous Substance List:**

1336-21-6 Ammonium Hydroxide

E

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

64-17-5 Ethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS02 GHS05 GHS07

· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Glycolic acid

Ethanol

Ammonium Hydroxide

· **Hazard statements:**

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

(Contd. on page 13)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 01/30/2019

Reviewed on 01/30/2019

**Trade Name: NeoStrata Gel Plus**

**NeoStrata Oil Control Oily Skin Gel Plus**

**NeoStrata Professional Exfoliating Gel**

**Exuviance Professional Retexturing Body Peel**

P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P312	Call a poison center/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

None of the ingredients are listed.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• **Date of preparation / last revision:** 01/30/2019 / 16

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106