



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Soak Off Gel Polish

SDS Prepared: 1/7/2017
SDS Updated: 3/25/2020
Revision: 03

Product Use: Cosmetics
Reference: RL S26

Manufacturer: Nail Alliance - North America, Inc
1545 Moonstone Brea, CA 92821

Product #s :
1110273 (1210273)

Emergency Phone Number: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Flammable Liquid
- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation



Potential Health Effects, Signs and Symptoms of Exposure:

Eye Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering

Skin May be irritating to skin in some individuals, especially after prolonged and/or repeated contact

Ingestion If product is swallowed, may cause nausea, vomiting, and/or diarrhea

Inhalation Vapors of this product may be slightly irritating to the nose, throat and other tissue of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing.

NOTE: Refer to Section II, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	N/E	N/E	Not Listed	20.0-55.0
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	5.0-15.0
Ethyl Acetate	141-78-6	205-500-4	400ppm	400ppm	Not Listed	5.0-15.0
Isobornyl Methacrylate	7534-94-3	231-403-1	N/E	N/E	Not Listed	5.0-15.0
Butyl Acetate	123-86-4	204-658-1	150ppm	150ppm	Not Listed	5.0-15.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	1.0-10.0
Nitrocellulose	9004-70-0	N/A	N/E	N/E	Not Listed	1.0-10.0
Isopropyl Alcohol	67-63-0	200-661-7	400 ppm	200 ppm	Not Listed	1.0-10.0
Triphenyl Phosphate	115-86-6	204-112-2	<1	<1	Not Listed	<1.0
Propyl Acetate	109-60-4	203-686-1	200 ppm	200 ppm	Not Listed	<1.0
n-Butyl Alcohol	71-36-3	200-751-6	N/E	N/E	Not Listed	<1.0
Diacetone Alcohol	123-42-2	204-626-7	50 ppm	50 ppm	Not Listed	<1.0
Camphor	76-22-2	207-355-2	2mg/m3	3 ppm	Not Listed	<1.0

N/E - None Established

N/DA - No Data Available

N/R - Not Reviewed

N/A - Not Applicable

Ingredient	Hazard Symbol	Risk Phrases	Safety Phrases
Di-Hema Trimethylhexyl Dicarbamate	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S14, S3/7, S62
Ethyl Acetate	Hazard Symbol: F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S16, S26, S33
HEMA	Hazard Symbol: Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Hydroxypropyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36//37/38, R43	Safety Phrases: S26, S36/37
Isobornyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26,S27,S28,S29,S30,S33,S35,S36
Butyl Acetate	Hazard Symbol: F	Risk Phrases: R10, R66, R67	Safety Phrases: S2, S25
Nitrocellulose:	Hazard Symbol: F	Risk Phrases: R11	Safety Phrases: S16, S33 S37/39
Isopropyl Alcohol:	Hazard Symbols: F, Xi	Risk Phrases: R11, R36, R67	Safety Phrases: S2, S7, S16, S24/25, S26
Triphenyl Phosphate	Hazard Symbol: N	Risk Phrases: R50/53	Safety Phrases: S60, S61
Propyl Acetate	Hazard Symbols: F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S16, S26, S29, S33
n-Butyl Alcohol	Hazard Symbol: Xn	Risk Phrases: R10, R22, R37/38, R41, R67	Safety Phrases: S2, S7/9, S13, S26, S37/39, S46
Diacetone Alcohol	Hazard Symbol: Xi	Risk Phrases: R36	Safety Phrases: S2, S24/25
Camphor	Hazard Symbols: F, Xi	Risk Phrases: R11, R36/37/38	Safety Phrases: S26, S37/39

See Section 16 for Risk and Safety Phrase Key

Section 4: First Aid Measures

First Aid for Eye Splashes are not likely, however, if product gets into the eyes, flush with plenty of water for at least 15 minutes. If irritation occurs, seek medical attention immediately.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer

artificial respiration and seek medical attention.
 If appreciable quantities are swallowed, seek medical attention.

First Aid for Ingestion

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
38°F/ 3.33°C	No Data	No Data

Method:

WARNING: Flammable. Keep away from heat, lit cigarettes, sparks & open flame .Keep containers closed

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Section 6: Accidental Release Measures

Spill: Before cleaning any spills or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Dike and contain spill with inert material (e.g. sand or earth). Use ONLY non sparking tools for recovery and clean-up. Transfer liquid to containers for recovery or disposal and solid diking material to separated containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

Section 7: Handling and Storage

Handling: Keep container closed when not in use. Avoid prolong contact with the product. Avoid breathing vapors of this product. Use in a well ventilated location.

Storage: Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials

Special precautions Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use.

Section 8: Exposure Controls / Personal Protection

Engineering Controls When working with large quantities of product, provide adequate ventilation. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Personal Protective Equipment

General: To identify additional Personal protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron boots, or whole body suits. Nitrile rubber is better than PVC.

Eye / Face Protection: Wear chemical splash goggles

Skin Protection: Wear impervious gloves (Neoprene)

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	Specific Gravity	Viscosity	%Volatile
viscous liquid	characteristic acrylate odor	(H2O=1): 1.15	N/DA	By Volume: <7.0

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	No Data	No Data	No Data	Insoluble

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
38°F/ 3.33°C	No Data	No Data

Section 10: Stability and Reactivity

Stability
 Normally Stable

Incapability (Material to Avoid):
 Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases.

Hazardous Decomposition Products:
 Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide

Hazardous Polymerization:
 May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Conditions to Avoid:
 Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Irritation - skin	Irritation - Eye
No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Bioconcentration	Toxicity to Sewage Bacteria
No Information Available	No Information Available	No Information Available	No Information Available

Environmental Stability:

Ethyl Acetate:	compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is
Butyl Acetate:	significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half
Isopropyl Alcohol:	released on land or water, it is apt to volatilize and biodegrade. The estimated half-life in water is 5.4 days, Isopropyl alcohol is not
Chemical Fate Information	
Biodegradability	No Information Available
Chemical Oxygen Demand	No Information Available

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.
Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations. US. EPA Waste #: D001
Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member State, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR -GND)

Excepted Quantity (49 CFR -173.4a) (≤ 30 ml)
Consumer Commodity, ORM-D (≤ 1.0 L)
UN1263 Paint ,3,II (>1.0 L)

IATA (AIR):

Excepted Quantity (Air Shipper 4.1.2) (≤ 30 ml)
Consumer Commodity,9, ID8000 (≤ 0.5 L)
UN1263 Paint ,3,II (> 0.5 L)

IMDG (OCN):

Excepted Quantity (2008 IMO -3.5.1) (≤ 30 ml)
UN1263 Paint ,3,II LTD QTY(≤ 1.0 L)
UN1263 Paint ,3,II (> 1.0 L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (≤ 1.0 L)
UN1263, Paint related material, 3, II, (>1.0 L)

ADR/RID (EU):

UN 1263, Paint Related Material,3,II,ADR

MEXICO (SCT):

UN1263, Pintura,3,II, Cantidad Limitada (≤ 1.0 L)

ADGR(AUS):

UN1263, Paint, 3, II LTD QTY (≤ 1.0L)

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act: • NONE This product does not contain any Class I or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA: • NONE This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Reporting Requirements:	SARA 304 (40 CFR Table 302.4)- Butyl Acetate, Ethyl Acetate
SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture

	notification requirements.
CERCLA Reportable Quantity (RQ):	Butyl Acetate: 2270 kg; 5000 lbs.; Ethyl Acetate: 2270 kg; 5000 lbs.

State Regulations


CA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4,
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4, Nitrocellulose CAS# 9004-70-0, Triphenyl Phosphate CAS# 115-86-6
NJ Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4
PA Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4, Triphenyl Phosphate CAS# 115-86-6
FL Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4
MN Right-to-Know Law:	Ethyl Acetate CAS #141-78-6, Butyl Acetate CAS # 123-86-4, Triphenyl Phosphate CAS# 115-86-6

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Hydroxypropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS - n/da 2-Hydroxyethyl methacrylate CASE# 868-77-9 is on the DSL List. WHMIS - n/da Isobornyl Methacrylate CAS# 7534-94-3 is on the DSL list. WHMIS - n/da Ethyl Acetate CAS# 141-78-6 is on the DSL list. WHMIS= B2,D2B Butyl Acetate CAS # 123-86-4 is on the list. WHMIS + B2, D1B, D2B
---	---

Section 16: Other information

Labeling according to EC Directives - 1999/45/EC

European Community:	
	<p>HNH Gel:</p> <ul style="list-style-type: none"> HAZARD SYMBOLS: Xi irritant, F: Flammable, Xn: Harmful RISK PHRASES: R22: Harmful if swallowed, R36/38/37: Irritating to eyes, respiratory system, and skin, R43: May cause sensitization by skin contact. R10 Flammable, R11 Highly Flammable, R20 Harmful by inhalation R21 Harmful in contact with the skin, R41 Risk of serious damage to eyes, R50 Very toxic to aquatic organisms R53 May cause long term adverse effect in the aquatic environment, R65 Harmful, may cause lung damage R66 Repeated exposure may cause skin dryness or cracking, R67 Vapors may cause drowsiness and dizziness SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37: Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory equipment. S16: Keep away from sources of ignition-No Smoking, S23: Do not breathe vapor, S29: Do not empty into drains, S33: Take precautionary measures against.

• HAZARD SYMBOLS

- Xi - Irritants
- F - Flammable substances or preparations
- Xn - Harmful
- N - Dangerous to the environment

• RISK PHRASES

- R10: Flammable
- R11: Highly Flammable
- R22: Harmful if swallowed
- R36: Irritating to eyes
- R36/38: Irritating to eyes and skin
- R36/38/37: Irritating to eyes, respiratory system, and skin
- R37/38: Irritating to respiratory system and skin
- R41: Risk of serious damage to eyes
- R43: May cause sensitization by skin contact.
- R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R66: Repeated exposure may cause skin dryness or cracking
- R67: Vapors may cause drowsiness and dizziness

• SAFETY PHRASES

- S2: Deep out of the reach of children
- S3/7: Keep container tightly closed in a cool place
- S7: Keep container tightly closed
- S7/9: Keep container tightly closed and in a well-ventilated place
- S13: Keep away from food, drink and animal foodstuffs
- S14: Keep away from polymerization initiators including peroxides, strong oxidizing agents, copp
- S16: Keep away from sources of ignition - No smoking
- S24/25: Avoid contact with skin and eyes
- S25: Avoid contact with eyes
- S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advic
- S27: Take off immediately all contaminated clothing
- S28: After contact with skin, wash immediately with plenty of soap and water for 15 minutes.
- S29: Do not empty into drains
- S30: Never add water to this product
- S33: Take precautionary measures against static discharges
- S35: this material and its container must be disposed of in a safe way
- S36: Wear suitable protective clothing

S36/37: Wear suitable protective clothing and gloves
 S37/39: Wear suitable gloves and eye/face protection
 S46: If swallowed, seek medical advice immediately and show this container or label
 S60: This material and its container must be disposed of as hazardous waste
 S61: Avoid release to the environment. Refer to special instructions/safety data sheet
 S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.

Hazard Rating System (Pictograms)

NFPA:

Flammability (2)

Health (2)

Reactivity (0)

HMIS:

HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Colored Nail Lacquer

SDS Prepared: 6/13/2019
SDS Updated: 3/27/2002
Revision: 02

Product Use: cosmetics

Supplied by: Nail Alliance - North America, Inc
1545 Moonstone
Brea, CA 92821

Product #s :
All colored shades

Emergency Phone Number: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

GHS Classifications

Physical

Flammable Liquids, Gategory 2

GHS Label:



Hazard Statements

H224: Extremely flammable liquid and vapour.

Precautionary Statements

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233: Keep container tightly closed.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE:

Liquid

IMMEDIATE CONCERNS:

Highly Flammable

POTENTIAL HEALTH EFFECTS

EYES:

Mildly to moderately irritating

SKIN:

Mild skin irritant

SKIN ABSORPTION:

May cause dermatitis by defatting the skin from prolonged contact.

INGESTION:

Causes gastro-intestinal irritation, nausea, vomiting and diarrhea.

INHALATION:

- Prolonged inhalation may be harmful
- Can cause drowsiness, headaches, nausea, vomiting and narcosis
- May cause lung irritation

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES:

Overexposure in eyes may cause redness, itching and watering

SKIN:

Symptoms of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected area

SKIN ABSORPTION:

None known

INGESTION:

May cause irritation of the digestive track

INHALATION:

May cause drowsiness, dizziness, headaches and nausea

ACUTE TOXICITY:

Eyes:

Mild to moderate irritation to eyes near affected area

Skin:

Mild to moderate irritation to skin near affected area

Inhalation:

High concentrations of vapors can cause drowsiness, dizziness, headaches and nausea

CHRONIC EFFECTS:

None known

CARCINOGENICITY:

Not classifiable as a human carcinogen by the IARC

MUTAGENICITY:

This product is not reported to produce mutagenic effects in humans

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS:

This produce is not reported to cause reproductive effects in humans

TERATOGENIC EFFECTS:

This product is not reported to produce Teratogenic effects in humans

MEDICAL CONDITIONS AGGRAVATED:

None known

ROUTES OF ENTRY:

Eye contact, Inhalation

TARGET ORGAN STATEMENT:

Eyes, skin and respiratory system

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Ethyl Acetate	141-78-6	205-500-4	400ppm	400ppm	Not Listed	20.0-40.0
Butyl Acetate	123-86-4	204-658-1	150ppm	150ppm	Not Listed	15.0-30.0
Nitrocellulose	9004-70-0	N/A	N/E	N/E	Not Listed	10.0-20.0
Propyl Acetate	109-60-4	203-686-1	200 ppm	200 ppm	Not Listed	5.0-15.0
Isopropyl Alcohol	67-63-0	200-661-7	400 ppm	200 ppm	Not Listed	5.0-15.0

Triphenyl Phosphate	115-86-6	204-112-2	N/E	N/E	Not Listed	1.0-5.0
Camphor	76-22-2	207-355-2	2 mg/m3	3 ppm	Not Listed	<1.1
Diacetone Alcohol	123-42-2	204-626-7	50 ppm	50 ppm	Not Listed	<1.0

Ethyl Acetate	Hazard Symbol: F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S16, S26, S33
Butyl Acetate	Hazard Symbol: F	Risk Phrases: R10, R66, R67	Safety Phrases: S2, S25
Nitrocellulose	Hazard Symbol: F	Risk Phrases: R11	Safety Phrases: S2, S16, S33, S37/39
Propyl Acetate	Hazard Symbols: F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S16, S26, S29, S33
Isopropyl Alcohol:	Hazard Symbols: F, Xi	Risk Phrases: R11, R36, R67	Safety Phrases: S2, S7, S16, S24/25, S26
Triphenyl Phosphate	Hazard Symbol: Xn	Risk Phrases: R50, 53	Safety Phrases: S60, S61
Camphor	Hazard Symbols: F, Xi	Risk Phrases: R11; R36/37/38	Safety Phrases: S26, S37/39
Diacetone Alcohol	Hazard Symbol: Xi	Risk Phrases: R36	Safety Phrases: S2, S24/25

N/E - None Established

N/DA - No Data Available

* See section 16

N/R - Not Reviewed

N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye	Irrigate with copious amount of sterile water. If irritation occurs, seek medical attention immediately.
First Aid for Skin	Wash off with proprietary remover, wash affected area with soap and water
First Aid for Inhalation	Remove person to fresh air. Seek medical attention
First Aid for Ingestion	Do not induce vomiting. SEEK IMMEDIATE MEDICAL ATTENTION

Section 5: Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
24°F / -4°C Estimated	No Data	No Data

WARNING: Highly Flammable. Keep away from heat, and any sources of ignition. Keep containers closed

Method:	
Extinguishing Media:	Use carbon dioxide, foam or dry chemical for small fires; Water or foam extinguishers, water fog for large fires
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Section 6: Accidental Release Measures

Spill:	Before cleaning any spills or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Dike and contain spill with inert material (e.g. sand or earth). Use ONLY non sparking tools for recovery and clean-up. Transfer liquid to containers for recovery or disposal and solid diking material to separated containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.
--------	---

Section 7: Handling and Storage

Handling:	No smoking Prevent static discharges Exposure by inhalation or skin contact should be minimized by good industrial hygiene Vapor is heavier than air, spreads along the ground. Vapor can form an explosive mixture in air, prevalent in empty unclean vessels Use non-sparking utensils when handling this material
Storage:	Keep containers tightly closed when not in use. Store in a cool, dry place, away from heat and all types of light. Eliminate possible point ignition sources, e.g. No smoking, Naked flames, static discharges Use flame proof electrical equipment.
Special precautions	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handle with care

Section 8: Exposure Controls / Personal Protection

Engineering Controls	When working with large quantities of product, provide adequate ventilation. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Personal Protective Equipment	
General:	No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, The E.C members states, or U.S. OSHA.
Eye / Face Protection:	Depending on the use of this product , splash or safety glasses may be worn.
Skin Protection:	If anticipated that prolonged and repeated skin contact will occur during use of this product, wear latex or gloves for routine industrial use.
Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use respiratory protection.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	Vapor Density	
viscous liquid, various colors	characteristic acrylate odor	NA	(H2O=1): 0.97 - 1.10	N/DA	Heavier than air	
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Evaporation Rate	Ignition	Solubility In Water (20°C)
Undefined	N/A	N/A	N/A	No Data	No Data	Insoluble
Flash Point (°F/ °C)	Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
24°F / -4°C Estimated	No Data		No Data			

Section 10: Stability and Reactivity

Stability: Stable under ambient conditions when stored properly.	Incapability (Material to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases.
Hazardous Decomposition Products: If expose to extremely high temperatures, the product of thermal decomposition may include irritating vapors and carbon oxide gases. (e.g. CO, CO2)	Hazardous Polymerization: May occur, if exposed to extremely high temperatures.
Conditions to Avoid: This product is incompatible with strong oxidizers, strong acids, or strong bases.	

Section 11: Toxicological Information

This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature. This data has not been represented in this document

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin/eyes
No info available	No info available	No info available	No info available

Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Suspected Carcinogen	Mutagenicity	Sub-chronic Toxicity
No info available	This product is not reported to produce mutagenic effects in humans	No info available

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to aquatic life	Acute Toxicity to plants and animals	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No info available	No Information Available	No Information Available	No Information Available	No Information Available

Environmental Stability:

The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are as follows

Ethyl Acetate:	Koc= 0.73. Water Solubility: 64,000 mg/l. Bioconcentration Factor= 4-14. Bioconcentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.
Butyl Acetate:	Koc= 1.8. Water Solubility: 120 Parts H ₂ O at 25°C (77°F). Bioconcentration Factor= 4-14. Bioconcentration is not anticipated to be significant. This compound can be removed from contaminated environments from volatilization, and biodegradation. This compound's half-life in water is 6.1 hours.
Isopropyl Alcohol:	Low Kow= 0.05-0.14. Isopropyl alcohol occurs naturally; it is generated during microbial degradation of plant and animal wastes. When released on land or water, it is apt to volatilize and biodegrade. The estimated half-life in water is 5.4 days, Isopropyl alcohol is not expected to bioconcentrate.
Chemical Fate Information	
Biodegradability	No Information Available
Chemical Oxygen Demand	No Information Available

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.
Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Waste disposal must be in accordance with appropriate Federal, State and local regulations.

Section 14: Transport Information

DOT (49 CFR -GND)

Excepted Quantity (49 CFR -173.4a) (≤ 30 ml)
Consumer Commodity, ORM-D (≤ 1.0 L)
UN1263 Paint ,3,II (>1.0 L)

IATA (AIR):

Excepted Quantity (Air Shipper 4.1.2) (≤ 30 ml)
Consumer Commodity,9, ID8000 (≤ 0.5 L)
UN1263 Paint ,3,II (> 0.5 L)

IMDG (OCN):

Excepted Quantity (2008 IMO -3.5.1)) (≤ 30 ml)
UN1263 Paint ,3,II LTD QTY(≤ 1.0 L)
UN1263 Paint ,3,II (> 1.0 L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (≤ 1.0 L)
UN1263, Paint related material, 3, II, (>1.0 L)

ADR/RID (EU):

UN 1263, Paint Related Material,3,II,ADR

MEXICO (SCT):

UN1263, Pintura,3,II, Cantidad Limitada (≤ 1.0 L)

ADGR(AUS):

UN1263, Paint, 3, II LTD QTY (≤ 1.0L)

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act: • NONE This product does not contain any Class 1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA: • NONE This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA
FDA:	This product complies with the appropriated sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)
SARA Reporting Requirements:	SARA 304 (40 CFR Table 302.4)- Butyl Acetate, Ethyl Acetate
SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
TSCA Inventory Status:	This product contains chemicals listed on the TSCA inventory
CERCLA Reportable Quantity (RQ):	Butyl Acetate: 5000 lbs.; Ethyl Acetate: 5000 lbs.

State Regulations:

Ingredients in this mixture are found on the following state criteria list:

CA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol
Delaware Air Quality Management List	Ethyl Acetate, Butyl Acetate, Nitrocellulose
Massachusetts Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Nitrocellulose, Isopropyl Alcohol, Triphenyl Phosphate.
Minnesota Hazardous Substances List	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.

NJ Right-to-Know Law:	Isopropyl Alcohol
New York List of Hazardous Substances	Ethyl Acetate, Butyl Acetate
PA Right-to-Know Law:	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.
Washington Permissible Exposure Limits for Air Contaminants	Ethyl Acetate, Butyl Acetate, Isopropyl Alcohol, Triphenyl Phosphate.
Wisconsin Hazardous Substances List	Ethyl Acetate

International Regulations:

Canadian Regulations:

Ethyl Acetate CAS# 141-78-6 is on the DSL list. WHMIS= B2, D2B

Butyl Acetate CAS # 123-86-4 is on the list. WHMIS + B2, D1B, D2B

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL.

None of the components of this product are listed on the Priorities substances List. Class B Flammable Liquid.

Section 16: Other Information

67/548/EU Requirements:

European Community:

The primary component of this product is listed in Annex I of the EU Directive 67/548/EEC



EU Classes and Risk / Safety Phrases :

• HAZARDOUS SYMBOLS:

• HAZARDOUS SYMBOLS:

Xi - Irritants

F - Highly Flammable

Xn- Harmful

• RISK PHRASES:

R10 Flammable

R11 Highly Flammable

R36 Irritating to eyes

R36/37/38 Irritating to eyes, respiratory system and skin

R50 Very toxic to aquatic organisms

R53 May cause long-term adverse effects in the aquatic environment

R66 Repeated exposure may cause skin dryness or cracking

R67 Vapors may cause drowsiness and dizziness

• SAFETY PHRASES:

S2 Keep out of reach of children

S7 Keep container tightly closed

S16 Keep away from sources of ignition-No Smoking,

S24/25 Avoid contact with skin and eyes

S25 Avoid contact with eyes

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S29 Do not empty into drains

S33 Take precautionary measures against static discharges

S37/39 Wear suitable gloves and eye/face protection

S60 This material and its container must be disposed of as hazardous waste.

S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

Hazard Rating System (Pictograms)

NFPA:

HMIS:

HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Foundation

SDS Prepared: 3/14/2013

SDS Updated: 3/25/2021

Revision: 10

Product Use: Cosmetic

Manufacture: Nail Alliance - North America, Inc
1545 Moonstone, Brea, CA 92821

Product #: 01245, 210106, 04000, 1315002, 1310002, 1244000,
Kit 1121798

Emergency Phone Number: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation



Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	No specific information available. Although, this product opposes only slight irritation concern with all routes of entry.
Eye	No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation
Skin	No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.
Ingestion	No specific information available. Contains materials that may be practically nontoxic.
Inhalation	No specific information available. Low volatility makes vapor inhalation unlikely.

NOTE: Refer to Section II, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

Chemical Identity	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	N/E	N/E	Not Listed	60.0 - 80.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	5.0 - 15.0
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	5.0 - 15.0
Isobornyl Methacrylate	7534-94-3	231-403-1	N/E	N/E	Not Listed	5.0 - 15.0
Acrylic Acid	79-10-7	201-177-9	2ppm	3/no/no	Not Listed	0.5 - 3.0

N/E - None Established

N/DA - No Data Available

N/R - Not Reviewed

N/A - Not Applicable

Di-HEMA Trimethylhexyl Dicarbamate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S14, S3/7, S62
HEMA:	Hazard Symbol: Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Hydroxypropyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38, R43	Safety Phrases: S6, S36/37
Isobornyl Methacrylate:	Hazard Symbol: Xi	Risk Phrases: R36/37/38	Safety Phrases: S26, S27, S28, S29, S30, S33, S35, S36
Acrylic Acid	Hazard Symbol: C, N	Risk Phrases: R10, R20/21/22, R35, R50	Safety Phrases: S26, S36/37/39, S45, S61

See Section 16 for Risk and Safety Phrase Key

Section 4: First Aid Measures

First Aid for Eye	Flush with plenty of water for 15 minutes and seek medical attention immediately.
First Aid for Skin	Remove contaminated clothing and wash contact area with soap and water for 15 minutes.
First Aid for Inhalation	In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>212 °F/100 °C Seta flash	No Data	No Data

Method:

Extinguishing Media:	Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.
Fire Fighting Instructions:	Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.
Unusual Hazards:	High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

Section 6: Accidental Release Measures

Spill or Release Producers:	Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.
-----------------------------	---

Section 7: Handling and Storage

Handling:	Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper pouring techniques. However, viscous type gels such as these may require heating to facilitate proper pouring techniques. To ensure that this happens product may be heated to 60°C/140°F for not more than 24 hours. Do NOT use localized heat sources such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are recommended for heating/melting material. The hot box and/or room should only be set to a maximum temperature of 60°C/140F. Do not overheat, this may compromise product effectiveness and should be avoided. Refrain from multiple reheating of product, this will also diminishing the quality of the product.
Storage:	Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but above the product's freezing point. If no freezing point is given, keep above 32°F/0°C at all times.
Explosion Hazard:	High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

Section 8: Exposure Controls / Personal Protection

Engineering Controls	Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.
----------------------	--

Personal Protective Equipment

General:	To identify additional Personal protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron boots, or whole body suits. Nitrile rubber is better than PVC.
Eye / Face Protection:	Wear chemical splash goggles
Skin Protection:	Wear impervious gloves (Neoprene)
Respiratory Protection:	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
------------	-----------------------	----	------------------	-----------	-----------

Clear to slight violet, viscous liquid	characteristic acrylate odor	NA	(H20=1): 1.15	N/DA	By Volume: <0.5		
Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure: (mm Hg) @ 20 C:<0.01	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A		No Data	No Data	No Data	Insoluble
Flash Point (°F/ °C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
>212 °F/100 °C Seta flash		No Data		No Data			

Section 10: Stability and Reactivity

Stability Normally Stable	Incapability (Material to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases.
Hazardous Decomposition Products: Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide	Hazardous Polymerization: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.
Conditions to Avoid: Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No info available	No info available	No info available	No info available	No info available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

Section 14: Transport Information

DOT (49 CFR 172)

Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A

Emergency Response Guidebook (ERG) #:

N/A

IATA (DGR):

Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	

Emergency Response Guidance (ICAO)#:

IMO (IMDG):

Proper Shipping Name: Non-Regulated Material
 Class or Division: N/A
 UN or ID Number: N/A
 Special Provisions & Stowage/Segregation: None
Emergency Schedule (EmS)#:
Other Information: Flash point >100 °C

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act: This product contains no ODS's; Acrylic Acid CAS # 79-10-7(HAP)
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U.S. Clean Water Act Priority Pollutant List
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazard are: <ul style="list-style-type: none"> ● Immediate (acute) health hazard ● Delayed (chronic) health hazard ● Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	● NONE
SARA Title III: Section 304	This product contains the following chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification ("CERCLA" List): Acrylic Acid CAS # 79-10-7 RG(LBS)5000
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> ● Immediate (acute) health hazard ● Delayed (chronic) health hazard ● Reactive hazard
SARA Title III: Section 313:	This product contains the following chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: Acrylic Acid CAS #79-10-7
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals listed have a SNUR under TSCA.

State Regulations


CA Right-to-Know Law:	Acrylic Acid CAS # 79-10-7
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Acrylic Acid CAS # 79-10-7
NJ Right-to-Know Law:	Acrylic Acid CAS # 79-10-7
PA Right-to-Know Law:	Acrylic Acid CAS # 79-10-7
FL Right-to-Know Law:	Acrylic Acid CAS # 79-10-7
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Hydroxypropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS - n/da 2-Hydroxyethyl methacrylate CASE# 868-77-9 is on the DSL List. WHMIS - n/da Isobornyl Methacrylate CAS# 7534-94-3 is on the DSL list. WHMIS - n/da Acrylic Acid CAS # 79-10-7 is on the DSL List. WHIS=B2, E, DIA, F
---	--

Section 16: Other Information

Labeling according to EC Directives - 1999/45/EC

European Community: 	HNH Base Gel: <ul style="list-style-type: none"> ● HAZARD SYMBOLS: Xi irritant ● RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes and skin R43: May cause sensitization by skin contact. ● SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37: Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory equipment.
--	--

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:

Xi - Irritants. C Corrosive, D Dangerous for the environment

Risk Phrases:


R10 Flammable, R20/21/22 Harmful by inhalation, in contact with skin and if swallowed, R35 Causes severe burns, R50 Very toxic to aquatic organisms, R36/37/38 Irritating to eyes, respiratory system and skin; R43 May cause sensitization by skin contact, R43 May cause sensitisation by skin contact

Safety Phrases:

S2 Keep out of reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S27 Take off immediately all contaminated clothing; S28 After contact with skin, wash immediately with plenty of water; S29 Do not empty into drains; S30 Never add water to this product; S33 Take precautionary measures against static discharges; S35 This material and its container must be disposed of in a safe way; S36 Wear suitable protective clothing; S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label; 36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting; seek medical advice immediately and show the container or label.

Hazard Rating System (Pictograms)

NFPA:



HMIS:

HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Top It Off

SDS Prepared: 2/25/2015

SDS Update: 3/25/2021

Revision: 09

Product Use: Cosmetic

Manufacture: Nail Alliance - North America, Inc
1545 Moonstone, Brea, CA 92821

Product #: 01246, 210105, 04001, 1315003, 1310003, 1244001,
Kit 1121798

Emergency Phone Number: (800) 535-5053

Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.



- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	No specific information available.
Eye	Contains materials that are essentially nonirritating, but contact may cause slight transient irritation. Material may act as a Lachrymator (a substance which increases the flow of tears).
Skin	Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.
Ingestion	May cause gastrointestinal irritation with nausea, vomiting and diarrhea.
Inhalation	May cause respiratory tract irritation with presence of monomer. Vapors may cause dizziness or suffocation.

NOTE: Refer to Section II, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	276-957-5	N/E	N/E	Not Listed	50.0-60.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	15.0-20.0
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	15.0-20.0

N/E - None Established

N/DA - No Data Available

N/R - Not Reviewed

N/A - Not Applicable

Di-Hema Trimethylhexyl Dicarbamate

Hazard Symbol: Xi

Risk Phrases: R36/37/38

Safety Phrases: S14, S3/7, S62

Hydroxypropyl Methacrylate:

Hazard Symbol: Xi

Risk Phrases: R36/37/38, R43

Safety Phrases: S26, S36/37

HEMA

Hazard Symbol: Xi

Risk Phrases: R36/38, R43

Safety Phrases: S2, S26, S28

See Section 16 for Risk and Safety Phrase Key

Section 4: First Aid Measures

First Aid for Eye

Flush with plenty of water for 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid. Do NOT allow victim to rub or keep eyes closed.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes. Get medical aid if symptoms persist. Wash clothing before reuse.

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

First Aid for Ingestion Never give anything by mouth to an unconscious person. Get medical aid. Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2 to 4 cupfuls of milk or water.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
> 212°F/100°C Setaflash	No Data	No Data

Method:

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

Section 6: Accidental Release Measures

Spill or Release Producers: Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

Section 7: Handling and Storage

Handling: Ground and bond containers when transferring material. Avoid contact with skin and eyes, and clothing. Use with adequate ventilation and avoid breathing in vapor. Keep container closed when not in use. Avoid contact with heat, sparks and flame. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks, or open flames.
Material is extremely light sensitive. Use extreme care and do not expose to natural or UV light, unless using material for its intended use. Since the material is very photosensitive any type of light may initiate the curing process.

Storage: Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but above the product's freezing point. If no freezing point is given, keep above 32°F/0°C at all times.

Explosion Hazard: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

Section 8: Exposure Controls / Personal Protection

Engineering Controls Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.

Personal Protective Equipment

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye / Face Protection: Wear safety glasses. Wear coverall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.

Skin Protection: Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	Specific Gravity	Viscosity	%Volatile
Clear, semi-viscous liquid	characteristic acrylate odor	(H2O=1): 1.14	N/DA	By Volume: N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	No Data	No Data	No Data	Insoluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
212°F/100°C Penske-Martin	No Data	No Data

Section 10: Stability and Reactivity

Stability Normally Stable	Incapability (Material to Avoid): Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and strong bases.
Hazardous Decomposition Products: Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide	Hazardous Polymerization: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.
Conditions to Avoid: Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Inhalation Toxicity	Irritation - skin	Irritation - Eye
No info available	No info available	No info available	No info available	No info available
Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.				
Sensitization	Mutagenicity	Sub-chronic Toxicity		
No Information Available	No Information Available	No Information Available		

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No Information Available	No Information Available	No Information Available	No Information Available	No Information Available

Chemical Fate Information

Biodegradability	No Information Available
Chemical Oxygen Demand	No Information Available

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.
 Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposal Considerations

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member State, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A

IATA (DGR):

Proper Shipping Name:	Non-Regulated Material
-----------------------	------------------------

Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act: <ul style="list-style-type: none"> • NONE This product does not contain any Class 1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous Substances as defined by the CWA: <ul style="list-style-type: none"> • NONE This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
RCRA	This product is considered to be a hazardous waste under RCRA (40 CFR 261) RCRA Code: <ul style="list-style-type: none"> • Ethyl methacrylate, CAS# 97-63-2, RCRA Code: U1118 • Characteristic of Ignitability, RCRA Code: D001
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): <ul style="list-style-type: none"> • Ethyl methacrylate, CAS# 97-63-2, RQ (Lbs): 1000
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Delayed (chronic) health hazard • Reactive hazard
SARA Title III: Section 313:	This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> • NONE
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.


State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Hydroxycyclohexyl phenyl ketone CAS #947-19-3 is on the DSL List. WHMIS = n/da D&C Violet #2, CAS # 81-48-1 is not on the DSL List. WHMIS = n/da
---	---



Labeling according to EC Directives - 1999/45/EC

<p>European Community:</p> 	<p>HNH Top It Off:</p> <ul style="list-style-type: none"> ● HAZARD SYMBOLS: Xi irritant, ● RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes, respiratory system, and skin, R43: May cause sensitization by skin contact. ● SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37: Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory equipment, S46: If swallowed seek medical advise immediatley and show this container or label.
--	---

Section 16: Other Information

<p>EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):</p> <p>Hazard Symbols: Xi - Irritants</p> <p>Risk Phrases: R36/37/38 Irritating to eyes, respiratory system and skin; R43 May cause sensitization by skin contact</p> <p>Safety Phrases: S2 Keep out of the reach of children; S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S37 Wear suitable gloves S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. S28: After contact with skin, wash immediately with plenty of water.</p>
--

Hazard Rating System (Pictograms)

<p>NFPA:</p> 	<p>HMS:</p> 
--	---

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Soft Gel Tip Primer
 Chemical Name: N/A
 Product Use: Cosmetics

SDS Prepared Date: 5/14/2020
 SDS Revised Date: 7/20/2020
 Revision: 01

Manufacture: Nail Alliance - North America, Inc
 1545 Moonstone , Brea, California 92821

Product #: 1148009, 1244009
 Emergency Phone Number: (800) 535-5053
 Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

- * Flammable liquid and vapor
- * May cause eye irritation.
- * May cause skin irritation
- * Avoid prolonged or repeated breathing of gases, vapors or mists.
- * Unstable (reactive) upon depletion of inhibitor. This is only a slight risk
- * May be absorbed through the skin



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin contact and eye contact
Eye	Vapors are irritating to the eyes. Splashes may cause severe irritation, with stinging, tearing, redness, and pain with possible corneal damage.
Skin	Can cause eye irritation. Repeated/prolonged contact may cause drying of the skin. Symptoms include redness, burning, drying, cracking and skin
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material
Inhalation	Vapor are irritating to nasal passages and throat and may cause stupor or headache. Symptoms usually occur at air concentrations higher than
Sub-Chronic Effects	May cause headaches, nausea, vomiting, and narcotic effect if over-exposed

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information On Ingredients

INCI Name	CAS #	EINECS#	Exposure OSHA	Limits ACGIH TWA/STEL	IAR/NTP/OSHA	%
Ethyl Acetate	141-78-6	205-500-4	400 ppm	400ppm	not listed	60-85
Acetone	67-41-1	200-662-2	N/E	N/E	not listed	15-25
Isopropylidenediphenyl Bisoxhydroxypropyl	1565-94-2	216-367-7	N/E	N/E	not listed	5-10
HEMA	868-77-9	212-782-2	N/E	N/E	not listed	5-10

N/E - None Established

N/DA - No Data Available

Ethyl Acetate	Hazardous symbol F,Xi	Risk Phrases: R11, R36, R67, R66	Safety Phrases: S2,S16, S26, S33
Isopropylidenediphenyl Bisoxhydroxypropyl Methacrylate	Hazardous symbol N/E	Risk Phrases: N/E	Safety Phrases: N/E
HEMA	Hazardous symbol Xi	Risk Phrases: R36/38, R43	Safety Phrases: S2, S26, S28
Acetone	Hazardous symbol F, Xi	Risk Phrases: R11, R36, R66, R67	Safety Phrases: S2, S9, S16, S26

See Section 16 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If individual is drowsy or unconscious, do not give anything by mouth; place individual on the leftside with head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	Remove to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort persists.

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
26° F/ -3.3 ° C (estimated)	400ppm	750° F- 900 °C

Extinguishing Media: Foam, dry chemical, cold water spray

Fire Fighting Instructions: Wear self-contained breathing apparatus and protective clothing. USE WATER WITH CAUTION. Water spray may be use to keep fire- exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from safe distance and protective location.

Unusual Hazards: Flammable. When exposed to heat and flame, material is a fire explosion hazard. It May produce toxic products CO, carbon dioxide. Vapors may cause a flash fire or ignite explosively. Vapors may travel a considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations

Section 6: Accidental Release Measures

Spill or Release Procedures: Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (eg. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush or sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

Section 7: Handling and Storage

Handling: Keep containers cool and dry. Keep away from heat, light and ignition sources. Avoid breathing high vapors concentrations. Avoid prolonged and repeated contact with skin. Use only with adequate ventilation. Wash thoroughly after handling.

Storage: Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use.

Explosion Hazard: Vapors are heavier than air and may travel along the ground or may be moved by ventilation and ignited by pilot lights, other flames, sparks, heaters, smoking or other sources of ignition at locations distance from material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just a residue) can ignite explosively

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment:

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/Face Protection: Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type of safety glasses

Skin Protection: Use impermeable clothing such as chemical resistant gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN149 approved full-face piece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	voc (g/L)	Specific Gravity	Viscosity	% Volatile
Clear liquid	ester like odor	N/A	736	(H2O =1):0.92	N/A	W/W % : 50+

Boiling Point/ Freezing Point	Material VOC	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/DA	N/DA	N/DA	N/A	(Air=1):1	N/A	N/A	Insoluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
26° F/ -3.3 ° C (estimated)	400ppm	750° F- 900 °C

Section 10: Stability and Reactivity

Stability:

Stable

Hazardous Decomposition Products:

Heated materials produces: NO₂, CO₂, CO

Conditions to Avoid:

Heat, flames, ignition sources

Incompatibility (Materials to Avoid):

Oxidizing agents, acids and bases (heat)

Hazardous Polymerization:

may occur

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/DA	N/DA	N/DA	N/DA	N/DA
Sensitization		Mutagenicity	Sub-chronic Toxicity	
N/DA		N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/ DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/ DA
Chemical Oxygen Demand	N/ DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil.

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR -GND)

Excepted Quantity (49 CFR -173.4a) (≤ 30 ml)

Consumer Commodity, ORM-D (≤ 1.0 L)

UN1263 Paint ,3,II (>1.0 L)

IATA (AIR):

Excepted Quantity (Air Shipper 4.1.2) (≤ 30 ml)

Consumer Commodity,9, ID8000 (≤ 0.5 L)

UN1263 Paint ,3,II (> 0.5 L)

IMDG (OCN):

Excepted Quantity (2008 IMO -3.5.1) (≤ 30 ml)

UN1263 Paint ,3,II LTD QTY(≤ 1.0 L)

UN1263 Paint ,3,II (> 1.0 L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (≤ 1.0 L)

UN1263, Paint related material, 3, II, (>1.0 L)

ADR/RID (EU):

UN 1263, Paint Related Material,3,II,ADR

MEXICO (SCT):

UN1263, Pintura,3,II, Cantidad Limitada (≤ 1.0 L)

ADGR(AUS):

UN1263, Paint, 3, II LTD QTY (≤ 1.0L)

Section 15: Regulatory Information

US Federal Regulations

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following (HAP's): or ODS: • NONE
Clean Water Act: Priority Pollutant	The following ingredients are listed as hazardous pollutants under the CWA: None of the ingredients are listed as primary pollutants nor are they listed as toxic pollutants.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSA Hazard Communication Standard. Its hazards are: • Immediate (acute) health hazard • Fire hazard

RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): Ethyl Acetate CAS #141-78-6 -RCRA Code U112
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 302 (RQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): Ethyl Acetate CAS #141-78-6 -RQ (lbs): 5000
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard • Reactive hazard
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements. None of the chemicals listed have a SNUR under TSRCA

State Regulations


CA Right-to Know- Law:	Ethyl Acetate CAS #141-78-6, Acetone CAS# 67-64-1
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Ethyl Acetate CAS #141-78-8, Acetone CAS# 67-64-1
NJ Right-to-Know Law:	Ethyl Acetate CAS #141-78-9, Acetone CAS# 67-64-1
PA Right-to-Know Law:	Ethyl Acetate CAS #141-78-10, Acetone CAS# 67-64-1
FL Right-to-Know Law:	Ethyl Acetate CAS #141-78-11, Acetone CAS# 67-64-1
MN Right-to-Know Law:	Ethyl Acetate CAS #141-78-12

International Regulations

CDSL: Canadian Inventory Canadian Transitional List)	(on	Ethyl Acetate CAS #141-78-12, Acetone CAS# 67-64-1
		Isopropylidenediphenyl Bisoxhydroxypropyl Methacrylate- CAS # 1565-94-2 is n/da for the DSL list. WHMIS= n/da, Acetone CAS# 67-64-1
		HEMA- CAS # 868-77-9 on the DSL list. WHMIS =n/da

Section 16: Other Information

Labeling according to EC Directives - 1999/45/EC

European Community:	
	• HAZARD SYMBOLS: Xn, F
	• RISK PHRASES: R11: highly flammable , R20/22: Harmful by inhalation and if swallowed , R36: Irritating to eyes , R43 May cause sensitisation by skin contact ; R66- Repeated exposure may cause skin dryness or cracking ; R67 - Vapors may cause drowsiness and dizziness
	• SAFETY PHRASES:, S16: keep away from sources of ignition-no smoking , S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice ; S28 After contact with skin, wash immediately with plenty of water ;; S33: take precautionary measures against static discharges , S37/37: wear suitable protection clothing and gloves .

EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):

F-Flammable substance or preparations

Xi-Irritants

Risks Phrases:

R11- Highly flammable; R36-Irritating to eyes; R66-Repeated exposure may cause skin dryness or cracking;

R67- Vapors may cause drowsiness and dizziness

R36/38: Irritant to eyes and skin

R43 May cause sensitisation by skin contact

Safety Phrases:

S2 Keep out of reach of children: S16 Keep away from sources of ignition-No Smoking:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28After contact with skin, wash immediately with plenty of water

S33 Take precautionary measures against static discharges

Hazard Rating System (Pictograms)

NFPA: HMIS:

The diagram shows an NFPA hazard diamond with four colored segments: Red (top) labeled 'Red flammability', Blue (left) labeled 'Blue health', Yellow (right) labeled 'Yellow reactivity', and White (bottom) labeled 'White special'. Arrows point from the text 'HEALTH (2)', 'FLAMMABILITY (3)', and 'REACTIVITY (1)' to their respective segments. To the right is the HMIS pictogram, a vertical stack of four colored boxes: blue for 'HEALTH', red for 'FLAMMABILITY', yellow for 'REACTIVITY', and white for 'PERSONAL PROTECTION'. Each box has a small white square to its right.

Revised Sections Since Last Verion: NONE

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Gelish Soak Off Gel Polish - Nail Surface Cleanser
Chemical Name: N/A
Family: Cleansing Agent
Product Use: Gelish Cleanser
Product Item#: 01250, 01251, 01228, 01810; 01226 04010

SDS Prepared: 12/14/2012
SDS Modified: 3/25/2001
Revision: 09

Manufacture: Nail Alliance - North America, Inc
 1545 Moonstone, Brea, California 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

GHS Labeling - Hazard Pictograms



Signal Word: Danger

Hazard Statements:
 H225 - Highly flammable liquid and vapor
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation

Precautionary statements
 P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking
 P233 - Keep container tightly closed
 P243 - Take precautionary measures against static discharge
 P261 - Avoid breathing mist, vapors, spray
 P264 - Wash exposed skin thoroughly after handling
 P271 - Use only outdoors or in a well-ventilated area
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P312 - Call a POISON CENTER or doctor/physician if you feel unwell
 P337+P313 - If eye irritation persists: Get medical advice/attention
 P370+P378 - In case of fire: Use dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2) to extinguish
 P403+P233 - Store in a well-ventilated place. Keep container tightly closed
 P405 - Store locked up
 P501 - Dispose of contents/container to comply with local, state and federal regulations
 P235 - Keep cool
 If inhaled: Remove person to fresh air and keep comfortable for breathing

Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin and ingestion
Eye	Vapors are irritating to the eyes. Splashes may cause severe irritation, with stinging, tearing, redness, and pain with possible corneal damage.
Skin	Repeated/prolonged contact may cause drying of the skin. Symptoms include redness, burning, drying, cracking and skin burns.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting.
Inhalation	Vapor are irritating to nasal passages and throat and may cause stupor or headache. Symptoms usually occur at air concentrations higher than the recommended exposure limits.
Sub-Chronic Effects	Significant exposure to this chemical may adversely affect people with chronic disease or may cause damage to the respiratory system, skin and eyes.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 2: Hazardous Ingredients

INCI Name	CAS #	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IAR/NTP/OSHA	%
Isopropyl Alcohol	67-63-0	200-661-7	400 ppm/980	200/400 ppm	Not Listed	65.0 - 85.0
Acetone	67-64-1	200-662-2	N/E	N/E	Not Listed	15.0-25.0

Isopropyl Alcohol
 Acetone
 See Section 16 for Risk and Safety Phares Key

Hazard Symbol: Xi, F
 Hazard Symbol: Xi, F

Risk Phrases: R11, R36, R67
 Risk Phrases: R11, R36, R66, R67

Safety Phrases: S2, S7, S16, S24/25, S26
 Safety Phrases: S2, S9, S16, S26

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If individual is drowsy or unconscious, do not give anything by mouth; place individual on the leftside with head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Seek medical attention if discomfort persists.

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
1° F / -17° C	LEL: 2%; UEL: 11.4%	N/DA

Extinguishing Media:	Alcohol resisant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth maybe used for small fires only
Fire Fighting Instructions:	If potential for exposure to vapors or products of combustion, wear complete personal protective equipment including self contained breathing apparatus, with full face operated in pressure demand. Fight fire from a safe distance/protected location. Water spray will reduce the intensity of flames
Unusual Hazards:	All storage areas should be provided with adequate fire fighting facilities. Keep adjacent containers cool by spraying with water. Fire exposde containers should be cooled with water to prevent pressure build up

Section 6: Accidental Release Measures

Spill or Release Procedures:	Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (eg. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush or sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures. Liquids/vapors may ignite.
------------------------------	---

Section 7: Handling and Storage

Handling	Closed containers exposed to temperature above (120°F) in transist or storage may develop vapor pressure. Open containers slowley. Ground all metals containers when transferring material. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Keep away from the heat, sparks & open flames. Do not smoke. Avoid sparks
Storage	Store in a cool, well vetilated area away from heat, sparks and flame. Keep containers closed when not in use.
Explosion Hazard	Flammable liquid. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls	Facilities storing or utilizing this material should be equipped with an eye facitily and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.
----------------------	---

Personal Protective Equipment:

General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.
Eye/Face Protection	Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type of face shield.
Skin Protection	Use impermeable clothing to prevent ANY contact with this product, such as chemical resistant gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.

Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN149 approved full-facepeice airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.
------------------------	--

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	voc (g/L)	Specific Gravity	Viscosity	% Volatile		
Clear, blue, mobile liquid	Pungent mix odor	632	(H2O =1):0.82	N/A	W/W % : 99+		
Boiling Point/ Freezing Point	Material VOC	Octanol/Water Partitioning Coeffid Log Po/w	Vapor Pressur e:	Vapor Density	Evaporation Rate	Igniti on	Solubility In Water (20°C)
133 °C	632 g/l	N/DA	73 mm Hg @ 20°C	Heavier than air	Slower than ether	N/A	Miscible
Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)					

Section 10: Stability and Reactivity

Stability: Stable	Incompatibility (Materials to Avoid): Oxidizing agents, i.e. hydrogen peroxide, Nitric Acid, Perchloric Acid, Perchloric Acid, Chromium Trioxide
Hazardous Decomposition Products: Carbon Monoxide	
Conditions to Avoid: Heat, flames, ignition sources, and incompatibles	Hazardous Polymerization: Will not occur

Section 11: Toxicological Information

Acute Oral Toxicity N/DA	Acute Dermal Toxicity N/DA	Acute Inhalation Toxicity N/DA	Irritation - Skin N/DA	Irritation - Eye N/DA
Sensitization N/DA		Mutagenicity N/DA	Sub-chronic Toxicity N/DA	

Section 12: Ecological Information**Ecotoxicological Information:**

Acute Toxicity to Fish N/DA	Acute Toxicity to Invertebrates N/DA	Acute Toxicity to Algae N/DA	Bioconcentration N/DA	Toxicity to Sewage Bacteria N/DA
---------------------------------------	--	--	---------------------------------	--

Chemical Fate Information

Biodegradability	When released into the soil, this material is expected to quickly evaporate. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade extent. When released to water, this material is expected to quickly evaporate. When released into water, this material is expected to have a half-life between 1 and 10 days. When released into water, this material may biodegrade to a moderate extent. This material is not expected to significantly bioaccumulate.
Chemical Oxygen Demand	N/DA

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information**DOT (49 CFR 172)**

Consumer Commodity, ORM-D (<= 1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II (>1.0L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (<= 0.5L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II (>0.5L)

IMO (IMDG):

Consumer Commodity, ORM-D (<= 1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II (>1.0L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (<=1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II (>1.0L)

ADR/RID (EU):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II, ADR, LTD QTY (<=

Mexico (SCT):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II, Cantidad Limitada (<

ADGR (AUS):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Acetone), 3, II

Section 15: Regulatory Information**US Federal Regulations**

Clean Air Act: HAP/ODS

Clean Water Act: Priority Pollutant

This product contains the following (HAP's): or ODS:

- NONE

The following ingredients are listed as hazardous pollutants under the CWA:

None of the ingredients are listed as primary pollutants nor are they listed as toxic pollutants.

FDA: Food Packaging Status

This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.

Occupational Safety and Health Act	This product is considered to be hazardous under the OSA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): <ul style="list-style-type: none"> • Characteristic of Ignitability, RCRA Code: D001
SARA Title III: Section 302	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 304	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List):
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> • Isopropyl Alcohol CAS# 67-63-0 70%
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

State Regulations

CA Right-to Know- Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
California No Significant Risk Rule:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
MA Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
NJ Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
PA Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
FL Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
MN Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1

International Regulations

CDSL: Canadian Inventory Transitional List)	(on Canadian	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6-Acetone CAS# 67-64-1
--	--------------	---

Labeling according to EC Directives - 1999/45/EC

European Community:	
	
	<ul style="list-style-type: none"> • HAZARD SYMBOLS: Xn, F: Highly Flammable • RISK PHRASES: R11: highly flammable, R20/22: Harmful by inhalation and if swallowed, R36/37/38: Irritating to eyes, respiratory system and skin S16: keep away from sources of ignition-no smoking, S24/25: avoid contact with skin and eyes, S33: take precautionary measures against static discharges, S37/39: wear suitable gloves and eye/face protection, S45: In case of accident or if you feel unwell, seek medical

Section 16: Other Information

EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):

F: Flammable substance or preparations

Xi: Irritants

Risks Phrases:

R11: Highly Flammable

R36: Irritating to eyes

R66: Repeated exposure may cause skin dryness or cracking

R67: Vapours may cause drowsiness and dizziness

Safety Phrases:

S2: Keep out of the reach of children

S7: Keep container tightly closed

S9: Keep container in a well-ventilated place

S16: Keep away from sources of ignition - No smoking

S24/25: Avoid contact with skin and eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Hazard Rating System (Pictograms)

NFPA:

HMIS:

1	HEALTH	<input type="checkbox"/>
3	FLAMMABILITY	<input type="checkbox"/>
0	REACTIVITY	<input type="checkbox"/>
	PERSONAL PROTECTION	<input type="checkbox"/>

Revised Sections Since Last Verion: NONE

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Nail Prep pH Bond

SDS Prepared: 12/14/2012

SDS Updated: 3/25/2021

Product Use: Cosmetics

Revision: 11

Manufacture: Nail Alliance - North America, Inc
1545 Moonstone , Brea, California 92821

Emergency Phone Number: (800) 535-5053

Product #: 01206, 210108, 04003, 1140002, 1244003, 1900479, Kit 1121798

Information Contacts: (714) 773-9758

Section 2: Hazardous Identification

EMERGENCY OVERVIEW

- * Flammable liquid and vapor
- * May cause eye irritation.
- * May cause skin irritation
- * Avoid prolonged or repeated breathing of gases, vapors or mists.
- * Please read entire MSDS for additional information



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin and ingestion
Eye	Vapors are irritating to the eyes. Splashes may cause severe irritation, with stinging, tearing, redness, and pain with possible corneal damage.
Skin	Repeated/prolonged contact may cause drying of the skin. Symptoms include redness, burning, drying, cracking and skin burns.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting.
Inhalation	Vapor are irritating to nasal passages and throat and may cause stupor or headache. Symptoms usually occur at air concentrations higher than the recommended exposure limits.
Sub-Chronic Effects	Significant exposure to this chemical may adversely affect people with chronic disease or may cause damage to the respiratory system, skin and eyes.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information On Ingredients

INCI NAME	CAS #	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IAR/NTP/OSHA	%
Isopropyl Alcohol	67-63-0	200-661-7	400 ppm/980	200/400 ppm	Not Listed	40.0-50.0
Ethyl Acetate	141-78-6	205-500-4	N/E	N/E	Not Listed	30.0-40.0
Isobutyl Acetate	110-19-0	203-745-1	N/E	N/E	Not Listed	15.0-25.0

N/E - None Established

N/DA - No Data Available

N/R - Not Reviewed

N/A - Not Applicable

Isopropyl Alcohol:

Hazard Symbols: Xi, F

Risk Phrases: R11, R36, R67

Safety Phrases: S2, S7, S16, S24/25, S26

Ethyl Acetate:

Hazard Symbols: F, Xi

Risk Phrases: R11, R36, R66, R67

Safety Phrases: S2, S16, S26, S33

Isobutyl Acetate:

Hazard Symbols: F

Risk Phrases: R11, R66

Safety Phrases: S2, S16, S23, S25, S29, S33

See Section 16 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If individual is drowsy or unconscious, do not give anything by mouth; place individual on the leftside with head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Seek medical attention if

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
68° F/ 20 ° C	LEL: 2%; UEL: 11.4%	N/DA

Extinguishing Media:	Alcohol resisant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth maybe used for small fires only
Fire Fighting Instructions:	If potential for exposure to vapors or products of combustion, wear complete personal protective equipment including self contained breathing apparatus, with full face operated in pressure demand. Fight fire from a safe distance/protected location. Water spray will reduce the intensity of flames
Unusual Hazards:	All storage areas should be provided with adequate fire fighting facilities. Keep adjacent containers cool by spraying with water. Fire expose containers should be cooled with water to prevent pressure build up

Section 6: Accidental Release Measures

Spill or Release Procedures:	Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (eg. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush or sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures. Liquids/vapors may ignite.
------------------------------	---

Section 7: Handling and Storage

Handling	Closed containers exposed to temperature above (120°F) in transit or storage may develop vapor pressure. Open containers slowly. Ground all metals containers when transferring material. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Keep away from the heat, sparks & open flames. Do not smoke. Avoid sparks
Storage	Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use.
Explosion Hazard	Flammable liquid. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls	Facilities storing or utilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.
Personal Protective Equipment:	
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.
Eye/Face Protection	Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type of face shield.
Skin Protection	Use impermeable clothing to prevent ANY contact with this product, such as chemical resistant gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.
Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	voc (g/L)	Specific Gravity	Viscosity	% Volatile		
Clear, colorless, mobile liquid	Pungent mix odor	N/A	632	(H2O =1):0.82	N/A	W/W % : 99+		
Boiling Point/ Freezing Point	Material VOC	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)	
133 °C	632 g/l	N/DA	73 mm Hg @ 20°C	Heavier than air	Slower than ether	N/A	Miscible	
Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)						
68 °F/20 °C (est)	LEL:2% ; UEL:11.4%	N/DA						

Section 10: Stability and Reactivity

Stability: Stable	Incompatibility (Materials to Avoid): Oxidizing agents, i.e. hydrogen peroxide, Nitric Acid, Perchloric Acid, Perchloric Acid, Chromium Trioxide
Hazardous Decomposition Products: Carbon Monoxide	Hazardous Polymerization: Will not occur
Conditions to Avoid: Heat, flames, ignition sources, and incompatibles	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/DA	N/DA	N/DA	N/DA	N/DA
Sensitization		Mutagenicity	Sub-chronic Toxicity	
N/DA		N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/ DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	When released into the soil, this material is expected to quickly evaporate. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade extent. When released to water, this material is expected to quickly evaporate. When released into water, this material is expected to have a half-life between 1 and 10 days. When released into water, this material may biodegrade to a moderate extent. This material is not expected to significantly bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Consumer Commodity, ORM-D (<= 1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II (>1.0L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (<= 0.5L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II (>0.5L)

IMO (IMDG):

Consumer Commodity, ORM-D (<= 1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II (>1.0L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (<=1.0L)

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate),

ADR/RID (EU):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II, ADR, LTD QTY (<=1.0L)

Mexico (SCT):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II, Cantidad Limitada (<=1.0L)

ADGR (AUS):

UN1993 Flammable Liquid n.o.s. (Isopropyl Alcohol, Ethyl Acetate), 3, II

Section 15: Regulatory Information**US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following (HAP's): or ODS: • NONE
Clean Water Act: Priority Pollutant	The following ingredients are listed as hazardous pollutants under the CWA: None of the ingredients are listed as primary pollutants nor are they listed as toxic pollutants.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSA Hazard Communication Standard. Its hazards are: • Immediate (acute) health hazard • Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): • Characteristic of Ignitability, RCRA Code: D001


SARA Title III: Section 302	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 304	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List):
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: • Immediate (acute) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: • Isopropyl Alcohol CAS# 67-63-0 70%
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

State Regulations

CA Right-to Know- Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-6
California No Significant Risk Rule:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-7
MA Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-8
NJ Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-9
PA Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-10
FL Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-11
MN Right-to-Know Law:	Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-12

International Regulations

CDSL: Canadian Inventory Canadian Transitional List	(on Isopropyl Alcohol CAS # 67-63-0; Ethyl Acetate CAS #141-78-12
--	--


European Community: 	Gelish pH Bond:
	• HAZARD SYMBOLS: Xn, F: <i>Highly Flammable</i>
	• RISK PHRASES: R11: <i>highly flammable</i> , R20/22: <i>Harmful by inhalation and if swallowed</i> , R36/37/38: <i>Irritating to eyes, respiratory system and skin</i>
• SAFETY PHRASES: S7/9: <i>keep container tightly closed and in a well ventilated place</i> , S16: <i>keep away from sources of ignition-no smoking</i> , S24/25: <i>avoid contact with skin and eyes</i> , S33: <i>take precautionary measures against static discharges</i> , S37/39: <i>wear suitable gloves and eye/face protection</i> , S45: <i>In case of accident or if you feel unwell, seek medical advise immediately (show the label where possible)</i>	

Section 16: Other Information

<p>EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):</p> <p>Hazard Symbol</p> <p>F-Flammable substance or preparations</p> <p>Xi-Irritants</p> <p>Risks Phrases:</p> <p>R11- Highly flammable; R36-Irritating to eyes; R66-Repeated exposure may cause skin dryness or cracking; R67- Vapors may cause drowsiness and dizziness R11 Highly flammable R48/23/24/25 Toxic,danger of serious damage to health by prolonged exposure though inhalation in contact with skin and if swallowed R21/22 Harmful in contact with skin an if swallowed R36/37/38 Irritant to eyes, respiratory system and skin R43 May cause sensitisation by skin contact</p> <p>Safety Phrases:</p> <p>S2 Keep out of reach of children: S7 Keep container tightly closed: S16 Keep away from sources of ignition-No Smoking: S23 Do not breathe gas/fumes/vapor/spray S24/25 Avoid contact with skin and eyes: S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S9 Keep container in a well-ventilated place S29 Do not empty into drains: S33 Take precautionary measures against static discharges R53 May cause long-term adverse effects in the aquatic enviroment R45 May cause cancer</p>

Hazard Rating System (Pictograms)

NFPA:



HMIS:

HEALTH	<input type="checkbox"/>
FLAMMABILITY	<input type="checkbox"/>
REACTIVITY	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

Revised Sections Since Last Verion:	NONE
-------------------------------------	------

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Gelish Soak Off Gel Polish - Nourish Cuticle Oil
Product Use: Cosmetic
Product Number: 01207, 04002, 1140000, 1244002, 1900478, Kit 1121798

SDS Prepared: 6/20/2014
SDS Updated: 3/25/2021
Revision: 09

Manufacture: Nail Alliance - North America, Inc
 1545 Moonstone , Brea, California 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumer and other users under intended and reasonable use
- No toxicity exist
- Treat as a oil fire

Potential Health Effects, Signs and Symptoms of Exposure:

In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the no health hazards

Primary Route of Entry: Skin contact and possible inhalation

Eye: In the event of accidental contact with eyes, irrigate copious amounts of water; if redness or irritation persists obtain medical help

Skin: Non- irritating to skin. If oil gets on exposed areas remove with copious amounts of soap and water

Ingestion: Non toxic material. In the event of accidental ingestion rinse the mouth with water. Do not induce vomiting if ingested.

Inhalation: No considered to be a problem. Breathing high concentration of vapor will cause no anesthetic effects

Sub-Chronic Effects: Finished product is not expected to have chronic health effects

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
NO HAZARDOUS COMPONENTS						

Section 4: First Aid Measures

First Aid for Eye: Flush with plenty of water for 15 minutes. If redness or irritation persist seek medical attention

First Aid for Skin: Remove contaminated clothing and contact area with soap and water. Particular attention should be paid to hair nose ears and other areas not easily cleaned.

First Aid for Inhalation: No considered to be a problem. Breathing high concentration of vapor will cause no anesthetic effects

First Aid for Ingestion: If appreciable quantities are swallowed, seek medical attention.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
599° F (Closed Cup F)	N/A	N/A

Method:

Extinguishing Media: Use carbon dioxide or foam.

Fire Fighting Instructions: Firefighters to cool fire-exposed containers, use blanketing effect. Use self contained breathing apparatus.

Unusual Hazards: Treat as oil fire

NFPA FLAMMABILITY CODE: 1

Section 6: Accidental Release Measures

Spill or Release Producers: Soak up with suitable absorbent

Section 7: Handling and Storage

Handling: Keep containers closed when not in use. Protect containers from abuse. Do not expose to open flame. This material will support combustion.

Storage: Keep this material and all chemicals out of the reach of children.

Explosion Hazard: High temperatures and fire conditions will not cause spontaneous exothermic polymerization

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Ventilation: General Mechanical

Eye / Face Protection: Splash proof goggles if handling methods warrant them

Skin Protection: Oil resistant if skin contact is anticipated

Respiratory Protection: Use NIOSH/MSHA approved respirator if TLV is exceeded

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Clear, semi-viscous liquid	Fragrant	NA	0.849- 0.876	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Insoluble
Flash Point (°F/ °C)		Flammable Limit (vol%)		Auto-ignition Temperature (vol%)			
599° F (Closed Cup F)		N/A		N/A			

Section 10: Stability and Reactivity

Stability Presents no significant reactivity hazard, not pyrophoric nor reactive with water Hazardous Decomposition Products: Fumes produced when heated to decomposition may include: carbon monoxide, carbon dioxide and smoke Conditions to Avoid: No applicable information has been found	Incompatibility (Material to Avoid): Avoid strong oxidizers Hazardous Polymerization: Will not undergo spontaneous exothermic polymerization
--	---

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	non-irritating to skin	non-irritating to eyes
This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files				
Sensitization	Mutagenicity	Sub-chronic Toxicity		
no toxicity exist	no reproductive effects	no toxicity exist		

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate ventilation
 For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Dispose of container and unused contents in accordance with federal, state and local requirements
 For EU Member State, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.
 California waste code: 331

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F)=599 °F

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: ● NONE This product does not contain any Class1 or Class 2 ODS
------------------------	---

Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> • NONE This product does not contain any substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> • NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> • NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> • NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> • NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> • NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> • NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> • NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbols:	
Risk Phrases:	R36/38
Safety Phrases:	
S2 Keep out of the reach of children	
NFPA:	HMIS:
This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).	
Hand & Nail Harmony • Brea, CA 92821	

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	ProHesion Sculpting Monomer (J2)	SDS Prepared :	10/21/2013
		SDS Updated:	3/10/2020
		Revision:	08
Family:	Monomer	Manufacture:	Nail Alliance - North America, Inc 1545 Moonstone Brea, CA 92821
Product Use:	Cosmetics	Emergency Phone Number:	(800) 535-5053
Product #:	01105 / 01106 / 01107 / 01109	Information Contacts:	(714) 773-9758

Section 2: Hazardous Identification

EMERGENCY OVERVIEW

- * **Flammable liquid and vapor**
- * May cause eye irritation.
- * May cause skin irritation
- * Avoid prolonged or repeated breathing of gases, vapors or mists.
- * Please read entire MSDS for additional information



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin and ingestion
Eye	Vapors are irritating to the eyes. Splashes may cause severe irritation, with stinging, tearing, redness, and pain with possible corneal damage.
Skin	Liquid concentration may cause moderate skin irritation. Repeated/prolonged contact may cause allergic skin rashes, itching and swelling which becomes evident on re-exposure to this product.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting.
Inhalation	high vapor concentrations may irritate the respiratory system. Prolonged exposure can lead to headaches, nausea, drowsiness and unconsciousness

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Ingredient Identification

INCI Name	CAS #	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IAR/NTP/OSHA	%
Ethyl Methacrylate	97-63-2	202-597-5	N/E	N/E	Not Listed	75.0-100.0
HEMA	868-77-9	212-782-2	N/E	N/E	Not Listed	10.0-25.0
Glycol HEMA-methacrylate	97-90-5	202-617-2	N/E	N/E	Not Listed	5.0-10.0
Dimethyltolylamine	99-97-8	202-805-4	N/E	N/E	Not Listed	1.0-5.0

N/E - None Established
N/R - Not Reviewed

N/DA - No Data Available
N/A - Not Applicable

Ethyl Metacrylate
Glycol HEMA Methacrylate
HEMA

Hazard Symbols: Xi, F
Hazard Symbols: Xi
Hazard Symbols: Xi

Risk Phrases: R11, R36/37/38, R43
Risk Phrases: R37, R43
Risk Phrases: R36/38, R43

Safety Phrases: S2, S9, 16, S29, S33
Safety Phrases: S2, S24, S37
Safety Phrases: S2, S26, S28

See Section 16 for Risk and Safety Phases Key

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Seek medical attention if discomfort persists.

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)	SAPT (°F/°C)
68° F/ 20 ° C estimated	LEL: 2%; UEL: 12.5%	392.8 ° C	>167°F / 75°C

Extinguishing Media: Foam , Carbon Dioxide, Dry Chemical or Carbon Tetrachloride

Fire Fighting Instructions: Wear complete personal protective equipment including self contained breathing apparatus. Fight fire from a safe distance/protected location. Water may be ineffective unless used as a fine spray or fog. Use water spray to cool the exposed containers of methacrylate monomer

Unusual Hazards: Vapors may travel to source of ignition and flash back . Avoid ignition source or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging

Section 6: Accidental Release Measures

Spill or Release Procedures: Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (eg. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush or sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

Section 7: Handling and Storage

Handling: Keep away from heat, sparks flames and other sources of ignition. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Ground all metals containers when transferring and use explosion-proof equipment. Follow precautions even after the container is emptied because it may retain product residue.. Wash thoroughly after handling.

Storage: Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with national Fire Protection Association recommendations. Maintain air space inside storage containers.

Explosion Hazard: Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls: Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment:

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/Face Protection: Wear safety glasses. Wear coverall chemical splash goggles and face shield when sensibility exists for eye and face contact due to splashing or spraying material.

Skin Protection: Use impermeable clothing to prevent ANY contact with this product, such as chemical resistant gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN149 approved full-face-piece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	SAPT	Viscosity	% Volatile
Clear to blue-violet liquid	sharp ester like odor	N/A	(H2O =1):0.96	>167°F / 75°C	N/D	W/W % : 99+
Boiling Point/ Freezing Point	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
243 °F/ 117 °C / NDA	N/DA	0.69kPa @ 38°C	(Air = 1): 3.9	Butyl Acetate = 1 : 1.5	N/A	05 g/ 100g @20 °C
Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)				
68 °F/20 °C (estimate)	LEL:2% ; UEL:2.5%	392.8 °C				

Section 10: Stability and Reactivity

Stability: Stable	Incompatibility (Materials to Avoid): Reducing and oxidizing agents and UV light
Hazardous Decomposition Products: Oxides of Carbon when burned	Hazardous Polymerization: May occur
Conditions to Avoid: Temperatures above 60 °F , oxidizing and reducing agents, peroxides and amines in absence of inhibitor, and inadvertent addition of catalyst.	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/ DA	N/ DA	N/ DA	N/ DA	N/ DA
Sensitization		Mutagenicity	Sub-chronic Toxicity	
N/DA		N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/ DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/ DA
Chemical Oxygen Demand	N/ DA

Section 13: Disposable Considerations

The generation of waste should be avoided or minimized wherever is possible.

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Consumer Commodity, ORM-D (<= 1.0L)

UN2277, Ethyl Methacrylate, Stabilized, 3, II (>1.0 L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (<= 0.5 L)

UN2277, Ethyl Methacrylate, Stabilized, 3, II (>0.5 L)

IMDG (OCN):

UN2277, Ethyl Methacrylate, Stabilized, 3, II, LTD QTY (<= 1.0 L)

UN2277, Ethyl Methacrylate, Stabilized, 3, II, (>1.0 L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (<= 1.0 L)

UN2277, Ethyl Methacrylate, Stabilized, 3, II, (>1.0 L)

ARD/RID (EU):

UN2277, Ethyl Methacrylate, Stabiized, 3, II, ADR, LTD QTY (<= 1.0L)

Mexico (SCT):

UN2277, Etil Metilacrilato, Stabilizada, 3, II, Cantidad Limitada (<= 1.0 L)

ADGR (Australia)

UN2277, Ethyl Methacrylate, Stabilized, 3, II

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following (HAP's): or ODS: • NONE
Clean Water Act: Priority Pollutant	
The following ingredients are listed as hazardous pollutants under the CWA: None of the ingredients are listed as primary pollutants nor are they listed as toxic pollutants.	

FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): Ethyl Methacrylate, CAS # 97-63-2, RCRA CODE U118 <ul style="list-style-type: none"> • Characteristic of Ignitability, RCRA Code: D001
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.

SARA title III: Section 302 (RQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List): Ethyl Methacrylate, CAS # 97-63-2, RQ (Lbs):1000
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> • NONE
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.

State Regulations


CA Right-to Know- Law:	California Proposition 65: Dimethyltolylamine
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Ethyl Methacrylate, CAS # 97-63-2
NJ Right-to-Know Law:	Ethyl Methacrylate, CAS # 97-63-2
PA Right-to-Know Law:	Ethyl Methacrylate, CAS # 97-63-2
FL Right-to-Know Law:	Ethyl Methacrylate, CAS # 97-63-2
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	Ethyl Metahcrylate: CAS# 97-63-2-DSL regulatory status: Included, WHMIS: B2; flammable liquid D-2B: Toxic Dimethyltolylamine CAS # 99-97-8 - DSL regulatory status: included, WHMIS: n/da HEMA- CAS # 868-77-9: DSL regulatory status: Included WHMIS:n/da Glycol HEMA Methacrylate - CAS# 97-90-5 - DSL regulatory status, Included WHMIS n/da
--	--

Section 16: Other Information

Labeling according to EC Directives - 1999/45/EC

European Community:	Gelish Cleanser:
	<ul style="list-style-type: none"> • HAZARD SYMBOLS: Xn, Irritant F: Highly Flammable
	<ul style="list-style-type: none"> • RISK PHRASES: R11: highly flammable, R36/37/38: Irritating to eyes, respiratory system and skin; R43: May cause sensitization by skin contact
	<ul style="list-style-type: none"> • SAFETY PHRASES: S9: keep container in a well ventilated place, S16: keep away from sources of ignition-no smoking, S29: do not empty into drains, S33: take precautionary measures against static discharges, S37/37/39: wear suitable protection cloth in gloves and eye/face protection, S45: In case of accident or if you feel unwell, seek medical advise immediately (show the label where possible)

EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):

Hazard Symbols:

F-Flammable substance or preparations

Xi-Irritants

Risks Phrases:

R11- Highly flammable

R36/38-Irritating to eyes and skin

R36/37/38 Irritant to eyes, respiratory system and skin

R37: irritating to respiratory system

R43 May cause sensitization by skin contact

Safety Phrases:

S2 Keep out of reach of children:

S9 Keep container in a well-ventilated place: S16 Keep away from sources of ignition-No Smoking:

S24 Avoid contact with skin

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S9 Keep container in a well-ventilated place



S29 Do not empty into drains:

S33 Take precautionary measures against static discharges

R37 Wear suitable gloves

Self-Accelerating Polymerization Temperature (SAPT): >167°F / 75°C

Hazard Rating System (Pictograms)

NFPA:		HMIS:	
	HEALTH (2)	FLAMMABILITY (3)	REACTIVITY (1)

Revised Sections Since Last Verion: NONE

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: ProHesion Nail Sculpting Powder

SDS Prepared 6/18/2014
SDS Updated: 3/10/2020
Revision 03

Manufacture: Nail Alliance - North America, Inc
1545 Moonstone Brea, CA 92821

Item Numbers

01110, 01111, 01112 Elegant Pink
01113, 01114, 01115 Vivid White
01116, 01117, 01118 Crystal Clear
01122, 01123, 01124 Studio Cover Warm Pink
01125, 01126, 01127 Studio Cover Cool Pink
01128, 01129 Xpress White

Emergency Phone #: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

- * May cause allergic skin reaction.
- * May cause eye irritation.
- * Dust may cause irritation if the nose, throat, and lungs
- * This product may contain particulate, not otherwise classified (Nuisance Dust)



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry Eyes or skin (No absorption); inhalation of dust.

Eye Higher concentration can irritate eyes. May cause eye irritation or damage.

Skin Repeated or prolonged exposure may cause allergy skin rashes.

Ingestion Higher concentration can irritate respiratory system.

Inhalation Possible temporary discomfort due to inhalation of dust concentration above the permissible exposure limits. Dust may cause irritation of the nose, throat, and lungs.

Sub-Chronic Effects For Polymer: OSHA classifies this material as Particulates, Not Otherwise Classified, Eyes, skin and Respiratory tract may be irritated by gross overexposure to Particulates, Not Otherwise Classified, no matter how they are generated. Avoid inhalation of dust. Keep dust out of eyes to prevent possible irritation.

For decomposition product: Methyl Methacrylate Monomer; liquid or high vapor concentration can irritate eyes, respiratory systems and cause skin rashes. Prolonged exposure can lead to headaches, nausea, staggering gait, confusion, drowsiness and unconsciousness.

Repeated and prolonged over exposure may cause permanent brain and nervous system, allergic skin rashes, eye corrosion and permanent injury, as well as changes in liver and kidney function or damage.

For Benzoyl Peroxide: repeated or prolonged contact may cause skin sensitization.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Ingredient Identification

INCI Name	CAS #	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IAR/NTP/OSHA	%
Polyethylmethacrylate	9003-42-3	N/E	N/E	N/E	Not Listed	65 - 100
Polymethyl methacrylate	9011-14-7	N/E	N/E	N/E	Not Listed	10 - 30
Benzoyl Peroxide	94-36-0	202-327-6	5 mg/m3	5 mg/m3	3/no/no	<1

May contain (+/-):

Silica	7631-86-9	231-545-4	N/E	N/E	Not Listed	<1
Titanium Dioxide/ CI77891	13463-67-7	236-675-5	15mg/m3	10mg/m3	Group 3/no/no	<1
Chromium Oxide Greens (CI 77288)	1308-38-9	215-160-9	N/E	N/E	Not Listed	<1
Iron Oxides (CI 77491)	1309-37-1	215-168-2	N/E	N/E	Not Listed	<1
Red 30 (CI 73360)	2379-74-0	219-163-6	N/E	N/E	Not Listed	<1

Ultramarines (CI 77007)	57455-37-5	215-111-1	N/E	N/E	Not Listed	<1
-------------------------	------------	-----------	-----	-----	------------	----

N/E-None Established	N/DA- No Data Available
N/R- Not Reviewed	N/A-Not Application

This product is not considered hazardous by OSHA Hazard Communication Standard

Poly (ethyl methacrylate):	Hazard Symbols: N/E	Risk Phrases: N/E	Safety Phrases: S24/25
Poly (methyl methacrylate):	Hazard Symbols: Xn	Risk Phrases: R40	Safety Phrases: S36/37

See Section 15 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash with soap and water. Get medical help if discomfort persists.
First Aid for Inhalation	Remove to fresh air. Get medical help if discomfort persists
First Aid for Ingestion	Rinse mouth out with water. Call doctor if amount was large.

Section 5: Fire Fighting Measures

Flash Point	Flammable Limit	Auto-Ignition Temperature
(°F/°C)	(vol%)	(vol%)
580° F/304°C estimated	N/A	N/E
Extinguishing Media:	Water, carbon dioxide, dry chemical.	
Fire Fighting Instructions:	Avoid extinguishing methods that generate dust clouds. Water streams can disperse dust into air, producing a fire hazard and possible explosion hazard. Fire-fighters should wear self-contained breathing apparatus	
Unusual Hazards:	Polymer dust is combustible, explosive limits of the polymer particles suspended in air are approximately those of coal dust..	

Section 6: Accidental Release Measures

Spill or Release Procedures: Sweep up to avoid slipping hazard. Keep airborne particulates at a minimum when cleaning up spills..

Section 7: Handling and Storage

Handling	Observe precautions found on the label. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Avoid prolonged or repeated contact with skin. Avoid contamination. USE only with adequate ventilation..
Storage	Store in cool, dry place away from heat, sparks, flame and direct sunlight. Close container after each use. Ground all metal containers when transferring. Use explosion-proof equipment Store away from combustibles and incompatible materials.
Explosion Hazard	Polymer dust is combustible, explosive limits of the polymer particles suspended in air are approximately those of coal dust.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls Use good local exhaust at processing equipment, including buffers, sanders, grinders and polishers. High temperature processing equipment should be well ventilated. USE explosion proof equipment. Provide ventilation if necessary to control exposure levels below airborne exposure limits. All equipment must be grounded. Temperatures above 480 C must be avoided.

Personal Protective Equipment:

General	Dust collectors are recommended for handling powder in bulk.
Eye/Face Protection	Use safety glasses and have eye flushing equipment immediately available..
Skin Protection	Minimize contamination by following good industrial practice. Wearing nitrile, neoprene, pvc, latex or other impermeable gloves is recommended.
Respiratory Protection	Avoid breathing dust and mist. Use dust mask.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	voc (g/L)	Specific	Viscosity	% Volatile	
Fine colored powder	Faint odor in bulk	NA	N/A	N/A	N/A	N/A	
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log po/w		Vapor Density	Evaporation Rate	Ignition	Solubility Water (20°C)
N/A	N/A	N/A		N/A	N/A	N/A	insoluble

Flash Point	Flammable Limit	Auto-Ignition Temperature
(°F/°C)	(vol%)	(vol%)

580°F/304°C estimated	N/A	N/E
-----------------------	-----	-----

Section 10: Stability and Reactivity

Stability: Stable	Incompatibility (Materials to Avoid): Strong oxidizing agents.
Hazardous Decomposition Products: methacrylate monomers	Hazardous Polymerization: Will not occur
Conditions to Avoid: Heating above 240 °C, 464 ° F	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/DA	N/DA	N/DA	N/DA	N/DA
Since this product contains a very low concentration of active components, the primary toxicological information is derived from the copolymers. Further hazardous properties cannot be excluded. The product should be handle with care when dealing with chemicals.				
Sensitization		Mutagenicity	Sub-chronic Toxicity	
No information available		No information available	No information available	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Oral Toxicity To Fish	Acute Dermal Toxicity to Invertebrates	Acute Inhalation Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/ DA

To the best of our knowledge, the ectoxocological and chemical fate properties have not been thoroughly investigated Do not allow to enter drinking water supplies, wastewater, or soil

Section 13: Disposable Considerations

May be disposed of in a land fill or incinerated. Follow Federal, State and Local regulations for disposal. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG #):	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	
Emergency Response Guidebook (ICAO #):	
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (Ems) #:	
Other Information:	Flash Point > 100°C

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP's) or ozone depleting substances (OD's), as defined by the U.S. Clean Air Act • NONE
Clean Water Act: Priority Pollutant/Hazardous Substance	This product contains the following chemicals listed under the U.S. Clean Water Act Priority Pollutant List: • NONE
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is not considered a hazardous chemical under the OSHA Hazard Communication Standard.
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).

SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals outlined in SARA Title III: Section 313: Benzoyl Peroxide CAS# 94-36-0
TSCA Section 8(b): Inventory) ITSCA Significant New Use Rule:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements. None of the chemical listed have a SNUR under TSCA.


State Regulations

CA Right-to Know- Law: California No Significant risk Rule:	Benzoyl Peroxide CAS# 94-36-0 NONE
MA Right-to-Know Law:	Titanium Dioxide CAS # 13463-67-7, Benzoyl Peroxide CAS# 94-36-0
NJ Right-to-Know Law:	Titanium Dioxide CAS # 13463-67-7, Benzoyl Peroxide CAS# 94-36-0
PA Right-to-Know Law:	Titanium Dioxide CAS # 13463-67-7, Benzoyl Peroxide CAS# 94-36-0
FL Right-to-Know Law:	Benzoyl Peroxide CAS# 94-36-0
MN Right-to-Know Law:	Titanium Dioxide CAS # 13463-67-7, Benzoyl Peroxide CAS# 94-36-0

International Regulations

CDSL: Canadian Inventory Canadian Transitional List)	(on Polymethyl methacrylate CAS# 9011-14-7 is on the DSL List. WHMIS=n/da Polyethylmethacrylate CAS# 9003-42-3 is on the DSL List. WHMIS=n/da Benzoyl Peroxide CAS# 94-36-0 is on the DSL list. WHMIS= C, D2B, B4 Titanium Dioxide CAS #13463-67-7-MHMIS= Not controlled
---	---

Labeling according to EC Directives-1999/45/EC


EINECS: European Community:	Polymer Pink:
	Hazard Symbols: Xi : irritant
	Risk Phrases: R36/37/38 : Irritant to eyes, respiratory system and skin
	Safety Phrases: S18 : Handle and open container with care, S22 : do not breath dust, S24/25 : avoid contact with skin and eyes, S38 : in case of insufficient ventilation, wear suitable respiratory equipment.

EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):

Hazard Symbol: Xn= Harmful Substances or preparations
Risks Phrases: R40 Limited Evidence of a carcinogenic effect
Safety Phrases: S24/25 Avoid contact with skin and eyes, S36/37 Wear suitable protective clothing and gloves


Labeling according to EC Directives - 1999/45/EC

NFPA:



← FLAMMABILITY ①

HMIS:



HEALTH → ①

← REACTIVITY ①

Revised Sections Since Last Verion:

NONE

Osha PEL for nuisance dust: 15 mg/m³ (total dust) 5mg/m³ (respirable dust)

ACGIH PEL for nuisance dust: 10mg/m³

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-53.

Section 1. Identification

GHS product identifier : Foundation Flex (All Shades)
Product code : 1148015, 1148016, 1148017, 1148018
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Nail Alliance - North America, Inc.
 1545 Moonstone
 Brea, CA 92821
 Tel: (714) 773-9758

Emergency telephone number (with hours of operation) : **(800) 535-5053**

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : SKIN IRRITATION - Category 2
 EYE IRRITATION - Category 2A
 SKIN SENSITIZATION - Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye irritation.

Precautionary statements

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Section 2. Hazards identification

- Response** : IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
- Storage** : Store locked up. Store in a well-ventilated place. Keep container tightly closed.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Not available.

Ingredient name	CAS number	EC number	INCI Name	%
Polyurethane acrylate oligomer	Exempt	-	Di-HEMA trimethylhexyl dicarbamate*	≥25 - ≤50
2-hydroxyethyl methacrylate	868-77-9	212-782-2	HEMA	≥10 - ≤25
Isobornyl methacrylate	7534-94-3	231-403-1	Isobornyl methacrylate	≥10 - ≤25
TPO	75980-60-8	278-355-8	Trimethylbenzoyl diphenylphosphine oxide	≤5
Ethylene glycol dimethacrylate	97-90-5	202-617-2	Glycol HEMA-methacrylate	≤3
titanium dioxide	13463-67-7	236-675-5	Titanium dioxide/CI 77891	≤0.3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation
coughing
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
phosphorus oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Section 7. Handling and storage

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Shield UV light sources. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Polyurethane acrylate oligomer	None.
2-hydroxyethyl methacrylate	None.
Isobornyl methacrylate	None.
TPO	None.
Ethylene glycol dimethacrylate	None.
titanium dioxide	None.
	ACGIH TLV (United States, 3/2019). TWA: 10 mg/m ³ 8 hours.
	OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m ³ 8 hours. Form: Total dust
	OSHA PEL (United States, 5/2018). TWA: 15 mg/m ³ 8 hours. Form: Total dust

- Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid. [Gel]
- Color** : Various colors.
- Odor** : Characteristic. Acrylate odor
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: >93.3°C (>199.9°F)
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.11
- Solubility** : Not available.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Flow time (ISO 2431)** : Not available.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided.
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects - Based on existing test data. These products were not tested on animals.

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-hydroxyethyl methacrylate	LD50 Oral	Rat	5050 mg/kg	-
Ethylene glycol dimethacrylate	LD50 Oral	Rat	3300 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
titanium dioxide	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Isobornyl methacrylate	Category 3	-	Respiratory tract irritation
Ethylene glycol dimethacrylate	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 - pain or irritation
 - watering
 - redness
- Inhalation** : Adverse symptoms may include the following:
 - respiratory tract irritation
 - coughing
 - reduced fetal weight
- Skin contact** : Adverse symptoms may include the following:
 - irritation
 - redness
 - reduced fetal weight
 - i
- Ingestion** : Adverse symptoms may include the following:
 - reduced fetal weight

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

- General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Section 11. Toxicological information

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Gummy Base Cover Beige	16217.7	N/A	N/A	N/A	N/A
2-hydroxyethyl methacrylate	5050	N/A	N/A	N/A	N/A
Ethylene glycol dimethacrylate	3300	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
2-hydroxyethyl methacrylate	Acute LC50 227000 µg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 >1000000 µg/l Marine water	Fish - Fundulus heteroclitus	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-hydroxyethyl methacrylate	0.42	-	low
Isobornyl methacrylate	5.09	-	high
TPO	-	53 to 72	low
Ethylene glycol dimethacrylate	1.87	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SKIN IRRITATION - Category 2
EYE IRRITATION - Category 2A
SKIN SENSITIZATION - Category 1

Composition/information on ingredients

Section 15. Regulatory information

Name	%	Classification
Polyurethane acrylate oligomer	Proprietary	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1A
2-hydroxyethyl methacrylate	≥10 - ≤25	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1
Isobornyl methacrylate	Proprietary	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Cellulose, acetate butanoate TPO	≥10 - ≤25 Proprietary	COMBUSTIBLE DUSTS COMBUSTIBLE DUSTS
Ethylene glycol dimethacrylate	Proprietary	SKIN SENSITIZATION - Category 1
titanium dioxide	≤0.3	

State regulations

- Massachusetts** : None of the components are listed.
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: TITANIUM DIOXIDE; TITANIUM OXIDE (TiO₂)
- Pennsylvania** : The following components are listed: TITANIUM OXIDE
- California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : All components are listed or exempted.
- Canada** : At least one component is not listed.
- China** : All components are listed or exempted.
- Europe** : All components are listed or exempted.
- Japan** : **Japan inventory (ENCS)**: All components are listed or exempted.
Japan inventory (ISHL): Not determined.
- New Zealand** : Not determined.
- Philippines** : All components are listed or exempted.
- Republic of Korea** : Not determined.
- Taiwan** : Not determined.
- Thailand** : Not determined.
- Turkey** : Not determined.

Section 15. Regulatory information

United States : Not determined.

Viet Nam : Not determined.

Section 16. Other information


Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1	Calculation method Calculation method Calculation method

History

Date of printing : 4/06/2022

Date of issue/Date of revision : 4/06/2022

Date of previous issue : 4/06/2022

Version : 1.01

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 SGG = Segregation Group
 UN = United Nations

References : Not available.

▣ Indicates information that has changed from previously issued version.

Notice to reader

Section 16. Other information

*Most Nail Alliance gels are composed of oligomers made primarily from urethane (meth)acrylates. Nail Alliance is using the designation di-HEMA trimethylhexyl dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of polyurethane acrylate oligomer.

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Renew Buffing Scrub
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54007, Kit 1900455, Kit 3990004

SDS Prepared: 1/25/2016
SDS Updated: 3/24/2021
SDS Revision: 06

Supplied By: Nail Alliance - North America, Inc.
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion
Eye: Slightly irritating to the eyes.
Skin: May be irritating to skin in some individuals, especially after prolonged contact.
Ingestion: If product is swallowed, may cause nausea, vomiting and /or diarrhea.
Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
Acute Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
Chronic Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established N/DA - No Data Available
 N/R - Not Reviewed N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
First Aid for Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
First Aid for Inhalation: Remove victim to fresh air at once.
First Aid for Ingestion: If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C) >200°F (93.33°C)	Flammable Limit (vol%) N/A	Auto-ignition Temperature (vol%) N/A
Lower Explosive Limit (LEL): N/A	Upper Explosive Limit (UEL): N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
Unusual Hazards: When heated to decomposition, this product may emit toxic fumes.
NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid dike material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
 Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.
 Skin Protection: Oil resistant if skin contact is anticipated
 Hands/Feet: None required under normal conditions of use.
 Respiratory Protection: None required if used in a well-ventilated area.
 Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Blue crystalline & oil mixture	Berry/Kukui Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Miscible with water

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>200°F (93.33°C)	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist
This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files				
Sensitization	Mutagenicity	Sub-chronic Toxicity		
no toxicity exist	no reproductive effects	no toxicity exist		

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution
 For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class 1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant

FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	• NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	• NONE
SARA Title III: Section 302 (RQ)	• NONE
SARA Title III: Section 311-312:	• NONE
SARA Title III: Section 313:	• NONE
TSCA Section 8(b) Inventory:	• NONE
TSCA Significant New Use Rule:	• NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
--	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p>	<p>HMIS:</p>
---------------------	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Renew Massage Butter
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54006; 3660001, Kit 1900455, Kit 3990004

SDS Prepared: 1/25/2016
SDS Updated: 3/24/2021
SDS Revision: 07

Supplied By: Nail Alliance - North America, Inc.
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion
 Eye: Slightly irritating to the eyes.
 Skin: May be irritating to skin in some individuals, especially after prolonged contact.
 Ingestion: If product is swallowed, may cause nausea, vomiting and /or diarrhea.
 Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
 Acute Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
 Chronic Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established N/DA - No Data Available
 N/R - Not Reviewed N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
 First Aid for Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
 First Aid for Inhalation: Remove victim to fresh air at once.
 First Aid for Ingestion: If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
 Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
 Unusual Hazards: When heated to decomposition, this product may emit toxic fumes.
 NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
 For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.

Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.

Skin Protection: Oil resistant if skin contact is anticipated

Hands/Feet: None required under normal conditions of use.

Respiratory Protection: None required if used in a well-ventilated area.

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Blue semi-viscous cream	Berry/Kukui Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Soluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution

For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food

	additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (0) Flammability(0) Reactivity(0)</p>	<p>HMIS:</p>
---	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Renew Detox Masque
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54005, Kit 1900455, Kit 3990004

SDS Prepared: 1/25/2016
SDS Updated: 3/24/2021
SDS Revision: 06

Supplied By: Nail Alliance - North America, Inc
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion
 Eye: Slightly irritating to the eyes.
 Skin: May be irritating to skin in some individuals, especially after prolonged contact.
 Ingestion: If product is swallowed, may cause nausea, vomiting and /or diarrhea.
 Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
 Acute Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
 Chronic Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established N/DA - No Data Available
 N/R - Not Reviewed N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
 First Aid for Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
 First Aid for Inhalation: Remove victim to fresh air at once.
 First Aid for Ingestion: If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:
 Extinguishing Media: Use methods for surrounding fire.
 Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
 Unusual Hazards: When heated to decomposition, this product may emit toxic fumes.
 NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
 For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.

Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.

Skin Protection: Oil resistant if skin contact is anticipated

Hands/Feet: None required under normal conditions of use.

Respiratory Protection: None required if used in a well-ventilated area.

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Blue soft crème	Berry/Kukui Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Miscible with water

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution

For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food

	additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (0) Flammability(0) Reactivity(0)</p>	<p>HMIS:</p>
---	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Renew Purifying Soak
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54004, Kit 1900455, Kit 3990004

SDS Prepared: 1/22/2016
SDS Updated: 3/24/2021
SDS Revision: 06

Supplied By: Nail Alliance - North America, Inc.
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- May irritate eyes
- Not classified as dangerous

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion, inhalation
 Eye: Irritating to the eyes.
 Skin: May cause irritation after prolonged exposure for sensitive individuals.
 Ingestion: Ingestion of large quantities may cause gastrointestinal irritation, diarrhea, nausea and vomiting.
 Inhalation: Not considered to be a problem.
 Acute Effects: No problems are anticipated; if product is irritating to an individual he or she should discontinue its use.
 Sub-Chronic Effects: Finished product is not expected to have chronic health effects

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established
 N/R - Not Reviewed

N/DA - No Data Available
 N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
 First Aid for Skin: Wash with water in case of irritation. Get medical attention if irritation occurs and persists.
 First Aid for Inhalation: In case of dust inhalation, remove person to fresh air. Apply artificial respiration if necessary and get medical attention immediately.
 First Aid for Ingestion: If swallowed, wash mouth thoroughly with plenty of water. Get medical attention immediately.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
 Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
 Unusual Hazards: When heated to decomposition, this product may emit toxic fumes of sulfur oxides.
 NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Small Spills: Spills may be slippery; clean up immediately. Carefully scoop or sweep up; place in a clean container and dispose of in accordance with all applicable regulations. Flush spill area with water.
 Large Spills: Carefully scoop up, and place residues in clean containers for proper disposal. Wash area down with large quantity of water. Due to salt content, material may be corrosive to some metals with prolonged exposure. Clean up residual material completely.

Section 7: Handling and Storage

Handling: Handling Precautions: Use good hygiene practices and adequate ventilation. Minimize dust generation and accumulation.
 Storage: Keep in dry, well-ventilated place away from incompatible materials.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Eye / Face Protection: None required during normal use.

Skin Protection: Oil resistant if skin contact is anticipated

Hands/Feet: Not normally required. Gloves may be worn for extended use or with sensitive individuals.

Respiratory Protection: Not normally required.

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Blue crystalline powder	Berry/Kukui Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Soluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability Stable under normal conditions	Incompatibility (Material to Avoid): Oxidizing agents
Hazardous Decomposition Products: Oxides of: potassium, calcium, magnesium, sodium and HCl	Hazardous Polymerization: Will not occur
Conditions to Avoid: Exposure to moisture. Heating above decomposition temperature	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution
 For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class 1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)

SARA Title III: Section 302 (TPQ)	• NONE
SARA Title III: Section 302 (RQ)	• NONE
SARA Title III: Section 311-312:	• NONE
SARA Title III: Section 313:	• NONE
TSCA Section 8(b) Inventory:	• NONE
TSCA Significant New Use Rule:	• NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (1) Flammability(0) Reactivity(0)</p>	<p>HMIS:</p>
---	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	BareLuxury Calm Sugar Scrub	SDS Prepared:	1/25/2016
		SDS Updated:	3/24/2021
		SDS Revision:	06
Product Type:	Cosmetic Pedicure/Manicure	Supplied By:	Nail Alliance - North America, Inc. 1545 Moonstone Brea, CA 92821
Product Item #'s:	54003, Kit 1900455, Kit 3990001	Emergency Phone Number:	(800) 535-5053
		Information Contacts:	(714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Skin, eye, ingestion
Eye	Slightly irritating to the eyes.
Skin	May be irritating to skin in some individuals, especially after prolonged contact.
Ingestion	If product is swallowed, may cause nausea, vomiting and /or diarrhea.
Inhalation	Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
Acute Effects:	Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
Chronic Effects	No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established
N/R - Not Reviewed

N/DA - No Data Available
N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye	Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
First Aid for Skin	If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
First Aid for Inhalation:	Remove victim to fresh air at once.
First Aid for Ingestion	If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>200°F (93.33°C)	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:

Extinguishing Media:	Use methods for surrounding fire.
Fire Fighting Instructions:	Firefighters should wear full protective clothing including self-contained breathing apparatus.
Unusual Hazards:	When heated to decomposition, this product may emit toxic fumes.
NFPA Ratings:	Health: 0 Fire: 0 Reactivity: 0 Other: Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid dike material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
 Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.
 Skin Protection: Oil resistant if skin contact is anticipated
 Hands/Feet: None required under normal conditions of use.
 Respiratory Protection: None required if used in a well-ventilated area.
 Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Blue Crystalline & oil mixture	Lavender/Sage Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Miscible with water

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
>200°F (93.33°C)	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution
 For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food

	additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (0) Flammability(0) Reactivity(0)</p>	<p>HMIS:</p>
---	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Calm Purifying Soak
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54000, 3611800, Kit 1900455, Kit 3990001

SDS Prepared: 1/22/2016
SDS Updated: 3/24/2021
SDS Revision: 07

Supplied By: Nail Alliance - North America, Inc.
 6840 North Oak Trafficway
 Gladstone, MO 64118

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- May irritate eyes
- Not classified as dangerous

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion, inhalation
 Eye: Irritating to the eyes.
 Skin: May cause irritation after prolonged exposure for sensitive individuals.
 Ingestion: Ingestion of large quantities may cause gastrointestinal irritation, diarrhea, nausea and vomiting.
 Inhalation: Not considered to be a problem.
 Acute Effects: No problems are anticipated; if product is irritating to an individual he or she should discontinue its use.
 Sub-Chronic Effects: Finished product is not expected to have chronic health effects

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established N/DA - No Data Available
 N/R - Not Reviewed N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
 First Aid for Skin: Wash with water in case of irritation. Get medical attention if irritation occurs and persists.
 First Aid for Inhalation: In case of dust inhalation, remove person to fresh air. Apply artificial respiration if necessary and get medical attention immediately.
 First Aid for Ingestion: If swallowed, wash mouth thoroughly with plenty of water. Get medical attention immediately.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
 Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
 Unusual Hazards: When heated to decomposition, this product may emit toxic fumes of sulfur oxides.
 NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Small Spills: Spills may be slippery; clean up immediately. Carefully scoop or sweep up; place in a clean container and dispose of in accordance with all applicable regulations. Flush spill area with water.
 Large Spills: Carefully scoop up, and place residues in clean containers for proper disposal. Wash area down with large quantity of water. Due to salt content, material may be corrosive to some metals with prolonged exposure. Clean up residual material completely.

Section 7: Handling and Storage

Handling: Handling Precautions: Use good hygiene practices and adequate ventilation. Minimize dust generation and accumulation.
 Storage: Keep in dry, well-ventilated place away from incompatible materials.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Eye / Face Protection: None required during normal use.

Skin Protection: Oil resistant if skin contact is anticipated

Hands/Feet: Not normally required. Gloves may be worn for extended use or with sensitive individuals.

Respiratory Protection: Not normally required.

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Violet crystalline powder	Lavender/Sage Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Soluble

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability Stable under normal conditions	Incompatibility (Material to Avoid): Oxidizing agents
Hazardous Decomposition Products: Oxides of: potassium, calcium, magnesium, sodium and HCl	Hazardous Polymerization: Will not occur
Conditions to Avoid: Exposure to moisture. Heating above decomposition temperature	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution

For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> • NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> • NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> • NONE

RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	• NONE
SARA Title III: Section 302 (RQ)	• NONE
SARA Title III: Section 311-312:	• NONE
SARA Title III: Section 313:	• NONE
TSCA Section 8(b) Inventory:	• NONE
TSCA Significant New Use Rule:	• NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (1) Flammability(0) Reactivity(0)</p>	<p>HMS:</p>
---	--------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Calm Detox Masque
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54001, Kit 1900455, Kit 3990001

SDS Prepared: 1/25/2016
SDS Updated: 3/24/2021
SDS Revision: 06

Supplied By: Nail Alliance - North America, Inc
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion
Eye: Slightly irritating to the eyes.
Skin: May be irritating to skin in some individuals, especially after prolonged contact.
Ingestion: If product is swallowed, may cause nausea, vomiting and /or diarrhea.
Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
Acute Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
Chronic Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established N/DA - No Data Available
 N/R - Not Reviewed N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
First Aid for Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
First Aid for Inhalation: Remove victim to fresh air at once.
First Aid for Ingestion: If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C) Non-flammable	Flammable Limit (vol%) N/A	Auto-ignition Temperature (vol%) N/A
Lower Explosive Limit (LEL): N/A	Upper Explosive Limit (UEL): N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
Unusual Hazards: When heated to decomposition, this product may emit toxic fumes.
NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid dike material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
 Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.
 Skin Protection: Oil resistant if skin contact is anticipated
 Hands/Feet: None required under normal conditions of use.
 Respiratory Protection: None required if used in a well-ventilated area.
 Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Violet soft crème	Lavender/Sage Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Miscible with water

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution
 For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food

	additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p> <p>Health (0) Flammability(0) Reactivity(0)</p>	<p>HMIS:</p>
---	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: BareLuxury Calm Massage Butter
Product Type: Cosmetic Pedicure/Manicure
Product Item #'s: 54002, Kit 1900455, Kit 399001

SDS Prepared: 1/25/2016
SDS Updated: 3/24/2021
SDS Revision: 06

Supplied By: Nail Alliance - North America, Inc.
 1545 Moonstone
 Brea, CA 92821

Emergency Phone Number: (800) 535-5053
Information Contacts: (714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumers under the conditions of use.
- Not a hazardous substance or mixture.
- Precautionary Statement: Keep out of reach of children

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry: Skin, eye, ingestion
Eye: Slightly irritating to the eyes.
Skin: May be irritating to skin in some individuals, especially after prolonged contact.
Ingestion: If product is swallowed, may cause nausea, vomiting and /or diarrhea.
Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals.
Acute Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals.
Chronic Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion.

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
No hazardous ingredients						

N/E - None Established
 N/R - Not Reviewed

N/DA - No Data Available
 N/A - Not Applicable

Section 4: First Aid Measures

First Aid for Eye: Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 15 minutes.
First Aid for Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician.
First Aid for Inhalation: Remove victim to fresh air at once.
First Aid for Ingestion: If ingested, do not induce vomiting. Drink plenty of water or milk immediately. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A
Lower Explosive Limit (LEL):	Upper Explosive Limit (UEL):	
N/A	N/A	

Method:

Extinguishing Media: Use methods for surrounding fire.
Fire Fighting Instructions: Firefighters should wear full protective clothing including self-contained breathing apparatus.
Unusual Hazards: When heated to decomposition, this product may emit toxic fumes.
NFPA Ratings: Health: 0 Fire: 0 Reactivity: 0 Other:
 Hazard Scale: 0=minimal 1=Slight 2=Moderate 3=Serious 4 = Severe

Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills > 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid dike material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Handling & Storage: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Personal Protective Equipment

Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.

Eye / Face Protection: Avoid eye contact. None required under normal conditions of use.

Skin Protection: Oil resistant if skin contact is anticipated

Hands/Feet: None required under normal conditions of use.

Respiratory Protection: None required if used in a well-ventilated area.

Other protective equipment: None

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Violet semi-viscous cream	Lavender/Sage Fragrance	N/A	N/A	N/A	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/water Partitioning Coefficient Log P _{ow}	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility in Water (20°C)
N/A	N/A	N/A	N/A	No Data	No Data	No Data	Soluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): None known
Hazardous Decomposition Products: Oxides of carbon and nitrogen	Hazardous Polymerization: Will not occur
Conditions to Avoid: Open flames, sparks, high heat and direct sunlight	

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

This is a personal care product that is safe for consumer and other users under intended and reasonable use. Material is not found on any know list of carcinogen such as NTP, IARC, or by OSHA nor does it contains any carcinogens found in these files

Sensitization	Mutagenicity	Sub-chronic Toxicity
no toxicity exist	no reproductive effects	no toxicity exist

Section 12: Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist	no toxicity exist

Chemical Fate Information

Biodegradability	safe to environment
Chemical Oxygen Demand	safe to environment

The product ingredients are to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

Section 13: Disposal Considerations

For household settings: The following instructions are for consumer usage only. Do not discharge product into natural water without pre-treatment or adequate dilution

For Non- household settings: product covered by this MSDS, in their original form, when disposed as waste, are considered non-hazardous waste according with Federal RCRA, regulations (40CFR 261). Disposal should be in accordance with federal, state and local requirements

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	
Other Information:	Flash point (Closed Cup F) = Non-flammable

Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act. They are as follows: <ul style="list-style-type: none"> NONE This product does not contain any Class1 or Class 2 ODS
Clean Water Act: Priority Pollutant	This product contains the following Hazardous substances as defined by the CWA <ul style="list-style-type: none"> NONE This product does not contain may substances that are Priority Pollutant or Toxic Pollutant
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food

	additive.
Occupational Safety and Health Act	<ul style="list-style-type: none"> NONE
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 302 (RQ)	<ul style="list-style-type: none"> NONE
SARA Title III: Section 311-312:	<ul style="list-style-type: none"> NONE
SARA Title III: Section 313:	<ul style="list-style-type: none"> NONE
TSCA Section 8(b) Inventory:	<ul style="list-style-type: none"> NONE
TSCA Significant New Use Rule:	<ul style="list-style-type: none"> NONE

State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	NONE
NJ Right-to-Know Law:	NONE
PA Right-to-Know Law:	NONE
FL Right-to-Know Law:	NONE
MN Right-to-Know Law:	NONE

International Regulations

CDSL: Canadian Inventory (on Canadian Transitional List)	NONE
---	------

Labeling according to EC Directives - 1999/45/EC

European Community:	NONE
---------------------	------

Section 16: Other Information

Precautionary Statement: Keep out of reach of children

<p>NFPA:</p>	<p>HMIS:</p>
---------------------	---------------------

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).



Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Gelish Soak Off Gel Polish - Artificial Nail Remover
Chemical Name: N/A

SDS Prepared: 5/7/2014
SDS Updated: 3/25/2021
Revision: 11

Family: Gel Remover
Product Use: Cosmetic

Manufacture: Nail Alliance - North America, Inc
1545 Moonstone, Brea, Ca 92821

Product item#: 01248, 01249, 01229, 01811, 01227, 210113, 04012, 04013, Kit 1121798

Emergency Phone Number: (800) 535-5053
Information Contacts: (714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

- * **Flammable liquid**
- * May cause eye irritation.
- * May cause skin irritation
- * Avoid prolonged or repeated breathing of gases, vapors or mists.
- * Please read entire MSDS for additional information



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin and ingestion
Eye	Vapors are irritating to the eyes. Splashes may cause severe irritation, with stinging, tearing, redness, and pain with possible corneal damage.
Skin	Repeated/prolonged contact may cause drying of the skin. Symptoms include redness, burning, drying, cracking and skin burns.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting.
Inhalation	Vapor are irritating to nasal passages and throat and may cause stupar or headache. Symptoms usually occur at air concentrations higher than the recommended exposure limits.
Sub-Chronic Effects	Significant exposure to this chemical may adversely affect people with chronic disease or may cause damage to the respiratory system, skin and eyes.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Hazardous Ingredients

INCI NAME	CAS #	EINECS#	Exposure		Carcinogen	
			OSHA TWA/STEL	Limits ACGIH TWA/STEL	IAR/NTP/OSH A	%
Acetone	67-64-1	200-662-2	N/E	N/E	Not Listed	60-85

N/E - None Established
N/R - Not Reviewed

N/DA - No Data Available
N/A - Not Applicable

Acetone Hazard Symbol: F, Xi Risk Phrases: R11, R36, R66, R67 Safety Phrases: S2, S9, S16, S26

See Section 16 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If individual is drowsy or unconscious, do not give anything by mouth; place individual on the lieftside with head down. Seek medical attention for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Seek medical attention if discomfort persists.

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
1° F/ -17 ° C (estimated)	LEL: 2.2%; UEL: 12.8 %	N/DA

Extinguishing Media:	Alcohol resisant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth maybe used for small fires only
Fire Fighting Instructions:	If potential for exposure to vapors or products of combustion, wear complete personal protective equipment including self contained breathing apparatus, with full face operated in pressure demand. Fight fire from a safe distance/protected location. Water spray will reduce the intensity of flames
Unusual Hazards:	All storage areas should be provided with adequate fire fighting facilities. Keep adjacent containers cool by spraying with water. Fire expose containers should be cooled with water to prevent pressure build up

Section 6: Accidental Release Measures

Spill or Release Procedures:	Eliminate all sources of heat and ignition. Use absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (eg. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush or sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures. Liquids/vapors may ignite.
------------------------------	---

Section 7: Handling and Storage

Handling	Closed containers exposed to temperature above (120°F) in transit or storage may develop vapor pressure. Open containers slowly. Ground all metals containers when transferring material. Wash face and hands thoroughly with soap and water after handling and before eating, drinking or smoking. Keep away from the heat, sparks & open flames. Do not smoke. Avoid sparks
Storage	Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not in use.
Explosion Hazard	Flammable liquid. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls	Facilities storing or utilizing this material should be equipped with an eye facility and safety shower. Use process enclosures local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.
Personal Protective Equipment:	
General	To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.
Eye/Face Protection	Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type of face shield.
Skin Protection	Use impermeable clothing to prevent ANY contact with this product, such as chemical resistant gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.
Respiratory Protection	A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Wear a NIOSH/MSHA or European Standard EN149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	voc (g/L)	Specific Gravity	Viscosity	% Volatile	
Transparent Pink Liquid	strong solvent odor	N/A	0.0 lb/gal	(H2O =1):0.82	N/A	W/W % : 99+	
Boiling Point/ Freezing Point	Material VOC	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
56 ° C (133 °F)	0.0 lb/gal	N/DA	73 mm Hg @ 20°C	Heavier than air	Slower than ether	N/A	Miscible

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
1° F/ -17 ° C (estimated)	LEL:2% ; UEL:11.4%	N/DA

Section 10: Stability and Reactivity

Stability: Stable	Incompatibility (Materials to Avoid): Oxidizing agents, i.e. hydrogen peroxide, Nitric Acid, Perchloric Acid, Perchloric Acid, Chromium Trioxide Hazardous Polymerization: Will not occur
Hazardous Decomposition Products: Carbon Monoxide	
Conditions to Avoid:	

Heat, open flames, ignition sources, and incompatibles

Section 11: Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/DA	N/DA	N/DA	N/DA	N/DA
Sensitization		Mutagenicity	Sub-chronic Toxicity	
N/DA		N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	When released into the soil, this material is expected to quickly evaporate. When released into the soil, this material may leach into groundwater. When released into the soil, this material may biodegrade extent. When released to water, this material is expected to quickly evaporate. When released into water, this material is expected to have a half-life between 1 and 10 days. When released into water, this material may biodegrade to a moderate extent. This material is not expected to significantly bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Consumer Commodity, ORM-D
UN1090, Acetone Solutions, 3, II (>1.0L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (<= 0.5L)
UN1090, Acetone Solutions, 3, II, (>0.5L)

IMO (IMDG):

UN1090, Acetone Solutions, 3, II, LTD QTY (<= 1.0L)
UN1090, Acetone Solutions, 3, II (> 1.0L)

TDGR (Canadian GND):

Mark Package "LIMITED QUANTITY" or "QUANTITE LIMITEE" or "LTD QTY" or "Quant LTEE" (<= 1.0L)
UN1090, Acetone Solutions, 3, II (>1.0L)

ADR/RID (EU):

UN1090, Acetone Solutions, 3, II, ARD, LTD QTY (<= 1.0L)
UN1090, Acetone Solutions, 3, II, ARD (>1.0L)

SCT (Mexico):

UN1090, Soluciones De Acetona, 3, II, Cantidad Limitada (<= 1.0L)

ADGR (AUS):

UN1090, Acetone Solutions, 3, 2 °(b), LTD QTY (<= 1.0L)

Section 15: Regulatory Information

US Federal Regulations


Clean Air Act: HAP/ODS	This product contains the following (HAP's): or ODS: • NONE
Clean Water Act: Priority Pollutant	The following ingredients are listed as hazardous pollutants under the CWA: None of the ingredients are listed as primary pollutants nor are they listed as toxic pollutants.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.

Occupational Safety and Health Act	This product is considered to be hazardous under the OSA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
RCRA	This product contains chemicals considered to be hazardous waste under RCRA (40 CFR 261): <ul style="list-style-type: none"> • Characteristic of Ignitability, RCRA Code: D001
SARA Title III: Section 302	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 304	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List):
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> • Immediate (acute) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

State Regulations

CA Right-to Know- Law:	Acetone CAS# 67-64-1
California No Significant Risk Rule:	Acetone CAS# 67-64-2
MA Right-to-Know Law:	Acetone CAS# 67-64-3
NJ Right-to-Know Law:	Acetone CAS# 67-64-4
PA Right-to-Know Law:	Acetone CAS# 67-64-5
FL Right-to-Know Law:	Acetone CAS# 67-64-6
MN Right-to-Know Law:	Acetone CAS# 67-64-7
International Regulations	
CDSL: Canadian Inventory Canadian Transitional List	(on Acetone CAS# 67-64-7

Labeling according to EC Directives - 1999/45/EC

European Community:	Remover:
	• HAZARD SYMBOLS: Xi, F: <i>Highly Flammable</i>
	• RISK PHRASES: R11- Highly flammable; R36-Irritating to eyes; R66-Repeated exposure may cause skin dryness or cracking; R67- Vapors may cause
	• SAFETY PHRASES: S2 Keep out of reach of children; S9: Keep container in a well-ventilated place; S16 Keep away from sources of ignition-No Smoking; S26 In case of contact with eyes, rinse immediately with plenty

Section 16: Other Information

EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):
Hazard Symbol F-Flammable substance or preparations Xi-Irritants
Risks Phrases: R11- Highly flammable; R36-Irritating to eyes; R66-Repeated exposure may cause skin dryness or cracking; R67- Vapors may cause
Safety Phrases: S2 Keep out of reach of children; S9: Keep container in a well-ventilated place; S16 Keep away from sources of ignition-No Smoking; S26 In case of contact with eyes, rinse immediately with plenty

Hazard Rating System (Pictograms)

<p>NFPA:</p> <p style="text-align: center;">HEALTH (1) FLAMMABILITY (3) REACTIVITY (0)</p>	<p>HMIS:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0056b3; color: white; text-align: center;">HEALTH</td> <td style="width: 20px; height: 15px;"></td> </tr> <tr> <td style="background-color: #ff0000; color: white; text-align: center;">FLAMMABILITY</td> <td style="width: 20px; height: 15px;"></td> </tr> <tr> <td style="background-color: #ffff00; text-align: center;">REACTIVITY</td> <td style="width: 20px; height: 15px;"></td> </tr> <tr> <td style="text-align: center;">PERSONAL PROTECTION</td> <td style="width: 20px; height: 15px;"></td> </tr> </table>	HEALTH		FLAMMABILITY		REACTIVITY		PERSONAL PROTECTION	
HEALTH									
FLAMMABILITY									
REACTIVITY									
PERSONAL PROTECTION									

Revised Sections Since Last Verion:	NONE
-------------------------------------	------

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	BareLuxury Dissolve Cuticle Remover & Callus Softener	SDS Prepared:	3/16/2018
Chemical Name:	N/A	SDS Updated:	10/6/2020
		Revision:	03
Family:	Cosmetic		
Product Usse:	Cuticle Softener	Supplied By:	Nail Alliance - North America, Inc 1545 Moonstone Brea, CA 92821
Product Item No.:	3619400 (P31-3619400)	Emergency Phone Number:	(800) 535-5053
		Information Contacts:	(714)773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- This is a personal care product that is safe for consumer and other users under intended and reasonable use
- This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia).

Potential Health Effects, Signs and Symptoms of Exposure:

In accordance with 29 CFR 1910.1200 we have to assume that the mixture presents the no health hazards

Primary Route of Entry	Skin contact
Eye	Severe eye irritation. May cause blindness if left untreated.
Skin	This product is designed to remove skin around the nail plate area. Avoid prolonged or repeated skin contact.
Ingestion	Damage to the mouth, throat, and stomach are possible. Irritation and discomfort to the esophagus and stomach may continue for several weeks following ingestion of this product.
Inhalation	Unlikely.
Acute Health Effects:	Ingestion: Extensive damage to the mouth, skin, throat, esophagus and stomach following ingestion of the product. Eyes: Severe eye irritation.
Sub-Chronic Effects	No chronic health effects are known.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI Name	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Potassium Hydroxide	1310-58-3	215-181-3	None Established	2 mg/m ³	Not Carcinogenic	<2.0%

N/E - None Established N/DA - No Data Available
N/R - Not Reviewed N/A - Not Applicable


Section 4: First Aid Measures

First Aid for Eye	If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek medical attention.
First Aid for Skin	If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. If the product is spilled on clothing, remove affected articles and rinse in lukewarm water. Rinsing with a small amount of vinegar will help neutralize the alkali before regular wash cycle. Do not reapply article of clothing without thorough cleaning.
First Aid for Inhalation	Remove victim to fresh air at once.
First Aid for Ingestion	If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.

Section 5: Fire Fighting Measures

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Non-flammable	N/A	N/A

Autoignition Temperature:	NA
Fire & explosion Hazards:	This product is not flammable
Extinguishing Methods:	NA
Firefighting Procedures:	This product is not flammable. If involved in a fire, emergency responders should wear eye protection and SCBAs and other protective equipment. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service.



Section 6: Accidental Release Measures

Spill or Release Producers: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

Section 7: Handling and Storage

Work & Hygiene Practices: Use appropriate personal protective equipment, including eye protection and gloves, when handling bulk amounts of this product. Wash all exposed skin thoroughly with warm water and soap using this product. Do not eat, drink or smoke while handling this product.

Storage & Handling: Keep container closed when not in use. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. **KEEP AWAY FROM CHILDREN AT ALL TIMES.**

Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

Section 8: Exposure Controls / Personal Protection

Ventilation & engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.

Respiratory Protection: None required.

Eye Protection: Wear protective eyewear at all times when handling or using this product. Protective eyewear should include a side-shield.

Hand Protection: Wash hands immediately after handling or using this product. Wear appropriate

Body Protection: When handling large quantities (i.e. > 1 gallon (3.785 liters)) of this product, a chemical-resistant apron is recommended. If clothing is contaminated, remove affected clothing and wash affected areas of the skin thoroughly with soap and water.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	%Volatile
Slightly hazy semi-viscous liquid	Characteristic	12.0 - 12.5	0.998 - 1.000	50 - 250	N/A

Boiling Point/Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
NA	N/A	N/A	N/A	No Data	No Data	No Data	Soluble in water

Flash Point (°F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
Not flammable	N/A	N/A

Section 10: Stability and Reactivity

Stability This product is stable	Incompatibility (Material to Avoid): Acids, flammable liquids, halogenated solvents.
Hazardous Decomposition Products: NA	Hazardous Polymerization: Will not occur.
Conditions to Avoid: No applicable information has been found	

Section 11: Toxicological Information

Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.
Acute Toxicity:	See Section 2
Chronic Toxicity:	See Section 2
Suspected Carcinogen:	None Established
Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
Irritancy of Product:	May cause severe eye irritation.

Section 12: Ecological Information

Environmental Stability:	This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds.
Effects on Plants & Animals:	There is no specific data available for this product.
Effects on Aquatic Life:	There is no specific data available for this product.

Section 13: Disposal Considerations

Waste disposal must be in accordance with federal, state, and local regulations.

Section 14: Transport Information

DOT (49 CFR 172)	Non Hazardous
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non Hazardous
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non Hazardous
Emergency Schedule (EmS)#:	

Section 15: Regulatory Information**US Federal Regulations**

U.S. EPA SARA Title III Reporting Requirements:	SARA 304 (40 CFR Table 302.4): Potassium Hydroxide
U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):	NA
U.S. TSCA Inventory Status:	The components of this product are listed on the TSCA inventory.
U.S. CERCLA Reportable Quantity (RQ):	Potassium Hydroxide: 1000 lbs.
Other U.S. Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Product Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
-----------------------------	---

U.S. State Regulatory Information:	No components of this product are listed on the California Proposition 65 lists.
------------------------------------	--

European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. The primary components of this product are not listed as Hazardous Components with the Australian Government, Australian Safety and Compensation Council, (HSIS).
---	--

Section 16: Other Information

WARNING: Precisely follow directions and MSDS (available through your supplier) for use. Corrosive. Avoid eye contact. If contact occurs, flush eye thoroughly with running water for at least 15 minutes. Seek medical attention. Avoid skin contact. If irritation develops, discontinue use immediately and thoroughly rinse affected area. Do not ingest. If swallowed, do not induce vomiting; seek medical attention. Keep out of reach of children.

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

SAFETY DATA SHEET

Section 1. Identification

GHS product identifier : Odorless Monomer
Product code : 1900098
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Nail Alliance - North America, Inc.
1545 Moonstone
Brea, CA 92821
714-773-9758

Emergency telephone number (with hours of operation) : (800) 535-5053

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : SKIN IRRITATION - Category 2
EYE IRRITATION - Category 2A
SKIN SENSITIZATION - Category 1
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 98.2%

GHS label elements

Hazard pictograms



Signal word : Danger

Hazard statements : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Wash thoroughly after handling.

Section 2. Hazards identification

- Response** : IF exposed or concerned: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. Take off immediately all contaminated clothing and wash it before reuse. IF ON SKIN: Call a POISON CENTER or doctor if you feel unwell. Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Not available.

Ingredient name	%	CAS number
2-hydroxyethyl methacrylate	≥10 - ≤25	868-77-9
Triethylene glycol dimethacrylate esters	≥10 - ≤25	109-16-0
N,N-dimethyl-p-toluidine	≤1.9	99-97-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Shield UV light sources. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2-hydroxyethyl methacrylate	None.
Triethylene glycol dimethacrylate esters	None.
N,N-dimethyl-p-toluidine	OARS WEEL (United States, 1/2021). TWA: 0.5 ppm 8 hours.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Liquid.

Color : Violet.

Section 9. Physical and chemical properties and safety characteristics

Odor	: monomer [Slight]
Odor threshold	: Not available.
pH	: Not available.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Closed cup: >93.3°C (>199.9°F) [Tagliabue]
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not available.
Vapor pressure	: Not applicable.
Relative vapor density	: Not available.
Relative density	: Not available.
Solubility in water	: Not available.
Partition coefficient: n-octanol/water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
<u>Particle characteristics</u>	
Median particle size	: Not applicable.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Hazardous polymerization may occur under certain conditions of storage or use. These could cause the product to polymerize exothermically. Unintentional contact with them should be avoided. Hazardous reactions or instability may occur under certain conditions of storage or use.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable	-	-	-	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Not applicable	-	-	-	-	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
N,N-dimethyl-p-toluidine	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
N,N-dimethyl-p-toluidine	Category 2	-	-

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : May cause respiratory irritation.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : Risk depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Odorless Monomer C17	2465.9	345.2	N/A	1.6	N/A
2-hydroxyethyl methacrylate	5050	N/A	N/A	N/A	N/A
Triethylene glycol dimethacrylate esters	10837	N/A	N/A	N/A	N/A
N,N-dimethyl-p-toluidine	100	300	N/A	1.4	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Not applicable	-	-	-

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-hydroxyethyl methacrylate	0.42	-	low
Triethylene glycol dimethacrylate esters	1.88	-	low
N,N-dimethyl-p-toluidine	1.729	33	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Section 12. Ecological information

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Section 15. Regulatory information

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SKIN IRRITATION - Category 2
 EYE IRRITATION - Category 2A
 SKIN SENSITIZATION - Category 1
 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Composition/information on ingredients

Name	%	Classification
2-hydroxyethyl methacrylate	≥10 - ≤25	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1
Triethylene glycol dimethacrylate esters	Proprietary	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
N,N-dimethyl-p-toluidine	Proprietary	FLAMMABLE LIQUIDS - Category 4 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : The following components are listed: GLYCOL ETHERS

Pennsylvania : None of the components are listed.

California Prop. 65

⚠ WARNING: This product can expose you to N,N-dimethyl-p-toluidine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
N,N-dimethyl-p-toluidine	-	-

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Section 15. Regulatory information

Australia	: At least one component is not listed.
Canada	: At least one component is not listed in DSL but all such components are listed in NDSL.
China	: All components are listed or exempted.
Eurasian Economic Union	: Russian Federation inventory : All components are listed or exempted.
Japan	: Japan inventory (CSCL) : All components are listed or exempted. Japan inventory (ISHL) : Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: At least one component is not listed.
Republic of Korea	: At least one component is not listed.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: All components are listed or exempted.

Section 16. Other information


Hazardous Material Information System (U.S.A.)

Health	*	3
Flammability		1
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method Calculation method Calculation method Calculation method

History

Date of printing	: 1/18/2023
Date of issue/Date of revision	: 1/18/2023
Date of previous issue	: No previous validation
Version	: 1

Section 16. Other information

Key to abbreviations

- : ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- SGG = Segregation Group
- UN = United Nations

References

- : Not available.

▣ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Information contained within this SDS is only to be distributed as required by law.