Printing date 06/22/2022 Reviewed on 06/22/2022

1 Identification

· Product identifier

· Trade name: OPI Nail Envy Nail Strengthener

· Article number: 314003000306

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

· Information department: Wella SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

ethyl acetate

Butyl acetate

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

(Contd. on page 2)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

(Contd. of page 1)

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
141-78-6	ethyl acetate	>25-≤50%	
123-86-4	Butyl acetate	>25-≤50%	
9004-70-0	Nitrocellulose	>10-≤25%	
67-63-0	isopropyl alcohol	>2.5-<10%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
141-78-6	ethyl acetate	1,200 ppm
123-86-4	Butyl acetate	5 ppm
67-63-0	isopropyl alcohol	400 ppm
13463-67-7	titanium dioxide	30 mg/m³
· PAC-2:		
141-78-6	ethyl acetate	1,700 ppm
123-86-4	Butyl acetate	200 ppm
67-63-0	isopropyl alcohol	2000* ppn
13463-67-7	titanium dioxide	330 mg/m ³
· PAC-3:		
141-78-6	ethyl acetate	10000** ppn
123-86-4	Butyl acetate	3000* ppm
67-63-0	isopropyl alcohol	12000** ppn
13463-67-7	titanium dioxide	$2,000 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

(Contd. of page 3)

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

141-	78-6 ethyl acetate
PEL	Long-term value: 1400 mg/m³, 400 ppm
REL	Long-term value: 1400 mg/m³, 400 ppm
TLV	Long-term value: 400 ppm
123-	86-4 Butyl acetate
PEL	Long-term value: 710 mg/m³, 150 ppm
REL	Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm
TLV	Short-term value: 150 ppm Long-term value: 50 ppm
67-6.	3-0 isopropyl alcohol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4

· Ingredients with biological limit values:

67-63-0 isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

(Contd. of page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

		•	1 1	- 7		
u	u	AVCICO	land	$c \nu$	10mical	properties
		/AWI494		UI		

· Information on b	asıc physical ana	cnemical	properties
--------------------	-------------------	----------	------------

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odor threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 77-78 °C (170.6-172.4 °F)

• Flash point: -1 °C (30.2 °F)
• Flammability (solid, gaseous): Highly flammable.

· Ignition temperature: 370 °C (698 °F)

· Decomposition temperature: Not determined.

• Auto igniting: Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

Lower: 1.2 Vol %

(Contd. on page 6)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

		(Contd. of page
Upper:	11.5 Vol %	
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	69.3 %	
VOC content:	69.26 %	
	692.6 g/l / 5.78 lb/gal	
Solids content:	22.7 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

141-78-6 et Oral			
Oral	LD50		
	LDJU	5,620 mg/kg (rabbit)	
Inhalative	LC50/4 h	1,600 mg/l (rat)	
123-86-4 B	Butyl aceta	te	
Oral	LD50	13,100 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>21 mg/l (rat)	
67-63-0 iso	propyl alc	ohol	
Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))	
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))	

(Contd. on page 7)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

Inhalative LC50/4 h >24.578 mg/l (rat) (air (//OECD 403))

(Contd. of page 6)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
67-63-0	isopropyl alcohol	3
13463-67-7	titanium dioxide	2 <i>B</i>
· NTP (Nation	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

HS

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

(Contd. of page 7)

Transport information	
· UN-Number · DOT, IMDG, IATA	UN1263
	0.11200
· UN proper shipping name · DOT	Paint
· IMDG, IATA	PAINT
· Transport hazard class(es)	
· DOT	
TAMANT ICE	
· Class	3 Flammable liquids
· Label 	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	
· EMS Number: · Stowage Category	F-E, <u>S-E</u> B
	D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
$\cdot DOT$	
· Quantity limitations	On passenger aircraft/rail: 5 L
~ *	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	<i>5L</i>
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

Sara		(Contd. of page
	(extremely hazardous substances):	
	ingredients is listed.	
Section 313	(Specific toxic chemical listings):	
	propyl alcohol	
	c Substances Control Act):	
•	ethyl acetate	ACTIV
	Butyl acetate	ACTIV
	Nitrocellulose	ACTIV
	Tributyl acetylcitrate	ACTIV
	isopropyl alcohol	ACTIV
	Benzophenone-1	ACTIV
	titanium dioxide	ACTIV
	citric acid	ACTIV
	Hydrolyzed Wheat Protein	ACTIV
	Dimethicone	ACTIV
	Tetradecamethylhexasiloxane	
137-08-6	Calcium Pantothenate	ACTIV
81-48-1	Violet 2	ACTIV
Hazardous A	Air Pollutants	1
None of the	ingredients is listed.	
Proposition		
Chemicals k	nown to cause cancer:	
13463-67-7	titanium dioxide	
Chemicals k	nown to cause reproductive toxicity for females:	
	ingredients is listed.	
Chemicals k	nown to cause reproductive toxicity for males:	
	ingredients is listed.	
	nown to cause developmental toxicity:	
	ingredients is listed.	
	ic categories	
*	onmental Protection Agency)	
	ingredients is listed.	
· ·	hold Limit Value)	
	isopropyl alcohol	A
13463-67-7	titanium dioxide	
	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

· Hazard pictograms





GHS02

· **Signal word** Danger

· Hazard-determining components of labeling:

ethyl acetate

Butyl acetate

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 06/22/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 11)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation ²A: Serious eye damage/eye irritation – Category ²A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. of page 10)

US