Printing date 11/23/2021

Reviewed on 11/12/2019

1 Identification

- · Product identifier
- Trade name: OPI Nail Envy Strength +Color Pink to Envy
- · Article number: ENG091270, 314002000612
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland
- Information department: Wella SDS Info Team
 Emergency telephone number: CHEMTREC Emergency number: +1-704-741-5970 CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer Butyl acetate ethyl acetate isopropyl alcohol
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

(Contd. on page 2)

⁻ U

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

	(Contd. c	of page 1)
Take pree	cautionary measures against static discharge.	
Avoid bre	eathing dust/fume/gas/mist/vapors/spray	
Wash tho	roughly after handling.	
Use only	outdoors or in a well-ventilated area.	
•	nated work clothing must not be allowed out of the workplace.	
	tective gloves/protective clothing/eye protection/face protection.	
1	(or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	LED: Remove person to fresh air and keep comfortable for breathing.	
	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	v to do.
Continue		
	ison center/doctor if you feel unwell.	
-	reatment (see on this label).	
	itation or rash occurs: Get medical advice/attention.	
	tation persists: Get medical advice/attention.	
	ntaminated clothing before reuse.	
	f fire: Use CO2, powder or water spray to extinguish.	
	well-ventilated place. Keep container tightly closed.	
	well-ventilated place. Keep cool.	
Store loc.		
	of contents/container in accordance with local/regional/national/international regulations.	
· Other ha		
· Results o	f PBT and vPvB assessment	
	t applicable.	
	11	

· vPvB: Not applicable.

3 Composition/information on ingredients

• Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
	Butyl acetate	≥20-≤25%	
	ethyl acetate	≥20-≤25%	
	ethyl alcohol	>10-≤25%	
9004-70-0	Nitrocellulose	>10-≤25%	
28407-73-0	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	>2.5-≤10%	
67-63-0	isopropyl alcohol	>2.5-<10%	

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

US

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

123-86-4	Butyl acetate	5 ppm
141-78-6	ethyl acetate	1,200 ppn
64-17-5	ethyl alcohol	1,800 ppn
67-63-0	isopropyl alcohol	400 ppm
7631-86-9	Silica	18 mg/m ³
PAC-2:		
123-86-4	Butyl acetate	200 ppm
141-78-6	ethyl acetate	1,700 ppm
64-17-5	ethyl alcohol	3300* ppi
67-63-0	isopropyl alcohol	2000* ppr
7631-86-9	Silica	740 mg/m
PAC-3:		
123-86-4	Butyl acetate	3000* ppm
141-78-6	ethyl acetate	ומס 10000** 10000
64-17-5	ethyl alcohol	15000* ppm
67-63-0	isopropyl alcohol	12000** ppi
7631-86-9		

(Contd. on page 4)

(Contd. of page 2)

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

(Contd. of page 3)

7 Handling and storage

- · Handling:
- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- *Storage class: 3* • *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-86-4 Butyl acetate

PEL	Long-term value: 710 mg/m ³ , 150 ppm
REL	Short-term value: 950 mg/m³, 200 ppm
	Long-term value: 710 mg/m ³ , 150 ppm

TLV Short-term value: 150 ppm Long-term value: 50 ppm

141-78-6 ethyl acetate

- PEL Long-term value: 1400 mg/m³, 400 ppm
- REL Long-term value: 1400 mg/m³, 400 ppm
- TLV Long-term value: 400 ppm

64-17-5 ethyl alcohol

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm
- *A3*

67-63-0 isopropyl alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

(Contd. on page 5)

⁰⁸⁻

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

	(Contd. of page 4
REL	Short-term value: 1225 mg/m^3 , 500 ppm
TTT 1	Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm BEI, A4
-	edients with biological limit values:
	3-0 isopropyl alcohol
	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)
Aaan	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.
	a hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
respi	ratory protective device that is independent of circulating air.
Prote	ection of hands:
ſ	n la construction de la construction
an's	Protective gloves
	Troleente gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation rial of gloves
	rul of gloves election of the suitable gloves does not only depend on the material, but also on further marks of quality an
	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
obser	rved.
Eyep	protection:
	Tightly sealed goggles
2	Tignity source goggies

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

(Contd. of page 5)

Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Fluid
Color:	According to product specification
Odor:	<i>Characteristic</i>
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	77-78 °C (170.6-172.4 °F)
Flash point:	-5 °C (23 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	370 °C (698 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	67.1 %
VOC content:	67.11%
	671.1 g/l / 5.60 lb/gal
Solids content:	17.7 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

		t are relevant for classification:
123-86-4 E	Sutyl aceta	te
Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/l (rat)
141-78-6 е	thyl acetai	ie
Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC50/4 h	1,600 mg/l (rat)
64-17-5 eti	hyl alcoho	1
Oral	LD50	10,470 mg/kg (rat) (bw (OECD 401))
Inhalative	LC50/4 h	116.9 mg/l (rat) (air (//OECD 403))
67-63-0 iso	opropyl alc	cohol
Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>24.578 mg/l (rat) (air (//OECD 403))
Primary ir		
• on the skin		
on the eye:		
		zation possible through skin contact.
Additional	toxicologi	ical information:
The produc	ct shows th	e following dangers according to internally approved calculation methods for preparations
Irritant		
· Carcinoge	nia antona	wing
Carcinoge	nic cutego	1105

- (8			
64-17-5	ethyl alcohol	1		
67-63-0	isopropyl alcohol	3		
7631-86-9	Silica	3		
· NTP (Nati	onal Toxicology Program)			
None of the ingredients is listed.				
· OSHA-Ca	(Occupational Safety & Health Administration)			
None of the	None of the ingredients is listed.			
		— U		

(Contd. on page 8)

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

(Contd. of page 7)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1263	
UN proper shipping name		
DOT	Paint	
IMDG, IATA	PAINT	
Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3	
IMDG, IATA		
Class	3 Flammable liquids	
	1	

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

	(Contd. of page
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 33
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
£	On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1263 PAINT, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

	(Specific toxic chemical listings):	
67-63-0 iso	propyl alcohol	
TSCA (Toxi	ic Substances Control Act):	
123-86-4	Butyl acetate	ACTIV
141-78-6	ethyl acetate	ACTIV
64-17-5	ethyl alcohol	ACTIV
9004-70-0	Nitrocellulose	ACTIV
28407-73-0	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	ACTIV
67-63-0	isopropyl alcohol	ACTIV
6846-50-0	TRIMETHYL PENTANYL DIISOBUTYRATE	ACTIV
7631-86-9	Silica	ACTIV
5232-99-5	Etocrylene	ACTIV
131-56-6	Benzophenone-1	ACTIV
70084-87-6	Hydrolyzed Wheat Protein	ACTIV
Hazardous	Air Pollutants	

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

(Contd. of page 9)

AЗ

A4

· Proposition 65	
• Chemicals known to cause cancer:	

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethyl alcohol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

64-17-5 ethyl alcohol

67-63-0 isopropyl alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:	
Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	
Butyl acetate	
ethyl acetate	
isopropyl alcohol	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
May cause drowsiness or dizziness.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	(Contd. on page 11)

US

Printing date 11/23/2021

Reviewed on 11/12/2019

Trade name: OPI Nail Envy Strength +Color Pink to Envy

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. of page 10)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 11/23/2021 / -
- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3