Printing date 06/22/2022 Reviewed on 06/22/2022

1 Identification

· Product identifier

· Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

· Article number: 314003000595

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

· Information department: Wella SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

02 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Butyl acetate

ethyl acetate

isopropyl alcohol

n-Butyl alcohol

Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 1)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | components: | |
|-------------|--|------------|
| | Butyl acetate | >25-≤50% |
| 141-78-6 | ethyl acetate | >25-≤50% |
| 9004-70-0 | Nitrocellulose | >10-≤25% |
| | isopropyl alcohol | >2.5-<10% |
| 13463-67-7 | titanium dioxide | ≥0.1-≤2.5% |
| 71-36-3 | n-Butyl alcohol | ≥1-≤2.5% |
| 28407-73-0 | Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer | ≥0.1-<1% |

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| PAC-1: 123-86-4 Butyl acetate | 5 ppm |
|----------------------------------|----------------------|
| 141-78-6 ethyl acetate | 1,200 ppi |
| 67-63-0 isopropyl alcohol | 400 ppm |
| 13463-67-7 titanium dioxide | 30 mg/m ² |
| 71-36-3 n-Butyl alcohol | 60 ppm |
| 1309-37-1 Iron Oxides (CI 77491) | 15 mg/m ² |
| PAC-2: | - |
| 123-86-4 Butyl acetate | 200 ppm |
| 141-78-6 ethyl acetate | 1,700 ppn |
| 67-63-0 isopropyl alcohol | 2000* ppi |
| 13463-67-7 titanium dioxide | 330 mg/m |
| 71-36-3 n-Butyl alcohol | 800 ppm |
| 1309-37-1 Iron Oxides (CI 77491) | 360 mg/m |
| PAC-3: | - |
| 123-86-4 Butyl acetate | 3000* ppm |
| 125 66 / Bulyt declare | |

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

| | | (Contd. of page 3) |
|------------|------------------------|------------------------|
| 67-63-0 | isopropyl alcohol | 12000** ppm |
| 13463-67-7 | titanium dioxide | $2,000 \text{ mg/m}^3$ |
| 71-36-3 | n-Butyl alcohol | 8000** ppm |
| 1309-37-1 | Iron Oxides (CI 77491) | 2,200 mg/m³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

| 123-6 | 86-4 Butyl acetate |
|-------|---|
| PEL | Long-term value: 710 mg/m³, 150 ppm |
| REL | Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm |
| TLV | Short-term value: 150 ppm Long-term value: 50 ppm |
| 141- | 78-6 ethyl acetate |
| PEL | Long-term value: 1400 mg/m³, 400 ppm |
| REL | Long-term value: 1400 mg/m³, 400 ppm |
| TLV | Long-term value: 400 ppm |
| 67-6. | 3-0 isopropyl alcohol |
| PEL | Long-term value: 980 mg/m³, 400 ppm |
| | (Contd on page 5) |

(Contd. on page 5)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 4)

REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 400 ppm Long-term value: 200 ppm

BEI, A4

71-36-3 n-Butyl alcohol

PEL Long-term value: 300 mg/m³, 100 ppm REL Ceiling limit value: 150 mg/m³, 50 ppm Skin

TLV Long-term value: 20 ppm

· Ingredients with biological limit values:

67-63-0 isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

· Eye protection:



Tightly sealed goggles

| | ties |
|---------------------------------------|--|
| Information on basic physical and o | chemical properties |
| General Information | • • |
| Appearance: | |
| Form: | Fluid |
| Color: | According to product specification |
| Odor: | Characteristic |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 77-78 °C (170.6-172.4 °F) |
| Flash point: | -1 °C (30.2 °F) |
| Flammability (solid, gaseous): | Highly flammable. |
| Ignition temperature: | 370 °C (698 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vap mixtures are possible. |
| Explosion limits: | |
| Lower: | 1.2 Vol % |
| Upper: | 11.5 Vol % |
| Vapor pressure at 20 °C (68 °F): | 97 hPa (72.8 mm Hg) |
| Density: | Not determined. |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/wate | er): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 67.6 % |
| VOC content: | 67.63 % |
| , o c comoini | 676.3 g/l / 5.64 lb/gal |

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

| | | (Contd. of page 6) |
|-----------------|--------|--------------------|
| Solids content: | 30.0 % | |

• Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| LD/LC50 | values that | t are relevant for classification: |
|------------|-------------|---|
| 123-86-4 I | Butyl aceta | te |
| Oral | LD50 | 13,100 mg/kg (rat) |
| Dermal | LD50 | >5,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >21 mg/l (rat) |
| 141-78-6 e | thyl acetat | te |
| Oral | LD50 | 5,620 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 1,600 mg/l (rat) |
| 67-63-0 is | opropyl alc | cohol |
| Oral | LD50 | 5,840 mg/kg (rat) (bw (//OECD 401)) |
| Dermal | LD50 | 12,956 mg/kg (rabbit) (bw (//OECD 402)) |
| Inhalative | LC50/4 h | >24.578 mg/l (rat) (air (//OECD 403)) |
| 13463-67- | 7 titanium | dioxide |
| Oral | LD50 | >5,000 mg/kg (rat) (bw (OECD 425)) |
| Dermal | LD50 | >10,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >3.43 mg/l (rat) (air (OECD 403)) |
| 71-36-3 n- | Butyl alco | hol |
| Oral | LD50 | 500 mg/kg (rat) |
| Dermal | LD50 | 3,400 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 8,000 mg/l (rat) |

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 8)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 7)

· Carcinogenic categories

| · Carcinogen | nic categories | |
|--------------|---|------------|
| · IARC (Inte | rnational Agency for Research on Cancer) | |
| 67-63-0 | isopropyl alcohol | 3 |
| 13463-67-7 | titanium dioxide | 2 <i>B</i> |
| 1309-37-1 | I Iron Oxides (CI 77491) | 3 |
| · NTP (Natio | onal Toxicology Program) | |
| None of the | e ingredients is listed. | |
| · OSHA-Ca (| (Occupational Safety & Health Administration) | |
| None of the | e ingredients is listed. | |

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| 7 / | | | • | P . | . • |
|-----|----------|---------------------|------|-----------|----------|
| 14 | Trans | nort | 777 | arma | σ |
| | I I WILD | $\nu u \iota \iota$ | וטוט | UI III UU | uvu |
| | | 4 | • | | |

| 14 Transport injornation | - Erunsport injornation | | | |
|----------------------------------|-------------------------|--|--|--|
| · UN-Number · DOT, IMDG, IATA | UN1263 | | | |
| · UN proper shipping name | | | | |
| ·DOT | Paint | | | |
| · IMDG, IATA | PAINT | | | |

(Contd. on page 9)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ · Class 3 Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label · Packing group · DOT, IMDG, IATA II· Environmental hazards: Not applicable. Warning: Flammable liquids · Special precautions for user · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E· Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ On passenger aircraft/rail: 5 L · Quantity limitations On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1263 PAINT, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 isopropyl alcohol

(Contd. on page 10)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

| 71-36-3 n-Butyl alcohol | (Contd. of pag |
|---|---------------------------------------|
| · TSCA (Toxic Substances Control Act): | |
| 123-86-4 Butyl acetate | ACTIV |
| 141-78-6 ethyl acetate | ACTIV |
| 9004-70-0 Nitrocellulose | ACTIV |
| 67-63-0 isopropyl alcohol | ACTIV |
| 13463-67-7 titanium dioxide | ACTIV |
| 71-36-3 n-Butyl alcohol | ACTIV |
| 28407-73-0 Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer | ACTIV |
| 77-90-7 Tributyl acetylcitrate | ACTIV |
| 12227-89-3 C.I. Pigment Black 11 | ACTIV |
| 1309-37-1 Iron Oxides (CI 77491) | ACTIV |
| 77-92-9 citric acid | ACTIV |
| 107-52-8 Dimethicone | ACTIV |
| Tetradecamethylhexasiloxane | |
| · Hazardous Air Pollutants | |
| None of the ingredients is listed. | |
| · Proposition 65 | |
| · Chemicals known to cause cancer: | |
| 13463-67-7 titanium dioxide | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency) | |
| 71-36-3 n-Butyl alcohol | |
| · TLV (Threshold Limit Value) | |
| | |
| 67-63-0 isopropyl alcohol | A |
| 67-63-0 isopropyl alcohol 13463-67-7 titanium dioxide | |
| | A A A A A A A A A A |

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02 GHS07

· Signal word Danger

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 10)

· Hazard-determining components of labeling:

Butyl acetate

ethyl acetate

isopropyl alcohol

n-Butyl alcohol

Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- · Date of preparation / last revision 06/22/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 12)

Printing date 06/22/2022 Reviewed on 06/22/2022

Trade name: OPI Nail Envy Nail Strengthener- Double Nude-y

(Contd. of page 11)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3