

Page 1 of 6 **SDS-355**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/26/2016

		1.	PRODUC	Т & СОМ	PANY	IDEI	NTIF	ICA	TIOI	N				
1.1	Product Name:	OPI Pro	Spa PRO	ECTIVE	HAND.	NA	IL &	CUT	ICL	EC	REA	M		
.2		Botanical Mix	-		,									
.3	Synonyms:	NA												
.4	Trade Names:	ASP01/ASP0	02/ ASP03											
.5	Product Use:	Professional	or Sundry Use	Only										
1.6		OPI Products												
1.7			y Street, No. H											
1.8	Emergency Phone:	CHEMTRE	EC: +1 (703)	527-3887	' +1 (800) 424	-930	0 (CC	N 16	377)				
1.9	Business Phone / Fax:	+1 (818) 759	-2400 / +1 (818) 759-5776										
			2. HA	ZARDS	DENT	FIC)N						
2.1		classification WARNING! Classification Hazard State Precautionan EYES: Rinse	is not classifie criteria of NOH CAUSE MILD Skin Irrit. 3; E <u>ments</u> (H): H3 <u>y Statements</u> (I cautiously wit Continue rinsin	d as a hazard SC: 1008 (200 SKIN IRRITAT ye Irrit. 2B 16 – Causes n P): P264 – Wa h water for se	ous substa 04) and AE 1 ION. CAU nild skin irr sh thoroug veral minu	ance o OG Coc JSES I itation. phly aft utes.	r as da de (Aus EYE IR H320 ter han Remov	angero stralia) RRITA O Cause odling. /e cont	es eye P305- cact lei	irritati ⊦P351 ∩ses,	on. +P338 if pres	5 – IF I ent an	N	
		3 C(OMPOSIT											
		<u> </u>					INF					I AIR (m	a/m ³	
						AC	GIH		NOHSC	SURE L		OSHA	g/m)	
							om		ppm			ppm		ł
						PP		ES-	ES-	ES-		ppm		ł
HEMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
/ATE	R (AQUA/EAU)	7732-18-5	ZC0110000	231-191-2	40-80	NA	NA	NF	NF	NF	NA	NA	NA	
		93685-81-5	NA	297-629-8	5.0-10	NA	NA	NF	NF	NF	NA	NA	NA	[
SODC	DECANE				5.0-10	INA	ΝA	INF	INF	INF	ΝA	ΝA	INA	
		541-02-6	Asp. Tox. 1; Aqua GY59452000	208-764-9	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
YCL	OPENTASILOXANE		Skin Irrit. 3; Eye Ir			1.17.1	11/1				1 1/ 1	11/1	11/1	
UTY	ROSPERMUM PARKII (SHEA)		NA	293-515-7	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
UTTE	ĒR		•											•
ETVI	ALCOHOL	36653-82-4	MM0225000	253-149-0	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
	ALCOINCE										1		1	P
ETE	ARYL METHICONE	227200-32-0	NA	NA	1.0-5.0	(10)	NA	NF	NF	NF	NA	NA	NA	
			[1	1.0 - 0									
RAG	RANCE (PARFUM)	NA	NA	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
		44000.07.0		004 005 0	4050			NE		NE				
LYC	ERYL STEARATE	11099-07-3	NA	234-325-6	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
		9006-65-9	IP6562500	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
IMET	HICONE	Eye Irrit. 2; H3			1.0-0.0	INA	INA	INI	INI	INI	IN/A		N/A	
	~~ ~~~~	9004-99-3	TQ5800000	NA	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
EG-1	00 STEARATE													•
RIDE	CYL SALICYLATE	19666-16-1	NA	243-214-1	1.0-5.0	NA	NA	NF	NF	NF	NA	NA	NA	
UDE	OTE GALIOTLATE													
YDP	OLYZED KERATIN	69430-36-0	NA	274-001-1	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
אטי														
	SORBATE 60	9005-67-8	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
			-											
ULI		9003-01-4	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	OWIER			1	1									
		100.00.0	CS8100000	205-341-0	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
ARB		138-86-3												
ARB	IENE	138-86-3					1	1				1		
ARB IMON		138-86-3	NA	234-394-2	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ARB IMON	IENE HAN GUM			234-394-2	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ARB IMON ANTI	HAN GUM	11138-66-2	NA											
imon Anti		11138-66-2 122-99-6	NA	204-589-7	0.1-1.0	NA NA	NA NA	NF NF	NF NF	NF NF	NA NA	NA NA	NA	
ARB MON ANTH	HAN GUM OXYETHANOL	11138-66-2 122-99-6	NA	204-589-7										
ARB MON ANTH HEN	HAN GUM	11138-66-2 122-99-6 Acute Tox.4; E	NA NA Eye Irrit. 2, H302, NA	204-589-7 H319 214-254-7	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ARB MON ANTH HEN	HAN GUM OXYETHANOL	11138-66-2 122-99-6 Acute Tox.4; E 1117-86-8 78-70-6	NA NA Eye Irrit. 2, H302,	204-589-7 H319 214-254-7 201-134-4	0.1-1.0	NA NA NA	NA NA NA	NF NF NF	NF NF NF	NF NF	NA NA NA	NA	NA	ALLERGEN



Page 2 of 6 SDS-355

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/26/2016

3. **COMPOSITION & INGREDIENT INFORMATION – cont'd** EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. % TLV STEL TWA STEL PEAK PEL STEL IDLH OTHER 106-22-9 UT2975000 203-375-0 0.1-1.0 NA NA NF NF NF NA NA NA ALLERGEN CITRONELLOL Skin. Irrit. 2; Skin Sens. 1B; Eye Irrit. 2, H315, H317, H319 590-00-1 246-376-1 NA 0.1-1.0 NA NF NF NF NA NA NA NA POTASSIUM SORBATE 0.1-1.0 NA NF NF NF NA NA NA NA NA NA PERSEA GRATISSIMA (AVOCADO) NA BUTTER 8002-31-1 NA 283-480-6 0.1-1.0 NA NA NF NF NF THEOBROMA CACAO (CACAO) NA NA NA SEED BUTTER 215-185-5 1310-73-2 WB4900000 0.0-0.1 NA (2) NF NF (2) NA (10) (2) NIOSH (2) SODIUM HYDROXIDE Skin Corrosion 1A; Serious Eye Damage 1; H314 106-24-1 RG5830000 203-377-1 0.0-0.1 NA NA NF NF NF NA NA NA ALLERGEN GERANIOL Skin Irrit. 2; Skin Sens. 1; Eye Dam. 1; H315, H317, H318 NA NF NA ALLERGEN 107-41-5 SA0810000 203-489-0 0.0-0.1 NA NF NF NA NA HEXYLENE GLYCOL 8002-43-5 OG7565000 232-307-2 0.0-0.1 NA NA NF NF NF NA NA NA LECITHIN CAPRYLIC/CAPRIC 65381-09-1 NA 265-724-3 0.0-0.1 NA NA NF NF NF NA NA NA TRIGLYCERIDE THEOBROMA GRANDIFLORUM 394236-97-6 NA NA 0.0-0.1 NA NA NF NF NF NA NA NA (CUPUAÇU)SEED BUTTER 56-81-5 MA8050000 200-289-5 0.0-0.1 10 NA NF NF NF 15 NA NA RESP FRAC GLYCERIN 532-32-1 DH6650000 208-534-8 0.0-0.1 NF NF NF NA NA NA NA NA SODIUM BENZOATE NE NF NE NE ALLERGEN 5392-40-5 NA 226-394-6 0.1-1.0 NE NF NF NE CITRAI H317 Skin Irrit. 2; Skin Sens. 1; H315, EK0440000 0.0-0.1 NF NF NA NA 107-88-0 203-529-7 NA NA NF NA BUTYLENE GLYCOL Skin Irrit. 3; Eye Irrit. 2B CL2680000 0.0-0.1 NA NA NF NF NF NA NA NA 8024-32-6 232-428-0 PERSEA GRATISSIMA (AVOCADO) OII NF NA NA NF NF NA NA NA 29806-73-3 RT4740000 249-862-1 0.0-0.1 ETHYLHEXYL PALMITATE 497-19-8 NA 207-838-8 0.0-0.1 NA NA NF NF NF NA NA NA SODIUM CARBONATE KQ6300000 1000 3000 3000 3300 64-17-5 200-578-6 0.0-0.1 1000 1880 NF 100 ALCOHOL Flam. Liq. 2; H225 **BELLIS PERENNIS (DAISY)** 84776-11-4 NA 283-935-9 0.0-0.1 NA NA NF NF NF NA NA NA FLOWER EXTRACT 84650-60-2 NA 283-519-7 0.0-0.1 CAMELIA SINENSIS LEAF NA NA NF NF NF NA NA NA EXTRACT RG2275000 0.0-0.1 NA NF NF NA NA 112-80-1 204-007-1 NA NF NA OLEIC ACID 4602-84-0 NA 225-004-1 0.0-0.1 NA NA NF NF NF NA NA NA ALLERGEN FARNESOL NA 137-66-6 205-305-4 0.0-0.1 NA NA NF NF NF NA NA NA ASCORBYL PALMITATE 72-17-3 NA 200-772-0 0.0-0.1 NA NA NF NF NF NA NA NA SODIUM LACTATE TR7400000 500-018-3 0.0-0.1 NA NA NF NF NA NA 9005-64-5 NF NA POLYSORBATE 20 147732-56-7 NA NA 0.0-0.1 NA NA NF NF NF NA NA NA PALMITOYL TRIPEPTIDE-1 0.0-0.1 NA NF NF NA 221227-05-0 NA NA NA NF NA NA PALMITOYL TETRAPEPTIDE-7 7695-91-2 GA8747000 231-710-0 0.0-1.0 NA NA NF NF NF NA NA NA TOCOPHERYL ACETATE 1934-21-0 UQ6400000 217-699-5 0.0-0.1 NA NF NF NF NA NA NA NA CI 19140 (YELLOW 5) NF 4403-90-1 DB5044000 224-546-6 0.0-0.1 NA NA NF NF NA NA NA CI 61570 (GREEN 5)



Page 3 of 6 **SDS-355**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/26/2016

			4. FIRST AID MEASURES	
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the continue to offer plenty of water or milk. Never give water or milk to an unconscious nearest Poison Control Center or local emergency number. Provide an estimate of the substance that was swallowed.	person. Contact the
		<u>Eyes</u> :	If product is in the eyes, flush with copious amounts of lukewarm water for at least 1 close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician.	
		<u>Skin</u> :	If redness, dryness or other signs of irritation to the skin develop, wash affected skin warm water and soap. If irritation persists, consult a physician.	n areas with plenty of
1.0	F	Inhalation:	Remove victim to fresh air at once.	
4.2	Effects of Exposure:	Ingestion: <u>Eyes</u> : <u>Skin</u> : Inhalation:	If product is swallowed, may cause nausea, vomiting and/or diarrhea. Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged conta Inhalation is unlikely; however, vapors of this product may be slightly irritatin individuals.	
4.3	Symptoms of Overexposure:		of overexposure may include redness, itching, and irritation.	
4.4	Acute Health Effects:		tching, and irritation of skin at the site of contact for some sensitive individuals.	
4.5	Chronic Health Effects:	overexposur	c health effects are known, although symptoms and discomfort may occur for se ure following ingestion. Components in the fragrance, contained in very small quantitie ergens to some sensitive individuals.	
4.6	Target Organs:	Eyes, Skin		
4.7	Medical Conditions Aggravated by Exposure:	None known	IN HEALTH FLAMMABILITY PHYSICAL HAZARDS PROTECTIVE EQUIPM EYES	1 0 0 ENT A
5.1	Fire & Explosion Hazards:		5. FIREFIGHTING MEASURES	
5.1			act is non-flammable. When exposed to high temperatures, may produce hazardous ition products such as oxides of carbon (e.g., CO, CO_2) and nitrogen (e.g., NO_x) and	
5.2	Extinguishing Methods:	Water, Foan	am, CO ₂ , Dry Chemical	
5.3	Firefighting Procedures:		onders should wear eye protection. Structural fire fighters must wear full protective	
		runoff water	and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service.	
		runoff water If necessary	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service.	
6.1	Spills:	runoff water If necessary	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES	
6.1	Spills:	Before clea Equipment. For small sp spilled mate in accordance warm water For large sp	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES aning any spill or leak, individuals involved in spill cleanup must wear appropriate but the service of the servic	e Personal Protective gles, gloves). Remove . Dispose of properly ontainer with plenty of contain spill with inert
6.1	Spills:	Before clea Equipment. For <u>small sp</u> spilled mate in accordance warm water For <u>large sp</u> material (e.c. containers for	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES aning any spill or leak, individuals involved in spill cleanup must wear appropriate spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., gogg terial with absorbent material and place into appropriate closed container(s) for disposal nce with local, state and federal regulations. Wash all affected areas and outside of co er and soap. Remove any contaminated clothing and wash thoroughly before reuse.	e Personal Protective gles, gloves). Remove . Dispose of properly ontainer with plenty of contain spill with inert g material to separate
6.1	Spills:	Before clea Equipment. For <u>small sp</u> spilled mate in accordam warm water For <u>large sp</u> material (e.c containers for water. Keep	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES aning any spill or leak, individuals involved in spill cleanup must wear appropriate t. spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., gogg terial with absorbent material and place into appropriate closed container(s) for disposal nce with local, state and federal regulations. Wash all affected areas and outside of co er and soap. Remove any contaminated clothing and wash thoroughly before reuse. <u>spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and of .g., sand or earth). Transfer liquid to containers for recovery or disposal and solid dikin for proper disposal. Remove contaminated clothing promptly and wash affected skin	e Personal Protective gles, gloves). Remove . Dispose of properly ontainer with plenty of contain spill with inert g material to separate
6.1	Spills: Work & Hygiene Practices:	Before clea Equipment. For <u>small sp</u> spilled mate in accordam warm water For <u>large sp</u> material (e.c containers for water. Keep	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES maning any spill or leak, individuals involved in spill cleanup must wear appropriate the spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., gogo terial with absorbent material and place into appropriate closed container(s) for disposal nce with local, state and federal regulations. Wash all affected areas and outside of co er and soap. Remove any contaminated clothing and wash thoroughly before reuse. <u>spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and co ag, sand or earth). Transfer liquid to containers for recovery or disposal and solid dikin. for proper disposal. Remove contaminated clothing promptly and wash affected skin ep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION	e Personal Protective gles, gloves). Remove . Dispose of properly ontainer with plenty of contain spill with inert g material to separate
		runoff water If necessary Before clea Equipment. For <u>small sp</u> spilled mate in accordance warm water For <u>large sp</u> material (e.g containers fi water. Keep 7 . Avoid eye co Use and sto unmarked co	er from entering storm drains, bodies of water, or other environmentally sensitive areas. ry, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES maning any spill or leak, individuals involved in spill cleanup must wear appropriate the spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., gogo terial with absorbent material and place into appropriate closed container(s) for disposal nce with local, state and federal regulations. Wash all affected areas and outside of co er and soap. Remove any contaminated clothing and wash thoroughly before reuse. <u>spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and co ag, sand or earth). Transfer liquid to containers for recovery or disposal and solid dikin. for proper disposal. Remove contaminated clothing promptly and wash affected skin ep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION	e Personal Protective gles, gloves). Remove . Dispose of properly ontainer with plenty of contain spill with inert g material to separate a areas with soap and



Page 4 of 6 **SDS-355**

		8. EXPOSURE CON	ITRO	LS &	PERS	SONAI	L PRO	TEC	TION		
1	Exposure Limits: ppm (mg/m ³)		AC	GIH	ES-	NOHSC ES-	ES-		OSHA	1	OTHER
	ppin (ing/in)	CHEMICAL NAME(S)	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
		LIMONENE	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		LINALOOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		CITRONELLOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		SODIUM HYDROXIDE	(2)	NA	(2)	NF	NF	(2)	NA	(10)	(2) NIOSH
		GERANIOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		HEXYLENE GLYCOL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		GLYCERIN	10	NA	NF	NF	NF	15	NA	NA	RESP FRAC
		CITRAL	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
		ETHANOL (SD ALCOHOL 40B)	1000	3000	1000	1880	NF	100	3000	3300	ALLERGEN
3.2	Ventilation & Engineering	FARNESOL When working with large qua	NA	NA	NF	NF	NF	NA	NA (o.g. lo	NA NA	
J.2	Controls:	Ensure that an eyewash statio	n sinko	r washh	asin is av	vailahle in	uale ven		e to eve		iust ventilation, iai
3.3	Respiratory Protection:	None required if used in a well						onpoour	0 10 0 90		
3.4	Eye Protection:	Avoid eye contact. Protective				asses wit	h side-sh	ield) is	recomm	nended a	t 🙆
	,	all times when handling this pr									
3.5	Hand Protection:	None required under normal c	onditions	of use.					• •		
3.6	Body Protection:	None required under normal c	onditions	of use.							
		· · ·									1
		9. PHYSICA	L & C	нем	IICAL	PROF	PERTI	ES			
9.1	Appearance:	Light blue green cream									
9.2	Odor:	Fragrant odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling	NA									
9.7	Range: Flashpoint:	Non-flammable									
9.8	Upper/Lower Flammability	NA									
	Limits:										
9.9	Vapor Pressure:	NA									
9.10 9.11	Vapor Density: Relative Density:	NA NA									
9.11	Solubility:	Soluble in water									
9.12	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	NA									
		10. ST	ABIL	ITY 8	REA		TY				
10.1	Stability:	This product is stable.									
10.2	Hazardous Decomposition	Oxides of carbon and nitrogen									
10.3	Products: Hazardous Polymerization:	Will not occur.									
10.3	Conditions to Avoid:	Open flames, sparks, high hea	t and dir	ect sun	liaht						
10.5	Incompatible Substances:	None known.		cot sum	iigint.						
		T									
		11. TOXIC		GICA							
11.1	Routes of Entry:	Inhalation: NO	020				/ES			Ingest	tion: YES
11.2	Toxicity Data:	The product has not been test	ed for sn	ecific to			E3			ingee	TE3
1.3	Acute Toxicity:	See Section 4.4			Nony dat	а.					
1.4	Chronic Toxicity:	See Section 4.5									
1.5	Suspected Carcinogen:	No									
1.6	Reproductive Toxicity:	This product is not reported to	produce	reprodu	uctive tox	icity in hu	imans.				
	Mutagenicity:	This product is not reported to									
	Embryotoxicity:	This product is not reported to									
	Teratogenicity:	This product is not reported to	produce	teratog	enic elle	<u>cis in nun</u>	lans.				
	Teratogenicity: Reproductive Toxicity:	This product is not reported to		0							
11.7	Teratogenicity:			0							



Page 5 of 6 **SDS-355**

Prepared to OSH	A, ACC, ANSI, NOHSC	, WHMIS, 2001/58 & 1	1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/26/2016

		12. ECOLOGICAL II	NEORMATION				
12.1	Environmental Stability:	There are no specific data available for this produ					
12.2	Effects on Plants & Animals:	There are no specific data available for this produce the specific data available for the specific data availabl					
12.3	Effects on Aquatic Life:	There are no specific data available for this produced the specific data available for the specific data available for this produced the specific data available for the specific data avail					
	13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal:	Dispose of in accordance with Federal, state and					
13.1	Special Considerations:	NA					
10.2	opecial considerations.						
		14. TRANSPORTATIO					
The b	asic description (ID Number.		roup) is shown for each mode of transportation. Additional des	scriptive information			
		ICAO, IMDG and the CTDGR.		oonparo moniaaon			
14.1	49 CFR (GND):	NOT REGULATED					
14.2	IATA (AIR):	NOT REGULATED					
14.3	IMDG (OCN):	NOT REGULATED					
14.4	TDGR (Canadian GND):	NOT REGULATED					
14.5	ADR/RID (EU):	NOT REGULATED					
14.6	SCT (MEXICO):	NOT REGULATED					
14.7	ADGR (AUS):	NOT REGULATED					
		15. REGULATORY I	NFORMATION				
15.1	SARA Reporting Requirements:	This product does not contain any substances su	bject to SARA Title III, Section 313 reporting requirement	ents.			
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantit	ies for the components of this product.				
15.3	TSCA Inventory Status:	The components of this product are listed on the	TSCA Inventory.				
15.4	CERCLA Reportable Quantity (RQ):	Sodium Hydroxide: 1,000 lbs (454 kg)					
15.5	Other Federal Requirements:	This product complies with the appropriate sec (Cosmetics).	tions of the Food and Drug Administration's 21 CF	R subchapter G			
15.6	Other Canadian Regulations:		the hazard criteria of the CPR and the MSDS	\mathbf{O}			
		the DSL/NDSL. None of the components of this p WHMIS D2B (Other Toxic Effects).	PR. The components of this product are listed on product are listed on the Priorities Substances List.	(\mathbf{I})			
15.7	State Regulatory Information:	Hazardous Substances List (MA), Minnesota Ha Pennsylvania Right-to-Know List (PA), and Wash No other ingredients in this product, present in a criteria lists: California Proposition 65 (CA65), D List (FL), Massachusetts Hazardous Substand Hazardous Substances List (MN), New Jersey	ate criteria lists: Florida Toxic Substances List (FL) azardous Substances List (MN), New Jersey Right-to ington Permissible Exposures List (WA). concentration of 1.0% or greater, are listed on any of the Delaware Air Quality Management List (DE), Florida T ces List (MA), Michigan Critical Substances List Right-to-Know List (NJ), New York Hazardous Substances on Permissible Exposures List (WA), Wisconsin Hazard	he following state Foxic Substances (MI), Minnesota tances List (NY),			
15.8	Other Requirements:	NA					
		16. OTHER INFO	RMATION				
16.1	Other Information:		CAUSES EYE IRRITATON. Use as directed. D	Discontinue use if			
		irritation develops. Wash thoroughly after hand	dling. IF IN EYES: Rinse cautiously with water for do. Continue rinsing. If skin irritation or rash occ	several minutes.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to O government regulations must be reviewed for app	SHA's Hazard Communication Standard, 29 CFR §1 licability to this product. To the best of ShipMate's &	OPI's knowledge,			
			ccurate as of this date; however, accuracy, suitability				
			either expressed or implied, are provided. The infor				
			If this product(s) is combined with other materials				
16.4	Prepared for:	OPI Products, Inc.	nged from time to time. Be sure to consult the latest e	ealtion.			
10.4	Fiepared for.	13034 Saticoy Street					
		No. Hollywood, CA 91605 USA					
		Tel: +1 (818) 759-2400	$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$				
		Fax: +1 (818) 759-5776					
		http://www.opi.com					
16.5	Prepared by:	ShipMate, Inc.					
		P.O. Box 787					
		Sisters, Oregon 97759-0787 USA					
		Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700	Dangerous Goods				
		http://www.shipmate.com	Training & Consulting				



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

Page 6 of 6 **SDS-355**

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

Ĩ

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate
	blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α		G 🕞 🕚 😨
в		н 🚱 🕚 🏠 😒
С		I 🕞 🕚 😣
D	E	J 🕒 🕼 🕲 L
Е		к 🕤 🕔 🚯 🔇
F		X Consult your supervisor or SOPs fo special handling directions.
	<u> </u>	



OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

I LAWWADILI						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



SDS Revision Date: 9/26/2016

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals \ensuremath{s}					
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{io}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects					
TC, TC _o , LC _{lo} , & LC _o						
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	TECS Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	DSL Canadian Domestic Substance List				
NDSL	NDSL Canadian Non-Domestic Substance List				
PSL	PSL Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	EU European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	۲		Ð	(
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

<mark>™</mark> ∬		🔥 🗶		*	*	×	×
С	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammabl	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	Call				¥.
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment