according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 1 of 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cosmetics

Restricted to professional users.

#### Uses advised against

none

# 1.3. Details of the supplier of the safety data sheet

Company name:	Biosmetics GmbH	
Street:	Ziegeleiweg 40	
Place:	D Goldberg	
Telephone:	+49 [0] 451   30 800 90	Telefax:+49 [0] 451   20 351 03
Responsible Department:	Dr. Gans-Eichler	e-mail: info@tge-consult.de
	Chemieberatung GmbH	Tel.: +49 (0)251/924520-60
	Raesfeldstr. 22	www.tge-consult.de
	D-48149 Münster	
1.4. Emergency telephone	Tel.: +49 (0) 170 2450126	

### 1.4. Emergency telephone

number:

# Further Information

This product is subject to the cosmetic regulation. This sheet was prepared on a voluntary basis.

INCI: AQUA, CETEARYL ALCOHOL, GLYCERYL STEARATE SE, P-PHENYLENEDIAMINE, OLEAMIDE DEA, SODIUM CETEARYL SULFATE, M-AMINOPHENOL, AMMONIUM HYDROXIDE, HELIANTHUS ANNUUS SEED OIL, LANOLIN, PARFUM, SODIUM SULFITE, 2,6-DIAMINOPYRIDINE, LIMONENE, BUTYLPHENYL METHYLPROPIONAL (LILAL), LINALOOL, CITRAL, GERANIOL

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

Hazard components for labelling p-phenylenediamine

Signal word:

**Pictograms:** 



Warning

# Hazard statements

H317

May cause an allergic skin reaction.

#### according to Regulation (EC) No 1907/2006

### **INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ**

Product code:	Page 2 of 14
Harmful to aquatic life with long lasting effects.	
Its	
Avoid breathing vapour./Aerosol.	
Avoid release to the environment.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If skin irritation or rash occurs: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
Dispose of contents/container to in accordance with official regulations.	
	Harmful to aquatic life with long lasting effects. <b>Its</b> Avoid breathing vapour./Aerosol. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

#### Additional advice on labelling

Labelling according to cosmetic directive.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

in aqueous solution

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regul	ation (EC) No. 1272/2008 [C	LP]		
106-50-3	p-phenylenediamine			1 - < 5 %	
	203-404-7	612-028-00-6			
	Acute Tox. 3, Acute Tox. 3, Acute Aquatic Chronic 1; H331 H311 H		s. 1, Aquatic Acute 1 (M-Factor = 1),		
	Amides, C18-unsatd., N,N-bis(hy	1 - < 5 %			
	700-972-2		01-2119968565-22		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic C	Chronic 2; H315 H319 H411			
1336-21-6	Ammonia %	< 1 %			
	215-647-6	007-001-01-2	01-2119488876-14		
	Skin Corr. 1B, STOT SE 3, Aqua H411	tic Acute 1 (M-Factor = 1), A	quatic Chronic 2; H314 H335 H400		
141-86-6	2,6-Diaminopyridine			< 1 %	
	205-507-2				
	Acute Tox. 3; H301				

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms,

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 3 of 14

especially in the breathing area, seek medical advice immediately.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

#### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ Product code:

|--|

Page 4 of 14

#### Advice on safe handling Provide adequate ventilation.

Wear suitable protective clothing. See section 8.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

# Further information on handling

Avoid contact with skin, eyes and clothes. Do not breathe gas/vapour/aerosol. General protection and hygiene measures: refer to chapter 8

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

# Advice on storage compatibility

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Protect against: Light. UV-radiation/sunlight. heat. moisture.

# 7.3. Specific end use(s)

refer to chapter 1.

### SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-41-7	Ammonia, anhydrous	25	18		TWA (8 h)	WEL
		35	25		STEL (15 min)	WEL
106-50-3	p-Phenylenediamine	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 5 of 14

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			
Worker DNEL,	long-term	inhalation	systemic	73,44 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,16 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	0,0312 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	inhalation	systemic	21,73 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	local	0,01873 mg/cm <sup>2</sup>
Consumer DN	EL, long-term	oral	systemic	6,25 mg/kg bw/day
1336-21-6	Ammonia %		-	
Worker DNEL,	long-term	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	6,8 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL,	long-term	inhalation	local	14 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	systemic	47,6 mg/m <sup>3</sup>
Worker DNEL,	acute	inhalation	local	36 mg/m <sup>3</sup>
Consumer DN	EL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	EL, long-term	inhalation	local	2,8 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	local	7,2 mg/m³
Consumer DN	EL, long-term	oral	systemic	6,8 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	6,8 mg/kg bw/day
PNEC values	3			
CAS No	Substance			
Environmental	compartment			Value
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)			·
Freshwater	•			0,007 mg/l
Freshwater (in	termittent releases)			0,032 mg/l
Marine water				0,0007 mg/l
Freshwater se	0,2663 mg/kg			
Marine sedime	ent			0,02663 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)			830 mg/l
Soil				0,1262 mg/kg
1336-21-6	Ammonia %			
Freshwater				0,0011 mg/l
Freshwater (in	termittent releases)			0,0068 mg/l
Marine water				0,0011 mg/l

according to Regulation (EC) No 1907/2006

# **INTENSIVE** Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 6 of 14

#### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

#### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible).

#### Hand protection

Pull-over gloves of rubber. Suitable material: CR (polychloroprenes, Chloroprene rubber). (0,5 mm) NBR (Nitrile rubber). (0,35 mm) FKM (fluororubber). (0,4 mm) PVC (Polyvinyl chloride). (0,5 mm) Butyl rubber. (0,5 mm) Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Skin protection

Suitable protective clothing: Lab apron. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

exceeding exposure limit values

Suitable respiratory protective equipment: Combination filtering device (EN 14387) Type

:A/P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, closed-circuit breathing apparatus must be used!

### Environmental exposure controls

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	not determined
Odour:	characteristic

pH-Value:

Test method not determined

#### Changes in the physical state

according to Regulation (EC) No 1907/2006

INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ						
Revision date: 04.08.2017	Product code:	Page 7 of 14				
Melting point:	not determined					
Initial boiling point and boiling range:	not determined					
Flash point:	not determined					
Explosive properties none						
Lower explosion limits:	not determined					
Upper explosion limits:	not determined					
Ignition temperature:	not determined					
Decomposition temperature:	not determined					
Oxidizing properties none						
Vapour pressure:	not determined					
Density:	not determined					
Water solubility:	not determined					
Solubility in other solvents not determined						
Viscosity / dynamic:	not determined					
Viscosity / kinematic:	not determined					
Flow time:	not determined					
Vapour density:	not determined					
9.2. Other information						
Solid content:	not determined					

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No information available.

# 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 8 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
106-50-3	p-phenylenediamine								
	oral	LD50	75 mg/kg	Rat. (OECD 420)	ECHA Dossier				
	dermal	ATE mg/kg	300						
	inhalative (4 h) vapour	LC50	0,92 mg/l	Rat. (OECD 403)	ECHA Dossier				
	inhalative aerosol	ATE	0,5 mg/l						
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)								
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier				
1336-21-6	Ammonia %			•					
	oral	LD50 mg/kg	(350)	Rat.	GESTIS				
	inhalative (4 h) vapour	LC50	(1,4) mg/l	Rat.	RTECS				
141-86-6	2,6-Diaminopyridine								
	oral	LD50 mg/kg	100	Rat.	RTECS				

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction. (p-phenylenediamine)

Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

# Product code:

Page 9 of 14

Based on available data, the classification criteria are not met. p-phenylenediamine (CAS No. 106-50-3): In vivo mutagenicity/genotoxicity: No experimental indications of in vivo mutagenicity exist. Developmental toxicity/teratogenicity: Exposure time: 20d Species: Rat. Method: OECD Guideline 414 Result: NOAEL = 10 mg/kg(bw)/day Literature information: ECHA Dossier

3-aminophenol (CAS No. 591-27-5): In vitro mutagenicity/genotoxicity: Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) Result: positive. / negative. Method: bacterial reversion assay, the WP2 Mutoxitest Result: negative. Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) Result: negative. Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay) Result: negative. Developmental toxicity/teratogenicity: Exposure time: 20d Species: Rat. Method: OECD Guideline 414 Result: NOEL = 100 mg/kg(bw)/day Literature information: ECHA Dossier

Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2): In vitro mutagenicity/genotoxicity: No experimental indications of mutagenicity in-vitro exist. Carcinogenicity: Exposure time: 2 years Species: Mouse Method: no guideline followed Result: NOAEL = 30 mg/kg(bw)/day Literature information: ECHA Dossier

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

according to Regulation (EC) No 1907/2006

# **INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ** Revision date: 04.08.2017 Product code: Page 10 of 14 Based on available data, the classification criteria are not met. p-phenylenediamine (CAS No. 106-50-3): Subchronic oral toxicity: Exposure time: 90d Species: Rat. Method: OECD Guideline 408 Result: NOAEL = 16 mg/kg(bw)/day Literature information: ECHA Dossier 3-aminophenol (CAS No. 591-27-5): Subchronic oral toxicity: Exposure time: 90d Species: Rat. Method: no data Result: NOEL = 20 mg/kg(bw)/day Chronic dermal toxicity: Exposure time: 24 month Species: Rat. Method: no data Result: LOEL = 500 mg/kg Literature information: ECHA Dossier Amides, C18-unsatd., N,N-bis(hydroxyethyl) (EC No. 700-972-2): Subchronic dermal toxicity: Exposure time: 90d Species: Rat. Method: no guideline followed Result: NOAEL = 100 mg/kg(bw)/day (systemic); 25 mg/kg(bw)/day (local) Literature information: ECHA Dossier Aspiration hazard Based on available data, the classification criteria are not met. Specific effects in experiment on an animal No data available.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
106-50-3	p-phenylenediamine							
	Acute fish toxicity	LC50 3,9 mg/l		96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier		
	Acute algae toxicity ErC50 0,478 mg/l		72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier			
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	Acute fish toxicity	LC50	5,1 mg/l	96 h	Danio rerio	ECHA Dossier		
1336-21-6	Ammonia %							
	Acute fish toxicity	LC50 mg/l	0,89	96 h	Oncorhynchus mykiss	MSDS external		
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	MSDS external		
	Crustacea toxicity	NOEC mg/l	0,79	3 d	Daphnia magna	MSDS external		

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 11 of 14

#### 12.2. Persistence and degradability

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)							
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 86% 28 ECHA Dossier							
	Readily biodegradable (according to OECD criteria).							

#### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-50-3	p-phenylenediamine	-0.839 pH = 8,5
	Amides, C18-unsatd., N,N-bis(hydroxyethyl)	>6
1336-21-6	Ammonia %	-1,38
141-86-6	2,6-Diaminopyridine	0,25

# 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available.

### Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

070601

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to EAKV:

## Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

### Waste disposal number of used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision da	ate: 04	.08.2017
-------------	---------	----------

Product code:

Page 12 of 14

# **SECTION 14: Transport information**

Land transport (ADR/RID)		
<u>14.1. UN number:</u>	Not restricted	
14.2. UN proper shipping name:	Not restricted	
14.3. Transport hazard class(es):	Not restricted	
14.4. Packing group:	Not restricted	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	Not restricted	
14.2. UN proper shipping name:	Not restricted	
14.3. Transport hazard class(es):	Not restricted	
14.4. Packing group:	Not restricted	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	Not restricted	
14.2. UN proper shipping name:	Not restricted	
14.3. Transport hazard class(es):	Not restricted	
14.4. Packing group:	Not restricted	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	Not restricted	
14.2. UN proper shipping name:	Not restricted	
14.3. Transport hazard class(es):	Not restricted	
14.4. Packing group:	Not restricted	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
Not restricted		
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code	
Not restricted		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU regulatory information		
2010/75/EU (VOC):	not determined	
2004/42/EC (VOC):	not determined	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Additional information		
The mixture is classified as hazardou REACH 1907/2006 Appendix XVII, No	s according to regulation (EC) No 1272/2008 [CLP]. o (mixture): 3	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).	
Water contaminating class (D):	2 - water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for sub	stances in this mixture were not carried out	

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No 1907/2006

# **INTENSIVE** Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 13 of 14

# **SECTION 16: Other information**

### Changes

Rev. 1.00; Initial release: 04.08.2017

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAFC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe WGK: Wassergefährdungsklasse Relevant H and EUH statements (number and full text) Toxic if swallowed. H301 H311 Toxic in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

according to Regulation (EC) No 1907/2006

# INTENSIVE Augenbrauen- und Wimpernfarbe TIEFSCHWARZ

Revision date: 04.08.2017

Product code:

Page 14 of 14

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)