

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	Pure Cleanse Surface Cleansing Spray	SDS Prepared:	9/1/2015
Chemical Name:	N/A	SDS Updated:	3/27/2020
		Revision:	05
Family:	Cleanser	Supplied by:	Nail Alliance - North America, Inc
Product Use:	Cosmetic		1545 Moonstone Brea, CA 92821
Product item#:	51010, 51011	Emergency Phone Number:	(800) 535-5053
		Information Contacts:	(714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

*** Flammable liquid**

* Warning: Flammable liquid and vapor. May affect the central nervous system causing dizziness, headache or nausea. May cause eye irritation. Prolonged or repeated contact may dry the skin and cause irritation and burns.



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin absorption, skin contact, eye contact, ingestion
Eye	Can cause eye irritation. Symptoms include stinging, tearing redness, and swelling of eyes.
Skin	May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, skin burns and other skin damage.
Ingestion	Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting. This results in lung inflammation and other lung injuries.
Inhalation	Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable.
Sub-Chronic Effects	Pre-existing disorders of the following organs may be aggravated by exposure to this material: Skin, lung, kidney.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI NAME	CAS #	EINECS#	Exposure	Limits ACGIH	Carcinogen	%
			OSHA TWA/STEL	TWA/STEL	IAR/NTP/OSH A	
Isopropyl Alcohol	67-63-0	200-661-7	TWA = 200ppm / STEL = 400ppm	TWA = 200ppm / STEL = 400ppm	Not Listed	95- 100

N/E - None Established
N/R - Not Reviewed

N/DA - No Data Available
N/A - Not Applicable

Isopropyl Alcohol Hazard Symbol: F, Xi Risk Phrases: R11, R36, R67 Safety Phrases: S2, S7, S16, S2425, S26

See Section 16 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eye	If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.
First Aid for Skin	Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.
First Aid for Ingestion	Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.
First Aid for Inhalation	If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Section 5: Fire Fighting Measures

Flash Point (est.)	Flammable Limit	Auto-Ignition Temperature

(°F/°C)	(vol%)	(vol%)
54° F/ 12°C	No Data	750°C

Extinguishing Media: Use water spray, foam, carbon dioxide and extinguishing powder.

Fire Fighting Instructions: Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, motors, static discharge, or other ignition sources. Wear full firefighting turn-out gear, and respiratory protection (SCBA). Water may be ineffective for extinguishment unless used under favorable conditions by experienced firefighters. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

Section 6: Accidental Release Measures

Spill or Release Procedures: Contain spillage and then collect with non-combustible absorbent material, and place in container for disposal according to local / national regulations. Prevent spreading over a wide area. Do not let product enter drains. Local authorities should be advised if significant spillages cannot be contained.

Section 7: Handling and Storage

Handling: Containers of this material may be hazardous when emptied. Since emptied containers retain product residues, all hazard precautions give in the data sheet must be observed. Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel, and equipment before transfer or use of material. any use of this product in elevated temperatures processes should be thoroughly evaluated to establish and maintain safe operating conditions.

Storage: Store in cool, dry, ventilated area, away from incompatible substances. Small quantities of peroxides may form on prolonged storage. Exposure to light and / or air significantly increases the rate of peroxide formation. If evaporated to a residue, the mixture of peroxides and isopropanol may explode when exposed to heat or shock.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls: Provide sufficient mechanical ventilation to maintain exposure below exposure guidelines or below levels that cause known suspected, or apparent adverse effect.

Personal Protective Equipment:

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with OSHA PPE Standard (29CFR1910.132) or European Standard EN166. be conducted before using this product. Provide eye wash stations and safety showers.

Eye/Face Protection: Wear chemical splash goggles when there is the potential for exposure to the eyes to liquid, vapor or mist.

Skin Protection: Wear normal work clothing including long pants, long sleeves shirts and foot covering to prevent direct contact of the product with the skin. Wear resistant gloves such as nitrile rubber.

Respiratory Protection: A NIOSH approved air purifying respirator with an appropriate cartridge and / or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits or if overexposure where airborne concentrations are expected to exceed exposure limits. Use positive pressure, air supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air purifying respirator may not provide adequate protection.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity		Viscosity	% Volatile	
Clear liquid	Characteristic	N/DA	N/DA		N/DA	N/DA	
Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
82.5°C (180.5°F)	N/DA	N/DA	6.052 kPA @ 77° F	2.1	7.7 (Ethyl Ether)	No Data	Soluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
54° F/ 12°C	No Data	750°C

Section 10: Stability and Reactivity

Stability: Normally Stable

Hazardous Decomposition Products: In a fire, carbon dioxide and carbon monoxide are decomposed

Conditions to Avoid: Heat, flames and sparks

Incompatibility (Materials to Avoid): Acids, aldehydes, alkalis, amines, ethylene oxide, halogenated hydrocarbons, halogens, isocyanates, strong oxidizing agents.

Hazardous Polymerization: Does not exist

Section 11: Toxicological Information

Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - Skin	Irritation - Eye
N/DA	N/DA	N/DA	N/DA	N/DA
Sensitization		Mutagenicity	Sub-chronic Toxicity	
N/DA		N/DA	N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Consumer Commodity, LTD QTY (<= 1.0L)
UN1219, Isopropanol, 3, II (>1.0L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (<= 0.5L)
UN1219, Isopropanol, 3, II (>0.5L)

IMO (IMDG):

Consumer Commodity, LTD QTY (<= 1.0L)
UN1219, Isopropanol, 3, II (>1.0L)

TDGR (Canadian GND):

Mark Package "Limited Quantity" or "Quantite Limitee" or "LTD QTY" or "Quant Ltee" (<=1.0L)
UN1219, Isopropanol, 3, II (>1.0L)

ADR/RID (EU):

UN1219, Isopropanol, 3, II, ADR, LTD QTY (<=1.0L)

Mexico (SCT):

UN1219, Isopropanol, 3, II, Cantidad Limitada (<=1.0L)

ADGR (AUS):

UN1219, Isopropanol, 3, II


Section 15: Regulatory Information

US Federal Regulations

Clean Air Act: HAP/ODS	This product contains the following (HAP's): or ODS: • NONE
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U.S. Clean Water Act Priority Pollutant List
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: Flammable and acute health
RCRA	This product is not considered to be a hazardous waste under RCRA (40CFR261).
SARA Title III: Section 302	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA title III: Section 304	This product contains the following chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification ("CERCLA" List): None
SARA Titile III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: • Immediate (acute) health hazard • Fire hazard
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: None
TSCA Section 8(b): Inventory	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

Section 16: Other Information

Labeling according to EC Directives - 1999/45/EC

European Community: 	Remover:
	• HAZARD SYMBOLS: Xi, F: <i>Highly Flammable</i>
	• RISK PHRASES: R11- Highly flammable; R36-Irritating to eyes; R67- Vapors may cause
	• SAFETY PHRASES: S2 Keep out of reach of children; S7 Keep container tightly closed; S16 Keep away from sources of ignition-No Smoking; S24/25: Avoid contact with skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water



EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):

Hazard Symbol
 F-Flammable substance or preparations
 Xi-Irritants

Risks Phrases:
 R11- Highly flammable; R36-Irritating to eyes; R67- Vapors may cause

Safety Phrases:
 S2 Keep out of reach of children; S7 Keep container tightly closed; S16 Keep away from sources of ignition-No Smoking; S24/25: Avoid contact with skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water

Hazard Rating System (Pictograms)

<p>NFPA:</p>  <p>HEALTH (1) →</p> <p>FLAMMABILITY (3)</p> <p>REACTIVITY (0)</p>	<p>HMIS:</p> 
---	---

Revised Sections Since Last Verion:	NONE
-------------------------------------	------

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.