

Safety Data Sheet

Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Product Name:	Accelerate Quick Dry Spray	SDS Prepared:	9/1/2015
Chemical Name:	N/A	SDS Updated:	3/27/2020
		Revision:	04
Family:		Supplied by:	Nail Alliance - North America, Inc
Product Use:	Cosmetic		1545 Moonstone Brea, CA 92821
Product item#:	51012, 51013, 51024	Emergency Phone Number:	(800) 535-5053
		Information Contacts:	(714) 773-9758

Section 2: Hazards Identification

EMERGENCY OVERVIEW

- * **Flammable liquid**
- * May cause eye irritation.
- * May cause skin irritation
- * Vapor or mist may be irritating to mucous membranes & upper respiratory tract.
- * Please read entire MSDS for additional information



Potential Health Effects, Signs & Symptoms of Exposure:

Primary Route of Entry Inhalation, skin and ingestion

Eyes & Skin: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.

Ingestion If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.

Inhalation Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). Odor may give some warning of exposure, but odor fatigue may occur.

Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.

Acute Health Effects Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3: Composition/Information on Ingredients

INCI NAME	CAS #	EINECS#	Exposure	Limits	Carcinogen	%
			OSHA TWA/STEL	ACGIH TWA/STEL	IAR/NTP/OSH A	
Disiloxane	107-46-0	203-492-7	N/E	N/E	Not Listed	45 - 55
C7-8 Isoparaffin	64741-66-8	N/A	N/E	N/E	Not Listed	45 - 55

N/E - None Established

N/DA - No Data Available

ND - Not Determined

N/R - Not Reviewed

N/A - Not Applicable

Disiloxane Hazard Symbol: F, N

Risk Phrases: R11, R50/53

Safety Phrases: S16, S26, S61

C7-8 Isoparaffin Hazard Symbol: F, N

Risk Phrases: R65

Safety Phrases: S45

See Section 16 for Risk and Safety Phares Key

Section 4: First Aid Measures

First Aid for Eyes & Skin: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove all contaminated clothing, including footwear and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.

First Aid for Ingestion

If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.

First Aid for Inhalation

Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.

Section 5: Fire Fighting Measures

Flash Point (est.) (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
19° F/ -7° C	LEL: 1.5; UEL: 11.6	N/DA

Extinguishing Media:	HazChem Code: 3YE Hazard Identification Number: 33 Water, Foam, CO2, Dry Chemical
Fire Fighting Instructions:	First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service.
Fire & Explosion Hazards:	This product is an extremely flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2, NOx). Extinguish all nearby sources of ignition as vapors may travel and flash back.

Section 6: Accidental Release Measures

Spill or Release Procedures:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
------------------------------	--

Section 7: Handling and Storage

Work & Hygiene Practices:	Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product.
Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. Keep away from children at all times!
Special Precautions:	Store in original container. Do not store where temperatures can exceed 120 °F.

Section 8: Exposure Controls/Personal Protective Equipment

Engineering Controls	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
Personal Protective Equipment:	
Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.
Eye Protection	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.
Skin Protection	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.
Respiratory Protection	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile		
Clear liquid	Characteristic Odor	N/A	(H2O =1): 0.76	N/A	W/W % : 95		
Boiling Point/ Freezing Point	Material VOC	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
100° C (212 °F)	0.0 lb/gal	ND	ND	ND	< 1.0 (n-BuAc = 1.0)	N/A	Immiscible with water

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-Ignition Temperature (vol%)
19° F/ -7° C	LEL: 1.5; UEL: 11.6	N/DA

Section 10: Stability and Reactivity

Stability: Relatively stable under ambient conditions when stored properly.	Incompatibility (Materials to Avoid): Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.
Hazardous Decomposition Products: If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen).	Hazardous Polymerization: Will Not Occur
Conditions to Avoid: Strong oxidizers, peroxides, acids, alkalis, combustible materials.	

Section 11: Toxicological Information

Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.

Acute Oral Toxicity N/DA	Acute Dermal Toxicity N/DA	Acute Inhalation Toxicity N/DA	Irritation - Skin N/DA	Irritation - Eye N/DA
Sensitization N/DA		Mutagenicity N/DA	Sub-chronic Toxicity N/DA	

Section 12: Ecological Information

Ecotoxicological Information:

Acute Toxicity to Fish N/DA	Acute Toxicity to Invertebrates N/ DA	Acute Toxicity to Algae N/ DA	Bioconcentration N/ DA	Toxicity to Sewage Bacteria N/ DA
---------------------------------------	---	---	----------------------------------	---

Section 13: Disposable Considerations

Dispose of diking materials and absorbent in compliance with State, Local and Federal regulations. Residual vapors may explode on ignition, do not cut, drill or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14: Transport Information

DOT (49 CFR 172)

Consumer Commodity, ORM-D (≤ 1.0 L)
UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II (>1.0L)

IATA (DGR):

Consumer Commodity, 9, ID8000 (≤ 0.5L)
UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II, (>0.5L)

IMO (IMDG):

UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II, LTD Qty (≤ 1.0 L)
UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II (>1.0L)

TDGR (Canadian GND):

Mark Package "LIMITED QUANTITY" or "QUANTITE LIMITEE" or "LTD QTY" or "Quant LTEE" (≤ 1.0L)
UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II (>1.0L)

ADR/RID (EU):

UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II, ADR, LTD Qty (≤ 1.0 L)
UN1993 Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II, ADR (> 1.0 L)

SCT (Mexico):

UN1993, Liquidos Inflamables, N.E.P. (hexametidisiloxano, isoparafina), 3, II Cantidad Limitada (≤ 1.0 L)


ADGR (AUS):

UN1993, Flammable Liquid, N.O.S. (hexamethyldisiloxane, isoparaffin), 3, II, (>1.0L)

Section 15: Regulatory Information


TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.
SARA Reporting Requirements:	N/A
SARA Threshold Planning Quantity:	N/A
Canadian Regulations	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid.
U.S. State Regulatory Information:	No components of this product are listed on the California Proposition 65 lists.

Labeling according to EC Directives - 1999/45/EC

European Community:		<ul style="list-style-type: none"> HAZARD SYMBOLS: F: <i>Highly Flammable</i> RISK PHRASES: R11- Highly flammable; R50/53-Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment, R65-Harmful: may cause lung damage if swallowed SAFETY PHRASES: S2 Keep out of reach of children: S26-In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S61-Avoid release to the environment. Refer to special instructions/safety data sheets. S45-In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)
---------------------	--	---

Section 16: Other Information

<p>EU Classes and Risk / Safety Phrases for Referenced ingredients (See Section 2):</p> <p>Hazard Symbol F-Flammable substance or preparations N-Harmful</p> <p>Risks Phrases: R11-Highly Flammable R50/53-Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R65-Harmful: may cause lung damage if swallowed</p> <p>Safety Phrases: S16-Keep away from sources of ignition - No smoking. S26-In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S61-Avoid release to the environment. Refer to special instructions/safety data sheets S45-In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)</p>
--

<p>Hazard Rating System (Pictograms)</p> <p>NFPA:</p> <div style="display: flex; align-items: center; justify-content: space-around;"> <div style="text-align: center;">  <p>Blue health Red flammability Yellow reactivity White special</p> </div> <div style="text-align: center;"> <p>HEALTH (1) →</p> <p>FLAMMABILITY (3)</p> <p>← REACTIVITY (0)</p> </div> </div> <p>HMIS:</p> <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="background-color: #0070C0; color: white;">HEALTH</td><td style="width: 20px; height: 15px;"></td></tr> <tr><td style="background-color: #FF0000; color: white;">FLAMMABILITY</td><td style="width: 20px; height: 15px;"></td></tr> <tr><td style="background-color: #FFFF00;">REACTIVITY</td><td style="width: 20px; height: 15px;"></td></tr> <tr><td style="background-color: #A9A9A9;">PERSONAL PROTECTION</td><td style="width: 20px; height: 15px;"></td></tr> </table> </div>	HEALTH		FLAMMABILITY		REACTIVITY		PERSONAL PROTECTION	
HEALTH								
FLAMMABILITY								
REACTIVITY								
PERSONAL PROTECTION								

Revised Sections Since Last Verion:	NONE
-------------------------------------	------

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If one could have any concerns with or problems understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Systems at 1(800) 535-5053.